

# Salvatore Romeo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1240852/publications.pdf>

Version: 2024-02-01

36  
papers

1,484  
citations

279798

23  
h-index

361022

35  
g-index

36  
all docs

36  
docs citations

36  
times ranked

2131  
citing authors

#	ARTICLE	IF	CITATIONS
1	Osteosarcoma originates from mesenchymal stem cells in consequence of aneuploidization and genomic loss of <i>Cdkn2c</i> . <i>Journal of Pathology</i> , 2009, 219, 294-305.	4.5	234
2	Soft tissue tumors associated with EWSR1 translocation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 456, 219-234.	2.8	149
3	Dedifferentiation in Gastrointestinal Stromal Tumor to an Anaplastic KIT-negative Phenotype. <i>American Journal of Surgical Pathology</i> , 2013, 37, 385-392.	3.7	90
4	Malignant fibrous histiocytoma and fibrosarcoma of bone: a re-assessment in the light of currently employed morphological, immunohistochemical and molecular approaches. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 561-570.	2.8	78
5	Primary cilia organization reflects polarity in the growth plate and implies loss of polarity and mosaicism in osteochondroma. <i>Laboratory Investigation</i> , 2010, 90, 1091-1101.	3.7	73
6	Profiling of high-grade central osteosarcoma and its putative progenitor cells identifies tumorigenic pathways. <i>British Journal of Cancer</i> , 2009, 101, 1909-1918.	6.4	67
7	Cell Cycle/Apoptosis Molecule Expression Correlates with Imatinib Response in Patients with Advanced Gastrointestinal Stromal Tumors. <i>Clinical Cancer Research</i> , 2009, 15, 4191-4198.	7.0	61
8	Benign Cartilaginous Tumors of Bone. <i>Advances in Anatomic Pathology</i> , 2009, 16, 307-315.	4.3	59
9	Human papillomavirus as prognostic marker with rising prevalence in neck squamous cell carcinoma of unknown primary: A retrospective multicentre study. <i>European Journal of Cancer</i> , 2017, 74, 73-81.	2.8	59
10	MEF2 Is a Converging Hub for Histone Deacetylase 4 and Phosphatidylinositol 3-Kinase/Akt-Induced Transformation. <i>Molecular and Cellular Biology</i> , 2013, 33, 4473-4491.	2.3	48
11	Expression of cartilage growth plate signalling molecules in chondroblastoma. <i>Journal of Pathology</i> , 2004, 202, 113-120.	4.5	45
12	The prevalence of human papillomavirus in squamous cell carcinoma of unknown primary site metastatic to neck lymph nodes: a systematic review. <i>Clinical and Experimental Metastasis</i> , 2015, 32, 835-845.	3.3	41
13	Primary Synovial Sarcoma (SS) of the digestive system: a molecular and clinicopathological study of fifteen cases. <i>Clinical Sarcoma Research</i> , 2015, 5, 7.	2.3	39
14	Multidrug resistance mediated by ABC transporters in osteosarcoma cell lines: mRNA analysis and functional radiotracer studies. <i>Nuclear Medicine and Biology</i> , 2006, 33, 831-840.	0.6	38
15	Interobserver reliability in the histopathological diagnosis of cartilaginous tumors in patients with multiple osteochondromas. <i>Modern Pathology</i> , 2012, 25, 1275-1283.	5.5	37
16	Heterogeneous and Complex Rearrangements of Chromosome Arm 6q in Chondromyxoid Fibroma. <i>American Journal of Pathology</i> , 2010, 177, 1365-1376.	3.8	32
17	Prognostic significance of LINE-1 hypomethylation in oropharyngeal squamous cell carcinoma. <i>Clinical Epigenetics</i> , 2017, 9, 58.	4.1	32
18	Expression of Cellular FLICE Inhibitory Protein, Caspase-8, and Protease Inhibitor-9 in Ewing Sarcoma and Implications for Susceptibility to Cytotoxic Pathways. <i>Clinical Cancer Research</i> , 2007, 13, 206-214.	7.0	28

#	ARTICLE	IF	CITATIONS
19	Chondromyxoid fibroma resembles in vitro chondrogenesis, but differs in expression of signalling molecules. <i>Journal of Pathology</i> , 2005, 206, 135-142.	4.5	27
20	The role of noncartilage-specific molecules in differentiation of cartilaginous tumors. <i>Cancer</i> , 2007, 110, 385-394.	4.1	25
21	Concomitant KIT/BRAF and PDGFRA/BRAF mutations are rare events in gastrointestinal stromal tumors. <i>Oncotarget</i> , 2016, 7, 30109-30118.	1.8	25
22	TGF- $\beta$ 1 drives partial myofibroblastic differentiation in chondromyxoid fibroma of bone. <i>Journal of Pathology</i> , 2006, 208, 26-34.	4.5	24
23	Clear Cell Sarcoma of the Ileum. <i>International Journal of Surgical Pathology</i> , 2012, 20, 401-406.	0.8	24
24	Functional imaging of multidrug resistance in an orthotopic model of osteosarcoma using <sup>99m</sup> Tc-sestamibi. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1793-1803.	6.4	22
25	Hierarchical clustering of flow cytometry data for the study of conventional central chondrosarcoma. <i>Journal of Cellular Physiology</i> , 2010, 225, 601-611.	4.1	19
26	A balanced t(5;17) (p15;q22-23) in chondroblastoma: frequency of the re-arrangement and analysis of the candidate genes. <i>BMC Cancer</i> , 2009, 9, 393.	2.6	18
27	Head and Neck Extranodal Interdigitating Dendritic Cell Sarcoma: Case Report and Review of the Literature. <i>Head and Neck Pathology</i> , 2016, 10, 145-151.	2.6	18
28	Peripheral chondrosarcoma progression is associated with increased type X collagen and vascularisation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 95-102.	2.8	16
29	Clinical application of molecular pathology in sarcomas. <i>Current Opinion in Oncology</i> , 2011, 23, 379-384.	2.4	15
30	Reclassification and subtyping of so-called malignant fibrous histiocytoma of bone: comparison with cytogenetic features. <i>Clinical Sarcoma Research</i> , 2011, 1, 10.	2.3	13
31	Multiple Familial Facial Glomus: Case Report and Review of the Literature. <i>Annals of Otolaryngology and Rhinology</i> , 2003, 112, 287-292.	1.1	9
32	Investigating nasal cytology as a potential tool for diagnosing occupational rhinitis in woodworkers. <i>International Forum of Allergy and Rhinology</i> , 2015, 5, 814-819.	2.8	9
33	Is Neck Dissection Necessary After Induction Plus Concurrent Chemoradiotherapy in Complete Responder Head and Neck Cancer Patients with Pretherapy Advanced Nodal Disease?. <i>Annals of Surgical Oncology</i> , 2013, 20, 250-256.	1.5	6
34	The clinical impact of molecular techniques on diagnostic pathology of soft tissue and bone tumours. <i>Diagnostic Histopathology</i> , 2012, 18, 81-85.	0.4	2
35	Absence of disruptive TP53 mutations in high-risk human papillomavirus-driven neck squamous cell carcinoma of unknown primary. <i>Head and Neck</i> , 2019, 41, 3833-3841.	2.0	2
36	Nora's lesion of the thumb and a differential diagnosis. <i>European Journal of Plastic Surgery</i> , 2011, 34, 215-217.	0.6	0