

Tawanda Gumbo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1241212/tawanda-gumbo-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

6,752
citations

45
h-index

77
g-index

170
ext. papers

7,954
ext. citations

8.4
avg, IF

6.04
L-index

#	Paper	IF	Citations
161	Rifampin Pharmacokinetics/Pharmacodynamics in the Hollow-Fiber Model of Mycobacterium kansasii Infection.. <i>Antimicrobial Agents and Chemotherapy</i> , 2022 , e0232021	5.9	0
160	Repurposing Cefazolin-Avibactam for the Treatment of Drug Resistant. <i>Frontiers in Pharmacology</i> , 2021 , 12, 776969	5.6	0
159	Mycobacterium tuberculosis sterilizing activity of faropenem, pyrazinamide and linezolid combination and failure to shorten the therapy duration. <i>International Journal of Infectious Diseases</i> , 2021 , 104, 680-684	10.5	1
158	Potency of vancomycin against Mycobacterium tuberculosis in the hollow fiber system model. <i>Journal of Global Antimicrobial Resistance</i> , 2021 , 24, 403-410	3.4	1
157	Nouveau short-course therapy and morphism mapping for clinical pulmonary. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 ,	5.9	2
156	Neuropsychiatric toxicity and cycloserine concentrations during treatment for multidrug-resistant tuberculosis. <i>International Journal of Infectious Diseases</i> , 2021 , 105, 688-694	10.5	6
155	Therapeutic drug monitoring and fluoroquinolones for multidrug-resistant tuberculosis. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	
154	Comparison of Rifamycins for Efficacy Against Complex and Resistance Emergence in the Hollow Fiber Model System. <i>Frontiers in Pharmacology</i> , 2021 , 12, 645264	5.6	2
153	Cefdinir and β -Lactamase Inhibitor Independent Efficacy Against. <i>Frontiers in Pharmacology</i> , 2021 , 12, 677005	5.6	3
152	Bacterial load slopes represent biomarkers of tuberculosis therapy success, failure, and relapse. <i>Communications Biology</i> , 2021 , 4, 664	6.7	3
151	Effect of Isoniazid Intake on Ethionamide Pharmacokinetics and Target Attainment in Multidrug-Resistant Tuberculosis Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0027821	5.9	1
150	Evaluation of Ceftriaxone Plus Avibactam in an Intracellular Hollow Fiber Model of Tuberculosis: Implications for the Treatment of Disseminated and Meningeal Tuberculosis in Children. <i>Pediatric Infectious Disease Journal</i> , 2020 , 39, 1092-1100	3.4	3
149	Bacterial and host determinants of cough aerosol culture positivity in patients with drug-resistant versus drug-susceptible tuberculosis. <i>Nature Medicine</i> , 2020 , 26, 1435-1443	50.5	15
148	Dynamic imaging in patients with tuberculosis reveals heterogeneous drug exposures in pulmonary lesions. <i>Nature Medicine</i> , 2020 , 26, 529-534	50.5	43
147	Repurposing drugs for treatment of Mycobacterium abscessus: a view to a kill. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 1212-1217	5.1	17
146	Duration of pretomanid/moxifloxacin/pyrazinamide therapy compared with standard therapy based on time-to-extinction mathematics. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 392-399	5.1	7
145	Pharmacokinetics and other risk factors for kanamycin-induced hearing loss in patients with multi-drug resistant tuberculosis. <i>International Journal of Audiology</i> , 2020 , 59, 219-223	2.6	3

144	A Human Lung Challenge Model to Evaluate the Safety and Immunogenicity of PPD and Live Bacillus Calmette-Guérin. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 1277-1291 ^{10.2}	9
143	Comparison of a Novel Regimen of Rifapentine, Tedizolid, and Minocycline with Standard Regimens for Treatment of Pulmonary Mycobacterium kansasii. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9 3
142	sncRNA-1 Is a Small Noncoding RNA Produced by in Infected Cells That Positively Regulates Genes Coupled to Oleic Acid Biosynthesis. <i>Frontiers in Microbiology</i> , 2020 , 11, 1631	5.7 2
141	Cumulative Fraction of Response for Once- and Twice-Daily Delamanid in Patients with Pulmonary Multidrug-Resistant Tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 65,	5.9 6
140	Population Pharmacokinetics of Cycloserine and Pharmacokinetic/Pharmacodynamic Target Attainment in Multidrug-Resistant Tuberculosis Patients Dosed with Terizidone. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9 6
139	Integrating Pharmacokinetics and Pharmacodynamics in Operational Research to End Tuberculosis. <i>Clinical Infectious Diseases</i> , 2020 , 70, 1774-1780	11.6 32
138	Tedizolid, Faropenem, and Moxifloxacin Combination With Potential Activity Against Nonreplicating. <i>Frontiers in Pharmacology</i> , 2020 , 11, 616294	5.6 2
137	The Lancet Respiratory Medicine Commission: 2019 update: epidemiology, pathogenesis, transmission, diagnosis, and management of multidrug-resistant and incurable tuberculosis. <i>Lancet Respiratory Medicine</i> , 2019 , 7, 820-826	35.1 49
136	Spatial Network Mapping of Pulmonary Multidrug-Resistant Tuberculosis Cavities Using RNA Sequencing. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 370-380	10.2 19
135	Detectable prednisolone is delayed in pericardial fluid, compared with plasma of patients with tuberculous pericarditis: A pilot study. <i>IJC Heart and Vasculature</i> , 2019 , 22, 105-110	2.4
134	Quantitative assessment of the activity of antituberculosis drugs and regimens. <i>Expert Review of Anti-Infective Therapy</i> , 2019 , 17, 449-457	5.5 0
133	Minocycline treatment for pulmonary Mycobacterium avium complex disease based on pharmacokinetics/pharmacodynamics and Bayesian framework mathematical models. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 1952-1961	5.1 13
132	Once-a-week tigecycline for the treatment of drug-resistant TB. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 1607-1617	5.1 3
131	Dosing tuberculosis drugs in young children: the road ahead. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 590-592	14.5
130	Optimizing ethambutol dosing among HIV/tuberculosis co-infected patients: a population pharmacokinetic modelling and simulation study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 2994-3002 ^{5.1}	3002 ¹
129	Minocycline Immunomodulates via Sonic Hedgehog Signaling and Apoptosis and Has Direct Potency Against Drug-Resistant Tuberculosis. <i>Journal of Infectious Diseases</i> , 2019 , 219, 975-985	7 7
128	Pan-tuberculosis regimens: an argument against. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 240-242	35.1 10
127	Urine colorimetry for therapeutic drug monitoring of pyrazinamide during tuberculosis treatment. <i>International Journal of Infectious Diseases</i> , 2018 , 68, 18-23	10.5 10

126	Intermediate Susceptibility Dose-Dependent Breakpoints For High-Dose Rifampin, Isoniazid, and Pyrazinamide Treatment in Multidrug-Resistant Tuberculosis Programs. <i>Clinical Infectious Diseases</i> , 2018 , 67, 1743-1749	11.6	16
125	Drug-Penetration Gradients Associated with Acquired Drug Resistance in Patients with Tuberculosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 1208-1219	10.2	68
124	Antibacterial and Sterilizing Effect of Benzylpenicillin in Tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	19
123	Transformation Morphisms and Time-to-Extinction Analysis That Map Therapy Duration From Preclinical Models to Patients With Tuberculosis: Translating From Apples to Oranges. <i>Clinical Infectious Diseases</i> , 2018 , 67, S349-S358	11.6	15
122	Gatifloxacin Pharmacokinetics/Pharmacodynamics-based Optimal Dosing for Pulmonary and Meningeal Multidrug-resistant Tuberculosis. <i>Clinical Infectious Diseases</i> , 2018 , 67, S274-S283	11.6	18
121	Multiparameter Responses to Tedizolid Monotherapy and Moxifloxacin Combination Therapy Models of Children With Intracellular Tuberculosis. <i>Clinical Infectious Diseases</i> , 2018 , 67, S342-S348	11.6	14
120	Artificial intelligence-derived 3-Way Concentration-dependent Antagonism of Gatifloxacin, Pyrazinamide, and Rifampicin During Treatment of Pulmonary Tuberculosis. <i>Clinical Infectious Diseases</i> , 2018 , 67, S284-S292	11.6	12
119	Levofloxacin Pharmacokinetics/Pharmacodynamics, Dosing, Susceptibility Breakpoints, and Artificial Intelligence in the Treatment of Multidrug-resistant Tuberculosis. <i>Clinical Infectious Diseases</i> , 2018 , 67, S293-S302	11.6	46
118	Linezolid-based Regimens for Multidrug-resistant Tuberculosis (TB): A Systematic Review to Establish or Revise the Current Recommended Dose for TB Treatment. <i>Clinical Infectious Diseases</i> , 2018 , 67, S327-S335	11.6	31
117	Pharmacokinetic/Pharmacodynamic Background and Methods and Scientific Evidence Base for Dosing of Second-line Tuberculosis Drugs. <i>Clinical Infectious Diseases</i> , 2018 , 67, S267-S273	11.6	20
116	Efficacy Versus Hepatotoxicity of High-dose Rifampin, Pyrazinamide, and Moxifloxacin to Shorten Tuberculosis Therapy Duration: There Is Still Fight in the Old Warriors Yet!. <i>Clinical Infectious Diseases</i> , 2018 , 67, S359-S364	11.6	10
115	Ethionamide Pharmacokinetics/Pharmacodynamics-derived Dose, the Role of MICs in Clinical Outcome, and the Resistance Arrow of Time in Multidrug-resistant Tuberculosis. <i>Clinical Infectious Diseases</i> , 2018 , 67, S317-S326	11.6	19
114	d-Cycloserine Pharmacokinetics/Pharmacodynamics, Susceptibility, and Dosing Implications in Multidrug-resistant Tuberculosis: A Faustian Deal. <i>Clinical Infectious Diseases</i> , 2018 , 67, S308-S316	11.6	26
113	The Sterilizing Effect of Intermittent Tedizolid for Pulmonary Tuberculosis. <i>Clinical Infectious Diseases</i> , 2018 , 67, S336-S341	11.6	18
112	Clofazimine for the Treatment of Mycobacterium kansasii. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	10
111	Markers of gut dysfunction do not explain low rifampicin bioavailability in HIV-associated TB. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 2020-2027	5.1	4
110	The epidemiology, pathogenesis, transmission, diagnosis, and management of multidrug-resistant, extensively drug-resistant, and incurable tuberculosis. <i>Lancet Respiratory Medicine</i> , 2017 ,	35.1	313
109	pH Conditions under Which Pyrazinamide Works in Humans. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	3

108	Multidrug-resistant tuberculosis: pharmacokinetic and pharmacodynamic science. <i>Lancet Infectious Diseases, The</i> , 2017 , 17, 898	25.5	6
107	Ceftazidime-avibactam has potent sterilizing activity against highly drug-resistant tuberculosis. <i>Science Advances</i> , 2017 , 3, e1701102	14.3	41
106	Systematic Review and Meta-analyses of the Effect of Chemotherapy on Pulmonary Mycobacterium abscessus Outcomes and Disease Recurrence. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	64
105	Sterilizing Effect of Ertapenem-Clavulanate in a Hollow-Fiber Model of Tuberculosis and Implications on Clinical Dosing. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	20
104	Isoniazid clearance is impaired among human immunodeficiency virus/tuberculosis patients with high levels of immune activation. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 801-811	3.8	14
103	The discovery of ceftazidime/avibactam as an anti-Mycobacterium avium agent. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i36-i42	5.1	23
102	Reply to Raoult. <i>Clinical Infectious Diseases</i> , 2017 , 64, 984	11.6	4
101	Concentration-Dependent Antagonism and Culture Conversion in Pulmonary Tuberculosis. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1350-1359	11.6	32
100	Meta-analyses and the evidence base for microbial outcomes in the treatment of pulmonary Mycobacterium avium-intracellulare complex disease. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i3-i19	5.1	34
99	Linezolid as treatment for pulmonary Mycobacterium avium disease. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i24-i29	5.1	15
98	Tedizolid is highly bactericidal in the treatment of pulmonary Mycobacterium avium complex disease. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i30-i35	5.1	26
97	A novel ceftazidime/avibactam, rifabutin, tedizolid and moxifloxacin (CARTM) regimen for pulmonary Mycobacterium avium disease. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i48-i53	5.1	22
96	A 'shock and awe' thioridazine and moxifloxacin combination-based regimen for pulmonary Mycobacterium avium-intracellulare complex disease. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i43-i47	5.1	12
95	A programme to create short-course chemotherapy for pulmonary Mycobacterium avium disease based on pharmacokinetics/pharmacodynamics and mathematical forecasting. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i54-i60	5.1	7
94	Failure of the azithromycin and ethambutol combination regimen in the hollow-fibre system model of pulmonary Mycobacterium avium infection is due to acquired resistance. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, i20-i23	5.1	7
93	Linezolid Dose That Maximizes Sterilizing Effect While Minimizing Toxicity and Resistance Emergence for Tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	57
92	Pyrazinamide clearance is impaired among HIV/tuberculosis patients with high levels of systemic immune activation. <i>PLoS ONE</i> , 2017 , 12, e0187624	3.7	8
91	Outcomes, infectiousness, and transmission dynamics of patients with extensively drug-resistant tuberculosis and home-discharged patients with programmatically incurable tuberculosis: a prospective cohort study. <i>Lancet Respiratory Medicine, the</i> , 2017 , 5, 269-281	35.1	80

90	Failure of the Amikacin, Cefoxitin, and Clarithromycin Combination Regimen for Treating Pulmonary Mycobacterium abscessus Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 6374-8	5.9	36
89	Artificial Intelligence and Amikacin Exposures Predictive of Outcomes in Multidrug-Resistant Tuberculosis Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 5928-32	5.9	36
88	Concentration-Dependent Synergy and Antagonism of Linezolid and Moxifloxacin in the Treatment of Childhood Tuberculosis: The Dynamic Duo. <i>Clinical Infectious Diseases</i> , 2016 , 63, S88-S94	11.6	28
87	A Faropenem, Linezolid, and Moxifloxacin Regimen for Both Drug-Susceptible and Multidrug-Resistant Tuberculosis in Children: FLAME Path on the Milky Way. <i>Clinical Infectious Diseases</i> , 2016 , 63, S95-S101	11.6	35
86	Optimal Clinical Doses of Faropenem, Linezolid, and Moxifloxacin in Children With Disseminated Tuberculosis: Goldilocks. <i>Clinical Infectious Diseases</i> , 2016 , 63, S102-S109	11.6	27
85	Drug Concentration Thresholds Predictive of Therapy Failure and Death in Children With Tuberculosis: Bread Crumb Trails in Random Forests. <i>Clinical Infectious Diseases</i> , 2016 , 63, S63-S74	11.6	74
84	A Combination Regimen Design Program Based on Pharmacodynamic Target Setting for Childhood Tuberculosis: Design Rules for the Playground. <i>Clinical Infectious Diseases</i> , 2016 , 63, S75-S79	11.6	12
83	Linezolid for Infants and Toddlers With Disseminated Tuberculosis: First Steps. <i>Clinical Infectious Diseases</i> , 2016 , 63, S80-S87	11.6	32
82	Partnerships to Design Novel Regimens to Treat Childhood Tuberculosis, Sui Generis: The Road Ahead. <i>Clinical Infectious Diseases</i> , 2016 , 63, S110-S115	11.6	6
81	Amikacin Optimal Exposure Targets in the Hollow-Fiber System Model of Tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 5922-7	5.9	24
80	Thioridazine as Chemotherapy for Mycobacterium avium Complex Diseases. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 4652-8	5.9	24
79	A Long-term Co-perfused Disseminated Tuberculosis-3D Liver Hollow Fiber Model for Both Drug Efficacy and Hepatotoxicity in Babies. <i>EBioMedicine</i> , 2016 , 6, 126-138	8.8	35
78	Azithromycin Dose To Maximize Efficacy and Suppress Acquired Drug Resistance in Pulmonary Mycobacterium avium Disease. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 2157-63	5.9	20
77	Urine colorimetry to detect Low rifampin exposure during tuberculosis therapy: a proof-of-concept study. <i>BMC Infectious Diseases</i> , 2016 , 16, 242	4	10
76	Tigecycline Is Highly Efficacious against Mycobacterium abscessus Pulmonary Disease. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 2895-900	5.9	39
75	Moxifloxacin's Limited Efficacy in the Hollow-Fiber Model of Mycobacterium abscessus Disease. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 3779-85	5.9	19
74	Susceptibility Testing of Antibiotics That Degrade Faster than the Doubling Time of Slow-Growing Mycobacteria: Ertapenem Sterilizing Effect versus Mycobacterium tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 3193-5	5.9	16
73	The Non-Linear Child: Ontogeny, Isoniazid Concentration, and NAT2 Genotype Modulate Enzyme Reaction Kinetics and Metabolism. <i>EBioMedicine</i> , 2016 , 11, 118-126	8.8	13

72	Impact of nonlinear interactions of pharmacokinetics and MICs on sputum bacillary kill rates as a marker of sterilizing effect in tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 38-45	5.9	91
71	Acquired drug resistance: we can do more than we think!. <i>Clinical Infectious Diseases</i> , 2015 , 60, 969-70	11.6	15
70	Reply to "breakpoints and drug exposure are inevitably closely linked". <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 1385	5.9	
69	Systematic Analysis of Hollow Fiber Model of Tuberculosis Experiments. <i>Clinical Infectious Diseases</i> , 2015 , 61 Suppl 1, S10-7	11.6	44
68	Correlations Between the Hollow Fiber Model of Tuberculosis and Therapeutic Events in Tuberculosis Patients: Learn and Confirm. <i>Clinical Infectious Diseases</i> , 2015 , 61 Suppl 1, S18-24	11.6	46
67	Forecasting Accuracy of the Hollow Fiber Model of Tuberculosis for Clinical Therapeutic Outcomes. <i>Clinical Infectious Diseases</i> , 2015 , 61 Suppl 1, S25-31	11.6	60
66	Nonclinical models for antituberculosis drug development: a landscape analysis. <i>Journal of Infectious Diseases</i> , 2015 , 211 Suppl 3, S83-95	7	63
65	Fatal Lure of Look-Back Studies in Explaining Pharmacological Events Such as Acquired Drug Resistance in Patients With Multidrug-Resistant Tuberculosis. <i>Journal of Infectious Diseases</i> , 2015 , 212, 166-7	7	1
64	Tuberculous Pericarditis is Multibacillary and Bacterial Burden Drives High Mortality. <i>EBioMedicine</i> , 2015 , 2, 1634-9	8.8	20
63	Amikacin Concentrations Predictive of Ototoxicity in Multidrug-Resistant Tuberculosis Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 6337-43	5.9	49
62	Comment on: Clinical significance of 2 h plasma concentrations of first-line anti-tuberculosis drugs: a prospective observational study. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 320-1	5.1	4
61	Amikacin Pharmacokinetics/Pharmacodynamics in a Novel Hollow-Fiber Mycobacterium abscessus Disease Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 60, 1242-8	5.9	30
60	Rapid drug tolerance and dramatic sterilizing effect of moxifloxacin monotherapy in a novel hollow-fiber model of intracellular Mycobacterium kansasii disease. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 2273-9	5.9	15
59	Pharmacokinetic-pharmacodynamic and dose-response relationships of antituberculosis drugs: recommendations and standards for industry and academia. <i>Journal of Infectious Diseases</i> , 2015 , 211 Suppl 3, S96-S106	7	74
58	Single or 2-Dose Micafungin Regimen for Treatment of Invasive Candidiasis: Therapia Sterilisans Magna!. <i>Clinical Infectious Diseases</i> , 2015 , 61 Suppl 6, S635-42	11.6	13
57	Poor Penetration of Antibiotics Into Pericardium in Pericardial Tuberculosis. <i>EBioMedicine</i> , 2015 , 2, 1640-8	8.8	19
56	Subtherapeutic concentrations of first-line anti-TB drugs in South African children treated according to current guidelines: the PHATISA study. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1115-23	5.1	45
55	Global control of tuberculosis: from extensively drug-resistant to untreatable tuberculosis. <i>Lancet Respiratory Medicine</i> , 2014 , 2, 321-38	35.1	191

54	Redefining multidrug-resistant tuberculosis based on clinical response to combination therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 6111-5	5.9	46
53	Therapy duration and long-term outcomes in extra-pulmonary tuberculosis. <i>BMC Infectious Diseases</i> , 2014 , 14, 115	4	13
52	Acquired drug resistance because of pharmacokinetic variability in a young child with tuberculosis. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 1205	3.4	5
51	Modeling and simulation for medical product development and evaluation: highlights from the FDA-C-Path-ISOP 2013 workshop. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2014 , 41, 545-52	2.7	16
50	The pyrazinamide susceptibility breakpoint above which combination therapy fails. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 2420-5	5.1	48
49	Drug concentration monitoring in Mycobacterium avium lung disease: problems with methods and conclusions. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 554-5	10.2	0
48	Serum drug concentrations predictive of pulmonary tuberculosis outcomes. <i>Journal of Infectious Diseases</i> , 2013 , 208, 1464-73	7	296
47	Thioridazine pharmacokinetic-pharmacodynamic parameters "Wobble" during treatment of tuberculosis: a theoretical basis for shorter-duration curative monotherapy with congeners. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 5870-7	5.9	34
46	Weight drives caspofungin pharmacokinetic variability in overweight and obese people: fractal power signatures beyond two-thirds or three-fourths. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 2259-64	5.9	36
45	Pegylated interferon fractal pharmacokinetics: individualized dosing for hepatitis C virus infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 1115-20	5.9	14
44	A meta-analysis of self-administered vs directly observed therapy effect on microbiologic failure, relapse, and acquired drug resistance in tuberculosis patients. <i>Clinical Infectious Diseases</i> , 2013 , 57, 21-31	11.6	80
43	The antibiotic resistance arrow of time: efflux pump induction is a general first step in the evolution of mycobacterial drug resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 4806-15	5.9	126
42	Meta-analysis of clinical studies supports the pharmacokinetic variability hypothesis for acquired drug resistance and failure of antituberculosis therapy. <i>Clinical Infectious Diseases</i> , 2012 , 55, 169-77	11.6	152
41	New susceptibility breakpoints and the regional variability of MIC distribution in Mycobacterium tuberculosis isolates. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 5428	5.9	16
40	Mycobacterial shuttle vectors designed for high-level protein expression in infected macrophages. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 6829-37	4.8	7
39	Ethambutol pharmacokinetic variability is linked to body mass in overweight, obese, and extremely obese people. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 1502-7	5.9	27
38	Scientific and patient care evidence to change susceptibility breakpoints for first-line anti-tuberculosis drugs. <i>International Journal of Tuberculosis and Lung Disease</i> , 2012 , 16, 706-7	2.1	4
37	Reply to Pharmacokinetic Mismatch of Tuberculosis Drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 1667-1667	5.9	78

36	A new evolutionary and pharmacokinetic-pharmacodynamic scenario for rapid emergence of resistance to single and multiple anti-tuberculosis drugs. <i>Current Opinion in Pharmacology</i> , 2011 , 11, 457-63	5.1	64
35	Pharmacokinetic/pharmacodynamic-based treatment of disseminated Mycobacterium avium. <i>Future Microbiology</i> , 2011 , 6, 433-9	2.9	10
34	Pharmacokinetic mismatch does not lead to emergence of isoniazid- or rifampin-resistant Mycobacterium tuberculosis but to better antimicrobial effect: a new paradigm for antituberculosis drug scheduling. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5085-9	5.9	40
33	An oracle: antituberculosis pharmacokinetics-pharmacodynamics, clinical correlation, and clinical trial simulations to predict the future. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 24-34	5.9	87
32	In silico children and the glass mouse model: clinical trial simulations to identify and individualize optimal isoniazid doses in children with tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 539-45	5.9	25
31	Multidrug-resistant tuberculosis not due to noncompliance but to between-patient pharmacokinetic variability. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1951-9	7	205
30	In vitro and in vivo modeling of tuberculosis drugs and its impact on optimization of doses and regimens. <i>Current Pharmaceutical Design</i> , 2011 , 17, 2881-8	3.3	30
29	Fractal geometry and the pharmacometrics of micafungin in overweight, obese, and extremely obese people. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 5107-12	5.9	39
28	Moxifloxacin pharmacokinetics/pharmacodynamics and optimal dose and susceptibility breakpoint identification for treatment of disseminated Mycobacterium avium infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 2534-9	5.9	41
27	New susceptibility breakpoints for first-line antituberculosis drugs based on antimicrobial pharmacokinetic/pharmacodynamic science and population pharmacokinetic variability. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 1484-91	5.9	111
26	Clinical and toxicodynamic evidence that high-dose pyrazinamide is not more hepatotoxic than the low doses currently used. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 2847-54	5.9	51
25	Efflux-pump-derived multiple drug resistance to ethambutol monotherapy in Mycobacterium tuberculosis and the pharmacokinetics and pharmacodynamics of ethambutol. <i>Journal of Infectious Diseases</i> , 2010 , 201, 1225-31	7	98
24	Ethambutol optimal clinical dose and susceptibility breakpoint identification by use of a novel pharmacokinetic-pharmacodynamic model of disseminated intracellular Mycobacterium avium. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 1728-33	5.9	49
23	Meningeal tuberculosis: high long-term mortality despite standard therapy. <i>Medicine (United States)</i> , 2010 , 89, 189-195	1.8	28
22	Treatment of active pulmonary tuberculosis in adults: current standards and recent advances. Insights from the Society of Infectious Diseases Pharmacists. <i>Pharmacotherapy</i> , 2009 , 29, 1468-81	5.8	50
21	Pharmacokinetics-pharmacodynamics of pyrazinamide in a novel in vitro model of tuberculosis for sterilizing effect: a paradigm for faster assessment of new antituberculosis drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 3197-204	5.9	151
20	Population pharmacokinetics of micafungin in adult patients. <i>Diagnostic Microbiology and Infectious Disease</i> , 2008 , 60, 329-31	2.9	61
19	Anidulafungin in the treatment of invasive fungal infections. <i>Therapeutics and Clinical Risk Management</i> , 2008 , 4, 71-8	2.9	11

18	Integrating pharmacokinetics, pharmacodynamics and pharmacogenomics to predict outcomes in antibacterial therapy. <i>Current Opinion in Drug Discovery & Development</i> , 2008 , 11, 32-42		6
17	Pharmacokinetics-pharmacodynamics of antimicrobial therapy: it's not just for mice anymore. <i>Clinical Infectious Diseases</i> , 2007 , 44, 79-86	11.6	523
16	Concentration-dependent Mycobacterium tuberculosis killing and prevention of resistance by rifampin. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 3781-8	5.9	262
15	Isoniazid's bactericidal activity ceases because of the emergence of resistance, not depletion of Mycobacterium tuberculosis in the log phase of growth. <i>Journal of Infectious Diseases</i> , 2007 , 195, 194-201	7	79
14	Population pharmacokinetics of micafungin in pediatric patients and implications for antifungal dosing. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 3714-9	5.9	85
13	Isoniazid bactericidal activity and resistance emergence: integrating pharmacodynamics and pharmacogenomics to predict efficacy in different ethnic populations. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 2329-36	5.9	126
12	Reply to Wallis et al. and Mitchison et al.. <i>Journal of Infectious Diseases</i> , 2007 , 195, 1872-1873	7	7
11	Once-weekly micafungin therapy is as effective as daily therapy for disseminated candidiasis in mice with persistent neutropenia. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 968-74	5.9	95
10	Impact of pharmacodynamics and pharmacokinetics on echinocandin dosing strategies. <i>Current Opinion in Infectious Diseases</i> , 2007 , 20, 587-91	5.4	29
9	Glucan Synthase Inhibitors. <i>Infectious Disease and Therapy</i> , 2007 , 355-378		1
8	The crisis of resistance: identifying drug exposures to suppress amplification of resistant mutant subpopulations. <i>Clinical Infectious Diseases</i> , 2006 , 42, 525-32	11.6	46
7	Anidulafungin pharmacokinetics and microbial response in neutropenic mice with disseminated candidiasis. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 3695-700	5.9	63
6	Pharmacodynamics of caspofungin in a murine model of systemic candidiasis: importance of persistence of caspofungin in tissues to understanding drug activity. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 5058-68	5.9	145
5	Pharmacodynamic evidence that ciprofloxacin failure against tuberculosis is not due to poor microbial kill but to rapid emergence of resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 3178-81	5.9	68
4	Selection of a moxifloxacin dose that suppresses drug resistance in Mycobacterium tuberculosis, by use of an in vitro pharmacodynamic infection model and mathematical modeling. <i>Journal of Infectious Diseases</i> , 2004 , 190, 1642-51	7	267
3	Late complications of Candida (Torulopsis) glabrata fungemia: description of a phenomenon. <i>Scandinavian Journal of Infectious Diseases</i> , 2002 , 34, 817-8		11
2	Clinicopathological features of cutaneous histoplasmosis in human immunodeficiency virus-infected patients in Zimbabwe. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2001 , 95, 635-6	2	10
1	Candida glabrata Fungemia. Clinical features of 139 patients. <i>Medicine (United States)</i> , 1999 , 78, 220-7	1.8	66

