

# Yi-Ming Chen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1241444/yi-ming-chen-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197  
papers

3,080  
citations

30  
h-index

45  
g-index

215  
ext. papers

3,848  
ext. citations

4.1  
avg, IF

5.25  
L-index

#	Paper	IF	Citations
197	Clopidogrel Use and CYP2C19 Genotypes in Patients Undergoing Vascular Intervention Procedure: A Hospital-Based Study.. <i>Pharmacogenomics and Personalized Medicine</i> , <b>2022</b> , 15, 81-89	2.1	0
196	Dextromethorphan Exhibits Anti-Inflammatory and Immunomodulatory Effects in a Murine Model: Therapeutic Implication in Psoriasis. <i>Life</i> , <b>2022</b> , 12, 696	3	
195	Perinatal Outcomes After Statin Exposure During Pregnancy.. <i>JAMA Network Open</i> , <b>2021</b> , 4, e2141321	10.4	2
194	Hepatitis C Virus-Induced Exosomal MicroRNAs and Toll-Like Receptor 7 Polymorphism Regulate B-Cell Activating Factor. <i>MBio</i> , <b>2021</b> , e0276421	7.8	1
193	GAP Score and CA-153 Associated with One-Year Mortality in Anti-MDA-5 Antibody-Positive Patients: A Real-World Experience. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	2
192	Genomic sequencing and functional analyses identify MAP4K3/GLK germline and somatic variants associated with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> ,	2.4	3
191	Impact of systemic lupus erythematosus on the 5-year survival of critically ill septic patients. <i>Arthritis Research and Therapy</i> , <b>2021</b> , 23, 264	5.7	
190	A c.546C>G Genetic Variant Associated with Late Onset Non-Syndromic Hearing Loss in a Taiwanese Population. <i>Genes</i> , <b>2021</b> , 12,	4.2	1
189	BPI overexpression suppresses Treg differentiation and induces exosome-mediated inflammation in systemic lupus erythematosus. <i>Theranostics</i> , <b>2021</b> , 11, 9953-9966	12.1	2
188	Anti-TROVE2 Antibody Determined by Immune-Related Array May Serve as a Predictive Marker for Adalimumab Immunogenicity and Effectiveness in RA. <i>Journal of Immunology Research</i> , <b>2021</b> , 2021, 6656121	4.5	0
187	Influences of Different Drop Height Training on Lower Extremity Kinematics and Stiffness during Repetitive Drop Jump. <i>Applied Bionics and Biomechanics</i> , <b>2021</b> , 2021, 5551199	1.6	3
186	Effect of Acupuncture on the Timeliness of Explosive Forces Generated by the Male Shoulder Joint. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2021</b> , 2021, 5585605	2.3	2
185	Predictors of drug survival for biologic and targeted synthetic DMARDs in rheumatoid arthritis: Analysis from the TRA Clinical Electronic Registry. <i>PLoS ONE</i> , <b>2021</b> , 16, e0250877	3.7	0
184	CARD8 SNP rs11672725 Identified as a Potential Genetic Variant for Adult-Onset Still's Disease. <i>Life</i> , <b>2021</b> , 11,	3	1
183	Effect of Acupuncture on Timeliness of Male Shoulder Joint Endurance. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
182	The Association of ATG16L1 Variations with Clinical Phenotypes of Adult-Onset Still's Disease. <i>Genes</i> , <b>2021</b> , 12,	4.2	1
181	Induction of Interferon- $\gamma$ and Tissue Inflammation by Overexpression of Eosinophil Cationic Protein in T Cells and Exosomes. <i>Arthritis and Rheumatology</i> , <b>2021</b> , 74, 92	9.5	2

180	Six weeks of Jilin ginseng root supplementation attenuates drop jump-related muscle injury markers in healthy female college students. <i>Food and Function</i> , <b>2021</b> , 12, 1458-1468	6.1	3
179	Folate Supplementation Ameliorates Methotrexate Induced Mitochondrial Formate Depletion In Vitro and In Vivo. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
178	. <i>IEEE Access</i> , <b>2021</b> , 9, 80275-80287	3.5	
177	Factors associated with risk of major adverse cardiovascular events in patients with rheumatoid arthritis: a nationwide, population-based, case-control study. <i>Therapeutic Advances in Musculoskeletal Disease</i> , <b>2021</b> , 13, 1759720X211030809	3.8	2
176	Characterization of familial hypercholesterolemia in Taiwanese ischemic stroke patients. <i>Aging</i> , <b>2021</b> , 13, 19339-19351	5.6	0
175	MicroRNA-223 inhibits neutrophil extracellular traps formation through regulating calcium influx and small extracellular vesicles transmission. <i>Scientific Reports</i> , <b>2021</b> , 11, 15676	4.9	4
174	Different Drop Heights in Bilateral Asymmetry and Interjoint Coordination during Repetitive Drop-Jumps. <i>Symmetry</i> , <b>2021</b> , 13, 1590	2.7	1
173	Effects of Traditional Chinese Acupuncture Compared with Sham Acupuncture on the Explosive Force Production by the Forearm Muscles in Female: A Randomized Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2021</b> , 2021, 1992753	2.3	2
172	Association of rs2231142 Allele and BMI With Hyperuricemia in an East Asian Population. <i>Frontiers in Genetics</i> , <b>2021</b> , 12, 709887	4.5	0
171	The effectiveness of tocilizumab in treating refractory adult-onset Still's disease with dichotomous phenotypes: IL-18 is a potential predictor of therapeutic response. <i>Clinical Rheumatology</i> , <b>2021</b> , 1	3.9	1
170	Systemic lupus erythematosus and autoimmune features in chronic hospitalized patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2021</b> , 237, 166-173	3.6	2
169	Machine learning approaches for the genomic prediction of rheumatoid arthritis and systemic lupus erythematosus.. <i>BioData Mining</i> , <b>2021</b> , 14, 52	4.3	0
168	Evaluation of hepatitis B virus in clinical trials of baricitinib in rheumatoid arthritis. <i>RMD Open</i> , <b>2020</b> , 6,	5.9	24
167	Genetic Association and Expression Correlation between Colony-Stimulating Factor 1 Gene Encoding M-CSF and Adult-Onset Still's Disease. <i>Journal of Immunology Research</i> , <b>2020</b> , 2020, 8640719	4.5	1
166	Hyperspectral imaging for skin assessment in systemic sclerosis: a pilot study. <i>Rheumatology</i> , <b>2020</b> , 59, 3201-3210	3.9	5
165	Degraded microarchitecture by low trabecular bone score is associated with prevalent vertebral fractures in patients with systemic lupus erythematosus. <i>Archives of Osteoporosis</i> , <b>2020</b> , 15, 54	2.9	9
164	Gender difference in ASAS HI among patients with ankylosing spondylitis. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235678	3.7	6
163	Maternal and perinatal outcomes of pregnancies in systemic lupus erythematosus: A nationwide population-based study. <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 451-457	5.3	15

162	Hydroxychloroquine may reduce risk of Pneumocystis pneumonia in lupus patients: a Nationwide, population-based case-control study. <i>BMC Infectious Diseases</i> , <b>2020</b> , 20, 112	4	9
161	Immediate Effect of Acupuncture on Performance in the Drop Jump Task: A Single-Group PretestâPosttest Experimental Study. <i>European Journal of Integrative Medicine</i> , <b>2020</b> , 36, 101120	1.7	2
160	Supplementation of L-Arginine, L-Glutamine, Vitamin C, Vitamin E, Folic Acid, and Green Tea Extract Enhances Serum Nitric Oxide Content and Antifatigue Activity in Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2020</b> , 2020, 8312647	2.3	2
159	Supplementation of nano-bubble curcumin extract improves gut microbiota composition and exercise performance in mice. <i>Food and Function</i> , <b>2020</b> , 11, 3574-3584	6.1	13
158	MicroRNA-889 Inhibits Autophagy To Maintain Mycobacterial Survival in Patients with Latent Tuberculosis Infection by Targeting TWEAK. <i>MBio</i> , <b>2020</b> , 11,	7.8	18
157	Association between periodontitis and the risk of inadequate disease control in patients with rheumatoid arthritis under biological treatment. <i>Journal of Clinical Periodontology</i> , <b>2020</b> , 47, 148-159	7.7	0
156	Herpes Zoster in rheumatoid arthritis patients receiving tofacitinib, a single center experience from Taiwan. <i>Medicine (United States)</i> , <b>2020</b> , 99, e22504	1.8	0
155	Proteome and microbiota analysis highlight TWK10 supplementation improves energy metabolism and exercise performance in mice. <i>Food Science and Nutrition</i> , <b>2020</b> , 8, 3525-3534	3.2	5
154	Risk of interstitial lung disease in patients with newly diagnosed systemic autoimmune rheumatic disease: A nationwide, population-based cohort study. <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 840-845	5.3	8
153	Effects of the weight of shoes on calf muscle simulation. <i>Journal of Foot and Ankle Research</i> , <b>2020</b> , 13, 47	3.2	0
152	Effect of Acupuncture on Muscle Endurance in the Female Shoulder Joint: A Pilot Study. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2020</b> , 2020, 9786367	2.3	6
151	Association of Apolipoprotein E Polymorphism with Adipokines and Cardiovascular Disease Risk in Rheumatoid Arthritis Patients. <i>Life</i> , <b>2020</b> , 10,	3	2
150	Effects of Acupuncture on Explosive Force Production by the Healthy Female Shoulder Joint. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2020</b> , 2020, 8835672	2.3	4
149	Relative risk of end-stage renal disease requiring dialysis in treated ankylosing spondylitis patients compared with individuals without ankylosing spondylitis: A nationwide, population-based, matched-cohort study. <i>PLoS ONE</i> , <b>2020</b> , 15, e0231458	3.7	
148	Relative risk of end-stage renal disease requiring dialysis in treated ankylosing spondylitis patients compared with individuals without ankylosing spondylitis: A nationwide, population-based, matched-cohort study <b>2020</b> , 15, e0231458		
147	Relative risk of end-stage renal disease requiring dialysis in treated ankylosing spondylitis patients compared with individuals without ankylosing spondylitis: A nationwide, population-based, matched-cohort study <b>2020</b> , 15, e0231458		
146	Relative risk of end-stage renal disease requiring dialysis in treated ankylosing spondylitis patients compared with individuals without ankylosing spondylitis: A nationwide, population-based, matched-cohort study <b>2020</b> , 15, e0231458		
145	Relative risk of end-stage renal disease requiring dialysis in treated ankylosing spondylitis patients compared with individuals without ankylosing spondylitis: A nationwide, population-based, matched-cohort study <b>2020</b> , 15, e0231458		

144	Gender difference in ASAS HI among patients with ankylosing spondylitis <b>2020</b> , 15, e0235678		
143	Gender difference in ASAS HI among patients with ankylosing spondylitis <b>2020</b> , 15, e0235678		
142	Gender difference in ASAS HI among patients with ankylosing spondylitis <b>2020</b> , 15, e0235678		
141	Gender difference in ASAS HI among patients with ankylosing spondylitis <b>2020</b> , 15, e0235678		
140	Gender difference in ASAS HI among patients with ankylosing spondylitis <b>2020</b> , 15, e0235678		
139	Gender difference in ASAS HI among patients with ankylosing spondylitis <b>2020</b> , 15, e0235678		
138	Risk of immune-mediated inflammatory diseases in newly diagnosed ankylosing spondylitis patients: a population-based matched cohort study. <i>Arthritis Research and Therapy</i> , <b>2019</b> , 21, 196	5.7	7
137	Electrochemical sandwich immunoassay for quantification of therapeutic drugs based on the use of magnetic nanoparticles and silica nanoparticles. <i>Journal of Electroanalytical Chemistry</i> , <b>2019</b> , 849, 113381	4.1	4
136	Ten-year fracture risk by FRAX and osteoporotic fractures in patients with systemic autoimmune diseases. <i>Lupus</i> , <b>2019</b> , 28, 945-953	2.6	12
135	Reactivation of hepatitis B virus infection following rituximab treatment in HBsAg-negative, HBCAb-positive rheumatoid arthritis patients: A long-term, real-world observation. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22, 1145-1151	2.3	11
134	Nanobubbles Water Curcumin Extract Reduces Injury Risks on Drop Jumps in Women: A Pilot Study. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2019</b> , 2019, 8647587	2.3	6
133	Combination immunosuppressant therapy and lupus nephritis outcome: a hospital-based study. <i>Lupus</i> , <b>2019</b> , 28, 658-666	2.6	0
132	Risk of mycobacterial disease among cancer patients: A population-based cohort study in a TB endemic area. <i>Cancer Epidemiology</i> , <b>2019</b> , 59, 64-70	2.8	5
131	Association between Negatively Charged Low-Density Lipoprotein L5 and Subclinical Atherosclerosis in Rheumatoid Arthritis Patients. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	7
130	Ludwigia octovalvis (Jacq.) raven extract supplementation enhances muscle glycogen content and endurance exercise performance in mice. <i>Journal of Veterinary Medical Science</i> , <b>2019</b> , 81, 667-674	1.1	4
129	Electronic cigarette exposure reduces exercise performance and changes the biochemical profile of female mice. <i>Bioscience, Biotechnology and Biochemistry</i> , <b>2019</b> , 83, 2318-2326	2.1	5
128	Association between tonsillitis and newly diagnosed ankylosing spondylitis: A nationwide, population-based, case-control study. <i>PLoS ONE</i> , <b>2019</b> , 14, e0220721	3.7	3
127	AhR-ROR- $\beta$ complex is a therapeutic target for MAP4K3/GLKIL-17A subpopulation of systemic lupus erythematosus. <i>FASEB Journal</i> , <b>2019</b> , 33, 11469-11480	0.9	10

126	The Effects of Ergosta-7,9(11),22-trien-3Ebl from on the Biochemical Profile and Exercise Performance of Mice. <i>Molecules</i> , <b>2019</b> , 24,	4.8	3
125	An Association of Gut Microbiota with Different Phenotypes in Chinese Patients with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	30
124	Overactive bladder and bladder pain syndrome/interstitial cystitis in primary Sjögren's syndrome patients: A nationwide population-based study. <i>PLoS ONE</i> , <b>2019</b> , 14, e0225455	3.7	11
123	Comparisons of hepatitis C viral replication in patients with rheumatoid arthritis receiving tocilizumab, abatacept and tofacitinib therapy. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 849-850	2.4	5
122	Safety and effectiveness of tocilizumab in treating patients with rheumatoid arthritis - A three-year study in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , <b>2019</b> , 52, 141-150	8.5	13
121	Risk-stratified management strategies for HBV reactivation in RA patients receiving biological and targeted therapy: A narrative review. <i>Journal of Microbiology, Immunology and Infection</i> , <b>2019</b> , 52, 1-8	8.5	21
120	Overactive bladder and bladder pain syndrome/interstitial cystitis in primary Sjögrenâ syndrome patients: A nationwide population-based study <b>2019</b> , 14, e0225455		
119	Overactive bladder and bladder pain syndrome/interstitial cystitis in primary Sjögrenâ syndrome patients: A nationwide population-based study <b>2019</b> , 14, e0225455		
118	Overactive bladder and bladder pain syndrome/interstitial cystitis in primary Sjögrenâ syndrome patients: A nationwide population-based study <b>2019</b> , 14, e0225455		
117	Overactive bladder and bladder pain syndrome/interstitial cystitis in primary Sjögrenâ syndrome patients: A nationwide population-based study <b>2019</b> , 14, e0225455		
116	Human parvovirus B19 nonstructural protein NS1 activates NLRP3 inflammasome signaling in adult-onset Still's disease. <i>Molecular Medicine Reports</i> , <b>2018</b> , 17, 3364-3371	2.9	9
115	Three months of once-weekly isoniazid plus rifapentine (3HP) in treating latent tuberculosis infection is feasible in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1688-1689	2.4	5
114	Rituximab May Cause Increased Hepatitis C Virus Viremia in Rheumatoid Arthritis Patients Through Declining Exosomal MicroRNA-155. <i>Arthritis and Rheumatology</i> , <b>2018</b> , 70, 1209-1219	9.5	16
113	Non-invasive assessment of cellulitis from snapshot hyperspectral imaging - A primary study. <i>Skin Research and Technology</i> , <b>2018</b> , 24, 343-346	1.9	1
112	What does power Doppler signal indicate in rheumatoid synovitis? A point of view from synovial histopathology. <i>Journal of the Chinese Medical Association</i> , <b>2018</b> , 81, 383-386	2.8	4
111	Increased risk of hepatitis B virus reactivation in systemic lupus erythematosus patients receiving immunosuppressants: a retrospective cohort study. <i>Lupus</i> , <b>2018</b> , 27, 66-75	2.6	7
110	Reactivation of hepatitis B virus infection in patients with rheumatoid arthritis receiving tofacitinib: a real-world study. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 780-782	2.4	48
109	The clinical application of tumor markers in the screening of malignancies and interstitial lung disease of dermatomyositis/polymyositis patients: A retrospective study. <i>SAGE Open Medicine</i> , <b>2018</b> , 6, 2050312118781895	2.4	11



108	Kefir Supplementation Modifies Gut Microbiota Composition, Reduces Physical Fatigue, and Improves Exercise Performance in Mice. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	50
107	Impaired autophagic flux and its related inflammation in patients with adult-onset Still's disease. <i>Oncotarget</i> , <b>2018</b> , 9, 110-121	3.3	5
106	Effect of Lactobacillus Plantarum TWK10 on Improving Endurance Performance in Humans. <i>Chinese Journal of Physiology</i> , <b>2018</b> , 61, 163-170	1.6	30
105	Association of C-type lectin 18 levels with extrahepatic manifestations in chronic HCV infection. <i>Scientific Reports</i> , <b>2018</b> , 8, 17287	4.9	3
104	Association between autophagy and inflammation in patients with rheumatoid arthritis receiving biologic therapy. <i>Arthritis Research and Therapy</i> , <b>2018</b> , 20, 268	5.7	18
103	Associations between Antibiotics for Non-tuberculous Mycobacterial Infection and Incident Sjögren's Syndrome: A Nationwide, Population-based Case-control Study. <i>Scientific Reports</i> , <b>2018</b> , 8, 16007	4.9	3
102	Psoriatic patients with chronic viral hepatitis do not have an increased risk of liver cirrhosis despite long-term methotrexate use: Real-world data from a nationwide cohort study in Taiwan. <i>Journal of the American Academy of Dermatology</i> , <b>2018</b> , 79, 652-658	4.5	9
101	Elevated Expression of the NLRP3 Inflammasome and Its Correlation with Disease Activity in Adult-onset Still Disease. <i>Journal of Rheumatology</i> , <b>2017</b> , 44, 1142-1150	4.1	34
100	Association between use of disease-modifying antirheumatic drugs and diabetes in patients with ankylosing spondylitis, rheumatoid arthritis, or psoriasis/psoriatic arthritis: a nationwide, population-based cohort study of 84,989 patients. <i>Therapeutics and Clinical Risk Management</i> , <b>2017</b> , 13, 583-592	2.9	12
99	Tocilizumab potentially prevents bone loss in patients with anticitrullinated protein antibody-positive rheumatoid arthritis. <i>PLoS ONE</i> , <b>2017</b> , 12, e0188454	3.7	30
98	The risk of tuberculosis disease in rheumatoid arthritis patients on biologics and targeted therapy: A 15-year real world experience in Taiwan. <i>PLoS ONE</i> , <b>2017</b> , 12, e0178035	3.7	36
97	The risk of nontuberculous mycobacterial infection in patients with Sjögren's syndrome: a nationwide, population-based cohort study. <i>BMC Infectious Diseases</i> , <b>2017</b> , 17, 796	4	7
96	Dextromethorphan Exhibits Anti-inflammatory and Immunomodulatory Effects in a Murine Model of Collagen-Induced Arthritis and in Human Rheumatoid Arthritis. <i>Scientific Reports</i> , <b>2017</b> , 7, 11353	4.9	8
95	Risk and severity of herpes zoster in patients with rheumatoid arthritis receiving different immunosuppressive medications: a case-control study in Asia. <i>BMJ Open</i> , <b>2017</b> , 7, e014032	3	33
94	Significant Associations of Neurological Complications of Herpes Zoster With Stroke in Rheumatoid Arthritis Patients. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	11
93	Upregulation of circulating microRNA-134 in adult-onset Still's disease and its use as potential biomarker. <i>Scientific Reports</i> , <b>2017</b> , 7, 4214	4.9	17
92	Health-related quality of life and utility: comparison of ankylosing spondylitis, rheumatoid arthritis, and systemic lupus erythematosus patients in Taiwan. <i>Clinical Rheumatology</i> , <b>2017</b> , 36, 133-142	3.9	20
91	Association between a history of mycobacterial infection and the risk of newly diagnosed Sjögren's syndrome: A nationwide, population-based case-control study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0176549	3.7	16

90	Association between periodontitis and the risk of palindromic rheumatism: A nationwide, population-based, case-control study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182284	3.7	4
89	Risk factors for cryptococcal infection among patients with rheumatoid arthritis receiving different immunosuppressive medications. <i>Clinical Microbiology and Infection</i> , <b>2016</b> , 22, 815.e1-815.e3	9.5	22
88	Drug trough levels predict therapeutic responses to dose reduction of adalimumab for rheumatoid arthritis patients during 24 weeks of follow-up. <i>Rheumatology</i> , <b>2016</b> , 55, 143-8	3.9	33
87	One-Year Tuberculosis Risk in Rheumatoid Arthritis Patients Starting Their First Tumor Necrosis Factor Inhibitor Therapy from 2008 to 2012 in Taiwan: A Nationwide Population-Based Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166339	3.7	12
86	Downregulation of the phosphatase JKAP/DUSP22 in T cells as a potential new biomarker of systemic lupus erythematosus nephritis. <i>Oncotarget</i> , <b>2016</b> , 7, 57593-57605	3.3	34
85	Is drug discontinuation risk of adalimumab compared with etanercept affected by concomitant methotrexate dose in patients with rheumatoid arthritis?. <i>Patient Preference and Adherence</i> , <b>2016</b> , 10, 123-34	2.4	2
84	Different Risk of Tuberculosis and Efficacy of Isoniazid Prophylaxis in Rheumatoid Arthritis Patients with Biologic Therapy: A Nationwide Retrospective Cohort Study in Taiwan. <i>PLoS ONE</i> , <b>2016</b> , 11, e0153217	3.7	32
83	Risk of Atrial Fibrillation or Flutter Associated with Periodontitis: A Nationwide, Population-Based, Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165601	3.7	20
82	Elevated Neopterin Levels Are Associated with Increased Tuberculosis Risk in Rheumatoid Arthritis Patients with QuantiFERON Conversion during Biologic Therapy. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166301	3.7	3
81	Metabolic Disturbances in Adult-Onset Still's Disease Evaluated Using Liquid Chromatography/Mass Spectrometry-Based Metabolomic Analysis. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168147	3.7	9
80	The Incidence and Prevalence of Thromboangiitis Obliterans in Taiwan: A Nationwide, Population-based Analysis of Data Collected from 2002 to 2011. <i>Clinics</i> , <b>2016</b> , 71, 399-403	2.3	4
79	Risk Factors and Outcomes of Nontuberculous Mycobacterial Disease among Rheumatoid Arthritis Patients: A Case-Control study in a TB Endemic Area. <i>Scientific Reports</i> , <b>2016</b> , 6, 29443	4.9	30
78	Betahistine attenuates murine collagen-induced arthritis by suppressing both inflammatory and Th17 cell responses. <i>International Immunopharmacology</i> , <b>2016</b> , 39, 236-245	5.8	2
77	Factors affecting discontinuation of adalimumab and etanercept therapy in anti-TNF-naïve patients with ankylosing spondylitis: Nationwide population-based cohort study. <i>Modern Rheumatology</i> , <b>2015</b> , 25, 903-907	3.3	
76	Significant effects of biologic therapy on lipid profiles and insulin resistance in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 52	5.7	39
75	Hydroxychloroquine reduces risk of incident diabetes mellitus in lupus patients in a dose-dependent manner: a population-based cohort study. <i>Rheumatology</i> , <b>2015</b> , 54, 1244-9	3.9	77
74	The potential role of advanced glycation end products (AGEs) and soluble receptors for AGEs (sRAGE) in the pathogenesis of adult-onset still's disease. <i>BMC Musculoskeletal Disorders</i> , <b>2015</b> , 16, 111	2.8	15
73	Use of HLA-B*58:01 genotyping to prevent allopurinol induced severe cutaneous adverse reactions in Taiwan: national prospective cohort study. <i>BMJ, The</i> , <b>2015</b> , 351, h4848	5.9	115



72	Immunogenicity, drug trough levels and therapeutic response in patients with rheumatoid arthritis or ankylosing spondylitis after 24-week golimumab treatment. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 2261-4	2.4	24
71	Significant associations of antidrug antibody levels with serum drug trough levels and therapeutic response of adalimumab and etanercept treatment in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, e16	2.4	71
70	Acarbose Decreases the Rheumatoid Arthritis Risk of Diabetic Patients and Attenuates the Incidence and Severity of Collagen-induced Arthritis in Mice. <i>Scientific Reports</i> , <b>2015</b> , 5, 18288	4.9	10
69	Response to: 'Towards optimal cut-off trough levels of adalimumab and etanercept for a good therapeutic response in rheumatoid arthritis. Results of the INMUNOREMAR study' by Sanmarti et al. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, e43	2.4	
68	Genetic association of complement component 2 polymorphism with systemic lupus erythematosus. <i>Tissue Antigens</i> , <b>2015</b> , 86, 122-33		8
67	Hypolipidemic Effect of Tomato Juice in Hamsters in High Cholesterol Diet-Induced Hyperlipidemia. <i>Nutrients</i> , <b>2015</b> , 7, 10525-37	6.7	22
66	Hypolipidemic effects and safety of <i>Lactobacillus reuteri</i> 263 in a hamster model of hyperlipidemia. <i>Nutrients</i> , <b>2015</b> , 7, 3767-82	6.7	22
65	A comparison of safety profiles of tumour necrosis factor inhibitors and rituximab therapy in patients with rheumatoid arthritis and chronic hepatitis C. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 626-7	2.4	21
64	The phosphatase JKAP/DUSP22 inhibits T-cell receptor signalling and autoimmunity by inactivating Lck. <i>Nature Communications</i> , <b>2014</b> , 5, 3618	17.4	71
63	Measuring serum levels of high-mobility group box 1 by enzyme-linked immunosorbent assay does not identify bacterial infections in patients with systemic lupus erythematosus. <i>Lupus</i> , <b>2014</b> , 23, 926-34	2.6	2
62	Dumbbell-shaped cervical spine schwannoma causing myelopathy in a patient with rheumatoid arthritis. <i>Joint Bone Spine</i> , <b>2014</b> , 81, 454	2.9	
61	Late-life depression and quality of life in a geriatric evaluation and management unit: an exploratory study. <i>BMC Geriatrics</i> , <b>2014</b> , 14, 77	4.1	20
60	Onset age affects mortality and renal outcome of female systemic lupus erythematosus patients: a nationwide population-based study in Taiwan. <i>Rheumatology</i> , <b>2014</b> , 53, 180-5	3.9	30
59	Bilateral nephrocalcinosis, distal renal tubular acidosis and interstitial nephritis in primary Sjögren's syndrome. <i>Joint Bone Spine</i> , <b>2014</b> , 81, 542	2.9	1
58	Exposição à periodontite no intervalo de um ano antes do tratamento antidiabético e risco de artrite reumatoide em pacientes com diabetes mellitus: estudo de coorte populacional. <i>Revista Brasileira De Reumatologia</i> , <b>2014</b> , 54, 124-130		6
57	Periodontitis exposure within one year before anti-diabetic treatment and the risk of rheumatoid arthritis in diabetes mellitus patients: a population-based cohort study. <i>Revista Brasileira De Reumatologia</i> , <b>2014</b> , 54, 124-130		
56	A novel role of the tumor suppressor GNMT in cellular defense against DNA damage. <i>International Journal of Cancer</i> , <b>2014</b> , 134, 799-810	7.5	14
55	Fucoidan supplementation improves exercise performance and exhibits anti-fatigue action in mice. <i>Nutrients</i> , <b>2014</b> , 7, 239-52	6.7	39

54	Th17-related cytokines in systemic lupus erythematosus patients with dilated cardiomyopathies: a possible linkage to parvovirus B19 infection. <i>PLoS ONE</i> , <b>2014</b> , 9, e113889	3.7	12
53	Astragalus membranaceus improves exercise performance and ameliorates exercise-induced fatigue in trained mice. <i>Molecules</i> , <b>2014</b> , 19, 2793-807	4.8	43
52	Cornu cervi pantotrichum supplementation improves exercise performance and protects against physical fatigue in mice. <i>Molecules</i> , <b>2014</b> , 19, 4669-80	4.8	9
51	Diagnostic Utility of US for Detecting Rotator Cuff Tears in Rheumatoid Arthritis Patients: Comparison with Magnetic Resonance Imaging. <i>Journal of Medical Ultrasound</i> , <b>2014</b> , 22, 200-206	0.8	4
50	Effect of the herbal drug guilu erxian jiao on muscle strength, articular pain, and disability in elderly men with knee osteoarthritis. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2014</b> , 2014, 297458	2.3	18
49	A potential role of myeloid DAP12-associating lectin (MDL)-1 in the regulation of inflammation in rheumatoid arthritis patients. <i>PLoS ONE</i> , <b>2014</b> , 9, e86105	3.7	14
48	Periodontitis exposure within one year before anti-diabetic treatment and the risk of rheumatoid arthritis in diabetes mellitus patients: a population-based cohort study. <i>Revista Brasileira De Reumatologia</i> , <b>2014</b> , 54, 124-30		3
47	Involvement of TLR7 MyD88-dependent signaling pathway in the pathogenesis of adult-onset Still's disease. <i>Arthritis Research and Therapy</i> , <b>2013</b> , 15, R39	5.7	34
46	Minimally Invasive Ultrasound-guided Synovial Biopsy Using SuperCore Biopsy Instrument. <i>Journal of Medical Ultrasound</i> , <b>2013</b> , 21, 132-137	0.8	1
45	Cytoprotective effect of American ginseng in a rat ethanol gastric ulcer model. <i>Molecules</i> , <b>2013</b> , 19, 316-26	4.6	23
44	Germinal center kinase-like kinase overexpression in T cells as a novel biomarker in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 2573-82		14
43	Association between a history of periodontitis and the risk of rheumatoid arthritis: a nationwide, population-based, case-control study. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1206-11	2.4	116
42	Periodontitis and etanercept discontinuation risk in anti-tumor necrosis factor-naïve rheumatoid arthritis patients: a nationwide population-based cohort study. <i>Journal of Clinical Rheumatology</i> , <b>2013</b> , 19, 432-8	1.1	14
41	The effects of rituximab therapy on released interferon- $\gamma$ levels in the QuantiFERON assay among RA patients with different status of Mycobacterium tuberculosis infection. <i>Rheumatology</i> , <b>2013</b> , 52, 697-704	3.8	22
40	Dextromethorphan inhibits activations and functions in dendritic cells. <i>Clinical and Developmental Immunology</i> , <b>2013</b> , 2013, 125643		14
39	Falls and Atrial Fibrillation in Elderly Patients. <i>Acta Cardiologica Sinica</i> , <b>2013</b> , 29, 436-43	1.1	16
38	Significant association of past parvovirus B19 infection with cytopenia in both adult-onset Still's disease and systemic lupus erythematosus patients. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 855-60	6.2	17
37	Germinal center kinase-like kinase (GLK/MAP4K3) expression is increased in adult-onset Still's disease and may act as an activity marker. <i>BMC Medicine</i> , <b>2012</b> , 10, 84	11.4	23

36	Biphasic emergence of active tuberculosis in rheumatoid arthritis patients receiving TNF $\alpha$ inhibitors: the utility of IFN $\gamma$ assay. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 231-7	2.4	60
35	Progression of cognitive dysfunction in elderly chronic kidney disease patients in a veteran's institution in central Taiwan: a 3-year longitudinal study. <i>Internal Medicine</i> , <b>2012</b> , 51, 29-35	1.1	8
34	Remitting seronegative symmetrical synovitis with pitting edema (RS3PE) syndrome: A case report. <i>Journal of Clinical Gerontology and Geriatrics</i> , <b>2011</b> , 2, 27-29		3
33	The design of a prospective, randomized, open-labeled study to compare the efficacy of lercanidipine with amlodipine on renal function in hypertensive patients aged at least 55 years (LEADER study). <i>Journal of Clinical Gerontology and Geriatrics</i> , <b>2011</b> , 2, 88-92		0
32	A multicenter open-label phase I/II study to assess the safety, tolerability, and efficacy of three dose levels of TuNEX in patients with rheumatoid arthritis. <i>Journal of the Chinese Medical Association</i> , <b>2011</b> , 74, 544-51	2.8	3
31	Increasing levels of circulating Th17 cells and interleukin-17 in rheumatoid arthritis patients with an inadequate response to anti-TNF $\alpha$ therapy. <i>Arthritis Research and Therapy</i> , <b>2011</b> , 13, R126	5.7	150
30	GNMT expression increases hepatic folate contents and folate-dependent methionine synthase-mediated homocysteine remethylation. <i>Molecular Medicine</i> , <b>2011</b> , 17, 486-94	6.2	28
29	A close association of body cell mass loss with disease activity and disability in Chinese patients with rheumatoid arthritis. <i>Clinics</i> , <b>2011</b> , 66, 1217-22	2.3	8
28	Gender differences in ankylosing spondylitis-associated cumulative healthcare utilization: a population-based cohort study. <i>Clinics</i> , <b>2011</b> , 66, 251-4	2.3	12
27	Risk of herpes zoster in patients with systemic lupus erythematosus: a three-year follow-up study using a nationwide population-based cohort. <i>Clinics</i> , <b>2011</b> , 66, 1177-82	2.3	38
26	Primary sjögren syndrome manifested as localized cutaneous nodular amyloidosis. <i>Journal of Clinical Rheumatology</i> , <b>2011</b> , 17, 368-70	1.1	18
25	Alendronate and risk of esophageal cancer: a nationwide population-based study in Taiwan. <i>Journal of the American Geriatrics Society</i> , <b>2011</b> , 59, 2379-81	5.6	18
24	Hip and subtrochanteric or diaphyseal femoral fractures in alendronate users: a 10-year, nationwide retrospective cohort study in Taiwanese women. <i>Clinical Therapeutics</i> , <b>2011</b> , 33, 1659-67	3.5	31
23	Glycine-N methyltransferase expression in HepG2 cells is involved in methyl group homeostasis by regulating transmethylation kinetics and DNA methylation. <i>Journal of Nutrition</i> , <b>2011</b> , 141, 777-82	4.1	32
22	The kinase GLK controls autoimmunity and NF- $\kappa$ B signaling by activating the kinase PKC- $\zeta$ in T cells. <i>Nature Immunology</i> , <b>2011</b> , 12, 1113-8	19.1	99
21	Kinetics of viral loads and risk of hepatitis B virus reactivation in hepatitis B core antibody-positive rheumatoid arthritis patients undergoing anti-tumour necrosis factor alpha therapy. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1719-25	2.4	129
20	Potential role of Th17 cells in the pathogenesis of adult-onset Still's disease. <i>Rheumatology</i> , <b>2010</b> , 49, 2305-12	3.9	58
19	Effectiveness of community hospital-based post-acute care on functional recovery and 12-month mortality in older patients: a prospective cohort study. <i>Annals of Medicine</i> , <b>2010</b> , 42, 630-6	1.5	31

18	Polymyositis/dermatomyositis and nasopharyngeal carcinoma: the Epstein-Barr virus connection?. <i>Journal of Clinical Virology</i> , <b>2010</b> , 49, 290-5	14.5	39
17	The association of anti-parvovirus B19-VP1 unique region antibodies with antiphospholipid antibodies in patients with antiphospholipid syndrome. <i>Clinica Chimica Acta</i> , <b>2010</b> , 411, 1084-9	6.2	10
16	Care of elderly patients with diabetes mellitus: a focus on frailty. <i>Ageing Research Reviews</i> , <b>2010</b> , 9 Suppl 1, S18-22	12	46
15	The associations of circulating CD4+CD25high regulatory T cells and TGF- $\beta$ with disease activity and clinical course in patients with adult-onset Still's disease. <i>Connective Tissue Research</i> , <b>2010</b> , 51, 370-7	3.3	22
14	Nodular mucinosis in Graves disease mimicking gouty tophi. <i>Journal of Clinical Rheumatology</i> , <b>2010</b> , 16, 287-9	1.1	
13	Amélioration de la fonction cognitive, un bénéfice potentiel du traitement anti-TNF chez les patients âgés atteints de polyarthrite rhumatoïde. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2010</b> , 77, 406-408	0.1	
12	Improvement of cognition, a potential benefit of anti-TNF therapy in elderly patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , <b>2010</b> , 77, 366-7	2.9	25
11	Predictors of functional recovery (FR) for elderly hospitalized patients in a geriatric evaluation and management unit (GEMU) in Taiwan. <i>Archives of Gerontology and Geriatrics</i> , <b>2010</b> , 50 Suppl 1, S1-5	4	18
10	Association of ultrasonographic findings of synovitis with anti-cyclic citrullinated Peptide antibodies and rheumatoid factor in patients with palindromic rheumatism during active episodes. <i>Journal of Ultrasound in Medicine</i> , <b>2009</b> , 28, 1193-9	2.9	17
9	Sonographic appearance of subcutaneous sarcoidosis. <i>Journal of Ultrasound in Medicine</i> , <b>2009</b> , 28, 813-6	2.9	10
8	Geriatric syndromes in elderly patients with rheumatoid arthritis. <i>Rheumatology</i> , <b>2009</b> , 48, 1261-4	3.9	14
7	Functional association of interleukin 18 gene -607 (C/A) promoter polymorphisms with disease course in Chinese patients with adult-onset Still's disease. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 2284-9	4.1	19
6	Urinary incontinence among institutionalized oldest old Chinese men in Taiwan. <i>Neurourology and Urodynamics</i> , <b>2009</b> , 28, 335-8	2.3	18
5	First-ever ischemic stroke in Taiwanese elderly patients: predicting functional independence after a 6-month follow-up. <i>Archives of Gerontology and Geriatrics</i> , <b>2009</b> , 49 Suppl 2, S26-31	4	16
4	Plasminogen activator inhibitor type 1 (PAI-1) is a valuable biomarker for predicting the metabolic syndrome (MS) in institutionalized elderly residents in Taiwan. <i>Archives of Gerontology and Geriatrics</i> , <b>2009</b> , 49 Suppl 2, S41-5	4	11
3	Relationship between hyperuricemia (HUC) and metabolic syndrome (MS) in institutionalized elderly men. <i>Archives of Gerontology and Geriatrics</i> , <b>2009</b> , 49 Suppl 2, S46-9	4	17
2	Proinflammatory cytokine profiles of patients with elderly-onset rheumatoid arthritis: a comparison with younger-onset disease. <i>Gerontology</i> , <b>2009</b> , 55, 250-8	5.5	55
1	Risk factors for falls among elderly men in a veterans home. <i>Journal of the Chinese Medical Association</i> , <b>2008</b> , 71, 180-5	2.8	31

