

Michele Perni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1241704/michele-perni-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30 papers	1,277 citations	15 h-index	35 g-index
36 ext. papers	1,703 ext. citations	9 avg, IF	4.01 L-index

#	Paper	IF	Citations
30	Comparative Studies in the A30P and A53T β -Synuclein Strains to Investigate the Molecular Origins of Parkinson's Disease. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 552549	5.7	5
29	Squalamine and Its Derivatives Modulate the Aggregation of Amyloid- β and β -Synuclein and Suppress the Toxicity of Their Oligomers. <i>Frontiers in Neuroscience</i> , 2021 , 15, 680026	5.1	11
28	Two human metabolites rescue a <i>C. elegans</i> model of Alzheimer's disease via a cytosolic unfolded protein response. <i>Communications Biology</i> , 2021 , 4, 843	6.7	1
27	Exogenous misfolded protein oligomers can cross the intestinal barrier and cause a disease phenotype in <i>C. elegans</i> . <i>Scientific Reports</i> , 2021 , 11, 14391	4.9	1
26	Cytosolic aggregation of mitochondrial proteins disrupts cellular homeostasis by stimulating the aggregation of other proteins. <i>ELife</i> , 2021 , 10,	8.9	8
25	A dopamine metabolite stabilizes neurotoxic amyloid- β oligomers. <i>Communications Biology</i> , 2021 , 4, 19	6.7	6
24	Small-molecule sequestration of amyloid- β s a drug discovery strategy for Alzheimer's disease. <i>Science Advances</i> , 2020 , 6,	14.3	28
23	Assessing motor-related phenotypes of <i>Caenorhabditis elegans</i> with the wide field-of-view nematode tracking platform. <i>Nature Protocols</i> , 2020 , 15, 2071-2106	18.8	8
22	Rational design of a conformation-specific antibody for the quantification of A β oligomers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 13509-13518	11.5	26
21	A rationally designed bicyclic peptide remodels A β 2 aggregation in vitro and reduces its toxicity in a worm model of Alzheimer's disease. <i>Scientific Reports</i> , 2020 , 10, 15280	4.9	4
20	Trodusquemine displaces protein misfolded oligomers from cell membranes and abrogates their cytotoxicity through a generic mechanism. <i>Communications Biology</i> , 2020 , 3, 435	6.7	23
19	Fast Fluorescence Lifetime Imaging Reveals the Aggregation Processes of β -Synuclein and Polyglutamine in Aging. <i>ACS Chemical Biology</i> , 2019 , 14, 1628-1636	4.9	17
18	Probing the Origin of the Toxicity of Oligomeric Aggregates of β -Synuclein with Antibodies. <i>ACS Chemical Biology</i> , 2019 , 14, 1352-1362	4.9	20
17	Enhancement of the Anti-Aggregation Activity of a Molecular Chaperone Using a Rationally Designed Post-Translational Modification. <i>ACS Central Science</i> , 2019 , 5, 1417-1424	16.8	11
16	Bacterial production and direct functional screening of expanded molecular libraries for discovering inhibitors of protein aggregation. <i>Science Advances</i> , 2019 , 5, eaax5108	14.3	10
15	<i>C. elegans</i> expressing D76N β -microglobulin: a model for in vivo screening of drug candidates targeting amyloidosis. <i>Scientific Reports</i> , 2019 , 9, 19960	4.9	6
14	Trodusquemine enhances A β aggregation but suppresses its toxicity by displacing oligomers from cell membranes. <i>Nature Communications</i> , 2019 , 10, 225	17.4	69

13	Massively parallel C. elegans tracking provides multi-dimensional fingerprints for phenotypic discovery. <i>Journal of Neuroscience Methods</i> , 2018 , 306, 57-67	3	35
12	Stabilization and Characterization of Cytotoxic A β Oligomers Isolated from an Aggregation Reaction in the Presence of Zinc Ions. <i>ACS Chemical Neuroscience</i> , 2018 , 9, 2959-2971	5.7	33
11	Automated Behavioral Analysis of Large C. elegans Populations Using a Wide Field-of-view Tracking Platform. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	6
10	Multistep Inhibition of β Synuclein Aggregation and Toxicity in Vitro and in Vivo by Trodusquemine. <i>ACS Chemical Biology</i> , 2018 , 13, 2308-2319	4.9	52
9	A natural product inhibits the initiation of β Synuclein aggregation and suppresses its toxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E1009-E1017	11.5	177
8	Selective targeting of primary and secondary nucleation pathways in A β 2 aggregation using a rational antibody scanning method. <i>Science Advances</i> , 2017 , 3, e1700488	14.3	81
7	Systematic development of small molecules to inhibit specific microscopic steps of A β 2 aggregation in Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E200-E208	11.5	134
6	Structural basis of membrane disruption and cellular toxicity by β Synuclein oligomers. <i>Science</i> , 2017 , 358, 1440-1443	33.3	301
5	Delivery of Native Proteins into C. elegans Using a Transduction Protocol Based on Lipid Vesicles. <i>Scientific Reports</i> , 2017 , 7, 15045	4.9	11
4	An anticancer drug suppresses the primary nucleation reaction that initiates the production of the toxic A β 2 aggregates linked with Alzheimer's disease. <i>Science Advances</i> , 2016 , 2, e1501244	14.3	133
3	TDP-43 inclusion bodies formed in bacteria are structurally amorphous, non-amyloid and inherently toxic to neuroblastoma cells. <i>PLoS ONE</i> , 2014 , 9, e86720	3.7	54
2	Small molecule sequestration of amyloid- β s a drug discovery strategy for Alzheimer's disease	4	
1	Cytosolic aggregation of mitochondrial proteins disrupts cellular homeostasis by stimulating the aggregation of other proteins		2