Tatsuya hayashi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1244868/publications.pdf

Version: 2024-02-01

104 papers 5,042 citations

126708 33 h-index 70 g-index

104 all docs

104 docs citations

times ranked

104

5870 citing authors

#	Article	IF	CITATIONS
1	Methylglyoxal reduces molecular responsiveness to 4 weeks of endurance exercise in mouse plantaris muscle. Journal of Applied Physiology, 2022, 132, 477-488.	1,2	2
2	TLR4-Mediated Inflammatory Responses Regulate Exercise-Induced Molecular Adaptations in Mouse Skeletal Muscle. International Journal of Molecular Sciences, 2022, 23, 1877.	1.8	0
3	Association of Glycative Stress With Motor and Muscle Function. Frontiers in Physiology, 2022, 13, 855358.	1.3	4
4	Fasting potentiates insulin-mediated glucose uptake in rested and prior-contracted rat skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2022, 322, E425-E435.	1.8	2
5	Stair climbing–descending exercise following meals improves 24-hour glucose excursions in people with type 2 diabetes. The Journal of Physical Fitness and Sports Medicine, 2021, 10, 51-56.	0.2	4
6	AMPK is indispensable for overloadâ€induced muscle glucose uptake and glycogenesis but dispensable for inducing hypertrophy in mice. FASEB Journal, 2021, 35, e21459.	0.2	6
7	Effects of mild hyperbaric oxygen on osteoporosis induced by hindlimb unloading in rats. Journal of Bone and Mineral Metabolism, 2020, 38, 631-638.	1.3	9
8	Dehydroepiandrosterone activates $5\hat{a}\in^2$ -adenosine monophosphate-activated protein kinase and suppresses lipid accumulation and adipocyte differentiation in 3T3-L1 cells. Biochemical and Biophysical Research Communications, 2020, 528, 612-619.	1.0	6
9	Physical Activity, Nutritional Status, and Autonomic Nervous System Activity in Healthy Young Adults with Higher Levels of Depressive Symptoms and Matched Controls without Depressive Symptoms: A Cross-Sectional Study. Nutrients, 2020, 12, 690.	1.7	3
10	Involvement of receptor for advanced glycation end products in microgravity-induced skeletal muscle atrophy in mice. Acta Astronautica, 2020, 176, 332-340.	1.7	3
11	Muscle denervation reduces mitochondrial biogenesis and mitochondrial translation factor expression in mice. Biochemical and Biophysical Research Communications, 2020, 527, 146-152.	1.0	5
12	The Effects of Caffeine on Metabolomic Responses to Muscle Contraction in Rat Skeletal Muscle. Nutrients, 2019, 11, 1819.	1.7	8
13	The Protective Effect of Brazilian Propolis against Glycation Stress in Mouse Skeletal Muscle. Foods, 2019, 8, 439.	1.9	16
14	Effects of Exposure to Mild Hyperbaric Oxygen on DSS-Induced Colonic Inflammation and Diarrhea in Rats. Journal of Inflammation Research, 2019, Volume 12, 293-299.	1.6	3
15	A potential relation between premenstrual symptoms and subjective perception of health and stress among college students: a cross-sectional study. BioPsychoSocial Medicine, 2019, 13, 26.	0.9	25
16	Effect of Tryptophan, Vitamin B ₆ , and Nicotinamide-Containing Supplement Loading between Meals on Mood and Autonomic Nervous System Activity in Young Adults with Subclinical Depression: A Randomized, Double-Blind, and Placebo-Controlled Study. Journal of Nutritional Science and Vitaminology, 2019, 65, 507-514.	0.2	15
17	The effect of short-term heat stress on protein synthesis signaling in isolated rat skeletal muscle. The Journal of Physical Fitness and Sports Medicine, 2018, 7, 87-93.	0.2	O
18	AMPK Mediates Muscle Mass Change But Not the Transition of Myosin Heavy Chain Isoforms during Unloading and Reloading of Skeletal Muscles in Mice. International Journal of Molecular Sciences, 2018, 19, 2954.	1.8	12

#	Article	IF	Citations
19	Exercise training increases CISD family protein expression in murine skeletal muscle and white adipose tissue. Biochemical and Biophysical Research Communications, 2018, 506, 571-577.	1.0	15
20	Exercise-induced mitochondrial biogenesis coincides with the expression of mitochondrial translation factors in murine skeletal muscle. Physiological Reports, 2018, 6, e13893.	0.7	20
21	The effect of advanced glycation end products on cellular signaling molecules in skeletal muscle. The Journal of Physical Fitness and Sports Medicine, 2018, 7, 229-238.	0.2	8
22	Potential involvement of dietary advanced glycation end products in impairment of skeletal muscle growth and muscle contractile function in mice. British Journal of Nutrition, 2017, 117, 21-29.	1.2	27
23	Does Japanese Citrus Fruit Yuzu (<i>Citrus junos</i> Sieb. ex Tanaka) Fragrance Have Lavender-Like Therapeutic Effects That Alleviate Premenstrual Emotional Symptoms? A Single-Blind Randomized Crossover Study. Journal of Alternative and Complementary Medicine, 2017, 23, 461-470.	2.1	14
24	Stair ascending–descending exercise accelerates the decrease in postprandial hyperglycemia more efficiently than bicycle exercise. BMJ Open Diabetes Research and Care, 2017, 5, e000428.	1.2	14
25	Repeated 3-minute stair climbing-descending exercise after a meal over 2 weeks increases serum 1,5-anhydroglucitol levels in people with type 2 diabetes. Journal of Physical Therapy Science, 2017, 29, 75-78.	0.2	14
26	Regulatory Mechanism of Skeletal Muscle Glucose Transport by Phenolic Acids. , 2017, , .		3
27	Premenstrual disorders: luteal phase recurrent enigmatic conditions. , 2017, , .		0
28	Caffeine Affects Myotube Size As Well As Regulates Protein Degradation and Protein Synthesis Pathways in C2C12 Skeletal Muscle Cells. Journal of Caffeine Research, 2016, 6, 88-96.	1.0	5
29	Stair climbing/descending exercise for a short time decreases blood glucose levels after a meal in participants with type 2 diabetes. BMJ Open Diabetes Research and Care, 2016, 4, e000232.	1.2	32
30	Aromatic effects of a Japanese citrus fruitâ€"yuzu (Citrus junos Sieb. ex Tanaka)â€"on psychoemotional states and autonomic nervous system activity during the menstrual cycle: a single-blind randomized controlled crossover study. BioPsychoSocial Medicine, 2016, 10, 11.	0.9	30
31	Caffeine Increases Contraction-Stimulated 5'-AMP-Activated Protein Kinase Activity and Insulin-Independent Glucose Transport in Rat Skeletal Muscle. Juntendo Medical Journal, 2016, 62, 156-164.	0.1	O
32	AMPK-Mediated Regulation of Protein Degradation Systems in Unloaded Mouse Skeletal Muscle. Juntendo Medical Journal, 2016, 62, 172-178.	0.1	0
33	Heat stress acutely activates insulin-independent glucose transport and $5\hat{a}\in^2$ -AMP-activated protein kinase prior to an increase in HSP72 protein in rat skeletal muscle. Physiological Reports, 2015, 3, e12601.	0.7	24
34	Dehydroepiandrosterone activates AMP kinase and regulates GLUT4 and PGC- $11\pm$ expression in C2C12 myotubes. Biochemical and Biophysical Research Communications, 2015, 463, 42-47.	1.0	20
35	Evidence for organic cation transporter-mediated metformin transport and 5′-adenosine monophosphate-activated protein kinase activation in rat skeletal muscles. Metabolism: Clinical and Experimental, 2015, 64, 296-304.	1.5	14
36	Involvement of AMPK in regulating slow-twitch muscle atrophy during hindlimb unloading in mice. American Journal of Physiology - Endocrinology and Metabolism, 2015, 309, E651-E662.	1.8	45

3

#	Article	IF	CITATIONS
37	Caffeine and contraction synergistically stimulate 5′-AMP-activated protein kinase and insulin-independent glucose transport in rat skeletal muscle. Physiological Reports, 2015, 3, e12592.	0.7	14
38	Health promotion with stair exercise. The Journal of Physical Fitness and Sports Medicine, 2014, 3, 173-179.	0.2	5
39	Effects of Olfactory Stimulation from the Fragrance of the Japanese Citrus Fruit Yuzu (<i>Citrus) Tj ETQq1 1 0.78 Marker. Journal of Alternative and Complementary Medicine, 2014, 20, 500-506.</i>	34314 rgBT 2.1	Overlock 1 34
40	Salicylate acutely stimulates 5′-AMP-activated protein kinase and insulin-independent glucose transport in rat skeletal muscles. Biochemical and Biophysical Research Communications, 2014, 453, 81-85.	1.0	6
41	Activation of 5â€ ² AMP-activated protein kinase in skeletal muscle by exercise and phytochemicals. The Journal of Physical Fitness and Sports Medicine, 2014, 3, 55-64.	0.2	3
42	Does lavender aromatherapy alleviate premenstrual emotional symptoms?: a randomized crossover trial. BioPsychoSocial Medicine, 2013, 7, 12.	0.9	46
43	Biopsychosocial aspects of premenstrual syndrome and premenstrual dysphoric disorder. Gynecological Endocrinology, 2013, 29, 67-73.	0.7	47
44	AICAR stimulation metabolome widely mimics electrical contraction in isolated rat epitrochlearis muscle. American Journal of Physiology - Cell Physiology, 2013, 305, C1214-C1222.	2.1	16
45	Pu-Erh Tea Hot-Water Extract Activates Akt and Induces Insulin-Independent Glucose Transport in Rat Skeletal Muscle. Journal of Medicinal Food, 2013, 16, 259-262.	0.8	12
46	Enteral supplement enriched with glutamine, fiber, and oligosaccharide attenuates experimental colitis in mice. Nutrition, 2013, 29, 549-555.	1.1	22
47	Caffeine and Insulin-Independent Glucose Transport. , 2013, , 1077-1088.		0
48	Leptin Activates Hepatic 5′-AMP-activated Protein Kinase through Sympathetic Nervous System and α1-Adrenergic Receptor. Journal of Biological Chemistry, 2012, 287, 40441-40447.	1.6	66
49	A short bout of stair climbing–descending exercise attenuates postprandial hyperglycemia in middle-aged males with impaired glucose tolerance. Applied Physiology, Nutrition and Metabolism, 2012, 37, 193-196.	0.9	26
50	Subthreshold electrical stimulation reduces motor unit discharge variability and decreases the force fluctuations of plantar flexion. Neuroscience Letters, 2012, 513, 146-150.	1.0	17
51	Coffee polyphenol caffeic acid but not chlorogenic acid increases 5′AMP-activated protein kinase and insulin-independent glucose transport in rat skeletal muscle. Journal of Nutritional Biochemistry, 2012, 23, 1403-1409.	1.9	65
52	Increased salivary chromogranin A in women with severe negative mood states in the premenstrual phase. Journal of Psychosomatic Obstetrics and Gynaecology, 2012, 33, 120-128.	1.1	18
53	Increased dystrophin mRNA and protein levels in atrophic skeletal muscles in streptozotocin-induced diabetic rats. The Journal of Physical Fitness and Sports Medicine, 2012, 1, 709-713.	0.2	1
54	Metabolic Sensor for Low Intensity Exercise: Insights from AMPK $\hat{l}\pm 1$ Activation in Skeletal Muscle. The Journal of Physical Fitness and Sports Medicine, 2012, 1, 59-64.	0.2	0

#	Article	IF	CITATIONS
55	Caffeine modulates phosphorylation of insulin receptor substrate-1 and impairs insulin signal transduction in rat skeletal muscle. Journal of Applied Physiology, 2011, 111, 1629-1636.	1.2	33
56	Berberine-induced activation of 5′-adenosine monophosphate–activated protein kinase and glucose transport in rat skeletal muscles. Metabolism: Clinical and Experimental, 2010, 59, 1619-1627.	1.5	42
57	Percutaneous Electrical Muscle Stimulation Attenuates Postprandial Hyperglycemia in Obese and Pre-obese Japanese Men. International Journal of Sport and Health Science, 2010, 8, 1-6.	0.0	10
58	Leucine modulates contraction- and insulin-stimulated glucose transport and upstream signaling events in rat skeletal muscle. Journal of Applied Physiology, 2010, 108, 274-282.	1.2	39
59	Effect of aldehyde dehydrogenase-2 genotype on cardiac autonomic nervous responses to moderate alcohol ingestion. Japanese Journal of Physical Fitness and Sports Medicine, 2010, 59, 69-69.	0.0	0
60	Evidence for differential regulation of lactate metabolic properties in aged and unloaded rat skeletal muscle. Experimental Gerontology, 2009, 44, 280-288.	1.2	18
61	Morus alba leaf extract stimulates 5′-AMP-activated protein kinase in isolated rat skeletal muscle. Journal of Ethnopharmacology, 2009, 122, 54-59.	2.0	26
62	Caffeine acutely activates 5′adenosine monophosphate–activated protein kinase and increases insulin-independent glucose transport in rat skeletal muscles. Metabolism: Clinical and Experimental, 2009, 58, 1609-1617.	1.5	73
63	Caffeine can activate 5'AMP-activated protein kinase and increase insulin-independent glucose uptake in rat skeletal muscles. Japanese Journal of Physical Fitness and Sports Medicine, 2009, 58, 50-50.	0.0	0
64	Effect of Aldehyde Dehydrogenaseâ€2 Genotype on Cardiac Autonomic Nervous Responses to Moderate Alcohol Ingestion. Alcoholism: Clinical and Experimental Research, 2008, 32, 1422-1428.	1.4	3
65	Efficacy and Safety of Leptin-Replacement Therapy and Possible Mechanisms of Leptin Actions in Patients with Generalized Lipodystrophy. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 532-541.	1.8	216
66	Central Melanocortin Signaling Restores Skeletal Muscle AMP-Activated Protein Kinase Phosphorylation in Mice Fed a High-Fat Diet. Cell Metabolism, 2007, 5, 395-402.	7.2	63
67	High-fat diet impairs the effects of a single bout of endurance exercise on glucose transport and insulin sensitivity in rat skeletal muscle. Metabolism: Clinical and Experimental, 2007, 56, 1719-1728.	1.5	73
68	Effect of acute activation of $5\hat{a}\in^2$ -AMP-activated protein kinase on glycogen regulation in isolated rat skeletal muscle. Journal of Applied Physiology, 2007, 102, 1007-1013.	1.2	63
69	Altered autonomic nervous system activity as a potential etiological factor of premenstrual syndrome and premenstrual dysphoric disorder. BioPsychoSocial Medicine, 2007, 1, 24.	0.9	66
70	High-fat diet reduces the stimulatory effects of a single bout of exercise on glucose transport and insulin sensitivity in rat skeletal muscle Japanese Journal of Physical Fitness and Sports Medicine, 2007, 56, 35-35.	0.0	0
71	Autonomic nervous system activity in the late luteal phase of eumenorrheic women with premenstrual symptomatology. Journal of Psychosomatic Obstetrics and Gynaecology, 2006, 27, 131-139.	1.1	58
72	α2 Isoform–specific activation of 5′adenosine monophosphate–activated protein kinase by 5-aminoimidazole-4-carboxamide-1-β-d-ribonucleoside at a physiological level activates glucose transport and increases glucose transporter 4 in mouse skeletal muscle. Metabolism: Clinical and Experimental, 2006, 55, 300-308.	1.5	43

#	Article	IF	Citations
73	Sympatho-vagal activities during the menstrual cycle of eumenorrheic women with premenstrual symptomatology. International Congress Series, 2006, 1287, 323-328.	0.2	3
74	Low-intensity contraction activates the α1-isoform of 5′-AMP-activated protein kinase in rat skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E583-E590.	1.8	45
75	Low-Intensity Contraction Activates the ^ ^alpha;1 Isoform of 5'AMP-Activated Protein Kinase, and Possibly Leads to Enhanced Glucose Transport and Acetyl-CoA Carboxylase Phosphorylation in Rat Skeletal Muscle. Japanese Journal of Physical Fitness and Sports Medicine, 2006, 55, 22-22.	0.0	0
76	Skeletal Muscle AMP-Activated Protein Kinase Phosphorylation Parallels Metabolic Phenotype in Leptin Transgenic Mice Under Dietary Modification. Diabetes, 2005, 54, 2365-2374.	0.3	58
77	Analysis of Rat Insulin II Promoter-Ghrelin Transgenic Mice and Rat Glucagon Promoter-Ghrelin Transgenic Mice. Journal of Biological Chemistry, 2005, 280, 15247-15256.	1.6	67
78	Gene and Phenotype Analysis of Congenital Generalized Lipodystrophy in Japanese: A Novel Homozygous Nonsense Mutation in Seipin Gene. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 2360-2364.	1.8	46
79	Possible involvement of the α1 isoform of 5′AMP-activated protein kinase in oxidative stress-stimulated glucose transport in skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2004, 287, E166-E173.	1.8	125
80	An angiotensin II AT1 receptor antagonist, telmisartan augments glucose uptake and GLUT4 protein expression in 3T3-L1 adipocytes. FEBS Letters, 2004, 576, 492-497.	1.3	90
81	Association of Ob-R gene polymorphism and insulin resistance in Japanese men. Metabolism: Clinical and Experimental, 2004, 53, 650-654.	1.5	15
82	Electrical stimulation of human lower extremities enhances energy consumption, carbohydrate oxidation, and whole body glucose uptake. Journal of Applied Physiology, 2004, 96, 911-916.	1.2	114
83	Leptin receptor polymorphism is associated with serum lipid levels and impairment of cholesterol lowering effect by simvastatin in Japanese men. Diabetes Research and Clinical Practice, 2003, 62, 169-175.	1.1	38
84	Enhancement of whole body glucose uptake during and after human skeletal muscle low-frequency electrical stimulation. Journal of Applied Physiology, 2003, 94, 2107-2112.	1.2	74
85	DETERMINATION OF OPTIMAL EXERCISE INTENSITY BASED ON REAL-TIME ANALYSIS OF HEART RATE VARIABILITY DURING EXERCISE. Japanese Journal of Physical Fitness and Sports Medicine, 2003, 52, 295-303.	0.0	2
86	Ghrelin Expression in Islet Cell Tumors: Augmented Expression of Ghrelin in a Case of Glucagonoma with Multiple Endocrine Neoplasm Type I. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 4885-4888.	1.8	48
87	AMP-activated protein kinase activity and glucose uptake in rat skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2001, 280, E677-E684.	1.8	195
88	Simultaneous Onset of Type 1 Diabetes Mellitus and Painless Thyroiditis Following Acute Pancreatitis Internal Medicine, 2001, 40, 515-518.	0.3	2
89	Up-Regulation of Uncoupling Protein 3 Gene Expression by Fatty Acids and Agonists for PPARs in L6 Myotubes. Endocrinology, 2001, 142, 4189-4194.	1.4	83
90	Transgenic Overexpression of Leptin Rescues Insulin Resistance and Diabetes in a Mouse Model of Lipoatrophic Diabetes. Diabetes, 2001, 50, 1440-1448.	0.3	219

#	Article	IF	CITATIONS
91	Exercise Induces Isoform-Specific Increase in 5′AMP-Activated Protein Kinase Activity in Human Skeletal Muscle. Biochemical and Biophysical Research Communications, 2000, 273, 1150-1155.	1.0	318
92	Pathophysiological role of leptin in obesity-related hypertension. Journal of Clinical Investigation, 2000, 105, 1243-1252.	3.9	419
93	Skeletal muscle contractile activity in vitro stimulates mitogen-activated protein kinase signaling. American Journal of Physiology - Cell Physiology, 1999, 277, C701-C707.	2.1	69
94	A Muscle-Specific Insulin Receptor Knockout Exhibits Features of the Metabolic Syndrome of NIDDM without Altering Glucose Tolerance. Molecular Cell, 1998, 2, 559-569.	4.5	1,071
95	Clinical Manifestations due to a Point Mutation of the Mitochondrial tRNAleu(UUR) Ge Five Families with Diabetes Mellitus Internal Medicine, 1998, 37, 265-272.	0.3	15
96	Antihyperglycemic mechanism of M16209, an antidiabetic agent, in 3T3-L1 adipocytes. Life Sciences, 1997, 60, 1821-1831.	2.0	1
97	Exercise regulation of glucose transport in skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 1997, 273, E1039-E1051.	1.8	249
98	Effects of combined ?-adrenergic and cholinergic blockade on the initial ventilatory response to exercise in humans. European Journal of Applied Physiology, 1997, 76, 230-235.	1.2	4
99	Correlation between dietary zinc intake and the development of renal osteodystrophy Nihon Toseki lgakkai Zasshi, 1997, 30, 1253-1257.	0.2	0
100	MOVEMENT OF ELECTOROENCEPHALOGRAM AND PLASM & amp; beta; -ENDORPHIN IN THE AEROBIC EXERCISE. Japanese Journal of Physical Fitness and Sports Medicine, 1996, 45, 519-526.	0.0	7
101	Insulin resistance in werner's syndrome. Mechanisms of Ageing and Development, 1992, 63, 11-25.	2.2	9
102	Effects of a high-fat diet on insulin receptor kinase and the glucose transporter in rats. Journal of Nutritional Biochemistry, 1992, 3, 241-250.	1.9	21
103	Insulin-Stimulated Glucose Uptake and Fasting Blood Glucose Endocrinologia Japonica, 1991, 38, 421-427.	0.5	2
104	The Effect of Glycation Stress on Skeletal Muscle., 0,,.		1