Anthony Segal

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1246030/anthony-segal-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 15,845 178 124 h-index g-index citations papers 16,965 6.5 187 10.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
178	Genetic analysis of four consanguineous multiplex families with inflammatory bowel disease <i>Gastroenterology Report</i> , 2021 , 9, 521-532	3.3	2
177	Incidence and prevalence of inflammatory bowel disease in UK primary care: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e036584	3	15
176	Studies on patients establish Crohn's disease as a manifestation of impaired innate immunity. <i>Journal of Internal Medicine</i> , 2019 , 286, 373-388	10.8	10
175	Variations in the Phagosomal Environment of Human Neutrophils and Mononuclear Phagocyte Subsets. <i>Frontiers in Immunology</i> , 2019 , 10, 188	8.4	18
174	Elevation in Cell Cycle and Protein Metabolism Gene Transcription in Inactive Colonic Tissue From Icelandic Patients With Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 317-327	4.5	4
173	Functional variants in the gene confer shared effects on risk for Crohn's disease and Parkinson's disease. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	165
172	Insights into the genetic epidemiology of Crohn's and rare diseases in the Ashkenazi Jewish population. <i>PLoS Genetics</i> , 2018 , 14, e1007329	6	41
171	Proteasomal degradation of NOD2 by NLRP12 in monocytes promotes bacterial tolerance and colonization by enteropathogens. <i>Nature Communications</i> , 2018 , 9, 5338	17.4	22
170	A New Look at Familial Risk of Inflammatory Bowel Disease in the Ashkenazi Jewish Population. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 3049-3057	4	7
169	Rare coding variant analysis in a large cohort of Ashkenazi Jewish families with inflammatory bowel disease. <i>Human Genetics</i> , 2018 , 137, 723-734	6.3	4
168	The role of neutrophils in the pathogenesis of Crohn's disease. <i>European Journal of Clinical Investigation</i> , 2018 , 48 Suppl 2, e12983	4.6	18
167	The Human Salivary Microbiome Is Shaped by Shared Environment Rather than Genetics: Evidence from a Large Family of Closely Related Individuals. <i>MBio</i> , 2017 , 8,	7.8	64
166	Imaging the Neutrophil Phagosome and Cytoplasm Using a Ratiometric pH Indicator. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	5
165	The NADPH Oxidase and Microbial Killing by Neutrophils, With a Particular Emphasis on the Proposed Antimicrobial Role of Myeloperoxidase within the Phagocytic Vacuole 2017 , 599-613		
164	An Exploration of Charge Compensating Ion Channels across the Phagocytic Vacuole of Neutrophils. <i>Frontiers in Pharmacology</i> , 2017 , 8, 94	5.6	11
163	The LRRC8A Mediated "Swell Activated" Chloride Conductance Is Dispensable for Vacuolar Homeostasis in Neutrophils. <i>Frontiers in Pharmacology</i> , 2017 , 8, 262	5.6	6
162	The NADPH Oxidase and Microbial Killing by Neutrophils, With a Particular Emphasis on the Proposed Antimicrobial Role of Myeloperoxidase within the Phagocytic Vacuole. <i>Microbiology Spectrum</i> , 2016 , 4,	8.9	19

(2012-2016)

161	Critical Role of the Disintegrin Metalloprotease ADAM-like Decysin-1 [ADAMDEC1] for Intestinal Immunity and Inflammation. <i>Journal of Crohnls and Colitis</i> , 2016 , 10, 1417-1427	1.5	20	
160	NADPH oxidases as electrochemical generators to produce ion fluxes and turgor in fungi, plants and humans. <i>Open Biology</i> , 2016 , 6,	7	24	
159	Making sense of the cause of Crohn団 har new look at an old disease. F1000Research, 2016, 5, 2510	3.6	10	
158	Making sense of the cause of Crohn's - a new look at an old disease. <i>F1000Research</i> , 2016 , 5, 2510	3.6	9	
157	A Frameshift in CSF2RB Predominant Among Ashkenazi Jews Increases Risk for Crohn's Disease and Reduces Monocyte Signaling via GM-CSF. <i>Gastroenterology</i> , 2016 , 151, 710-723.e2	13.3	40	
156	Genetic Complexity of Crohn's Disease in Two Large Ashkenazi Jewish Families. <i>Gastroenterology</i> , 2016 , 151, 698-709	13.3	43	
155	Combinatorial Conflicting Homozygosity (CCH) analysis enables the rapid identification of shared genomic regions in the presence of multiple phenocopies. <i>BMC Genomics</i> , 2015 , 16, 163	4.5	4	
154	Characterization of expression quantitative trait loci in the human colon. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 251-6	4.5	19	
153	Optineurin deficiency in mice contributes to impaired cytokine secretion and neutrophil recruitment in bacteria-driven colitis. <i>DMM Disease Models and Mechanisms</i> , 2015 , 8, 817-29	4.1	39	
152	Alkalinity of neutrophil phagocytic vacuoles is modulated by HVCN1 and has consequences for myeloperoxidase activity. <i>PLoS ONE</i> , 2015 , 10, e0125906	3.7	60	
151	Disruption of macrophage pro-inflammatory cytokine release in Crohn's disease is associated with reduced optineurin expression in a subset of patients. <i>Immunology</i> , 2015 , 144, 45-55	7.8	39	
150	Clinical features of Candidiasis in patients with inherited interleukin 12 receptor 1 deficiency. <i>Clinical Infectious Diseases</i> , 2014 , 58, 204-13	11.6	81	
149	Mucosal transcriptomics implicates under expression of BRINP3 in the pathogenesis of ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 1802-12	4.5	22	
148	ZODET: software for the identification, analysis and visualisation of outlier genes in microarray expression data. <i>PLoS ONE</i> , 2014 , 9, e81123	3.7	3	
147	Two CGD Families with a Hypomorphic Mutation in the Activation Domain of p67. <i>Journal of Clinical & Cellular Immunology</i> , 2014 , 5,	2.7	4	
146	Shotgun cholanomics of ileal fluid. <i>Biochimie</i> , 2013 , 95, 461-3	4.6	4	
145	What is wrong with granulocytes in inflammatory bowel diseases?. <i>Digestive Diseases</i> , 2013 , 31, 321-7	3.2	22	
144	Phenotypic heterogeneity and evidence of a founder effect associated with G6PC3 mutations in patients with severe congenital neutropenia. <i>British Journal of Haematology</i> , 2012 , 158, 146-9	4.5	18	

143	Lipidomic profiling in Crohn's disease: abnormalities in phosphatidylinositols, with preservation of ceramide, phosphatidylcholine and phosphatidylserine composition. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 1839-46	5.6	33
142	Defective tumor necrosis factor release from Crohn's disease macrophages in response to Toll-like receptor activation: relationship to phenotype and genome-wide association susceptibility loci. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 2120-7	4.5	25
141	The neutrophil respiratory burst and bacterial digestion in Crohn's disease. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 1482-8	4	18
140	G6PC3 mutations are associated with a major defect of glycosylation: a novel mechanism for neutrophil dysfunction. <i>Glycobiology</i> , 2011 , 21, 914-24	5.8	68
139	Delayed resolution of acute inflammation in ulcerative colitis is associated with elevated cytokine release downstream of TLR4. <i>PLoS ONE</i> , 2010 , 5, e9891	3.7	20
138	Crohn's disease as an immunodeficiency. Expert Review of Clinical Immunology, 2010, 6, 585-96	5.1	17
137	CO binding and ligand discrimination in human myeloperoxidase. <i>Biochemistry</i> , 2010 , 49, 2150-8	3.2	10
136	Subcellular localisation of the p40phox component of NADPH oxidase involves direct interactions between the Phox homology domain and F-actin. <i>International Journal of Biochemistry and Cell Biology</i> , 2010 , 42, 1736-43	5.6	15
135	Crohn's disease: an immune deficiency state. Clinical Reviews in Allergy and Immunology, 2010 , 38, 20-3	l 12.3	72
134	Diminished macrophage apoptosis and reactive oxygen species generation after phorbol ester stimulation in Crohn's disease. <i>PLoS ONE</i> , 2009 , 4, e7787	3.7	17
133	Inflammatory bowel disease in CGD reproduces the clinicopathological features of Crohn's disease. <i>American Journal of Gastroenterology</i> , 2009 , 104, 117-24	0.7	185
132	Disordered macrophage cytokine secretion underlies impaired acute inflammation and bacterial clearance in Crohn's disease. <i>Journal of Experimental Medicine</i> , 2009 , 206, 2301-2301	16.6	5
131	Subproteome analysis of the neutrophil cytoskeleton. <i>Proteomics</i> , 2009 , 9, 2037-49	4.8	30
130	Impaired macrophage function following bacterial stimulation in chronic granulomatous disease. <i>Immunology</i> , 2009 , 128, 253-9	7.8	19
129	The immunopathogenesis of Crohn's disease: a three-stage model. <i>Current Opinion in Immunology</i> , 2009 , 21, 506-13	7.8	74
128	Disordered macrophage cytokine secretion underlies impaired acute inflammation and bacterial clearance in Crohn's disease. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1883-97	16.6	315
127	Inflammatory bowel disease and mutations affecting the interleukin-10 receptor. <i>New England Journal of Medicine</i> , 2009 , 361, 2033-45	59.2	1040
126	Severe Early-Onset Inflammatory Bowel Disease Caused by IL10 Receptor Deficiency Can Be Cured by Allogeneic Hematopoietic Stem Cell Transplantation <i>Blood</i> , 2009 , 114, 713-713	2.2	

(2003-2008)

125	The function of the NADPH oxidase of phagocytes and its relationship to other NOXs in plants, invertebrates, and mammals. <i>International Journal of Biochemistry and Cell Biology</i> , 2008 , 40, 604-18	5.6	92
124	Innate immunity in inflammatory bowel disease: a disease hypothesis. <i>Journal of Pathology</i> , 2008 , 214, 260-6	9.4	69
123	Phagocyte dysfunction and inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 1443-5	5 2 4.5	44
122	Modified skin window technique for the extended characterisation of acute inflammation in humans. <i>Inflammation Research</i> , 2007 , 56, 168-74	7.2	8
121	The function of the NADPH oxidase of phagocytes, and its relationship to other NOXs. <i>Biochemical Society Transactions</i> , 2007 , 35, 1100-3	5.1	23
120	Mice lacking neutrophil elastase are resistant to bleomycin-induced pulmonary fibrosis. <i>American Journal of Pathology</i> , 2007 , 170, 65-74	5.8	100
119	The role of grancalcin in adhesion of neutrophils. <i>Cellular Immunology</i> , 2006 , 240, 116-21	4.4	16
118	An exuberant inflammatory response to E coli: implications for the pathogenesis of ulcerative colitis and pyoderma gangrenosum. <i>Gut</i> , 2006 , 55, 1662-3	19.2	12
117	Defective acute inflammation in Crohn's disease: a clinical investigation. <i>Lancet, The</i> , 2006 , 367, 668-78	40	343
116	Impaired neutrophil chemotaxis in Crohn's disease relates to reduced production of chemokines and can be augmented by granulocyte-colony stimulating factor. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 651-60	6.1	48
115	Can unresolved infection precipitate autoimmune disease?. <i>Current Topics in Microbiology and Immunology</i> , 2006 , 305, 105-25	3.3	14
114	How superoxide production by neutrophil leukocytes kills microbes. <i>Novartis Foundation Symposium</i> , 2006 , 279, 92-8; discussion 98-100, 216-9		12
113	How neutrophils kill microbes. <i>Annual Review of Immunology</i> , 2005 , 23, 197-223	34.7	1233
112	The large-conductance Ca2+-activated K+ channel is essential for innate immunity. <i>Nature</i> , 2004 , 427, 853-8	50.4	161
111	The NADPH oxidase of professional phagocytesprototype of the NOX electron transport chain systems. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2004 , 1657, 1-22	4.6	333
110	N-Formyl peptide receptor subtypes in human neutrophils activate L-plastin phosphorylation through different signal transduction intermediates. <i>Biochemical Journal</i> , 2004 , 377, 469-77	3.8	32
109	PX domain takes shape. Current Opinion in Hematology, 2003, 10, 2-7	3.3	16
108	Transforming Growth Factor-Activation is Diminished in Fibrosis-Resistant Neutrophil Elastase-Deficient Mice. <i>Clinical Science</i> , 2003 , 104, 58P-59P		

107	Effects of microinjected small GTPases on the actin cytoskeleton of human neutrophils. <i>Journal of Anatomy</i> , 2003 , 203, 379-89	2.9	7
106	Reassessment of the microbicidal activity of reactive oxygen species and hypochlorous acid with reference to the phagocytic vacuole of the neutrophil granulocyte. <i>Journal of Medical Microbiology</i> , 2003 , 52, 643-651	3.2	81
105	Lipid rafts determine efficiency of NADPH oxidase activation in neutrophils. <i>FEBS Letters</i> , 2003 , 550, 101-6	3.8	117
104	Granulocyte function in grancalcin-deficient mice. <i>Molecular and Cellular Biology</i> , 2003 , 23, 826-30	4.8	16
103	Killing activity of neutrophils is mediated through activation of proteases by K+ flux. <i>Nature</i> , 2002 , 416, 291-7	50.4	900
102	Ym1 is a neutrophil granule protein that crystallizes in p47phox-deficient mice. <i>Journal of Biological Chemistry</i> , 2002 , 277, 5468-75	5.4	71
101	Involvement of protein kinase D in Fc gamma-receptor activation of the NADPH oxidase in neutrophils. <i>Biochemical Journal</i> , 2002 , 363, 95-103	3.8	11
100	Involvement of protein kinase D in FcFeceptor activation of the NADPH oxidase in neutrophils. <i>Biochemical Journal</i> , 2002 , 363, 95-103	3.8	16
99	Catalase negative Staphylococcus aureus retain virulence in mouse model of chronic granulomatous disease. <i>FEBS Letters</i> , 2002 , 518, 107-10	3.8	46
98	Protein kinase C-delta C2-like domain is a binding site for actin and enables actin redistribution in neutrophils. <i>Biochemical Journal</i> , 2001 , 357, 39-47	3.8	29
97	Evidence that neutrophil elastase-deficient mice are resistant to bleomycin-induced fibrosis. <i>Chest</i> , 2001 , 120, 35S-36S	5.3	17
96	The NADPH oxidase components p47(phox) and p40(phox) bind to moesin through their PX domain. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 289, 382-8	3.4	66
95	Protein kinase C-Itontributes to NADPH oxidase activation in neutrophils. <i>Biochemical Journal</i> , 2000 , 347, 285	3.8	48
94	Protein kinase C-Leontributes to NADPH oxidase activation in neutrophils. <i>Biochemical Journal</i> , 2000 , 347, 285-289	3.8	146
93	Impaired immunity and enhanced resistance to endotoxin in the absence of neutrophil elastase and cathepsin G. <i>Immunity</i> , 2000 , 12, 201-10	32.3	309
92	Perspectives: signal transduction. Signals to move cells. <i>Science</i> , 2000 , 287, 982-3, 985	33.3	100
91	Asymmetric signal transduction. <i>Science</i> , 2000 , 287, 983-983	33.3	1
90	Components and organization of the nadph oxidase of phagocytic cells. <i>Advances in Cellular and Molecular Biology of Membranes and Organelles</i> , 1999 , 5, 441-483		5

89	Phosphorylation of p67phox in the neutrophil occurs in the cytosol and is independent of p47phox. <i>FEBS Letters</i> , 1999 , 449, 225-9	3.8	20
88	Activation of the neutrophil NADPH oxidase is inhibited by SB 203580, a specific inhibitor of SAPK2/p38. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 259, 465-70	3.4	61
87	Reconstitution of GTPgammaS-induced NADPH oxidase activity in streptolysin-O-permeabilized neutrophils by specific cytosol fractions. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 265, 29-37	3.4	7
86	The major phosphorylation site of the NADPH oxidase component p67phox is Thr233. <i>Biochemical Journal</i> , 1999 , 338, 99-105	3.8	37
85	Characterization and partial purification of a novel neutrophil membrane-associated kinase capable of phosphorylating the respiratory burst component p47phox. <i>Biochemical Journal</i> , 1999 , 338, 359-366	3.8	12
84	The major phosphorylation site of the NADPH oxidase component p67phox is Thr233. <i>Biochemical Journal</i> , 1999 , 338, 99	3.8	6
83	Characterization and partial purification of a novel neutrophil membrane-associated kinase capable of phosphorylating the respiratory burst component p47phox. <i>Biochemical Journal</i> , 1999 , 338, 359	3.8	5
82	Direct interaction between p47phox and protein kinase C: evidence for targeting of protein kinase C by p47phox in neutrophils. <i>Biochemical Journal</i> , 1999 , 344, 859	3.8	27
81	Impairment of mycobacterial immunity in human interleukin-12 receptor deficiency. <i>Science</i> , 1998 , 280, 1432-5	33.3	708
80	Cryptic Rac-binding and p21(Cdc42Hs/Rac)-activated kinase phosphorylation sites of NADPH oxidase component p67(phox). <i>Journal of Biological Chemistry</i> , 1998 , 273, 15693-701	5.4	63
79	Chronic Granulomatous Disease 1998 , 565-567		
78	Immunoelectron microscopy shows a clustered distribution of NADPH oxidase components in the human neutrophil plasma membrane. <i>Journal of Leukocyte Biology</i> , 1997 , 61, 303-12	6.5	44
77	Analysis of glycosylation sites on gp91phox, the flavocytochrome of the NADPH oxidase, by site-directed mutagenesis and translation in vitro. <i>Biochemical Journal</i> , 1997 , 321 (Pt 3), 583-5	3.8	80
76	The NADPH oxidase of phagocytic leukocytes. <i>Annals of the New York Academy of Sciences</i> , 1997 , 832, 215-22	6.5	78
75	Deficiency of p67phox, p47phox or gp91phox in chronic granulomatous disease does not impair leucocyte chemotaxis or motility. <i>British Journal of Haematology</i> , 1997 , 96, 543-50	4.5	14
74	NADPH oxidase. International Journal of Biochemistry and Cell Biology, 1996 , 28, 1191-5	5.6	53
73	Interactions between cytosolic components of the NADPH oxidase: p40phox interacts with both p67phox and p47phox. <i>Biochemical Journal</i> , 1996 , 317 (Pt 3), 919-24	3.8	86
72	Stoichiometry of the subunits of flavocytochrome b558 of the NADPH oxidase of phagocytes. <i>Biochemical Journal</i> , 1996 , 320 (Pt 1), 33-8	3.8	38

71	The NADPH oxidase and chronic granulomatous disease. <i>Trends in Molecular Medicine</i> , 1996 , 2, 129-35		102
70	The FRE1 ferric reductase of Saccharomyces cerevisiae is a cytochrome b similar to that of NADPH oxidase. <i>Journal of Biological Chemistry</i> , 1996 , 271, 14240-4	5.4	96
69	Intramembrane bis-heme motif for transmembrane electron transport conserved in a yeast iron reductase and the human NADPH oxidase. <i>Journal of Biological Chemistry</i> , 1996 , 271, 31021-4	5.4	166
68	The NADPH oxidase of phagocytic cells is an electron pump that alkalinises the phagocytic vacuole. <i>Protoplasma</i> , 1995 , 184, 86-103	3.4	19
67	Gene transfer to primary chronic granulomatous disease monocytes. <i>Lancet, The</i> , 1995 , 346, 92-3	40	17
66	Reconstitution of cell-free NADPH oxidase activity by purified components. <i>Methods in Enzymology</i> , 1995 , 256, 268-78	1.7	7
65	NADPH oxidase and the respiratory burst. Seminars in Cell Biology, 1995, 6, 357-65		85
64	NADPH oxidase is not essential for low density lipoprotein oxidation by human monocyte-derived macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1994 , 202, 1300-7	3.4	10
63	Chronic granulomatous disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1994 , 1227, 1-24	6.9	176
62	The biochemical basis of the NADPH oxidase of phagocytes. <i>Trends in Biochemical Sciences</i> , 1993 , 18, 43-7	10.3	540
61	A structural model for the nucleotide binding domains of the flavocytochrome b-245 beta-chain. <i>Protein Science</i> , 1993 , 2, 1675-85	6.3	114
60	Components of the NADPH oxidase of phagocytic cells and their abnormality in the molecular pathology of Chronic Granulomatous Disease (CGD). <i>Clinical and Experimental Allergy</i> , 1993 , 23, 37-37	4.1	
59	The management of chronic granulomatous disease. European Journal of Pediatrics, 1993, 152, 896-9	4.1	40
58	Structure of the NADPH-oxidase: membrane components. <i>Immunodeficiency</i> , 1993 , 4, 167-79		8
57	Cytochrome b-245 is a flavocytochrome containing FAD and the NADPH-binding site of the microbicidal oxidase of phagocytes. <i>Biochemical Journal</i> , 1992 , 284 (Pt 3), 781-8	3.8	319
56	Biochemistry and molecular biology of chronic granulomatous disease. <i>Journal of Inherited Metabolic Disease</i> , 1992 , 15, 683-6	5.4	4
55	Unique human neutrophil populations are defined by monoclonal antibody ED12F8C10. <i>Cellular Immunology</i> , 1991 , 132, 102-14	4.4	8
54	Activation of the NADPH oxidase involves the small GTP-binding protein p21rac1. <i>Nature</i> , 1991 , 353, 668-70	50.4	850

53	Chronic granulomatous disease. Clinical and Experimental Allergy, 1991, 21 Suppl 1, 195-8	4.1	22
52	Separation of phosphoproteins by fast protein liquid chromatography. <i>Biomedical Applications</i> , 1990 , 527, 152-7		3
51	The alpha subunit of cytochrome b-245 mapped to chromosome 16. <i>Genomics</i> , 1990 , 8, 568-70	4.3	8
50	The electron transport chain of the microbicidal oxidase of phagocytic cells and its involvement in the molecular pathology of chronic granulomatous disease. <i>Biochemical Society Transactions</i> , 1989 , 17, 427-34	5.1	15
49	The electron transport chain of the microbicidal oxidase of phagocytic cells and its involvement in the molecular pathology of chronic granulomatous disease. <i>Journal of Clinical Investigation</i> , 1989 , 83, 1785-93	15.9	238
48	The molecular and cellular pathology of chronic granulomatous disease. <i>European Journal of Clinical Investigation</i> , 1988 , 18, 433-43	4.6	32
47	The bactericidal effects of the respiratory burst and the myeloperoxidase system isolated in neutrophil cytoplasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988 , 971, 266-74	4.9	23
46	Phosphorylation of the subunits of cytochrome b-245 upon triggering of the respiratory burst of human neutrophils and macrophages. <i>Biochemical Journal</i> , 1988 , 252, 901-4	3.8	57
45	The microbicidal oxidase of phagocytic cells and its involvement in the molecular pathology of chronic granulomatous disease. <i>Progress in Clinical and Biological Research</i> , 1988 , 282, 225-34		
44	Cytochrome b-245 and its involvement in the molecular pathology of chronic granulomatous disease. <i>Hematology/Oncology Clinics of North America</i> , 1988 , 2, 213-23	3.1	4
43	The X-linked chronic granulomatous disease gene codes for the beta-chain of cytochrome b-245. <i>Nature</i> , 1987 , 327, 720-1	50.4	254
42	Absence of both cytochrome b-245 subunits from neutrophils in X-linked chronic granulomatous disease. <i>Nature</i> , 1987 , 326, 88-91	50.4	282
41	Further evidence for the involvement of a phosphoprotein in the respiratory burst oxidase of human neutrophils. <i>Biochemical Journal</i> , 1986 , 239, 723-31	3.8	113
40	Preliminary evidence for gut involvement in the pathogenesis of rheumatoid arthritis?. <i>Rheumatology</i> , 1986 , 25, 162-6	3.9	50
39	Production of the superoxide adduct of myeloperoxidase (compound III) by stimulated human neutrophils and its reactivity with hydrogen peroxide and chloride. <i>Biochemical Journal</i> , 1985 , 228, 583-	- 92 8	146
38	Stimulated neutrophils from patients with autosomal recessive chronic granulomatous disease fail to phosphorylate a Mr-44,000 protein. <i>Nature</i> , 1985 , 316, 547-9	50.4	253
37	Variations on the theme of chronic granulomatous disease. <i>Lancet, The</i> , 1985 , 1, 1378-83	40	33
36	Elastase in the different primary granules of the human neutrophil. <i>Biochemical and Biophysical Research Communications</i> , 1985 , 132, 1130-6	3.4	16

35	Elemental diet as primary treatment of acute Crohn's disease: a controlled trial. <i>British Medical Journal</i> , 1984 , 288, 1859-62		354
34	The kinetic measurement of phagocyte function in whole blood. <i>Journal of Immunological Methods</i> , 1983 , 60, 125-40	2.5	6
33	Iodination by stimulated human neutrophils. Studies on its stoichiometry, subcellular localization and relevance to microbial killing. <i>Biochemical Journal</i> , 1983 , 210, 215-25	3.8	33
32	The action of cells from patients with chronic granulomatous disease on Staphylococcus aureus. Journal of Medical Microbiology, 1982 , 15, 441-9	3.2	16
31	The association of FAD with the cytochrome b-245 of human neutrophils. <i>Biochemical Journal</i> , 1982 , 208, 759-63		93
30	Studies of cyanide binding to myeloperoxidase by electron paramagnetic resonance and magnetic circular dichroism spectroscopies. <i>BBA - Proteins and Proteomics</i> , 1982 , 703, 187-195		30
29	Cytochrome b-245 of neutrophils is also present in human monocytes, macrophages and eosinophils. <i>Biochemical Journal</i> , 1981 , 196, 363-7	3.8	104
28	Inhibition of lipid peroxidation by the iron-binding protein lactoferrin. <i>Biochemical Journal</i> , 1981 , 199, 259-61	3.8	199
27	The antimicrobial role of the neutrophil leukocyte. <i>Journal of Infection</i> , 1981 , 3, 3-17	18.9	16
26	The respiratory burst of phagocytic cells is associated with a rise in vacuolar pH. <i>Nature</i> , 1981 , 290, 406	-9 50.4	375
25	Kinetics of fusion of the cytoplasmic granules with phagocytic vacuoles in human polymorphonuclear leukocytes. Biochemical and morphological studies. <i>Journal of Cell Biology</i> , 1980 , 85, 42-59	7.3	137
24	A rapid single centrifugation step method for the separation of erythrocytes, granulocytes and mononuclear cells on continuous density gradients of Percoll. <i>Journal of Immunological Methods</i> , 1980 , 32, 209-14	2.5	41
23	Absence of cytochrome b reduction in stimulated neutrophils from both female and male patients with chronic granulomatous disease. <i>FEBS Letters</i> , 1980 , 110, 111-4	3.8	99
22	Rapid incorporation of the human neutrophil plasma membrane cytochrome b into phagocytic vacuoles. <i>Biochemical and Biophysical Research Communications</i> , 1980 , 92, 710-5	3.4	38
21	The production of hydroxyl and superoxide radicals by stimulated human neutrophils-measurements by EPR spectroscopy. <i>FEBS Letters</i> , 1979 , 100, 23-6	3.8	135
20	Production of superoxide by neutrophils: a reappraisal. <i>FEBS Letters</i> , 1979 , 100, 27-32	3.8	27
19	Reduction and subsequent oxidation of a cytochrome b of human neutrophils after stimulation with phorbol myristate acetate. <i>Biochemical and Biophysical Research Communications</i> , 1979 , 88, 130-4	3.4	83
18	Neutrophil cytochrome b in chronic granulomatous disease. <i>Lancet, The</i> , 1979 , 1, 1036-7	40	11

LIST OF PUBLICATIONS

17	The subcellular distribution and some properties of the cytochrome b component of the microbicidal oxidase system of human neutrophils. <i>Biochemical Journal</i> , 1979 , 182, 181-8	3.8	116
16	Halothane does not inhibit human neutrophil function in vitro. <i>British Journal of Anaesthesia</i> , 1979 , 51, 1101-8	5.4	25
15	Novel cytochrome b system in phagocytic vacuoles of human granulocytes. <i>Nature</i> , 1978 , 276, 515-7	50.4	278
14	Kinetics of oxygen consumption by phagocytosing human neutrophils. <i>Biochemical and Biophysical Research Communications</i> , 1978 , 84, 611-7	3.4	88
13	Absence of a newly described cytochrome b from neutrophils of patients with chronic granulomatous disease. <i>Lancet, The</i> , 1978 , 2, 446-9	40	152
12	Levamisole in the treatment of Crohn's disease. <i>Lancet, The</i> , 1977 , 2, 382-5	40	47
11	Indium-111-labelled leucocytes for localisation of abscesses. <i>Lancet, The</i> , 1976 , 2, 1056-8	40	112
10	Neutrophil dysfunction in Crohn's disease. <i>Lancet, The</i> , 1976 , 2, 219-21	40	151
9	Characterisation of the enzyme defect in chronic granulomatous disease. <i>Lancet, The</i> , 1976 , 1, 1363-5	40	71
8	The use of nitroblue tetrazolium prestaining of serum lipoproteins on polyacrylamide disc electrophoresis. <i>Clinica Chimica Acta</i> , 1974 , 53, 361-7	6.2	9
7	Nitroblue-tetrazolium tests. <i>Lancet, The</i> , 1974 , 2, 1248-52	40	99
6	Nitroblue tetrazoliuma new lipoprotein stain. <i>Atherosclerosis</i> , 1973 , 18, 499-504	3.1	5
5	Re-evaluation of nitroblue-tetrazolium test. <i>Lancet, The</i> , 1973 , 2, 879-83	40	32
4	Ulcerative colitis is characterized by amplified acute inflammation with delayed resolution		1
3	The human oral microbiome is shaped by shared environment rather than genetics: evidence from a large family of closely-related individuals		1
2	Sequencing of over 100,000 individuals identifies multiple genes and rare variants associated with Crohns disease susceptibility		2
1	How Superoxide Production by Neutrophil Leukocytes Kills Microbes. <i>Novartis Foundation Symposium</i> ,92-100		13