

Anders HÃÃg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1246256/publications.pdf>

Version: 2024-02-01

43
papers

900
citations

471509

17
h-index

477307

29
g-index

43
all docs

43
docs citations

43
times ranked

1436
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>TERT</i> promoter mutation as an early genetic event activating telomerase in follicular thyroid adenoma (FTA) and atypical FTA. <i>Cancer</i> , 2014, 120, 2965-2979.	4.1	93
2	Chromosomal alterations in human pancreatic endocrine tumors. <i>Genes Chromosomes and Cancer</i> , 2000, 29, 83-87.	2.8	84
3	MicroRNA Expression Patterns Related to Merkel Cell Polyomavirus Infection in Human Merkel Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2014, 134, 507-517.	0.7	65
4	Deletions of the long arm of chromosome 10 in progression of follicular thyroid tumors. <i>Human Genetics</i> , 1996, 97, 299-303.	3.8	51
5	Global hypomethylation and promoter methylation in small intestinal neuroendocrine tumors. <i>Epigenetics</i> , 2014, 9, 987-997.	2.7	50
6	Human Anaplastic Thyroid Carcinoma Cells Are Sensitive to NK Cell-Mediated Lysis via ULBP2/5/6 and Chemoattract NK Cells. <i>Clinical Cancer Research</i> , 2014, 20, 5733-5744.	7.0	47
7	Gain of 1q and loss of 9q21.3-q32 are associated with a less favorable prognosis in papillary thyroid carcinoma. <i>Genes Chromosomes and Cancer</i> , 2001, 32, 43-49.	2.8	40
8	Parafibromin immunostainings of parathyroid tumors in clinical routine: a near-decade experience from a tertiary center. <i>Modern Pathology</i> , 2019, 32, 1082-1094.	5.5	35
9	Clinical Routine Application of the Second-generation Neuroendocrine Markers ISL1, INSM1, and Secretagogin in Neuroendocrine Neoplasia: Staining Outcomes and Potential Clues for Determining Tumor Origin. <i>Endocrine Pathology</i> , 2020, 31, 401-410.	9.0	35
10	Clinical Routine TERT Promoter Mutational Screening of Follicular Thyroid Tumors of Uncertain Malignant Potential (FT-UMPs): A Useful Predictor of Metastatic Disease. <i>Cancers</i> , 2019, 11, 1443.	3.7	31
11	Merkel cell polyomavirus oncoproteins induce microRNAs that suppress multiple autophagy genes. <i>International Journal of Cancer</i> , 2020, 146, 1652-1666.	5.1	24
12	Ultrastructural Localization of Insulin-like Growth Factor-2 (IGF-2) to the Secretory Granules of Insulin Cells: A Study in Normal and Diabetic (GK) Rats. <i>Ultrastructural Pathology</i> , 1997, 21, 457-466.	0.9	23
13	Gelatinase A and Membrane-type 1 Matrix Metalloproteinase mRNA: Expressed in Adrenocortical Cancers but Not in Adenomas. <i>World Journal of Surgery</i> , 1999, 23, 237-242.	1.6	22
14	Differential Protein Expression Profiles of Cyst Fluid from Papillary Thyroid Carcinoma and Benign Thyroid Lesions. <i>PLoS ONE</i> , 2015, 10, e0126472.	2.5	22
15	Minimally invasive follicular thyroid carcinomas: prognostic factors. <i>Endocrine</i> , 2016, 53, 505-511.	2.3	21
16	MiR-375 Regulation of LDHB Plays Distinct Roles in Polyomavirus-Positive and -Negative Merkel Cell Carcinoma. <i>Cancers</i> , 2018, 10, 443.	3.7	20
17	Ultrastructural Localization of Synaptophysin to the Secretory Granules of Normal Glucagon and Insulin Cells in Human Islets of Langerhans. <i>Ultrastructural Pathology</i> , 1991, 15, 215-219.	0.9	19
18	Differentially Expressed Proteins in Malignant and Benign Adrenocortical Tumors. <i>PLoS ONE</i> , 2014, 9, e87951.	2.5	18

#	ARTICLE	IF	CITATIONS
19	The VHL gene is epigenetically inactivated in pheochromocytomas and abdominal paragangliomas. <i>Epigenetics</i> , 2013, 8, 1347-1354.	2.7	15
20	Paragangliomas: Neuroendocrine features and cytometric DNA distribution patterns. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1991, 419, 455-461.	1.4	13
21	Tumour nuclear oestrogen receptor beta 1 correlates inversely with parathyroid tumour weight. <i>Endocrine Connections</i> , 2015, 4, 76-85.	1.9	13
22	Lipoadenoma of the Parathyroid Gland: Characterization of an Institutional Series Spanning 28 Years. <i>Endocrine Pathology</i> , 2020, 31, 156-165.	9.0	13
23	A porcine gut polypeptide identical to the pancreatic hormone PP (pancreatic polypeptide). <i>FEBS Letters</i> , 1994, 341, 239-243.	2.8	12
24	Diffuse PTH expression in parathyroid tumors argues against important functional tumor subclones. <i>European Journal of Endocrinology</i> , 2016, 174, 583-590.	3.7	12
25	Prognostic Utility of the Ki-67 Labeling Index in Follicular Thyroid Tumors: a 20-Year Experience from a Tertiary Thyroid Center. <i>Endocrine Pathology</i> , 2022, 33, 231-242.	9.0	12
26	Ultrastructural Localization of Endothelin-1 in Nonneoplastic, Hyperplastic, and Neoplastic Adrenal Gland. <i>Ultrastructural Pathology</i> , 1995, 19, 489-494.	0.9	11
27	Active NET formation in Libman-Sacks endocarditis without antiphospholipid antibodies: A dramatic onset of systemic lupus erythematosus. <i>Autoimmunity</i> , 2018, 51, 310-318.	2.6	11
28	Proteomics Suggests a Role for APC-Survivin in Response to Somatostatin Analog Treatment of Neuroendocrine Tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3616-3627.	3.6	10
29	Molecular profiles of oxyphilic and chief cell parathyroid adenoma. <i>Molecular and Cellular Endocrinology</i> , 2018, 470, 84-95.	3.2	10
30	RIN14B: a pancreatic β -cell line that maintains functional ATP-dependent K ⁺ channels and capability to secrete insulin under conditions where it no longer secretes somatostatin. <i>FEBS Letters</i> , 1997, 411, 301-307.	2.8	9
31	Porcine diazepam-binding inhibitor is immunohistochemically colocalized with somatostatin in the D cells of human and porcine gastrointestinal tract and in pancreatic islet cells. <i>Endocrine Pathology</i> , 1991, 2, 161-168.	9.0	7
32	Clear Cell Variant of a Follicular Thyroid Tumor With Uncertain Malignant Potential: A Case Report. <i>International Journal of Surgical Pathology</i> , 2019, 27, 290-293.	0.8	7
33	Metastatic Neuroendocrine Neoplasms of Unknown Primary: Clues from Pathology Workup. <i>Cancers</i> , 2022, 14, 2210.	3.7	7
34	Clear Cell Variant of Papillary Thyroid Carcinoma With Associated Anaplastic Thyroid Carcinoma: Description of an Extraordinary Case. <i>International Journal of Surgical Pathology</i> , 2019, 27, 658-663.	0.8	6
35	Characterisation of endothelin-1-related protein in human adrenal cortex and in cortical lesions. <i>Histochemistry and Cell Biology</i> , 1999, 111, 33-37.	1.7	5
36	Inflammatory infiltrates in parathyroid tumors. <i>European Journal of Endocrinology</i> , 2017, 177, 445-453.	3.7	5

#	ARTICLE	IF	CITATIONS
37	Nuclear-specific accumulation of <i>telomerase reverse transcriptase</i> (<i>TERT</i>) mRNA in <i>TERT</i> promoter mutated follicular thyroid tumours visualised by in situ hybridisation: a possible clinical screening tool?. <i>Journal of Clinical Pathology</i> , 2022, 75, 658-662.	2.0	5
38	Detailed Lymph Node Sectioning of Papillary Thyroid Carcinoma Specimen Increases the Number of pN1a Patients. <i>Endocrine Pathology</i> , 2016, 27, 346-351.	9.0	4
39	Somatostatin Receptor Expression in Renal Cell Carcinoma—A New Front in the Diagnostics and Treatment of Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e517-e520.	1.9	4
40	Regional differences in somatostatin receptor 2 (SSTR2) immunoreactivity is coupled to level of bowel invasion in small intestinal neuroendocrine tumors. <i>Neuroendocrinology Letters</i> , 2018, 39, 305-309.	0.2	4
41	Signet ring cell variant of follicular thyroid carcinoma: Report of two cases with focus on morphological, expressional and genetic characteristics. <i>Diagnostic Pathology</i> , 2019, 14, 127.	2.0	3
42	Solid Cell Nests Within a Parathyroid Gland—Report of an Exceptional Case. <i>Endocrine Pathology</i> , 2018, 29, 365-368.	9.0	1
43	Perithyroidal Salivary Gland Acinic Cell Carcinoma: Morphological and Molecular Attributes of a Unique Lesion. <i>Head and Neck Pathology</i> , 2021, 15, 628-637.	2.6	1