

Finn M Radtke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/124739/publications.pdf>

Version: 2024-02-01

23
papers

1,466
citations

471061

17
h-index

454577

30
g-index

32
all docs

32
docs citations

32
times ranked

1405
citing authors

#	ARTICLE	IF	CITATIONS
1	Different assessment tools for intensive care unit delirium: Which score to use?*. Critical Care Medicine, 2010, 38, 409-418.	0.4	297
2	Duration of fluid fasting and choice of analgesic are modifiable factors for early postoperative delirium. European Journal of Anaesthesiology, 2010, 27, 411-416.	0.7	125
3	Delayed Treatment of Delirium Increases Mortality Rate in Intensive Care Unit Patients. Journal of International Medical Research, 2010, 38, 1584-1595.	0.4	119
4	Comparison of three scores to screen for delirium in the recovery room. British Journal of Anaesthesia, 2008, 101, 338-343.	1.5	105
5	Delirium, Sedation and Analgesia in the Intensive Care Unit: A Multinational, Two-Part Survey among Intensivists. PLoS ONE, 2014, 9, e110935.	1.1	89
6	A Comparison of Three Scores to Screen for Delirium on the Surgical Ward. World Journal of Surgery, 2010, 34, 487-494.	0.8	74
7	How to implement monitoring tools for sedation, pain and delirium in the intensive care unit: an experimental cohort study. Intensive Care Medicine, 2012, 38, 1974-1981.	3.9	69
8	Delirium in the postanaesthesia period. Current Opinion in Anaesthesiology, 2011, 24, 670-675.	0.9	57
9	Postoperative delirium is an independent risk factor for posttraumatic stress disorder in the elderly patient. European Journal of Anaesthesiology, 2015, 32, 147-151.	0.7	53
10	Documentation of Post-operative Nausea and Vomiting in Routine Clinical Practice. Journal of International Medical Research, 2010, 38, 1034-1041.	0.4	44
11	Patients prone for postoperative delirium. Current Opinion in Anaesthesiology, 2016, 29, 384-390.	0.9	42
12	Remifentanyl Reduces the Incidence of Post-Operative Delirium. Journal of International Medical Research, 2010, 38, 1225-1232.	0.4	30
13	No convincing association between postoperative delirium and postoperative cognitive dysfunction: a secondary analysis. Acta Anaesthesiologica Scandinavica, 2016, 60, 1404-1414.	0.7	30
14	Association of obesity, diabetes and hypertension with cognitive impairment in older age. Clinical Epidemiology, 2018, Volume 10, 853-862.	1.5	29
15	Diabetes, but Not Hypertension and Obesity, Is Associated with Postoperative Cognitive Dysfunction. Dementia and Geriatric Cognitive Disorders, 2018, 46, 193-206.	0.7	24
16	C-reactive protein for risk prediction of postoperative delirium and postoperative neurocognitive disorder. Acta Anaesthesiologica Scandinavica, 2019, 63, 1282-1289.	0.7	23
17	Presurgical cognitive impairment is associated with postoperative delirium and postoperative cognitive dysfunction. Minerva Anesthesiologica, 2020, 86, 394-403.	0.6	18
18	Documented Intraoperative Hypotension According to the Three Most Common Definitions Does Not Match the Application of Antihypotensive Medication. Journal of International Medical Research, 2011, 39, 846-856.	0.4	16

#	ARTICLE	IF	CITATIONS
19	Incidence and Risk Factors for Cognitive Dysfunction in Patients with Severe Systemic Disease. Journal of International Medical Research, 2012, 40, 612-620.	0.4	13
20	Postoperative cognitive dysfunction: computerized and conventional tests showed only moderate inter-rater reliability. Journal of Anesthesia, 2010, 24, 518-525.	0.7	10
21	How can postoperative delirium be predicted in advance? A secondary analysis comparing three methods of early assessment in elderly patients. Minerva Anestesiologica, 2016, 82, 751-9.	0.6	10
22	Diagnosing Delirium. JAMA - Journal of the American Medical Association, 2010, 304, 2124.	3.8	5
23	Electroencephalography-Guided Anesthetic Administration and Postoperative Delirium. JAMA - Journal of the American Medical Association, 2019, 321, 2469.	3.8	4