

Eugenio Pucci

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1247904/publications.pdf>

Version: 2024-02-01

95
papers

4,558
citations

101543
36
h-index

110387
64
g-index

101
all docs

101
docs citations

101
times ranked

4427
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Advance Care Planning in Neurodegenerative Disorders: A Scoping Review. International Journal of Environmental Research and Public Health, 2022, 19, 803. | 2.6 | 12 |
| 2 | Comparative Effectiveness and Cost-Effectiveness of Natalizumab and Fingolimod in Patients with Inadequate Response to Disease-Modifying Therapies in Relapsing-Remitting Multiple Sclerosis in the United Kingdom. Pharmacoeconomics, 2022, 40, 323-339. | 3.3 | 3 |
| 3 | Disability outcomes of early cerebellar and brainstem symptoms in multiple sclerosis. Multiple Sclerosis Journal, 2021, 27, 755-766. | 3.0 | 11 |
| 4 | Prediction of on-treatment disability worsening in RRMS with the MAGNIMS score. Multiple Sclerosis Journal, 2021, 27, 695-705. | 3.0 | 7 |
| 5 | Study protocol on advance care planning in multiple sclerosis (ConCure-SM): intervention construction and multicentre feasibility trial. BMJ Open, 2021, 11, e052012. | 1.9 | 4 |
| 6 | The impact of the COVID-19 pandemic on people with neurological disorders: an urgent need to enhance the health care system's preparedness. Neurological Sciences, 2021, 42, 799-804. | 1.9 | 12 |
| 7 | Effect of Disease-Modifying Therapy on Disability in Relapsing-Remitting Multiple Sclerosis Over 15 Years. Neurology, 2021, 96, e783-e797. | 1.1 | 54 |
| 8 | Construction of a resource for advance care planning in multiple sclerosis (ConCure-SM): Results of cognitive debriefing with users. Journal of the Neurological Sciences, 2021, 429, 118081. | 0.6 | 0 |
| 9 | Risk of secondary progressive multiple sclerosis: A longitudinal study. Multiple Sclerosis Journal, 2020, 26, 79-90. | 3.0 | 52 |
| 10 | Redefining the Multiple Sclerosis Severity Score (MSSS): The effect of sex and onset phenotype. Multiple Sclerosis Journal, 2020, 26, 1765-1774. | 3.0 | 10 |
| 11 | Clinical and therapeutic predictors of disease outcomes in AQP4-IgG+ neuromyelitis optica spectrum disorder. Multiple Sclerosis and Related Disorders, 2020, 38, 101868. | 2.0 | 29 |
| 12 | Early clinical markers of aggressive multiple sclerosis. Brain, 2020, 143, 1400-1413. | 7.6 | 32 |
| 13 | Conflicts of interest and Scientific Societies. Neurological Sciences, 2020, 41, 2095-2102. | 1.9 | 4 |
| 14 | There is an urgent need for palliative care specialists in MS â€“ Yes. Multiple Sclerosis Journal, 2019, 25, 1710-1711. | 3.0 | 4 |
| 15 | Conversion to Secondary Progressive Multiple Sclerosis: Patient Awareness and Needs. Results From an Online Survey in Italy and Germany. Frontiers in Neurology, 2019, 10, 916. | 2.4 | 21 |
| 16 | Percutaneous transluminal angioplasty for treatment of chronic cerebrospinal venous insufficiency (CCSVI) in people with multiple sclerosis. The Cochrane Library, 2019, 5, CD009903. | 2.8 | 7 |
| 17 | Comparison of fingolimod, dimethyl fumarate and teriflunomide for multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 458-468. | 1.9 | 71 |
| 18 | Incidence of pregnancy and disease-modifying therapy exposure trends in women with multiple sclerosis: A contemporary cohort study. Multiple Sclerosis and Related Disorders, 2019, 28, 235-243. | 2.0 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Association of Initial Disease-Modifying Therapy With Later Conversion to Secondary Progressive Multiple Sclerosis. JAMA - Journal of the American Medical Association, 2019, 321, 175. | 7.4 | 336 |
| 20 | Management of psychogenic nonâ€pileptic seizures: a multidisciplinary approach. European Journal of Neurology, 2019, 26, 205. | 3.3 | 64 |
| 21 | Antiâ€inflammatory diseaseâ€modifying treatment and disability progression in primary progressive multiple sclerosis: a cohort study. European Journal of Neurology, 2019, 26, 363-370. | 3.3 | 12 |
| 22 | Reply to: Comment on Y.D. Fragoso et al.: â€œLymphocyte count in peripheral blood is not associated with the level of clinical response to treatment with fingolimodâ€•[Mult. Scler. Relat. Disord. (2017)]. Multiple Sclerosis and Related Disorders, 2018, 22, 166. | 2.0 | 0 |
| 23 | Lymphocyte count in peripheral blood is not associated with the level of clinical response to treatment with fingolimod. Multiple Sclerosis and Related Disorders, 2018, 19, 105-108. | 2.0 | 22 |
| 24 | Long-term disability trajectories in primary progressive MS patients: A latent class growth analysis. Multiple Sclerosis Journal, 2018, 24, 642-652. | 3.0 | 37 |
| 25 | No evidence of disease activity (NEDA-3) and disability improvement after alemtuzumab treatment for multiple sclerosis: a 36-month real-world study. Journal of Neurology, 2018, 265, 2851-2860. | 3.6 | 43 |
| 26 | Silent lesions on MRI imaging â€“ Shifting goal posts for treatment decisions in multiple sclerosis. Multiple Sclerosis Journal, 2018, 24, 1569-1577. | 3.0 | 8 |
| 27 | Predictors of relapse and disability progression in MS patients who discontinue disease-modifying therapy. Journal of the Neurological Sciences, 2018, 391, 72-76. | 0.6 | 22 |
| 28 | Association of Inflammation and Disability Accrual in Patients With Progressive-Onset Multiple Sclerosis. JAMA Neurology, 2018, 75, 1407. | 9.0 | 20 |
| 29 | Contribution of different relapse phenotypes to disability in multiple sclerosis. Multiple Sclerosis Journal, 2017, 23, 266-276. | 3.0 | 30 |
| 30 | Highly active immunomodulatory therapy ameliorates accumulation of disability in moderately advanced and advanced multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 196-203. | 1.9 | 49 |
| 31 | Treatment effectiveness of alemtuzumab compared with natalizumab, fingolimod, and interferon beta in relapsing-remitting multiple sclerosis: a cohort study. Lancet Neurology, The, 2017, 16, 271-281. | 10.2 | 134 |
| 32 | Prognostic indicators in pediatric clinically isolated syndrome. Annals of Neurology, 2017, 81, 729-739. | 5.3 | 34 |
| 33 | Anti-inflammatory disease-modifying treatment and short-term disability progression in SPMS. Neurology, 2017, 89, 1050-1059. | 1.1 | 38 |
| 34 | Data quality evaluation for observational multiple sclerosis registries. Multiple Sclerosis Journal, 2017, 23, 647-655. | 3.0 | 64 |
| 35 | Quantifying risk of early relapse in patients with first demyelinating events: Prediction in clinical practice. Multiple Sclerosis Journal, 2017, 23, 1346-1357. | 3.0 | 18 |
| 36 | Towards personalized therapy for multiple sclerosis: prediction of individual treatment response. Brain, 2017, 140, 2426-2443. | 7.6 | 94 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Defining secondary progressive multiple sclerosis. <i>Brain</i> , 2016, 139, 2395-2405. | 7.6 | 281 |
| 38 | Risk of early relapse following the switch from injectables to oral agents for multiple sclerosis. <i>European Journal of Neurology</i> , 2016, 23, 729-736. | 3.3 | 21 |
| 39 | Higher latitude is significantly associated with an earlier age of disease onset in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1343-1349. | 1.9 | 63 |
| 40 | Comparative efficacy of first-line natalizumab vs IFN- β or glatiramer acetate in relapsing MS. <i>Neurology: Clinical Practice</i> , 2016, 6, 102-115. | 1.6 | 33 |
| 41 | Discontinuing disease-modifying therapy in MS after a prolonged relapse-free period: a propensity score-matched study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1133-1137. | 1.9 | 76 |
| 42 | Predictors of long-term disability accrual in relapse-onset multiple sclerosis. <i>Annals of Neurology</i> , 2016, 80, 89-100. | 5.3 | 158 |
| 43 | Need for palliative care for neurological diseases. <i>Neurological Sciences</i> , 2016, 37, 1581-1587. | 1.9 | 28 |
| 44 | The effect of oral immunomodulatory therapy on treatment uptake and persistence in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 520-532. | 3.0 | 34 |
| 45 | Switch to natalizumab versus fingolimod in active relapsing-remitting multiple sclerosis. <i>Annals of Neurology</i> , 2015, 77, 425-435. | 5.3 | 143 |
| 46 | <scp>BREMSO</scp>: a simple score to predict early the natural course of multiple sclerosis. <i>European Journal of Neurology</i> , 2015, 22, 981-989. | 3.3 | 32 |
| 47 | Comparison of Switch to Fingolimod or Interferon Beta/Glatiramer Acetate in Active Multiple Sclerosis. <i>JAMA Neurology</i> , 2015, 72, 405. | 9.0 | 100 |
| 48 | Defining reliable disability outcomes in multiple sclerosis. <i>Brain</i> , 2015, 138, 3287-3298. | 7.6 | 162 |
| 49 | Comparative effectiveness of glatiramer acetate and interferon beta formulations in relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1159-1171. | 3.0 | 36 |
| 50 | Natalizumab Treatment in Multiple Sclerosis Patients: A Multicenter Experience in Clinical Practice in Italy. <i>International Journal of Immunopathology and Pharmacology</i> , 2014, 27, 147-154. | 2.1 | 23 |
| 51 | Predictors and dynamics of postpartum relapses in women with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 739-746. | 3.0 | 148 |
| 52 | Percutaneous transluminal angioplasty for treatment of chronic cerebrospinal venous insufficiency in people with multiple sclerosis: a summary of a Cochrane systematic review. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 405-410. | 1.9 | 10 |
| 53 | Sex as a determinant of relapse incidence and progressive course of multiple sclerosis. <i>Brain</i> , 2013, 136, 3609-3617. | 7.6 | 140 |
| 54 | Persistence on Therapy and Propensity Matched Outcome Comparison of Two Subcutaneous Interferon Beta 1a Dosages for Multiple Sclerosis. <i>PLoS ONE</i> , 2013, 8, e63480. | 2.5 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Risk-benefit considerations in the treatment of relapsing-remitting multiple sclerosis. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 893. | 2.2 | 28 |
| 56 | The frequency of CSF oligoclonal banding in multiple sclerosis increases with latitude. <i>Multiple Sclerosis Journal</i> , 2012, 18, 974-982. | 3.0 | 56 |
| 57 | The Kurtzke EDSS rank stability increases 4â€¦years after the onset of multiple sclerosis: results from the MSBase Registry. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 305-310. | 1.9 | 37 |
| 58 | Percutaneous transluminal angioplasty for treatment of chronic cerebrospinal venous insufficiency (CCSVI) in multiple sclerosis patients. <i>The Cochrane Library</i> , 2012, 12, CD009903. | 2.8 | 3 |
| 59 | Increasing age at disability milestones among MS patients in the MSBase Registry. <i>Journal of the Neurological Sciences</i> , 2012, 318, 94-99. | 0.6 | 35 |
| 60 | Persistent vegetative state: an ethical reappraisal. <i>Neurological Sciences</i> , 2012, 33, 695-700. | 1.9 | 2 |
| 61 | Country, Sex, EDSS Change and Therapy Choice Independently Predict Treatment Discontinuation in Multiple Sclerosis and Clinically Isolated Syndrome. <i>PLoS ONE</i> , 2012, 7, e38661. | 2.5 | 35 |
| 62 | Geographical Variations in Sex Ratio Trends over Time in Multiple Sclerosis. <i>PLoS ONE</i> , 2012, 7, e48078. | 2.5 | 166 |
| 63 | Natalizumab for relapsing remitting multiple sclerosis. <i>The Cochrane Library</i> , 2011, , CD007621. | 2.8 | 55 |
| 64 | Ethical issues in end of life treatments for patients with dementia. <i>European Journal of Neurology</i> , 2010, 17, 774-779. | 3.3 | 27 |
| 65 | The Multiple Sclerosis Knowledge Questionnaire: a self-administered instrument for recently diagnosed patients. <i>Multiple Sclerosis Journal</i> , 2010, 16, 100-111. | 3.0 | 50 |
| 66 | An information aid for newly diagnosed multiple sclerosis patients improves disease knowledge and satisfaction with care. <i>Multiple Sclerosis Journal</i> , 2010, 16, 1393-1405. | 3.0 | 64 |
| 67 | Understanding information on clinical trials by persons with Alzheimerâ€™s dementia. A pilot study. <i>Aging Clinical and Experimental Research</i> , 2009, 21, 158-166. | 2.9 | 7 |
| 68 | Responsiveness of patient reported outcome measures in multiple sclerosis relapses: the REMS study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 1023-1028. | 1.9 | 42 |
| 69 | Short-term combination of glatiramer acetate with IV steroid treatment preceding treatment with GA alone assessed by MRI-disease activity in patients with relapsingâ€“remitting multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2008, 266, 44-50. | 0.6 | 11 |
| 70 | Participation in medical decision-making: Attitudes of Italians with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2008, 275, 86-91. | 0.6 | 63 |
| 71 | Communicating the diagnosis of multiple sclerosis - a qualitative study. <i>Multiple Sclerosis Journal</i> , 2007, 13, 763-769. | 3.0 | 77 |
| 72 | Amantadine for fatigue in multiple sclerosis. <i>The Cochrane Library</i> , 2007, , CD002818. | 2.8 | 99 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Ethical questions in the treatment of subjects with dementia. Part I. Respecting autonomy: awareness, competence and behavioural disorders. <i>Neurological Sciences</i> , 2007, 28, 216-231. | 1.9 | 26 |
| 74 | Message for caregivers of dementia with Lewy bodies patients: hallucinations can be pleasurable for your patient. Cope with your embarrassment and empathize. <i>European Journal of Neurology</i> , 2006, 13, 666-666. | 3.3 | 3 |
| 75 | What do Italians at high risk of stroke know about ischaemic stroke? A survey among a group of subjects undergoing neuro-sonographic examination. <i>Neurological Sciences</i> , 2006, 27, 7-13. | 1.9 | 15 |
| 76 | Every-other-day interferon beta-1b versus once-weekly interferon beta-1a for multiple sclerosis (INCOMIN Trial) II: analysis of MRI responses to treatment and correlation with NAB. <i>Multiple Sclerosis Journal</i> , 2006, 12, 72-76. | 3.0 | 42 |
| 77 | Development of an ELISA Test for Determination of the Urinary Trypsin Inhibitor: Analytical Performance and Applications. <i>Journal of Immunoassay and Immunochemistry</i> , 2005, 26, 43-56. | 1.1 | 2 |
| 78 | Italian version of the Chicago multiscale depression inventory: translation, adaptation and testing in people with multiple sclerosis. <i>Neurological Sciences</i> , 2004, 24, 375-383. | 1.9 | 37 |
| 79 | General practitioners facing dementia: are they fully prepared?. <i>Neurological Sciences</i> , 2004, 24, 384-389. | 1.9 | 37 |
| 80 | Why physicians need to look more closely at the use of complementary and alternative medicine by multiple sclerosis patients. <i>European Journal of Neurology</i> , 2004, 11, 263-267. | 3.3 | 41 |
| 81 | Computer-aided retraining of memory and attention in people with multiple sclerosis: a randomized, double-blind controlled trial. <i>Journal of the Neurological Sciences</i> , 2004, 222, 99-104. | 0.6 | 122 |
| 82 | Corrigendum to "Computer-aided retraining of memory and attention in people with multiple sclerosis: a randomized, double-blind controlled trial" [J. Neurol. Sci. 222 (2004) 99-104]. <i>Journal of the Neurological Sciences</i> , 2004, 224, 113. | 0.6 | 1 |
| 83 | Is the internet transforming the physician-consumer relationship? Preliminary data in a neurological setting. <i>European Journal of Neurology</i> , 2003, 10, 192-192. | 3.3 | 15 |
| 84 | Relatives' attitudes towards informing patients about the diagnosis of Alzheimer's disease. <i>Journal of Medical Ethics</i> , 2003, 29, 51-54. | 1.8 | 43 |
| 85 | Aminopyridines for symptomatic treatment in multiple sclerosis. <i>The Cochrane Library</i> , 2002, , . | 2.8 | 37 |
| 86 | Information and Competency for Consent to Pharmacologic Clinical Trials in Alzheimer Disease: An Empirical Analysis in Patients and Family Caregivers. <i>Alzheimer Disease and Associated Disorders</i> , 2001, 15, 146-154. | 1.3 | 35 |
| 87 | Cytochemistry of Intraplatelet Ca ⁺⁺ Spots as a Peripheral Marker of Age-related Brain Impairment. <i>Annals of the New York Academy of Sciences</i> , 2000, 903, 164-166. | 3.8 | 3 |
| 88 | Topographical Disorientation Consequent to Amnesia of Spatial Location in A Patient with Right Parahippocampal Damage. <i>Cortex</i> , 2000, 36, 427-434. | 2.4 | 37 |
| 89 | Absence of HHV-6 and HHV-7 in cerebrospinal fluid in relapsing-remitting multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2000, 101, 224-228. | 2.1 | 46 |
| 90 | EEG power spectrum differences in early and late onset forms of Alzheimer's disease. <i>Clinical Neurophysiology</i> , 1999, 110, 621-631. | 1.5 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | EEG spectral analysis in Alzheimer's disease and different degenerative dementias. Archives of Gerontology and Geriatrics, 1998, 26, 283-297. | 3.0 | 31 |
| 92 | Hippocampus and Parahippocampal Gyrus Linear Measurements Based on Magnetic Resonance in Alzheimer's Disease. European Neurology, 1998, 39, 16-25. | 1.4 | 28 |
| 93 | EEG power spectrum typical of vascular dementia in a subgroup of Alzheimer patients. Archives of Gerontology and Geriatrics, 1996, 23, 139-151. | 3.0 | 18 |
| 94 | An EEG power index (eyes open vs. eyes closed) to differentiate Alzheimer's from vascular dementia and healthy ageing. Archives of Gerontology and Geriatrics, 1996, 22, 245-260. | 3.0 | 12 |
| 95 | EEG spectral analysis in vascular and Alzheimer dementia. Electroencephalography and Clinical Neurophysiology, 1995, 94, 313-325. | 0.3 | 93 |