

Hanjong Ahn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1248792/publications.pdf>

Version: 2024-02-01

194
papers

2,997
citations

236612

25
h-index

264894

42
g-index

196
all docs

196
docs citations

196
times ranked

3985
citing authors

#	ARTICLE	IF	CITATIONS
1	The Impact of Tumor Location on Prognosis of Transitional Cell Carcinoma of the Upper Urinary Tract. <i>Journal of Urology</i> , 2004, 171, 621-625.	0.2	164
2	Factors Determining Functional Outcomes After Radical Prostatectomy: Robot-Assisted Versus Retropubic. <i>European Urology</i> , 2011, 60, 413-419.	0.9	127
3	Factors Influencing Renal Function Reduction After Partial Nephrectomy. <i>Journal of Urology</i> , 2009, 181, 48-54.	0.2	125
4	Stromal cells of the human prostate: Initial isolation and characterization. , 1996, 28, 89-97.		94
5	Relationship Between the Integrity of the Pelvic Floor Muscles and Early Recovery of Continence After Radical Prostatectomy. <i>Journal of Urology</i> , 2007, 178, 208-211.	0.2	94
6	The Efficacy and Safety of Sunitinib in Korean Patients with Advanced Renal Cell Carcinoma: High Incidence of Toxicity Leads to Frequent Dose Reduction. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 980-985.	0.6	86
7	Prostate cancer in Korean men exhibits poor differentiation and is adversely related to prognosis after radical prostatectomy. <i>Urology</i> , 2006, 68, 820-824.	0.5	68
8	The Protective Role of Renal Parenchyma as a Barrier to Local Tumor Spread of Upper Tract Transitional Cell Carcinoma and its Impact on Patient Survival. <i>Journal of Urology</i> , 2009, 182, 894-899.	0.2	68
9	Percutaneous Kidney Biopsy for a Small Renal Mass: A Critical Appraisal of Results. <i>Journal of Urology</i> , 2016, 195, 568-573.	0.2	64
10	Prognostic value of lymphovascular invasion in transitional cell carcinoma of upper urinary tract. <i>Urology</i> , 2005, 65, 692-696.	0.5	56
11	Urodynamic interpretation of changing bladder function and voiding pattern after radical prostatectomy: a long-term follow-up. <i>BJU International</i> , 2010, 106, 681-686.	1.3	56
12	The small molecule WNT/ β -catenin inhibitor CWP232291 blocks the growth of castration-resistant prostate cancer by activating the endoplasmic reticulum stress pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 342.	3.5	46
13	Do molecular biomarkers have prognostic value in primary T1G3 bladder cancer treated with bacillus Calmette-Guerin intravesical therapy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 849-856.	0.8	42
14	Differences in the aggressiveness of prostate cancer among Korean, Caucasian, and African American men: A retrospective cohort study of radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 3.e9-3.e14.	0.8	40
15	Effectiveness of Adjuvant Chemotherapy in Transitional Cell Carcinoma of the Urinary Bladder with Lymph Node Involvement and/or Lymphovascular Invasion Treated by Radical Cystectomy. <i>Urology</i> , 2007, 70, 257-262.	0.5	38
16	Analysis of pre-operative variables for identifying patients who might benefit from upfront cytoreductive nephrectomy for metastatic renal cell carcinoma in the targeted therapy era. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 96-102.	0.6	34
17	Integrity of the Urethral Sphincter Complex, Nerve-sparing, and Long-term Continence Status after Robotic-assisted Radical Prostatectomy. <i>European Urology Focus</i> , 2019, 5, 823-830.	1.6	33
18	Impact of metastasectomy on prognosis in patients treated with targeted therapy for metastatic renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 2331-2338.	1.2	31

#	ARTICLE	IF	CITATIONS
19	Prognostic Factors for Survival of Patients With Synchronous or Metachronous Brain Metastasis of Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 717-723.	0.9	31
20	Risk of Intravesical Recurrence After Ureteroscopic Biopsy for Upper Tract Urothelial Carcinoma: Does the Location Matter?. <i>Journal of Endourology</i> , 2017, 31, 259-265.	1.1	31
21	Recent Changes in the Clinicopathologic Features of Korean Men with Prostate Cancer: A Comparison with Western Populations. <i>Yonsei Medical Journal</i> , 2012, 53, 543.	0.9	30
22	Comparison of outcomes between trimodal therapy and radical cystectomy in muscle-invasive bladder cancer: a propensity score matching analysis. <i>Oncotarget</i> , 2017, 8, 68996-69004.	0.8	30
23	Changing Patterns of Primary Treatment in Korean Men with Prostate Cancer Over 10 Years: A Nationwide Population Based Study. <i>Cancer Research and Treatment</i> , 2016, 48, 899-906.	1.3	30
24	Pulmonary Metastasectomy Could Prolong Overall Survival in Select Cases of Metastatic Urinary Tract Cancer. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e297-e304.	0.9	28
25	Association of Muscle Mass with Survival after Radical Prostatectomy in Patients with Prostate Cancer. <i>Journal of Urology</i> , 2019, 202, 525-532.	0.2	28
26	Histologic subtype needs to be considered after partial nephrectomy in patients with pathologic T1a renal cell carcinoma: papillary vs. clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1845-1851.	1.2	27
27	Tumor volume, surgical margin, and the risk of biochemical recurrence in men with organ-confined prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 168-174.	0.8	26
28	Prognostic significance of non-papillary tumor morphology as a predictor of cancer progression and survival in patients with primary T1G3 bladder cancer. <i>World Journal of Urology</i> , 2009, 27, 277-283.	1.2	25
29	Characteristics of Anteriorly Located Prostate Cancer and the Usefulness of Multiparametric Magnetic Resonance Imaging for Diagnosis. <i>Journal of Urology</i> , 2016, 196, 367-373.	0.2	25
30	Peripelvic/periureteral fat invasion is independently associated with worse prognosis in pT3 upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2014, 32, 157-163.	1.2	24
31	Clinicopathological Features of Prostate Ductal Carcinoma: Matching Analysis and Comparison with Prostate Acinar Carcinoma. <i>Journal of Korean Medical Science</i> , 2015, 30, 385.	1.1	24
32	Increased Expression of Androgen Receptor mRNA in Human Renal Cell Carcinoma Cells is Associated with Poor Prognosis in Patients with Localized Renal Cell Carcinoma. <i>Journal of Urology</i> , 2015, 194, 1441-1448.	0.2	24
33	Prognostic heterogeneity in T3aN0M0 renal cell carcinoma according to the site of invasion. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 458.e17-458.e22.	0.8	24
34	Predictors of Unfavorable Disease after Radical Prostatectomy in Patients at Low Risk by D'Amico Criteria: Role of Multiparametric Magnetic Resonance Imaging. <i>Journal of Urology</i> , 2014, 192, 402-408.	0.2	23
35	Efficacy and safety of vascular endothelial growth factor receptor tyrosine kinase inhibitors in patients with metastatic renal cell carcinoma and poor risk features. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 687-693.	1.2	22
36	Dihydrotestosterone enhances castration-resistant prostate cancer cell proliferation through STAT5 activation via glucocorticoid receptor pathway. <i>Prostate</i> , 2014, 74, 1240-1248.	1.2	22

#	ARTICLE	IF	CITATIONS
37	Statin use after radical prostatectomy reduces biochemical recurrence in men with prostate cancer. <i>Prostate</i> , 2015, 75, 211-217.	1.2	22
38	Factors associated with testosterone recovery after androgen deprivation therapy in patients with prostate cancer. <i>Investigative and Clinical Urology</i> , 2018, 59, 18.	1.0	22
39	Hilar Location is an Independent Prognostic Factor for Recurrence in T1 Renal Cell Carcinoma After Nephrectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 344-350.	0.7	21
40	Acute Kidney Injury After Radical Cystectomy for Bladder Cancer is Associated with Chronic Kidney Disease and Mortality. <i>Annals of Surgical Oncology</i> , 2016, 23, 686-693.	0.7	21
41	Adjuvant radiotherapy for stage III/IV urothelial carcinoma of the upper tract. <i>Anticancer Research</i> , 2014, 34, 333-8.	0.5	21
42	Outcomes of Single Lymph Node Positive Urothelial Carcinoma After Radical Cystectomy. <i>Journal of Urology</i> , 2011, 185, 2085-2090.	0.2	20
43	Percent tumor volume predicts biochemical recurrence after radical prostatectomy: multi-institutional data analysis. <i>International Journal of Clinical Oncology</i> , 2012, 17, 355-360.	1.0	20
44	Oncological outcomes of patients with incidental pathological T3a stage small renal cell carcinoma after partial nephrectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1651-1657.	1.2	20
45	Overexpression of caldesmon is associated with tumor progression in patients with primary non-muscle-invasive bladder cancer. <i>Oncotarget</i> , 2015, 6, 40370-40384.	0.8	20
46	Treatment failure and clinical progression after salvage therapy in men with biochemical recurrence after radical prostatectomy: radiotherapy vs androgen deprivation. <i>BJU International</i> , 2010, 106, 188-193.	1.3	19
47	Prognostic factors of metastatic renal cell carcinoma with extensive sarcomatoid component. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 817-827.	1.2	19
48	Comparison of oncological outcomes between retropubic radical prostatectomy and robot-assisted radical prostatectomy: an analysis stratified by surgical experience. <i>World Journal of Urology</i> , 2014, 32, 193-199.	1.2	19
49	Prognostic Significance of CREB-Binding Protein and CD81 Expression in Primary High Grade Non-Muscle Invasive Bladder Cancer: Identification of Novel Biomarkers for Bladder Cancer Using Antibody Microarray. <i>PLoS ONE</i> , 2015, 10, e0125405.	1.1	18
50	Comparison of the Surgical Outcome and Renal Function between Radical and Nephron-sparing Surgery for Renal Cell Carcinomas. <i>Korean Journal of Urology</i> , 2007, 48, 671.	0.2	17
51	Mass Screening for Prostate Cancer in Korea: A Population Based Study. <i>Journal of Urology</i> , 2008, 180, 1949-1953.	0.2	17
52	Diffusion-Weighted Magnetic Resonance Imaging in Patients With Unilateral Prostate Cancer on Extended Prostate Biopsy: Predictive Accuracy of Laterality and Implications for Hemi-Ablative Therapy. <i>Journal of Urology</i> , 2010, 184, 1963-1970.	0.2	17
53	Reassessment of Prognostic Heterogeneity of pT3 Renal Pelvic Urothelial Carcinoma: Analysis in Terms of Proposed pT3 Subclassification Systems. <i>Journal of Urology</i> , 2014, 192, 1064-1071.	0.2	17
54	Effects of statin use on the response duration to androgen deprivation therapy in metastatic prostate cancer. <i>Korean Journal of Urology</i> , 2015, 56, 630.	1.2	17

#	ARTICLE	IF	CITATIONS
55	Comparative analysis of oncologic outcomes for open vs. robot-assisted radical prostatectomy in high-risk prostate cancer. <i>Korean Journal of Urology</i> , 2015, 56, 572.	1.2	17
56	The Therapeutic Effect of Solifenacin Succinate on the Recovery From Voiding Dysfunction After Radical Prostatectomy in Men With Clinically Localized Prostate Cancer: A Prospective, Randomized, Controlled Study. <i>Urology</i> , 2015, 85, 1123-1129.	0.5	17
57	Does the greater number of lymph nodes removed during standard lymph node dissection predict better patient survival following radical cystectomy?. <i>World Journal of Urology</i> , 2011, 29, 443-449.	1.2	16
58	Randomized clinical trial of a bladder neck plication stitch during robot-assisted radical prostatectomy. <i>Asian Journal of Andrology</i> , 2015, 17, 304.	0.8	16
59	Adjuvant chemotherapy after radical cystectomy for bladder cancer: a comparative study using inverse-probability-of-treatment weighting. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 169-176.	1.2	16
60	Comparison of Hand-Assisted Laparoscopic vs Robot-Assisted Laparoscopic vs Open Partial Nephrectomy in Patients with T1 Renal Masses. <i>Journal of Endourology</i> , 2017, 31, 374-379.	1.1	16
61	Impact of Tumor Location on Local Recurrence After Nephroureterectomy for Upper Tract Urothelial Carcinoma: Implications for Adjuvant Radiotherapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e199-e204.	0.9	16
62	Does epithelioid angiomyolipoma have poorer prognosis, compared with classic angiomyolipoma?. <i>Investigative and Clinical Urology</i> , 2018, 59, 357.	1.0	16
63	Prevalence and clinical significance of incidental ¹⁸ F-fluoro-2-deoxyglucose uptake in prostate. <i>Korean Journal of Urology</i> , 2015, 56, 288.	1.2	15
64	Prognostic significance of platelet-derived growth factor receptor- β expression in localized clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 2213-2220.	1.2	15
65	Impact of lymph node dissection in radical cystectomy for bladder cancer: How many vs how far?. <i>Surgical Oncology</i> , 2019, 30, 109-116.	0.8	15
66	Robot-assisted partial nephrectomy is associated with early recovery of renal function: Comparison of open, laparoscopic, and robot-assisted partial nephrectomy using DTPA renal scintigraphy. <i>Journal of Surgical Oncology</i> , 2019, 119, 1016-1023.	0.8	15
67	Clinical Evaluation of (4S)-4-(3-[¹⁸ F]Fluoropropyl)-L-glutamate (18F-FSPG) for PET/CT Imaging in Patients with Newly Diagnosed and Recurrent Prostate Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 5380-5387.	3.2	15
68	Role of Androgen Deprivation Treatment in Patients With Castration-Resistant Prostate Cancer, Receiving Docetaxel-Based Chemotherapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2011, 34, 140-144.	0.6	15
69	Comparison of 2002 TNM nodal status with lymph node density in node-positive patients after radical cystectomy for bladder cancer: Analysis by the number of lymph nodes removed. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011, 29, 199-204.	0.8	14
70	Preoperative Factors Predictive of Posterolateral Extracapsular Extension After Radical Prostatectomy. <i>Korean Journal of Urology</i> , 2013, 54, 824.	1.2	14
71	KML001 Induces Apoptosis and Autophagic Cell Death in Prostate Cancer Cells via Oxidative Stress Pathway. <i>PLoS ONE</i> , 2015, 10, e0137589.	1.1	14
72	Whole pelvic intensity-modulated radiotherapy for high-risk prostate cancer: a preliminary report. <i>Radiation Oncology Journal</i> , 2013, 31, 199.	0.7	14

#	ARTICLE	IF	CITATIONS
73	Predictive role of tissue-based molecular markers in patients treated with sunitinib for metastatic renal cell carcinoma. <i>World Journal of Urology</i> , 2015, 33, 111-118.	1.2	13
74	Does lymph node dissection during nephroureterectomy affect oncological outcomes in upper tract urothelial carcinoma patients without suspicious lymph node metastasis on preoperative imaging studies?. <i>World Journal of Urology</i> , 2017, 35, 665-673.	1.2	13
75	VEGF/VEGFR2 and PDGF-B/PDGFR- β expression in non-metastatic renal cell carcinoma: a retrospective study in 1,091 consecutive patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 7681-9.	0.5	13
76	Clinico-pathological Characteristics of Prostate Cancer in Korean Men and Nomograms for the Prediction of the Pathological Stage of the Clinically Localized Prostate Cancer: A Multi-institutional Update. <i>Korean Journal of Urology</i> , 2007, 48, 125.	0.2	12
77	Incidence of Benign Results After Laparoscopic Radical Nephroureterectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2014, 18, e2014.00335.	0.5	12
78	The Type of Nephrectomy Has Little Effect on Overall Survival or Cardiac Events in Patients of 70 Years and Older With Localized Clinical T1 Stage Renal Masses. <i>Korean Journal of Urology</i> , 2014, 55, 446.	1.2	12
79	Dihydrotestosterone promotes kidney cancer cell proliferation by activating the STAT5 pathway via androgen and glucocorticoid receptors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2293-2301.	1.2	12
80	Adjuvant Treatments for Advanced Stage, Non-metastatic Upper Tract Urothelial Carcinoma: A Multicenter Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 104, 819-827.	0.4	12
81	Association Between Sarcopenia and Survival of Patients with Organ-Confined Renal Cell Carcinoma after Radical Nephrectomy. <i>Annals of Surgical Oncology</i> , 2022, 29, 2473-2479.	0.7	12
82	Kidney Laterality and the Safety of Hand-assisted Live Donor Nephrectomy: Review of 1000 Consecutive Cases at a Single Center. <i>Urology</i> , 2015, 85, 1360-1367.	0.5	11
83	Regulatory T cells and TGF- β 1 in clinically localized renal cell carcinoma: Comparison with age-matched healthy controls. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 113.e19-113.e25.	0.8	11
84	Oncological effect of palliative transurethral resection of the prostate in patients with advanced prostate cancer: a propensity score matching study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 751-758.	1.2	11
85	Prognostic Factors Related to Recurrence-Free Survival for Primary Carcinoma in situ of the Bladder after Bacillus Calmette-Guérin: A Retrospective Study. <i>Urologia Internationalis</i> , 2018, 101, 269-276.	0.6	11
86	Declining incidence of benign lesions among small renal masses treated with surgery: Effect of diagnostic tests for characterization. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 362.e9-362.e15.	0.8	11
87	Histologic Variability and Diverse Oncologic Outcomes of Prostate Sarcomas. <i>Korean Journal of Urology</i> , 2014, 55, 797.	1.2	10
88	Clinicopathological features of Xp11.2 translocation renal cell carcinoma. <i>Korean Journal of Urology</i> , 2015, 56, 212.	1.2	10
89	Oncologic outcomes in men with metastasis to the prostatic anterior fat pad lymph nodes: a multi-institution international study. <i>BMC Urology</i> , 2015, 15, 79.	0.6	10
90	Obesity as a Risk Factor for Unfavorable Disease in Men with Low Risk Prostate Cancer and its Relationship with Anatomical Location of Tumor. <i>Journal of Urology</i> , 2017, 198, 71-78.	0.2	10

#	ARTICLE	IF	CITATIONS
91	Fate of newly developed pulmonary embolism after surgery for renal cell carcinoma with vena cava thrombus. <i>International Urology and Nephrology</i> , 2017, 49, 1157-1163.	0.6	10
92	Factors contributing to treatment outcomes of post-prostatectomy incontinence surgery for the selection of the proper surgical procedure for individual patients: A single-center experience. <i>Neurourology and Urodynamics</i> , 2018, 37, 1978-1987.	0.8	10
93	Adjuvant chemotherapy versus observation after radical cystectomy in patients with node-positive bladder cancer. <i>Scientific Reports</i> , 2019, 9, 8305.	1.6	10
94	Selection Criteria for Active Surveillance of Patients with Prostate Cancer in Korea: A Multicenter Analysis of Pathology after Radical Prostatectomy. <i>Cancer Research and Treatment</i> , 2018, 50, 265-274.	1.3	10
95	Continuing Trends of the Clinical Parameter Migration in Patients with Prostate Cancer in Korea. <i>Korean Journal of Urology</i> , 2007, 48, 574.	0.2	9
96	High percent tumor volume predicts biochemical recurrence after radical prostatectomy in pathological stage T3a prostate cancer with a negative surgical margin. <i>International Journal of Urology</i> , 2014, 21, 484-489.	0.5	9
97	Cause of Death in Korean Men with Prostate Cancer: an Analysis of Time Trends in a Nationwide Cohort. <i>Journal of Korean Medical Science</i> , 2016, 31, 1802.	1.1	9
98	Prognostic factors of oncologic outcomes in metastatic chemotherapy-naïve castration-resistant prostate cancer treated with enzalutamide in actual clinical practice in East Asia. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 401.e11-401.e18.	0.8	9
99	Gemcitabine plus carboplatin versus gemcitabine plus oxaliplatin in cisplatin-unfit patients with advanced urothelial carcinoma: a randomised phase II study (COACH, KCSG GU10-16). <i>European Journal of Cancer</i> , 2020, 127, 183-190.	1.3	9
100	Value of clinical parameters and MRI with PI-RADS _{V2} in predicting seminal vesicle invasion of prostate cancer. <i>Scandinavian Journal of Urology</i> , 2021, 55, 17-21.	0.6	9
101	Comparison of Treatment Outcomes between Photoselective Vaporization and Transurethral Resection of the Prostate for Benign Prostatic Hyperplasia. <i>Korean Journal of Urology</i> , 2007, 48, 297.	0.2	8
102	Discrimination of local recurrence after radical prostatectomy: value of diffusion-weighted magnetic resonance imaging. <i>Prostate International</i> , 2018, 6, 12-17.	1.2	8
103	Changes in health-related quality of life after radical prostatectomy for prostate cancer: A longitudinal cohort study in Korea. <i>Investigative and Clinical Urology</i> , 2018, 59, 313.	1.0	8
104	The impact on oncological outcomes after radical prostatectomy for prostate cancer of converting soft tissue margins at the apex and bladder neck from tumour-positive to -negative. <i>BJU International</i> , 2019, 123, 811-817.	1.3	8
105	Elective pelvic irradiation in prostate cancer patients with biochemical failure following radical prostatectomy: A propensity score matching analysis. <i>PLoS ONE</i> , 2019, 14, e0215057.	1.1	8
106	Simple risk assessment in prostate cancer patients treated with primary androgen deprivation therapy: The Korean Cancer Study of the Prostate risk classification. <i>International Journal of Urology</i> , 2019, 26, 62-68.	0.5	8
107	Association of Bacillus Calmette-Guérin shortages with bladder cancer recurrence: A single-center retrospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 851.e11-851.e17.	0.8	8
108	Antibiotic prophylaxis with intravenous ceftriaxone and fluoroquinolone reduces infectious complications after transrectal ultrasound-guided prostatic biopsy. <i>Korean Journal of Urology</i> , 2015, 56, 466.	1.2	7

#	ARTICLE	IF	CITATIONS
109	Establishment of Korean prostate cancer database by the Korean Urological Oncology Society. <i>Investigative and Clinical Urology</i> , 2017, 58, 434.	1.0	7
110	Preserving Renal Function through Partial Nephrectomy Depends on Tumor Complexity in T1b Renal Tumors. <i>Journal of Korean Medical Science</i> , 2017, 32, 495.	1.1	7
111	Time to biochemical relapse after radical prostatectomy and efficacy of salvage radiotherapy in patients with prostate cancer. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1238-1246.	1.0	7
112	Taxane-based Chemotherapy Induced Androgen Receptor Splice Variant 7 in Patients with Castration-Resistant Prostate Cancer: A Tissue-based Analysis. <i>Scientific Reports</i> , 2019, 9, 16794.	1.6	7
113	Enzalutamide in Chemotherapy-Naïve Metastatic Castration-Resistant Prostate Cancer: An Asian Multiregional, Randomized Study. <i>Advances in Therapy</i> , 2022, 39, 2641-2656.	1.3	7
114	Transforming growth factor- β 2 downregulates interleukin-2-induced phosphorylation of signal transducer and activator of transcription 5 in human renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 133, 487-492.	1.2	6
115	Incidence and Dose-volume Analysis of Acute Bladder Toxicity following Pelvic Radiotherapy. <i>Tumori</i> , 2014, 100, 195-200.	0.6	6
116	Long-Term Oncologic Outcomes after Radical Cystectomy for Bladder Cancer at a Single Institution. <i>Journal of Korean Medical Science</i> , 2014, 29, 669.	1.1	6
117	Prevalence of High-grade or Insignificant Prostate Cancer in Korean Men With Prostate-specific Antigen Levels of 3.0-4.0 μ g/mL. <i>Urology</i> , 2015, 85, 610-615.	0.5	6
118	Vascular endothelial growth factor receptor tyrosine kinase inhibitor (VEGFR-TKI) rechallenge for patients with metastatic renal cell carcinoma after treatment failure using both VEGFR-TKI and mTOR inhibitor. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 1025-1035.	1.1	6
119	Effect of preoperative urodynamic detrusor overactivity on post-prostatectomy incontinence: a systematic review and meta-analysis. <i>International Urology and Nephrology</i> , 2016, 48, 53-63.	0.6	6
120	Adaptive functional change of the contralateral kidney after partial nephrectomy. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F192-F198.	1.3	6
121	Predictors of female genital organ involvement in radical cystectomy for urothelial carcinoma of the bladder: A single-center retrospective analysis of 112 female patients. <i>International Journal of Surgery</i> , 2017, 47, 101-106.	1.1	6
122	Image-guided, whole-pelvic, intensity-modulated radiotherapy for biochemical recurrence following radical prostatectomy in high-risk prostate cancer patients. <i>PLoS ONE</i> , 2018, 13, e0190479.	1.1	6
123	Importance of androgen-deprivation therapy during enzalutamide treatment in men with metastatic castration-resistant prostate cancer following chemotherapy: results from retrospective, multicenter data. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 150-158.	2.0	6
124	Induction Chemotherapy Followed by Surgery Versus Upfront Radical Cystectomy in Patients With Clinically Node-positive Muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e420-e428.	0.9	6
125	Percent tumor volume vs American Joint Committee on Cancer staging system subclassification for predicting biochemical recurrence in patients with pathologic T2 prostate cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 537-543.	1.2	6
126	Surgical details and renal function change after robot-assisted partial nephrectomy. <i>International Journal of Urology</i> , 2020, 27, 457-462.	0.5	6

#	ARTICLE	IF	CITATIONS
127	Differential contribution of the factors determining long-term renal function after partial nephrectomy over time. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 196.e15-196.e20.	0.8	6
128	Validation of the European association of urology biochemical recurrence risk groups after radical prostatectomy in an Asian cohort and suggestions for refinement. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 298.e1-298.e6.	0.8	6
129	Enzalutamide in chemotherapy-naïve patients with metastatic castration-resistant prostate cancer: A retrospective Korean multicenter study in a real-world setting. <i>Investigative and Clinical Urology</i> , 2020, 61, 19.	1.0	6
130	The Effectiveness of Simultaneous Renal Artery-vein Clamping during Laparoscopic Partial Nephrectomy on the Surgical Outcome. <i>Korean Journal of Urology</i> , 2007, 48, 897.	0.2	5
131	Predictive Factors for Upgrading or Upstaging in Biopsy Gleason Score 6 Prostate Cancer. <i>Korean Journal of Urology</i> , 2009, 50, 836.	1.2	5
132	Does Ureteral Catheter Insertion Decrease the Risk of Urinary Leakage After Partial Nephrectomy in Patients With Renal Cell Carcinoma?. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e707-e712.	0.9	5
133	Prognostic value of vascular endothelial growth factor (VEGF), VEGF receptor 2, platelet-derived growth factor- β (PDGF- β), and PDGF- β receptor expression in papillary renal cell carcinoma. <i>Human Pathology</i> , 2017, 61, 78-89.	1.1	5
134	Impact of Gleason score on biochemical recurrence in patients with pT3aNO/Nx prostate cancer with positive surgical margins: a multicenter study from the Prostate Cancer Research Committee. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2393-2400.	1.2	5
135	Association between serum levels of insulin-like growth factor-1, bioavailable testosterone, and pathologic Gleason score. <i>Cancer Medicine</i> , 2018, 7, 4170-4180.	1.3	5
136	Level of invasion into fibromuscular band is an independent factor for positive surgical margin and biochemical recurrence in men with organ confined prostate cancer. <i>BMC Urology</i> , 2018, 18, 7.	0.6	5
137	Prognosis of carcinoma in situ according to the presence of papillary bladder tumors after bacillus Calmette-Guérin immunotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2131-2140.	1.2	5
138	Utility of Multiparametric Magnetic Resonance Imaging With PI-RADS, Version 2, in Patients With Prostate Cancer Eligible for Active Surveillance: Which Radiologic Characteristics Can Predict Unfavorable Disease?. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 50-55.	0.9	5
139	Phase I/IIa trial of androgen deprivation therapy, external beam radiotherapy, and stereotactic body radiotherapy boost for high-risk prostate cancer (ADEBAR). <i>Radiation Oncology</i> , 2020, 15, 234.	1.2	5
140	Risk of dementia and Parkinson's disease in patients treated with androgen deprivation therapy using gonadotropin-releasing hormone agonist for prostate cancer: A nationwide population-based cohort study. <i>PLoS ONE</i> , 2020, 15, e0244660.	1.1	5
141	The Anatomic Distribution and Pathological Characteristics of Prostate Cancer: A Mapping Analysis. <i>Korean Journal of Urology</i> , 2006, 47, 578.	0.2	5
142	Efficacy and Safety of Everolimus in Korean Patients with Metastatic Renal Cell Carcinoma Following Treatment Failure with a Vascular Endothelial Growth Factor Receptor-Tyrosine Kinase Inhibitor. <i>Cancer Research and Treatment</i> , 2014, 46, 339-347.	1.3	5
143	Is Bladder Tumor Location Associated with Prostate Cancer Detection after Intravesical Bacillus Calmette-Guérin Instillation?. <i>PLoS ONE</i> , 2014, 9, e103791.	1.1	4
144	Bone Mineral Density in Prostate Cancer: A Comparative Study of Patients With Prostate Cancer and Healthy Controls Using Propensity Score Matching. <i>Urology</i> , 2014, 83, 385-392.	0.5	4

#	ARTICLE	IF	CITATIONS
145	Is Intravesical Bacillus Calmette-Guérin Therapy Superior to Chemotherapy for Intermediate-risk Non-muscle-invasive Bladder Cancer?: An Ongoing Debate. <i>Journal of Korean Medical Science</i> , 2015, 30, 252.	1.1	4
146	Clinical features and prognosis of prostate cancer with high-grade prostatic intraepithelial neoplasia. <i>Korean Journal of Urology</i> , 2015, 56, 565.	1.2	4
147	Long-term outcomes of tyrosine kinase inhibitor discontinuation in patients with metastatic renal cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 339-347.	1.1	4
148	Stereotactic body-radiotherapy boost dose of 18 Gy vs 21 Gy in combination with androgen-deprivation therapy and whole-pelvic radiotherapy for intermediate- or high-risk prostate cancer: a study protocol for a randomized controlled, pilot trial. <i>Trials</i> , 2018, 19, 212.	0.7	4
149	The Use of Gonadotropin-Releasing Hormone Agonist Does Not Affect the Development of Cardiovascular Disease in Prostate Cancer Patients: a Nationwide Population-Based Cohort Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e47.	1.1	4
150	Renal Function after Partial Nephrectomy for Renal Cell Carcinoma in Solitary Kidney. <i>Korean Journal of Urology</i> , 2007, 48, 1213.	0.2	3
151	Analysis of the Clinicopathologic Characteristics of Men with Prostate Cancer Undergoing Radical Prostatectomy in the Prostate-Specific Antigen Range of Less than 4 ng/ml. <i>Korean Journal of Urology</i> , 2009, 50, 320.	1.2	3
152	Prognosis of Prostate Cancer With Other Primary Malignancies. <i>Korean Journal of Urology</i> , 2014, 55, 327.	1.2	3
153	Hand-assisted laparoscopic bladder cuff excision via the same hand port as that used for nephroureterectomy. <i>World Journal of Urology</i> , 2015, 33, 1459-1465.	1.2	3
154	Androgen deprivation therapy during and after post-prostatectomy radiotherapy in patients with prostate cancer: a case control study. <i>BMC Cancer</i> , 2018, 18, 271.	1.1	3
155	Predictors of Bladder Tumor Recurrence after Curative Surgery for Upper Urinary Tract Transitional Cell Carcinoma. <i>Korean Journal of Urology</i> , 2009, 50, 635.	1.2	3
156	Changes in the diffusion capacity for carbon monoxide and the development of non-infectious pneumonitis in patients with metastatic renal cell carcinoma treated with everolimus. <i>Anticancer Research</i> , 2014, 34, 5723-8.	0.5	3
157	Patterns of Recurrence After Salvage Radiotherapy Encompassing Pelvic Lymphatics in Men with High-risk Prostate Cancer. <i>Anticancer Research</i> , 2018, 38, 6579-6584.	0.5	2
158	Sorafenib treatment of Asian patients with advanced renal cell carcinoma (RCC) in daily practice: Subset analysis of the large non-interventional PREDICT study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 4628-4628.	0.8	2
159	The Preoperative Risk Factors that Influence the Postoperative Renal Function in Living Donor Nephrectomy: The Impact of Dominant Kidney Nephrectomy. <i>Korean Journal of Urology</i> , 2008, 49, 37.	0.2	2
160	The Effect of Neoadjuvant Hormonal Treatment in Prostate Cancer on Biochemical Recurrence. <i>Korean Journal of Urology</i> , 2007, 48, 1125.	0.2	1
161	Impact of Vesico-ureteral Reflux on Renal Function after a Radical Cystectomy: a Comparison of Refluxing and Antirefluxing Orthotopic Bladder Substitutes. <i>Korean Journal of Urology</i> , 2007, 48, 933.	0.2	1
162	The Analysis of Prognostic Factors of Survival for Patients with Renal Cell Carcinoma according to Lymph Node Involvement or Metastasis. <i>Korean Journal of Urology</i> , 2008, 49, 490.	0.2	1

#	ARTICLE	IF	CITATIONS
163	Reply to Marco Ennas and Alchiede Simonato's Letter to the Editor re: Seong Cheol Kim, Cheryn Song, Wansuk Kim, et al. Factors Determining Functional Outcomes After Radical Prostatectomy: Robot-Assisted Versus Retropubic. <i>Eur Urol</i> 2011;60:413-419. <i>European Urology</i> , 2012, 61, e7.	0.9	1
164	Heterogeneous oncologic outcomes according to surgical pathology in high-risk prostate cancer: implications for better risk stratification and preoperative prediction of oncologic outcomes. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1871-1878.	1.2	1
165	Clinical outcome of high-dose bolus intravenous interleukin-2 with a modified administration schedule for Asian patients with metastatic renal cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 173-180.	1.1	1
166	Biopsy-detected Gleason grade 5 tumor is an additional prognostic factor in metastatic hormone-sensitive prostate cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, , 1.	1.2	1
167	Gemcitabine plus carboplatin versus gemcitabine plus oxaliplatin in cisplatin unfit patients with advanced urothelial carcinoma: A randomized phase II study (COACH, KCSG GU10-16).. <i>Journal of Clinical Oncology</i> , 2019, 37, 4534-4534.	0.8	1
168	Salvage hypofractionated accelerated versus standard radiotherapy for the treatment of biochemical recurrence after radical prostatectomy (SHARE): the protocol of a prospective, randomized, open-label, superiority, multi-institutional trial. <i>Trials</i> , 2021, 22, 728.	0.7	1
169	ASO Visual Abstract: Association Between Sarcopenia and the Survival of Patients with Organ-Confined Renal Cell Carcinoma After Radical Nephrectomy. <i>Annals of Surgical Oncology</i> , 2021, , 1.	0.7	1
170	Prognostic Significance of the Presence of Proper Muscle in the Resected Specimens of Primary T1G3 Bladder Cancer. <i>Korean Journal of Urology</i> , 2006, 47, 137.	0.2	1
171	Randomized phase II trial of docetaxel plus prednisolone with or without androgen deprivation treatment in castration-resistant prostate cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 217-217.	0.8	1
172	Construction of a Retrospective Cohort to Observe 10-Year Urologic Cancer Treatment Trends at the Biggest Medical Center of South Korea. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 232-243.	0.1	1
173	Establishment of Prospective Registry of Active Surveillance for Prostate Cancer: The Korean Urological Oncology Society Database. <i>World Journal of Men's Health</i> , 2023, 41, 110.	1.7	1
174	Reply from Authors re: Andrew Fuller, Stephen E. Pautler. Additional Evidence for Improved Functional Outcomes Following Robot-Assisted Radical Prostatectomy. <i>Eur Urol</i> 2011;60:420-421. <i>European Urology</i> , 2011, 60, 421-422.	0.9	0
175	Prognostic impact of preoperative statin use after radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>Korean Journal of Urology</i> , 2015, 56, 498.	1.2	0
176	Conversion to monotherapy with luteinizing-hormone releasing hormone agonist or orchiectomy after reaching PSA nadir following maximal androgen blockade is able to prolong progression-free survival in patients with metastatic prostate cancer: A propensity score matching analysis. <i>Oncology Letters</i> , 2017, 13, 4832-4836.	0.8	0
177	Serum Testosterone Level as Possible Predictive Marker for Prognosis in Metastatic Castration-Resistant Prostate Cancer Patients Treated With Enzalutamide. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 60-69.	0.1	0
178	Impact of preoperative chemotherapy on pathologic nodal status in muscle-invasive bladder cancer: optimal lymphadenectomy in the preoperative chemotherapy era. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, , 1.	1.2	0
179	Korean Nomogram for the Prediction of Recurrence-free Survival after Definitive Surgery for Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2006, 47, 963.	0.2	0
180	Analysis of Clinical Features of Patients with Metastatic Spinal Cord Compression Caused by Prostate Cancer. <i>Korean Journal of Urology</i> , 2009, 50, 1174.	1.2	0

#	ARTICLE	IF	CITATIONS
181	Changes of pulmonary function test and development of non-infectious pneumonitis in patients with metastatic renal cell carcinoma treated with everolimus.. Journal of Clinical Oncology, 2014, 32, 530-530.	0.8	0
182	Active surveillance as a treatment option for metastatic or recurrent renal cell carcinoma.. Journal of Clinical Oncology, 2014, 32, 426-426.	0.8	0
183	Prognostic biomarker exploration for patients with metastatic renal cell carcinoma receiving VEGFR TKI.. Journal of Clinical Oncology, 2015, 33, 491-491.	0.8	0
184	Clinical outcome of patients with metastatic renal cell carcinoma who interrupted VEGFR-TKI after achieving stable disease or better response.. Journal of Clinical Oncology, 2015, 33, 459-459.	0.8	0
185	The author's reply: Changes in health-related quality of life after radical prostatectomy for prostate cancer: A longitudinal cohort study in Korea. Investigative and Clinical Urology, 2019, 60, 224.	1.0	0
186	Gemcitabine-carboplatin (GCb) versus gemcitabine-oxaliplatin (GemOx) in cisplatin un-fit advanced urothelial carcinoma: Randomized phase II study (COACH Study).. Journal of Clinical Oncology, 2019, 37, 355-355.	0.8	0
187	Reply by Authors. Journal of Urology, 2019, 202, 531-532.	0.2	0
188	Cause of Mortality After Radical Prostatectomy and the Impact of Comorbidity in Men with Prostate Cancer: A Multi-Institutional Study in Korea. Cancer Research and Treatment, 2020, 52, 1242-1250.	1.3	0
189	Risk Factors Leading to Radical Cystectomy in Patients Who Had Undergone Nephroureterectomy. The Korean Journal of Urological Oncology, 2021, 19, 271-280.	0.1	0
190	Utility of Urinalysis as a Follow-up Surveillance Tool in Nonmuscle Invasive Bladder Cancer. The Korean Journal of Urological Oncology, 2021, 19, 244-251.	0.1	0
191	Title is missing!. , 2020, 15, e0244660.		0
192	Title is missing!. , 2020, 15, e0244660.		0
193	Title is missing!. , 2020, 15, e0244660.		0
194	Title is missing!. , 2020, 15, e0244660.		0