

Hiroshi Miyamoto

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1249869/hiroshi-miyamoto-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

277
papers

8,561
citations

47
h-index

82
g-index

332
ext. papers

9,836
ext. citations

4.1
avg, IF

5.96
L-index

#	Paper	IF	Citations
277	The International Society of Urological Pathology (ISUP) Vancouver Classification of Renal Neoplasia. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1469-89	6.7	737
276	The International Society of Urological Pathology (ISUP) grading system for renal cell carcinoma and other prognostic parameters. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1490-504	6.7	448
275	Promotion of bladder cancer development and progression by androgen receptor signals. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 558-68	9.7	292
274	Androgen deprivation therapy for prostate cancer: current status and future prospects. <i>Prostate</i> , 2004 , 61, 332-53	4.2	248
273	From estrogen to androgen receptor: a new pathway for sex hormones in prostate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 5527-32	11.5	221
272	Promotion of agonist activity of antiandrogens by the androgen receptor coactivator, ARA70, in human prostate cancer DU145 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 7379-84	11.5	176
271	Expression of androgen and oestrogen receptors and its prognostic significance in urothelial neoplasm of the urinary bladder. <i>BJU International</i> , 2012 , 109, 1716-26	5.6	148
270	Delta5-androstenediol is a natural hormone with androgenic activity in human prostate cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 11083-8	11.5	134
269	ASC-J9 ameliorates spinal and bulbar muscular atrophy phenotype via degradation of androgen receptor. <i>Nature Medicine</i> , 2007 , 13, 348-53	50.5	133
268	Renal tumors: diagnostic and prognostic biomarkers. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1518-31	6.7	126
267	Non-invasive papillary urothelial neoplasms: the 2004 WHO/ISUP classification system. <i>Pathology International</i> , 2010 , 60, 1-8	1.8	123
266	ASC-J9 suppresses castration-resistant prostate cancer growth through degradation of full-length and splice variant androgen receptors. <i>Neoplasia</i> , 2012 , 14, 74-83	6.4	114
265	Radical prostatectomy findings in patients in whom active surveillance of prostate cancer fails. <i>Journal of Urology</i> , 2009 , 182, 2274-8	2.5	114
264	Retinoblastoma, a tumor suppressor, is a coactivator for the androgen receptor in human prostate cancer DU145 cells. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 248, 361-7	3.4	109
263	Infiltrating macrophages promote prostate tumorigenesis via modulating androgen receptor-mediated CCL4-STAT3 signaling. <i>Cancer Research</i> , 2013 , 73, 5633-46	10.1	105
262	Handling and staging of renal cell carcinoma: the International Society of Urological Pathology Consensus (ISUP) conference recommendations. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1505-17	6.7	96
261	Development of novel thermal sprayed antibacterial coating and evaluation of release properties of silver ions. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 89, 456-465	3.5	96

260	Small endoscopic biopsies of the ureter and renal pelvis: pathologic pitfalls. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1540-6	6.7	94
259	Modulation of androgen receptor transactivation by gelsolin: a newly identified androgen receptor coregulator. <i>Cancer Research</i> , 2003 , 63, 4888-94	10.1	92
258	Loss of androgen receptor expression is not associated with pathological stage, grade, gender or outcome in bladder cancer: a large multi-institutional study. <i>BJU International</i> , 2011 , 108, 24-30	5.6	90
257	Retinoblastoma gene mutations in primary human prostate cancer. <i>Prostate</i> , 1995 , 27, 314-20	4.2	87
256	Decreased tumorigenesis and mortality from bladder cancer in mice lacking urothelial androgen receptor. <i>American Journal of Pathology</i> , 2013 , 182, 1811-20	5.8	85
255	Androgen receptor coregulators in prostate cancer: mechanisms and clinical implications. <i>Clinical Cancer Research</i> , 2004 , 10, 2208-19	12.9	85
254	Androgen deprivation therapy prevents bladder cancer recurrence. <i>Oncotarget</i> , 2014 , 5, 12665-74	3.3	79
253	Molecular basis for the antiandrogen withdrawal syndrome. <i>Journal of Cellular Biochemistry</i> , 2004 , 91, 3-12	4.7	77
252	Prognostic and therapeutic significance of the flow cytometric nuclear DNA content in non-small cell lung cancer. <i>Cancer</i> , 1990 , 65, 1391-5	6.4	76
251	Dihydrotestosterone upregulates the expression of epidermal growth factor receptor and ERBB2 in androgen receptor-positive bladder cancer cells. <i>Endocrine-Related Cancer</i> , 2011 , 18, 451-64	5.7	70
250	Transgelin functions as a suppressor via inhibition of ARA54-enhanced androgen receptor transactivation and prostate cancer cell growth. <i>Molecular Endocrinology</i> , 2007 , 21, 343-58		69
249	Androgen receptor signals regulate UDP-glucuronosyltransferases in the urinary bladder: a potential mechanism of androgen-induced bladder carcinogenesis. <i>Molecular Carcinogenesis</i> , 2013 , 52, 94-102	5	68
248	Hydroxyflutamide may not always be a pure antiandrogen. <i>Lancet, The</i> , 1997 , 349, 852-3	4.0	66
247	C-ERBB-2 gene amplification as a prognostic marker in human bladder cancer. <i>Urology</i> , 2000 , 55, 679-83	1.6	62
246	Retinoblastoma gene mutations in primary human bladder cancer. <i>British Journal of Cancer</i> , 1995 , 71, 831-5	8.7	62
245	The role of the androgen receptor in the development and progression of bladder cancer. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 569-77	2.8	60
244	Tissue prostate-specific antigen facilitates refractory prostate tumor progression via enhancing ARA70-regulated androgen receptor transactivation. <i>Cancer Research</i> , 2008 , 68, 7110-9	10.1	59
243	Differential induction of androgen receptor transactivation by different androgen receptor coactivators in human prostate cancer DU145 cells. <i>Endocrine</i> , 1999 , 11, 195-202		59

242	Low-grade papillary urothelial carcinoma of the urinary bladder: a clinicopathologic analysis of a post-World Health Organization/International Society of Urological Pathology classification cohort from a single academic center. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 1160-3	5	57
241	ELK1 is up-regulated by androgen in bladder cancer cells and promotes tumor progression. <i>Oncotarget</i> , 2015 , 6, 29860-76	3.3	56
240	Androgenic dependence of exophytic tumor growth in a transgenic mouse model of bladder cancer: a role for thrombospondin-1. <i>BMC Urology</i> , 2008 , 8, 7	2.2	55
239	Inhibition of the Akt, cyclooxygenase-2, and matrix metalloproteinase-9 pathways in combination with androgen deprivation therapy: potential therapeutic approaches for prostate cancer. <i>Molecular Carcinogenesis</i> , 2005 , 44, 1-10	5	55
238	Inactivation of androgen receptor coregulator ARA55 inhibits androgen receptor activity and agonist effect of antiandrogens in prostate cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 5124-9	11.5	54
237	Impact of Gleason Subtype on Prostate Cancer Detection Using Multiparametric Magnetic Resonance Imaging: Correlation with Final Histopathology. <i>Journal of Urology</i> , 2017 , 198, 316-321	2.5	53
236	GATA binding protein 3 is down-regulated in bladder cancer yet strong expression is an independent predictor of poor prognosis in invasive tumor. <i>Human Pathology</i> , 2012 , 43, 2033-40	3.7	53
235	Contrary regulation of bladder cancer cell proliferation and invasion by dexamethasone-mediated glucocorticoid receptor signals. <i>Molecular Cancer Therapeutics</i> , 2012 , 11, 2621-32	6.1	52
234	Androgen activates E-cadherin signaling in bladder cancer cells. <i>Endocrine-Related Cancer</i> , 2013 , 20, 293-304	4.7	51
233	Androgen deprivation therapy for prostate cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2008 , 9, 211-28	4	50
232	Estrogen receptor alpha prevents bladder cancer via INPP4B inhibited akt pathway in vitro and in vivo. <i>Oncotarget</i> , 2014 , 5, 7917-35	3.3	50
231	A dominant-negative mutant of androgen receptor coregulator ARA54 inhibits androgen receptor-mediated prostate cancer growth. <i>Journal of Biological Chemistry</i> , 2002 , 277, 4609-17	5.4	49
230	Entry and intracellular growth of <i>Legionella dumoffii</i> in alveolar epithelial cells. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998 , 157, 1967-74	10.2	47
229	Alterations of p16 and p14ARF genes and their 9p21 locus in oral squamous cell carcinoma. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 107, 81-91		46
228	Pitfalls in the use of smoothelin to identify muscularis propria invasion by urothelial carcinoma. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 418-22	6.7	46
227	A Comprehensive Analysis of Cribriform Morphology on Magnetic Resonance Imaging/Ultrasound Fusion Biopsy Correlated with Radical Prostatectomy Specimens. <i>Journal of Urology</i> , 2018 , 199, 106-113	2.5	45
226	Estrogen receptor β in cancer-associated fibroblasts suppresses prostate cancer invasion via modulation of thrombospondin 2 and matrix metalloproteinase 3. <i>Carcinogenesis</i> , 2014 , 35, 1301-9	4.6	45
225	Androgen Receptor Signaling in Bladder Cancer. <i>Cancers</i> , 2017 , 9,	6.6	45

224	Tumor suppressor gene p53 mutations in human prostate cancer. <i>Prostate</i> , 1995 , 27, 18-24	4.2	45
223	Neutrophil-to-lymphocyte ratio predicts prostatic carcinoma in men undergoing needle biopsy. <i>Oncotarget</i> , 2015 , 6, 32169-76	3.3	44
222	Cyclosporine A and tacrolimus inhibit bladder cancer growth through down-regulation of NFATc1. <i>Oncotarget</i> , 2015 , 6, 1582-93	3.3	43
221	Frozen section assessment in testicular and paratesticular lesions suspicious for malignancy: its role in preventing unnecessary orchiectomy. <i>Human Pathology</i> , 2012 , 43, 1514-9	3.7	43
220	A pathological reassessment of organ-confined, Gleason score 6 prostatic adenocarcinomas that progress after radical prostatectomy. <i>Human Pathology</i> , 2009 , 40, 1693-8	3.7	43
219	Expression of AR associated protein 55 (ARA55) and androgen receptor in prostate cancer. <i>Prostate</i> , 2003 , 56, 280-6	4.2	43
218	Expression of transforming growth factor-beta 1 in human bladder cancer. <i>Cancer</i> , 1995 , 75, 2565-70	6.4	43
217	Loss of Heterozygosity at the p53, RB, DCC and APC Tumor Suppressor Gene Loci in Human Bladder Cancer. <i>Journal of Urology</i> , 1996 , 155, 1444-1447	2.5	42
216	Differential induction of the androgen receptor transcriptional activity by selective androgen receptor coactivators. <i>Keio Journal of Medicine</i> , 1999 , 48, 87-92	1.6	41
215	The 2019 Genitourinary Pathology Society (GUPS) White Paper on Contemporary Grading of Prostate Cancer. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 461-493	5	41
214	Epidermal growth factor induces bladder cancer cell proliferation through activation of the androgen receptor. <i>International Journal of Oncology</i> , 2012 , 41, 1587-92	4.4	40
213	Prostate cancer cells increase androgen sensitivity by increase in nuclear androgen receptor and androgen receptor coactivators; a possible mechanism of hormone-resistance of prostate cancer cells. <i>Cancer Investigation</i> , 2007 , 25, 32-7	2.1	40
212	Androgen receptor activity modulates responses to cisplatin treatment in bladder cancer. <i>Oncotarget</i> , 2016 , 7, 49169-49179	3.3	40
211	Neutrophil-to-lymphocyte ratio is a prognostic marker in bladder cancer patients after radical cystectomy. <i>BMC Cancer</i> , 2016 , 16, 185	4.8	39
210	Nuclear hormone receptor signals as new therapeutic targets for urothelial carcinoma. <i>Current Cancer Drug Targets</i> , 2012 , 12, 14-22	2.8	37
209	First Clinical Experience With Thermal-Sprayed Silver Oxide-Containing Hydroxyapatite Coating Implant. <i>Journal of Arthroplasty</i> , 2016 , 31, 1498-503	4.4	35
208	Smooth muscle neoplasms of the urinary bladder: a clinicopathologic study of 51 cases. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 502-9	6.7	35
207	Solitary fibrous tumor of the pancreas: a case report. <i>International Journal of Surgical Pathology</i> , 2007 , 15, 311-4	1.2	35

206	Histopathological and prognostic significance of the expression of sex hormone receptors in bladder cancer: A meta-analysis of immunohistochemical studies. <i>PLoS ONE</i> , 2017 , 12, e0174746	3-7	35
205	Thymol inhibits bladder cancer cell proliferation via inducing cell cycle arrest and apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 491, 530-536	3-4	34
204	Utility of uroplakin II expression as a marker of urothelial carcinoma. <i>Human Pathology</i> , 2015 , 46, 58-64	3-7	34
203	Identification of Gleason pattern 5 on prostatic needle core biopsy: frequency of underdiagnosis and relation to morphology. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1706-11	6-7	34
202	Suppression of Delta(5)-androstenediol-induced androgen receptor transactivation by selective steroids in human prostate cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 11173-7	11.5	34
201	Expression of UDP-glucuronosyltransferase 1A in bladder cancer: association with prognosis and regulation by estrogen. <i>Molecular Carcinogenesis</i> , 2014 , 53, 314-24	5	33
200	Reducing the agonist activity of antiandrogens by a dominant-negative androgen receptor coregulator ARA70 in prostate cancer cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 19619-26	5-4	33
199	Serum selenium and vitamin E concentrations in families of lung cancer patients. <i>Cancer</i> , 1987 , 60, 1159-62		33
198	Characterization of urinary extracellular vesicle proteins in muscle-invasive bladder cancer. <i>Oncotarget</i> , 2017 , 8, 91199-91208	3-3	33
197	Identification of extracellular vesicle-borne periostin as a feature of muscle-invasive bladder cancer. <i>Oncotarget</i> , 2016 , 7, 23335-45	3-3	32
196	Expression of androgen receptor in non-muscle-invasive bladder cancer predicts the preventive effect of androgen deprivation therapy on tumor recurrence. <i>Oncotarget</i> , 2016 , 7, 14153-60	3-3	32
195	Prevention of bacterial adhesion and biofilm formation on a vitamin E-blended, cross-linked polyethylene surface with a poly(2-methacryloyloxyethyl phosphorylcholine) layer. <i>Acta Biomaterialia</i> , 2015 , 24, 24-34	10.8	31
194	The Role of Androgen Receptor Signaling in Ovarian Cancer. <i>Cells</i> , 2019 , 8,	7.9	29
193	Role of the androgen receptor in urothelial cancer. <i>Molecular and Cellular Endocrinology</i> , 2018 , 465, 73-81	4.4	29
192	Enzalutamide inhibits androgen receptor-positive bladder cancer cell growth. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 432.e15-23	2.8	29
191	Loss of GATA3 in bladder cancer promotes cell migration and invasion. <i>Cancer Biology and Therapy</i> , 2014 , 15, 428-35	4.6	29
190	Paratesticular fibrous pseudotumor: a morphologic and immunohistochemical study of 13 cases. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 569-74	6.7	29
189	DNA polymerase beta gene mutations in human bladder cancer. <i>Molecular Carcinogenesis</i> , 1996 , 15, 38-43		29

188	Expression of steroid hormone receptors and its prognostic significance in urothelial carcinoma of the upper urinary tract. <i>Cancer Biology and Therapy</i> , 2016 , 17, 1188-1196	4.6	29
187	Prostaglandin receptors induce urothelial tumorigenesis as well as bladder cancer progression and cisplatin resistance presumably via modulating PTEN expression. <i>British Journal of Cancer</i> , 2018 , 118, 213-223	8.7	29
186	GATA3 immunohistochemistry in urothelial carcinoma of the upper urinary tract as a urothelial marker and a prognosticator. <i>Human Pathology</i> , 2017 , 64, 83-90	3.7	28
185	GATA3 in the urinary bladder: suppression of neoplastic transformation and down-regulation by androgens. <i>American Journal of Cancer Research</i> , 2014 , 4, 461-73	4.4	28
184	Compound A Inhibits Bladder Cancer Growth Predominantly via Glucocorticoid Receptor Transrepression. <i>Molecular Endocrinology</i> , 2015 , 29, 1486-97		27
183	Pretreatment neutrophil-to-lymphocyte ratio predicts the prognosis in patients with metastatic prostate cancer. <i>BMC Cancer</i> , 2016 , 16, 111	4.8	27
182	Rb+ influx in response to changes in energy generation: effect of the regulation of the ATP content of HeLa cells. <i>Journal of Cellular Physiology</i> , 1984 , 119, 273-82	7	26
181	Serum chemokine (CC motif) ligand 2 level as a diagnostic, predictive, and prognostic biomarker for prostate cancer. <i>Oncotarget</i> , 2016 , 7, 8389-98	3.3	26
180	The role of NFATc1 in prostate cancer progression: cyclosporine A and tacrolimus inhibit cell proliferation, migration, and invasion. <i>Prostate</i> , 2015 , 75, 573-84	4.2	25
179	Expression of semenogelins I and II and its prognostic significance in human prostate cancer. <i>Prostate</i> , 2011 , 71, 1108-14	4.2	25
178	Molecular determination of infection source of a sporadic Legionella pneumonia case associated with a hot spring bath. <i>Microbiology and Immunology</i> , 1997 , 41, 197-202	2.7	25
177	Immunohistochemistry of immune checkpoint markers PD-1 and PD-L1 in prostate cancer. <i>Medicine (United States)</i> , 2019 , 98, e17257	1.8	25
176	Outcomes and predictive factors of prostate cancer patients with extremely high prostate-specific antigen level. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1413-9	4.9	24
175	Role of frozen section analysis of surgical margins during robot-assisted laparoscopic radical prostatectomy: a 2608-case experience. <i>Human Pathology</i> , 2013 , 44, 1556-62	3.7	24
174	Higher expression of peroxisome proliferator-activated receptor α and its activation by agonist thiazolidinedione-rosiglitazone promotes bladder cancer cell migration and invasion. <i>Urology</i> , 2013 , 81, 1109.e1-6	1.6	24
173	Silver-Containing Hydroxyapatite Coating Reduces Biofilm Formation by Methicillin-Resistant In Vitro and In Vivo. <i>BioMed Research International</i> , 2016 , 2016, 8070597	3	24
172	Nuclear Factor- κ B Promotes Urothelial Tumorigenesis and Cancer Progression via Cooperation with Androgen Receptor Signaling. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 1303-1314	6.1	23
171	Reduced glucocorticoid receptor expression predicts bladder tumor recurrence and progression. <i>American Journal of Clinical Pathology</i> , 2014 , 142, 157-64	1.9	23

170	TR4 nuclear receptor functions as a tumor suppressor for prostate tumorigenesis via modulation of DNA damage/repair system. <i>Carcinogenesis</i> , 2014 , 35, 1399-406	4.6	23
169	The Loss of Retinoblastoma Gene in Association with c-myc and Transforming Growth Factor-beta 1 Gene Expression in Human Bladder Cancer. <i>Journal of Urology</i> , 1995 , 154, 371-374	2.5	23
168	C19-steroids as androgen receptor modulators: design, discovery, and structure-activity relationship of new steroidal androgen receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 5933-47	3.4	22
167	Fibroblast ER α promotes bladder cancer invasion via increasing the CCL1 and IL-6 signals in the tumor microenvironment. <i>American Journal of Cancer Research</i> , 2015 , 5, 1146-57	4.4	22
166	Differential regulation of bladder cancer growth by various glucocorticoids: corticosterone and prednisone inhibit cell invasion without promoting cell proliferation or reducing cisplatin cytotoxicity. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 249-55	3.5	21
165	Seminal plasma proteins in prostatic carcinoma: increased nuclear semenogelin I expression is a predictor of biochemical recurrence after radical prostatectomy. <i>Human Pathology</i> , 2012 , 43, 1991-2000	3.7	21
164	ZKSCAN3 promotes bladder cancer cell proliferation, migration, and invasion. <i>Oncotarget</i> , 2016 , 7, 53599-53610	3.5	21
163	Historical and contemporary perspectives on cribriform morphology in prostate cancer. <i>Nature Reviews Urology</i> , 2018 , 15, 475-482	5.5	20
162	Cyclosporine A and tacrolimus inhibit urothelial tumorigenesis. <i>Molecular Carcinogenesis</i> , 2016 , 55, 161-9	3.5	20
161	Morphological variety of intracellular microcolonies of Legionella species in Vero cells. <i>Microbiology and Immunology</i> , 2001 , 45, 557-62	2.7	20
160	Androgen receptor activation: a prospective therapeutic target for bladder cancer?. <i>Expert Opinion on Therapeutic Targets</i> , 2017 , 21, 249-257	6.4	19
159	Increased neutrophil-to-lymphocyte ratio is associated with disease-specific mortality in patients with penile cancer. <i>BMC Cancer</i> , 2016 , 16, 396	4.8	19
158	Silodosin inhibits the growth of bladder cancer cells and enhances the cytotoxic activity of cisplatin via ELK1 inactivation. <i>American Journal of Cancer Research</i> , 2015 , 5, 2959-68	4.4	19
157	Intracellular multiplication of Legionella pneumophila in Tetrahymena thermophila. <i>Journal of UOEH</i> , 1994 , 16, 263-75	1.6	19
156	Estrogen receptor β promotes lung cancer cell invasion via increase of and cross-talk with infiltrated macrophages through the CCL2/CCR2/MMP9 and CXCL12/CXCR4 signaling pathways. <i>Molecular Oncology</i> , 2020 , 14, 1779-1799	7.9	17
155	Silver oxide-containing hydroxyapatite coating supports osteoblast function and enhances implant anchorage strength in rat femur. <i>Journal of Orthopaedic Research</i> , 2015 , 33, 1391-7	3.8	17
154	High-grade papillary urothelial carcinoma of the urinary tract: a clinicopathologic analysis of a post-World Health Organization/International Society of Urological Pathology classification cohort from a single academic center. <i>Human Pathology</i> , 2012 , 43, 115-20	3.7	17
153	Papillary urothelial neoplasm of low malignant potential of the urinary bladder: clinicopathologic and outcome analysis from a single academic center. <i>Human Pathology</i> , 2011 , 42, 1799-803	3.7	17

152	Perineural invasion by prostate cancer on MR/US fusion targeted biopsy is associated with extraprostatic extension and early biochemical recurrence after radical prostatectomy. <i>Human Pathology</i> , 2017 , 66, 206-211	3.7	16
151	Suppression of androgen receptor transactivation and prostate cancer cell growth by heterogeneous nuclear ribonucleoprotein A1 via interaction with androgen receptor coregulator ARA54. <i>Endocrinology</i> , 2007 , 148, 1340-9	4.8	16
150	Loss of DNA mismatch repair proteins in prostate cancer. <i>Medicine (United States)</i> , 2020 , 99, e20124	1.8	15
149	Steroid Hormone Receptor Signals as Prognosticators for Urothelial Tumor. <i>Disease Markers</i> , 2015 , 2015, 840640	3.2	15
148	3 beta-acetoxyandrost-1,5-diene-17-ethylene ketal functions as a potent antiandrogen with marginal agonist activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 4440-4	11.5	15
147	Silodosin inhibits prostate cancer cell growth via ELK1 inactivation and enhances the cytotoxic activity of gemcitabine. <i>Prostate</i> , 2016 , 76, 744-56	4.2	15
146	Androgen Receptor Signaling Reduces Radiosensitivity in Bladder Cancer. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 1566-1574	6.1	14
145	Expression of receptor activator of nuclear factor kappa B ligand in bladder cancer. <i>International Journal of Urology</i> , 2018 , 25, 901-902	2.3	14
144	Bilateral adrenocortical carcinoma showing loss of heterozygosity at the p53 and RB gene loci. <i>Cancer Genetics and Cytogenetics</i> , 1996 , 88, 181-3		14
143	Association of Lps gene with natural resistance of mouse macrophages against Legionella pneumophila. <i>FEMS Microbiology Letters</i> , 1991 , 4, 51-6	2.9	14
142	ATF2 promotes urothelial cancer outgrowth via cooperation with androgen receptor signaling. <i>Endocrine Connections</i> , 2018 , 7, 1397-1408	3.5	14
141	The impact of frozen section analysis during partial nephrectomy on surgical margin status and tumor recurrence: a clinicopathologic study of 433 cases. <i>Clinical Genitourinary Cancer</i> , 2013 , 11, 527-36	3.3	13
140	Acute and subacute toxicity in vivo of thermal-sprayed silver containing hydroxyapatite coating in rat tibia. <i>BioMed Research International</i> , 2014 , 2014, 902343	3	13
139	Mixed epithelial and stromal tumor of the kidney in a 14-year-old boy. <i>Urologia Internationalis</i> , 2012 , 88, 247-8	1.9	12
138	FOXO1 as a tumor suppressor inactivated via AR/ER signals in urothelial cells. <i>Endocrine-Related Cancer</i> , 2020 , 27, 231-244	5.7	12
137	TR4 nuclear receptor enhances prostate cancer initiation via altering the stem cell population and EMT signals in the PPARG-deleted prostate cells. <i>Oncoscience</i> , 2015 , 2, 142-50	0.8	12
136	Pmpa1 induced by RANKL-p38 MAPK pathway has a novel role in osteoclastogenesis. <i>Journal of Cellular Physiology</i> , 2018 , 233, 3105-3118	7	12
135	NFATc1 Expression as a Prognosticator in Urothelial Carcinoma of the Upper Urinary Tract. <i>Translational Oncology</i> , 2017 , 10, 318-323	4.9	11

134	Suppression of ribosomal protein RPS6KB1 by Nexrutine increases sensitivity of prostate tumors to radiation. <i>Cancer Letters</i> , 2018 , 433, 232-241	9.9	11
133	Identification of steroid derivatives that function as potent antiandrogens. <i>International Journal of Cancer</i> , 2005 , 117, 866-72	7.5	11
132	Does androgen deprivation improve treatment outcomes in patients with low-risk and intermediate-risk prostate cancer?. <i>Nature Clinical Practice Oncology</i> , 2005 , 2, 236-7		11
131	A unique and common restriction fragment pattern of the nucleotide sequences homologous to the genome of ν f33, a filamentous bacteriophage, in pandemic strains of <i>Vibrio parahaemolyticus</i> O3:K6 O4:K68, and O1:K untypeable. <i>FEMS Microbiology Letters</i> , 2000 , 192, 231-6	2.9	11
130	Role of frozen section analysis of testicular/paratesticular fibrous pseudotumours: a five-case experience. <i>Canadian Urological Association Journal</i> , 2011 , 5, E47-51	1.2	11
129	Predicting the mineral composition of ureteral stone using non-contrast computed tomography. <i>Urolithiasis</i> , 2016 , 44, 231-9	3.2	10
128	<i>Moraxella catarrhalis</i> bacteraemia associated with prosthetic vascular graft infection. <i>Journal of Medical Microbiology</i> , 2010 , 59, 245-250	3.2	10
127	ELK1 promotes urothelial tumorigenesis in the presence of an activated androgen receptor. <i>American Journal of Cancer Research</i> , 2018 , 8, 2325-2336	4.4	10
126	Lack of an Association between Neutrophil-to-Lymphocyte Ratio and PSA Failure of Prostate Cancer Patients Who Underwent Radical Prostatectomy. <i>BioMed Research International</i> , 2016 , 2016, 6197-353	3.53	10
125	Clinical benefits of frozen section assessment during urological surgery: Does it contribute to improving surgical margin status and patient outcomes as previously thought?. <i>International Journal of Urology</i> , 2017 , 24, 25-31	2.3	9
124	Investigation of Legionella Contamination in Bath Water Samples by Culture, Amoebic Co-Culture, and Real-Time Quantitative PCR Methods. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 13118-30	4.6	9
123	Temperature effects on Legionella pneumophila killing by and multiplication in phagocytes of guinea pigs. <i>Microbiology and Immunology</i> , 1995 , 39, 647-54	2.7	9
122	Investigation of the role of macrophages and endogenous interferon-gamma in natural resistance of mice against Legionella pneumophila infection. <i>FEMS Microbiology Letters</i> , 1992 , 4, 183-91	2.9	9
121	Enzalutamide as an androgen receptor inhibitor prevents urothelial tumorigenesis. <i>American Journal of Cancer Research</i> , 2017 , 7, 2041-2050	4.4	9
120	Androgen Receptor Signaling Reduces the Efficacy of Bacillus Calmette-Guérin Therapy for Bladder Cancer via Modulating Rab27b-Induced Exocytosis. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 1930-1942	6.1	9
119	Sex Hormone Receptor Signaling in Bladder Cancer: A Potential Target for Enhancing the Efficacy of Conventional Non-Surgical Therapy. <i>Cells</i> , 2021 , 10,	7.9	9
118	The combination of silver-containing hydroxyapatite coating and vancomycin has a synergistic antibacterial effect on methicillin-resistant biofilm formation. <i>Bone and Joint Research</i> , 2020 , 9, 211-218	4.2	8
117	The Differential Effects of Anti-Diabetic Thiazolidinedione on Prostate Cancer Progression Are Linked to the TR4 Nuclear Receptor Expression Status. <i>Neoplasia</i> , 2015 , 17, 339-47	6.4	8

116	Transurethral resection specimens of the bladder: outcome of invasive urothelial cancer involving muscle bundles indeterminate between muscularis mucosae and muscularis propria. <i>Urology</i> , 2010 , 76, 600-2	1.6	8
115	Flow cytometric DNA content analysis in primary lung cancer: comparison of results from fresh and paraffin-embedded specimens. <i>Journal of Surgical Oncology</i> , 1990 , 43, 36-9	2.8	8
114	Comparison of two types of matrix-assisted laser desorption/ionization time-of-flight mass spectrometer for the identification and typing of <i>Clostridium difficile</i> . <i>Journal of Medical Microbiology</i> , 2015 , 64, 1144-1150	3.2	8
113	Pretreatment Neutrophil-to-Lymphocyte Ratio Can Predict the Prognosis in Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. <i>BioMed Research International</i> , 2016 , 2016, 9846823	3	8
112	The Neutrophil-to-Lymphocyte Ratio before Repeat Prostate Needle Biopsy for Predicting Prostate Cancer. <i>Urologia Internationalis</i> , 2016 , 96, 123-4	1.9	7
111	Oxidative stress marker 8-hydroxyguanosine is more highly expressed in prostate cancer than in benign prostatic hyperplasia. <i>Molecular and Clinical Oncology</i> , 2018 , 9, 302-304	1.6	7
110	Pulmonary metastases from uterine neoplasms after long tumour-free interval: four cases and review of the literature. <i>Pathology</i> , 2009 , 41, 234-41	1.6	7
109	Semenogelin I promotes prostate cancer cell growth via functioning as an androgen receptor coactivator and protecting against zinc cytotoxicity. <i>American Journal of Cancer Research</i> , 2015 , 5, 738-47	4.4	7
108	Attenuation of NAD[P]H:quinone oxidoreductase 1 aggravates prostate cancer and tumor cell plasticity through enhanced TGFβ signaling. <i>Communications Biology</i> , 2020 , 3, 12	6.7	7
107	The Role of Steroid Hormone Receptors in Urothelial Tumorigenesis. <i>Cancers</i> , 2020 , 12,	6.6	7
106	Bone management in Japanese patients with prostate cancer: hormonal therapy leads to an increase in the FRAX score. <i>BMC Urology</i> , 2016 , 16, 32	2.2	7
105	Prostate transmembrane protein androgen induced 1 is induced by activation of osteoclasts and regulates bone resorption. <i>FASEB Journal</i> , 2019 , 33, 4365-4375	0.9	7
104	Distribution of androgen receptor expression in the urinary bladder. <i>International Journal of Urology</i> , 2019 , 26, 305-306	2.3	7
103	Percent Gleason pattern 4 in stratifying the prognosis of patients with intermediate-risk prostate cancer. <i>Translational Andrology and Urology</i> , 2018 , 7, S484-S489	2.3	7
102	The Role of Glucocorticoid Receptor Signaling in Bladder Cancer Progression. <i>Cancers</i> , 2018 , 10,	6.6	7
101	Developing a preoperative predictive model for ureteral length for ureteral stent insertion. <i>BMC Urology</i> , 2016 , 16, 70	2.2	6
100	Expression of Phospho-ELK1 and Its Prognostic Significance in Urothelial Carcinoma of the Upper Urinary Tract. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	6
99	Changes in carotid blood flow and electrocardiogram in humans during and after walking on a treadmill. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1993 , 67, 486-91		6

98	Dependence on exercise intensity of changes in electrolyte secretion from the skin sampled by a simple method. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1990 , 60, 407-11		6
97	STAT3 expression is a prognostic marker in upper urinary tract urothelial carcinoma. <i>PLoS ONE</i> , 2018 , 13, e0201256	3.7	5
96	Androgen Receptor Antagonists in the Treatment of Prostate Cancer. <i>Clinical Immunology, Endocrine and Metabolic Drugs</i> , 2014 , 1, 11-19		5
95	Early versus late hormonal therapy for prostate cancer. <i>Current Urology Reports</i> , 2004 , 5, 188-96	2.9	5
94	Kinetic study on the effects of intracellular K ⁺ and Na ⁺ on Na ⁺ , K ⁺ , Cl ⁻ cotransport of HeLa cells by Rb ⁺ influx determination. <i>Journal of Membrane Biology</i> , 1993 , 132, 115-24	2.3	5
93	Estrogen receptor- β signaling induces cisplatin resistance in bladder cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 2523-2534	4.4	5
92	HL-A and its clinical application. <i>Keio Journal of Medicine</i> , 1972 , 21, 159-69	1.6	5
91	Histopathological distinction of non-invasive and invasive bladder cancers using machine learning approaches. <i>BMC Medical Informatics and Decision Making</i> , 2020 , 20, 162	3.6	5
90	2-Methacryloyloxyethyl Phosphorylcholine Polymer Coating Inhibits Bacterial Adhesion and Biofilm Formation on a Suture: An and Study. <i>BioMed Research International</i> , 2020 , 2020, 5639651	3	5
89	The interaction between androgen receptor and semenogelin I: a synthetic LxxLL peptide antagonist inhibits the growth of prostate cancer cells. <i>British Journal of Cancer</i> , 2018 , 118, 416-420	8.7	5
88	RANK/RANKL expression in prostate cancer. <i>International Journal of Surgery Case Reports</i> , 2017 , 30, 106-107	1.87	4
87	Renal Papillary and Calyceal Lesions at CT Urography: Genitourinary Imaging. <i>Radiographics</i> , 2017 , 37, 358-359	5.4	4
86	Deficiency of stress-associated gene increases bone volume by attenuating differentiation of osteoclasts and enhancing differentiation of osteoblasts. <i>FASEB Journal</i> , 2019 , 33, 8836-8852	0.9	4
85	Role of glucocorticoid signaling in urothelial tumorigenesis: Inhibition by prednisone presumably through inducing glucocorticoid receptor transrepression. <i>Molecular Carcinogenesis</i> , 2019 , 58, 2297-2305	5	4
84	Chronic inflammation on initial benign prostate biopsy is a negative predictor of subsequent cancer detection. <i>Pathology International</i> , 2012 , 62, 774-6	1.8	4
83	Fate of Legionella pneumophila in macrophages of C57BL/6 chronic granulomatous disease mice. <i>Microbiology and Immunology</i> , 2001 , 45, 539-41	2.7	4
82	Arrest of cell cycle progression of HeLa cells in the early G1 phase in K(+)-depleted conditions and its recovery upon addition of insulin and LDL. <i>Journal of Cellular Biochemistry</i> , 1993 , 53, 13-20	4.7	4
81	Discolored ureteral stents: findings in urinalysis and urine culture. <i>PLoS ONE</i> , 2015 , 10, e0122984	3.7	4

80	The role of adipocytokines and their receptors in bladder cancer: expression of adiponectin or leptin is an independent prognosticator. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 3033-3045	3	4
79	FOXO1 inactivation induces cisplatin resistance in bladder cancer. <i>Cancer Science</i> , 2020 , 111, 3397-3400	6.9	4
78	<i>Legionella thermalis</i> sp. nov., isolated from hot spring water in Tokyo, Japan. <i>Microbiology and Immunology</i> , 2016 , 60, 203-8	2.7	4
77	MP83-20 ENZALUTAMIDE AS AN ANDROGEN RECEPTOR INHIBITOR PREVENTS UROTHELIAL TUMORIGENESIS. <i>Journal of Urology</i> , 2016 , 195,	2.5	4
76	The impact of perivesical lymph node metastasis on clinical outcomes of bladder cancer patients undergoing radical cystectomy. <i>BMC Urology</i> , 2019 , 19, 77	2.2	3
75	Histopathologic features of atypical glands on prostate biopsy: nucleolar size is a predictor of subsequent detection of prostatic adenocarcinoma. <i>Prostate</i> , 2013 , 73, 376-81	4.2	3
74	Eppin expression in prostate cancer. <i>European Urology</i> , 2011 , 59, 1071-2	10.2	3
73	Retroperitoneal tumor eleven years after initial treatment of testicular cancer. <i>Urology</i> , 1994 , 43, 116-7	1.6	3
72	Stimulating effects of insulin and low-density lipoprotein on cell growth and macromolecular syntheses of HeLa cells cultured in K(+)-depleted medium. <i>Journal of Cellular Physiology</i> , 1990 , 144, 254-61	2.7	3
71	5 α Reductase Inhibitors Do Not Prevent the Development and Progression of Urothelial Cancer: In Vitro Evidence. <i>Bladder Cancer</i> , 2020 , 6, 481-488	1	3
70	Activation of Glucocorticoid Receptor Inhibits the Stem-Like Properties of Bladder Cancer via Inactivating the β Catenin Pathway. <i>Frontiers in Oncology</i> , 2020 , 10, 1332	5.3	3
69	Rapid detection method of carbapenemase-producing Enterobacteriaceae by MALDI-TOF MS with imipenem/cilastatin (KB) disc and zinc sulfate solution. <i>Journal of Infection and Chemotherapy</i> , 2021 , 27, 205-210	2.2	3
68	The Role of Estrogen Receptors in Urothelial Cancer. <i>Frontiers in Endocrinology</i> , 2021 , 12, 643870	5.7	3
67	Forkhead box O1 as an indicator of prognosis is inactivated in urothelial carcinoma of the upper urinary tract. <i>Oncology Letters</i> , 2019 , 17, 482-487	2.6	3
66	The Impact of Routine Frozen Section Assessment During Penectomy on Surgical Margin Status and Long-Term Oncologic Outcomes. <i>Pathology and Oncology Research</i> , 2018 , 24, 947-950	2.6	3
65	Androgen Receptor Signaling Induces Cisplatin Resistance via Down-Regulating GULP1 Expression in Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
64	Preference for enzalutamide capsules versus tablet pills in patients with prostate cancer. <i>International Journal of Urology</i> , 2019 , 26, 1161-1162	2.3	2
63	Clinical implication of the mammalian target of rapamycin pathway in upper tract urothelial carcinoma with negative GATA binding protein 3 expression. <i>International Journal of Urology</i> , 2019 , 26, 678-679	2.3	2

62	Uridine 5-diphospho-glucuronosyltransferase 1A expression as an independent prognosticator in urothelial carcinoma of the upper urinary tract. <i>International Journal of Urology</i> , 2018 , 25, 429-435	2.3	2
61	Complete Penile Disassembly for Repair of Epispadias Causes Erectile Tissue Alteration Through Transforming Growth Factor Beta 1 Overexpression in a Rabbit Model. <i>Urology</i> , 2018 , 111, 151-156	1.6	2
60	Continuous versus discontinuous tumor involvement: A dilemma in prostate biopsy quantitation. <i>Prostate</i> , 2018 , 78, 1166-1171	4.2	2
59	Antibacterial Activity of Ag-Hydroxyapatite Coating Against Hematogenous Infection by Methicillin-Resistant Staphylococcus aureus in the Rat Femur. <i>Journal of Orthopaedic Research</i> , 2019 , 37, 2655-2660	3.8	2
58	MP31-08 SEMENOGELIN I PROMOTES PROSTATE CANCER CELL GROWTH VIA FUNCTIONING AS AN ANDROGEN RECEPTOR COACTIVATOR AND PROTECTING AGAINST ZINC CYTOTOXICITY. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
57	Ramelteon combined with an α -blocker decreases nocturia in men with benign prostatic hyperplasia. <i>BMC Urology</i> , 2013 , 13, 30	2.2	2
56	Low-molecular-weight protein tyrosine phosphatase expression as a prognostic factor for men with metastatic hormone-naïve prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 607.e9-607.e14	2.8	2
55	The role of periprostatic and periseminal vesicle lymph node metastasis in the staging and prognosis of prostate cancer. <i>Histopathology</i> , 2012 , 60, 1009-10	7.3	2
54	Bio-Psycho-Socio-Ecological Risk Factors for Legionella Infection among Japanese 24-Hour Hot Water Bath Users and Non-Users. <i>Journal of Occupational Health</i> , 2000 , 42, 205-212	2.3	2
53	Effects of Adrenergic receptor antagonists on the development and progression of urothelial cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 4386-4398	4.4	2
52	Secondary Malignancy After Urologic Reconstruction Procedures: A Multi-Institutional Case Series. <i>Human Pathology</i> , 2021 ,	3.7	2
51	Bronchial smear in lung transplantation—early detection of rejection in canine lung allotransplantation. <i>Keio Journal of Medicine</i> , 1972 , 21, 49-56	1.6	2
50	Impact of Vasectomy on the Development and Progression of Prostate Cancer: Preclinical Evidence. <i>Cancers</i> , 2020 , 12,	6.6	2
49	Intravesical Bacillus Calmette-Guerin Therapy for Bladder Cancer: Molecular Mechanisms of Action. <i>Clinical Immunology, Endocrine and Metabolic Drugs</i> , 2016 , 3, 31-38		2
48	Identification of BXDC2 as a Key Downstream Effector of the Androgen Receptor in Modulating Cisplatin Sensitivity in Bladder Cancer. <i>Cancers</i> , 2021 , 13,	6.6	2
47	Is Tubulocystic Renal Cell Carcinoma Real?: Genomic Analysis Confirms the World Health Organization Classification. <i>Journal of Molecular Diagnostics</i> , 2018 , 20, 28-30	5.1	2
46	Tenascin-C expression in the lymph node pre-metastatic niche in muscle-invasive bladder cancer. <i>British Journal of Cancer</i> , 2021 , 125, 1399-1407	8.7	2
45	Differential Roles of Androgen Receptor in Prostate Development and Cancer Progression 2009 , 73-89		2

44	Expression of PD-L1 and CTLA-4 in female urethral carcinoma. <i>IJU Case Reports</i> , 2019 , 2, 23-26	0.5	1
43	Successful treatment with sorafenib for sunitinib-refractory metastatic papillary renal cell carcinoma: Potential impact of Raf overexpression on predicting the efficacy of sorafenib. <i>IJU Case Reports</i> , 2019 , 2, 43-46	0.5	1
42	Clinicopathologic features of prostate cancer in patients diagnosed by age 45 who underwent radical prostatectomy. <i>European Urology</i> , 2012 , 62, 354-5	10.2	1
41	Authors' response to Chew and Lange. <i>Journal of Endourology</i> , 2013 , 27, 507	2.7	1
40	A 1-Year Follow-Up Study of Anti-Legionella Antibodies in Users of Japanese 24-Hour Hot Water Baths. <i>Journal of Occupational Health</i> , 2001 , 43, 46-49	2.3	1
39	Phenazine methosulfate stimulation of ouabain-sensitive Rb ⁺ uptake by HeLa cells: effects of respiratory inhibitors, anaerobiosis, and ascorbate. <i>Journal of Cellular Biochemistry</i> , 1985 , 28, 273-80	4.7	1
38	Compound A inhibits urothelial tumorigenesis via both the androgen receptor and glucocorticoid receptor signaling pathways. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 1779-1788	3.8	1
37	The prognostic role of steroid hormone receptor signaling pathways in urothelial carcinoma.. <i>Translational Cancer Research</i> , 2020 , 9, 6596-6608	0.3	1
36	Androgen Receptor in Prostate Cancer Progression 2008 , 129-146		1
35	MP54-17 GLUCOCORTICOID RECEPTOR AND FOXO1 EXPRESSION IN BLADDER CANCER AS AN INDEPENDENT PROGNOSTICATOR. <i>Journal of Urology</i> , 2018 , 199,	2.5	1
34	The impact of routine frozen section analysis during partial cystectomy for bladder cancer on surgical margin status and long-term oncologic outcome. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 933.e1-933.e6	2.8	1
33	Targeting Vitamin-D receptor (VDR) by a small molecule antagonist MeTC7 inhibits PD-L1 but controls THMYCN neuroblastoma growth PD-L1 independently		1
32	Time-dependent efficacy of combination of silver-containing hydroxyapatite coating and vancomycin on methicillin-resistant <i>Staphylococcus aureus</i> biofilm formation in vitro. <i>BMC Research Notes</i> , 2021 , 14, 81	2.3	1
31	Comparative molecular analysis of testicular Leydig cell tumors demonstrates distinct subsets of neoplasms with aggressive histopathologic features. <i>Modern Pathology</i> , 2021 , 34, 1935-1946	9.8	1
30	Intraoperative pathology consultation during urological surgery: Impact on final margin status and pitfalls of frozen section diagnosis. <i>Pathology International</i> , 2021 , 71, 567-580	1.8	1
29	Prediction of Time to Castration-Resistant Prostate Cancer Using Low-Molecular-Weight Protein Tyrosine Phosphatase Expression for Men with Metastatic Hormone-Naïve Prostate Cancer. <i>Urologia Internationalis</i> , 2019 , 102, 37-42	1.9	1
28	Practice patterns related to prostate cancer grading: results of a 2019 Genitourinary Pathology Society clinician survey. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 295.e1-295.e8	2.8	1
27	PMEPA1 and NEDD4 control the proton production of osteoclasts by regulating vesicular trafficking. <i>FASEB Journal</i> , 2021 , 35, e21281	0.9	1

- 26 Evidence for 2-Methoxyestradiol-Mediated Inhibition of Receptor Tyrosine Kinase RON in the Management of Prostate Cancer. *International Journal of Molecular Sciences*, **2021**, 22, 6.3 1
- 25 Cribriform pattern and perineural invasion on MR/US fusion biopsy predict failure of selection criteria for prostatic hemigland ablation. *Urologic Oncology: Seminars and Original Investigations*, **2020**, 38, 38.e1-38.e8 2.8 0
- 24 Intraoperative Consultation for Renal Masses: Challenges and Implications for Treatment **2015**, 401-405
- 23 Lack of an association between the aPKC ζ expression in prostate cancer and the patient outcomes. *International Journal of Surgery Case Reports*, **2017**, 37, 180-182 0.8
- 22 Evaluation of the structure of Ag in thermal sprayed Ag-containing hydroxyapatite coatings. *Journal of the Ceramic Society of Japan*, **2015**, 123, 667-671 1
- 21 Role of frozen section analysis of testicular/paratesticular fibrous pseudotumours: a five-case experience. *Canadian Urological Association Journal*, **2013**, 5, 47 1.2
- 20 Erratum for Characteristics of Bacterial Species in Positive Blood Cultures among Hospitalized Patients in Three Wards in the Department of Internal Medicine: Retrospective Chart Review 1999-2008. *Internal Medicine*, **2012**, 51, 3315-3315 1.1
- 19 Urine-Based Assays Complementing Cytologic Examination in the Detection of Urothelial Neoplasm **2012**, 109-121
- 18 Early versus late hormonal therapy for prostate cancer. *Current Prostate Reports*, **2004**, 2, 60-68
- 17 HORMONAL THERAPY FOR PROSTATE CANCER: CLINICAL AND EXPERIMENTAL EVIDENCE **2005**, 1-32
- 16 Interaction of Cell Cycle Regulatory Proteins with the Androgen Receptor **2002**, 223-238
- 15 Evaluation of ability of OR51T1 expression to predict primary hormone therapy efficacy among men with hormone-naïve metastatic prostate cancer.. *Journal of Clinical Oncology*, **2018**, 36, 317-317 2.2
- 14 An auscultatory recording method for blood pressure measurement during exercise. *The Japanese Journal of Physiology*, **1987**, 37, 757-60
- 13 MEASUREMENT OF CARTILAGE THICKNESS ON THE ARTICULAR FACE OF THE HUMAN PATELLA AND MOVEMENT OF THE PATELLA DURING FLEXION OF THE KNEE. *Japanese Journal of Physical Fitness and Sports Medicine*, **1991**, 40, 102-110 0.1
- 12 COMPARISONS OF LEFT VENTRICULAR SYSTOLIC AND DIASTOLIC TIMES IN EXERCISE BETWEEN TRAINED AND UNTRAINED MEN. *Japanese Journal of Physical Fitness and Sports Medicine*, **1991**, 40, 145-155 0.1
- 11 Intraoperative Consultation for Prostate Tumors: Challenges and Implications for Treatment **2015**, 145-148
- 10 Intraoperative Consultation for Bladder Tumors: Challenges and Implications for Treatment **2015**, 247-251
- 9 Intraoperative Consultation for Testicular Tumors: Challenges and Implications for Treatment **2015**, 517-520

- 8 Androgen deprivation therapy to prevent bladder cancer recurrence.. *Journal of Clinical Oncology*, **2015**, 33, 329-329 2.2
- 7 Prolonged survival of rat skin allografts treated by prolonged hypothermia. A preliminary report. *Keio Journal of Medicine*, **1969**, 18, 71-9 1.6
- 6 Implants in the distal radius unlikely to induce a new niche for microbiomes. *Apmis*, **2020**, 128, 603-604 3.4
- 5 Novel 1.3 Mb germline duplication in chromosome 8q21.11 by microarray comparative genomic hybridization plus single nucleotide polymorphism analysis in an adult patient with pancytopenia and urinary bladder complications. *Clinical Case Reports (discontinued)*, **2018**, 6, 1947-1952 0.7
- 4 Prostatic adenocarcinoma with aberrant diffuse expression of high molecular weight cytokeratin. *Pathology*, **2018**, 50, 787-789 1.6
- 3 Primary adrenal melanoma: A case report and review of the literature. *Journal of Clinical Urology*, 205141582110320
- 2 Pulse granuloma in the distal ureter, a malignancy mimicker.. *Pathology International*, **2022**, 1.8
- 1 Correlation of Strain Classification with IR Biotyper and Molecular Epidemiological Method of .. *Rinsho Biseibutsu Jinsoku Shindan Kenkyukai Shi = JARMAM: Journal of the Association for Rapid Method and Automation in Microbiology*, **2021**, 31, 29-40 0