

Hiroshi Miyamoto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1249869/hiroshi-miyamoto-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

277
papers

8,561
citations

47
h-index

82
g-index

332
ext. papers

9,836
ext. citations

4.1
avg, IF

5.96
L-index

#	Paper	IF	Citations
277	Pulse granuloma in the distal ureter, a malignancy mimicker.. <i>Pathology International</i> , 2022 ,	1.8	
276	Secondary Malignancy After Urologic Reconstruction Procedures: A Multi-Institutional Case Series. <i>Human Pathology</i> , 2021 ,	3.7	2
275	Time-dependent efficacy of combination of silver-containing hydroxyapatite coating and vancomycin on methicillin-resistant <i>Staphylococcus aureus</i> biofilm formation in vitro. <i>BMC Research Notes</i> , 2021 , 14, 81	2.3	1
274	Sex Hormone Receptor Signaling in Bladder Cancer: A Potential Target for Enhancing the Efficacy of Conventional Non-Surgical Therapy. <i>Cells</i> , 2021 , 10,	7.9	9
273	Comparative molecular analysis of testicular Leydig cell tumors demonstrates distinct subsets of neoplasms with aggressive histopathologic features. <i>Modern Pathology</i> , 2021 , 34, 1935-1946	9.8	1
272	Intraoperative pathology consultation during urological surgery: Impact on final margin status and pitfalls of frozen section diagnosis. <i>Pathology International</i> , 2021 , 71, 567-580	1.8	1
271	The 2019 Genitourinary Pathology Society (GUPS) White Paper on Contemporary Grading of Prostate Cancer. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 461-493	5	41
270	Rapid detection method of carbapenemase-producing Enterobacteriaceae by MALDI-TOF MS with imipenem/cilastatin (KB) disc and zinc sulfate solution. <i>Journal of Infection and Chemotherapy</i> , 2021 , 27, 205-210	2.2	3
269	Practice patterns related to prostate cancer grading: results of a 2019 Genitourinary Pathology Society clinician survey. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 295.e1-295.e8	2.8	1
268	PMEPA1 and NEDD4 control the proton production of osteoclasts by regulating vesicular trafficking. <i>FASEB Journal</i> , 2021 , 35, e21281	0.9	1
267	Evidence for 2-Methoxyestradiol-Mediated Inhibition of Receptor Tyrosine Kinase RON in the Management of Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
266	Identification of BXDC2 as a Key Downstream Effector of the Androgen Receptor in Modulating Cisplatin Sensitivity in Bladder Cancer. <i>Cancers</i> , 2021 , 13,	6.6	2
265	The Role of Estrogen Receptors in Urothelial Cancer. <i>Frontiers in Endocrinology</i> , 2021 , 12, 643870	5.7	3
264	Tenascin-C expression in the lymph node pre-metastatic niche in muscle-invasive bladder cancer. <i>British Journal of Cancer</i> , 2021 , 125, 1399-1407	8.7	2
263	Androgen Receptor Signaling Induces Cisplatin Resistance via Down-Regulating GULP1 Expression in Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
262	Correlation of Strain Classification with IR Biotyper and Molecular Epidemiological Method of .. <i>Rinsho Biseibutsu Jinsoku Shindan Kenkyukai Shi = JARMAM: Journal of the Association for Rapid Method and Automation in Microbiology</i> , 2021 , 31, 29-40	0	
261	Loss of DNA mismatch repair proteins in prostate cancer. <i>Medicine (United States)</i> , 2020 , 99, e20124	1.8	15

260	The combination of silver-containing hydroxyapatite coating and vancomycin has a synergistic antibacterial effect on methicillin-resistant biofilm formation. <i>Bone and Joint Research</i> , 2020 , 9, 211-218	4.2	8
259	Estrogen receptor β promotes lung cancer cell invasion via increase of and cross-talk with infiltrated macrophages through the CCL2/CCR2/MMP9 and CXCL12/CXCR4 signaling pathways. <i>Molecular Oncology</i> , 2020 , 14, 1779-1799	7.9	17
258	FOXO1 as a tumor suppressor inactivated via AR/ER β signals in urothelial cells. <i>Endocrine-Related Cancer</i> , 2020 , 27, 231-244	5.7	12
257	Compound A inhibits urothelial tumorigenesis via both the androgen receptor and glucocorticoid receptor signaling pathways. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 1779-1788	3.88	1
256	The role of adipocytokines and their receptors in bladder cancer: expression of adiponectin or leptin is an independent prognosticator. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 3033-3045	3	4
255	Estrogen receptor- β signaling induces cisplatin resistance in bladder cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 2523-2534	4.4	5
254	Effects of β adrenergic receptor antagonists on the development and progression of urothelial cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 4386-4398	4.4	2
253	The prognostic role of steroid hormone receptor signaling pathways in urothelial carcinoma.. <i>Translational Cancer Research</i> , 2020 , 9, 6596-6608	0.3	1
252	The impact of routine frozen section analysis during partial cystectomy for bladder cancer on surgical margin status and long-term oncologic outcome. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 933.e1-933.e6	2.8	1
251	Attenuation of NAD[P]H:quinone oxidoreductase 1 aggravates prostate cancer and tumor cell plasticity through enhanced TGF β signaling. <i>Communications Biology</i> , 2020 , 3, 12	6.7	7
250	Cribiform pattern and perineural invasion on MR/US fusion biopsy predict failure of selection criteria for prostatic hemigland ablation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 38.e1-38.e8	2.8	0
249	FOXO1 inactivation induces cisplatin resistance in bladder cancer. <i>Cancer Science</i> , 2020 , 111, 3397-3400	6.9	4
248	Histopathological distinction of non-invasive and invasive bladder cancers using machine learning approaches. <i>BMC Medical Informatics and Decision Making</i> , 2020 , 20, 162	3.6	5
247	5 α Reductase Inhibitors Do Not Prevent the Development and Progression of Urothelial Cancer: In Vitro Evidence. <i>Bladder Cancer</i> , 2020 , 6, 481-488	1	3
246	Activation of Glucocorticoid Receptor Inhibits the Stem-Like Properties of Bladder Cancer via Inactivating the β Catenin Pathway. <i>Frontiers in Oncology</i> , 2020 , 10, 1332	5.3	3
245	Androgen Receptor Signaling Reduces the Efficacy of Bacillus Calmette-Gu \acute{e} rin Therapy for Bladder Cancer via Modulating Rab27b-Induced Exocytosis. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 1930-1942	6.1	9
244	2-Methacryloyloxyethyl Phosphorylcholine Polymer Coating Inhibits Bacterial Adhesion and Biofilm Formation on a Suture: An and Study. <i>BioMed Research International</i> , 2020 , 2020, 5639651	3	5
243	The Role of Steroid Hormone Receptors in Urothelial Tumorigenesis. <i>Cancers</i> , 2020 , 12,	6.6	7

242	Impact of Vasectomy on the Development and Progression of Prostate Cancer: Preclinical Evidence. <i>Cancers</i> , 2020 , 12,	6.6	2
241	Implants in the distal radius unlikely to induce a new niche for microbiomes. <i>Apmis</i> , 2020 , 128, 603-604	3.4	
240	Preference for enzalutamide capsules versus tablet pills in patients with prostate cancer. <i>International Journal of Urology</i> , 2019 , 26, 1161-1162	2.3	2
239	The impact of perivesical lymph node metastasis on clinical outcomes of bladder cancer patients undergoing radical cystectomy. <i>BMC Urology</i> , 2019 , 19, 77	2.2	3
238	Deficiency of stress-associated gene increases bone volume by attenuating differentiation of osteoclasts and enhancing differentiation of osteoblasts. <i>FASEB Journal</i> , 2019 , 33, 8836-8852	0.9	4
237	Expression of PD-L1 and CTLA-4 in female urethral carcinoma. <i>IJU Case Reports</i> , 2019 , 2, 23-26	0.5	1
236	Successful treatment with sorafenib for sunitinib-refractory metastatic papillary renal cell carcinoma: Potential impact of Raf overexpression on predicting the efficacy of sorafenib. <i>IJU Case Reports</i> , 2019 , 2, 43-46	0.5	1
235	Clinical implication of the mammalian target of rapamycin pathway in upper tract urothelial carcinoma with negative GATA binding protein 3 expression. <i>International Journal of Urology</i> , 2019 , 26, 678-679	2.3	2
234	The Role of Androgen Receptor Signaling in Ovarian Cancer. <i>Cells</i> , 2019 , 8,	7.9	29
233	Antibacterial Activity of Ag-Hydroxyapatite Coating Against Hematogenous Infection by Methicillin-Resistant Staphylococcus aureus in the Rat Femur. <i>Journal of Orthopaedic Research</i> , 2019 , 37, 2655-2660	3.8	2
232	Role of glucocorticoid signaling in urothelial tumorigenesis: Inhibition by prednisone presumably through inducing glucocorticoid receptor transrepression. <i>Molecular Carcinogenesis</i> , 2019 , 58, 2297-2305	5	4
231	Immunohistochemistry of immune checkpoint markers PD-1 and PD-L1 in prostate cancer. <i>Medicine (United States)</i> , 2019 , 98, e17257	1.8	25
230	Prostate transmembrane protein androgen induced 1 is induced by activation of osteoclasts and regulates bone resorption. <i>FASEB Journal</i> , 2019 , 33, 4365-4375	0.9	7
229	Distribution of androgen receptor expression in the urinary bladder. <i>International Journal of Urology</i> , 2019 , 26, 305-306	2.3	7
228	Prediction of Time to Castration-Resistant Prostate Cancer Using Low-Molecular-Weight Protein Tyrosine Phosphatase Expression for Men with Metastatic Hormone-Naïve Prostate Cancer. <i>Urologia Internationalis</i> , 2019 , 102, 37-42	1.9	1
227	Forkhead box O1 as an indicator of prognosis is inactivated in urothelial carcinoma of the upper urinary tract. <i>Oncology Letters</i> , 2019 , 17, 482-487	2.6	3
226	Uridine 5-diphospho-glucuronosyltransferase 1A expression as an independent prognosticator in urothelial carcinoma of the upper urinary tract. <i>International Journal of Urology</i> , 2018 , 25, 429-435	2.3	2
225	Androgen Receptor Signaling Reduces Radiosensitivity in Bladder Cancer. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 1566-1574	6.1	14

224	Historical and contemporary perspectives on cribriform morphology in prostate cancer. <i>Nature Reviews Urology</i> , 2018 , 15, 475-482	5.5	20
223	Nuclear Factor- κ B Promotes Urothelial Tumorigenesis and Cancer Progression via Cooperation with Androgen Receptor Signaling. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 1303-1314	6.1	23
222	Role of the androgen receptor in urothelial cancer. <i>Molecular and Cellular Endocrinology</i> , 2018 , 465, 73-84.	4.4	29
221	A Comprehensive Analysis of Cribriform Morphology on Magnetic Resonance Imaging/Ultrasound Fusion Biopsy Correlated with Radical Prostatectomy Specimens. <i>Journal of Urology</i> , 2018 , 199, 106-113	2.5	45
220	Complete Penile Disassembly for Repair of Epispadias Causes Erectile Tissue Alteration Through Transforming Growth Factor Beta 1 Overexpression in a Rabbit Model. <i>Urology</i> , 2018 , 111, 151-156	1.6	2
219	Expression of receptor activator of nuclear factor kappa β ligand in bladder cancer. <i>International Journal of Urology</i> , 2018 , 25, 901-902	2.3	14
218	Expression of Phospho-ELK1 and Its Prognostic Significance in Urothelial Carcinoma of the Upper Urinary Tract. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	6
217	Suppression of ribosomal protein RPS6KB1 by Nexrutine increases sensitivity of prostate tumors to radiation. <i>Cancer Letters</i> , 2018 , 433, 232-241	9.9	11
216	Continuous versus discontinuous tumor involvement: A dilemma in prostate biopsy quantitation. <i>Prostate</i> , 2018 , 78, 1166-1171	4.2	2
215	Oxidative stress marker 8-hydroxyguanosine is more highly expressed in prostate cancer than in benign prostatic hyperplasia. <i>Molecular and Clinical Oncology</i> , 2018 , 9, 302-304	1.6	7
214	STAT3 expression is a prognostic marker in upper urinary tract urothelial carcinoma. <i>PLoS ONE</i> , 2018 , 13, e0201256	3.7	5
213	ATF2 promotes urothelial cancer outgrowth via cooperation with androgen receptor signaling. <i>Endocrine Connections</i> , 2018 , 7, 1397-1408	3.5	14
212	ELK1 promotes urothelial tumorigenesis in the presence of an activated androgen receptor. <i>American Journal of Cancer Research</i> , 2018 , 8, 2325-2336	4.4	10
211	Evaluation of ability of OR51T1 expression to predict primary hormone therapy efficacy among men with hormone-naïve metastatic prostate cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 317-317	2.2	
210	MP54-17 GLUCOCORTICOID RECEPTOR AND FOXO1 EXPRESSION IN BLADDER CANCER AS AN INDEPENDENT PROGNOSTICATOR. <i>Journal of Urology</i> , 2018 , 199,	2.5	1
209	Is Tubulocystic Renal Cell Carcinoma Real?: Genomic Analysis Confirms the World Health Organization Classification. <i>Journal of Molecular Diagnostics</i> , 2018 , 20, 28-30	5.1	2
208	Prostaglandin receptors induce urothelial tumorigenesis as well as bladder cancer progression and cisplatin resistance presumably via modulating PTEN expression. <i>British Journal of Cancer</i> , 2018 , 118, 213-223	8.7	29
207	The interaction between androgen receptor and semenogelin I: a synthetic LxxLL peptide antagonist inhibits the growth of prostate cancer cells. <i>British Journal of Cancer</i> , 2018 , 118, 416-420	8.7	5

206	Pmepa1 induced by RANKL-p38 MAPK pathway has a novel role in osteoclastogenesis. <i>Journal of Cellular Physiology</i> , 2018 , 233, 3105-3118	7	12
205	Percent Gleason pattern 4 in stratifying the prognosis of patients with intermediate-risk prostate cancer. <i>Translational Andrology and Urology</i> , 2018 , 7, S484-S489	2.3	7
204	The Impact of Routine Frozen Section Assessment During Penectomy on Surgical Margin Status and Long-Term Oncologic Outcomes. <i>Pathology and Oncology Research</i> , 2018 , 24, 947-950	2.6	3
203	The Role of Glucocorticoid Receptor Signaling in Bladder Cancer Progression. <i>Cancers</i> , 2018 , 10,	6.6	7
202	Novel 1.3 Mb germline duplication in chromosome 8q21.11 by microarray comparative genomic hybridization plus single nucleotide polymorphism analysis in an adult patient with pancytopenia and urinary bladder complications. <i>Clinical Case Reports (discontinued)</i> , 2018 , 6, 1947-1952	0.7	
201	Prostatic adenocarcinoma with aberrant diffuse expression of high molecular weight cytokeratin. <i>Pathology</i> , 2018 , 50, 787-789	1.6	
200	RANK/RANKL expression in prostate cancer. <i>International Journal of Surgery Case Reports</i> , 2017 , 30, 106-107	1.87	4
199	Impact of Gleason Subtype on Prostate Cancer Detection Using Multiparametric Magnetic Resonance Imaging: Correlation with Final Histopathology. <i>Journal of Urology</i> , 2017 , 198, 316-321	2.5	53
198	Renal Papillary and Calyceal Lesions at CT Urography: Genitourinary Imaging. <i>Radiographics</i> , 2017 , 37, 358-359	5.4	4
197	Androgen receptor activation: a prospective therapeutic target for bladder cancer?. <i>Expert Opinion on Therapeutic Targets</i> , 2017 , 21, 249-257	6.4	19
196	GATA3 immunohistochemistry in urothelial carcinoma of the upper urinary tract as a urothelial marker and a prognosticator. <i>Human Pathology</i> , 2017 , 64, 83-90	3.7	28
195	NFATc1 Expression as a Prognosticator in Urothelial Carcinoma of the Upper Urinary Tract. <i>Translational Oncology</i> , 2017 , 10, 318-323	4.9	11
194	Thymol inhibits bladder cancer cell proliferation via inducing cell cycle arrest and apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 491, 530-536	3.4	34
193	Clinical benefits of frozen section assessment during urological surgery: Does it contribute to improving surgical margin status and patient outcomes as previously thought?. <i>International Journal of Urology</i> , 2017 , 24, 25-31	2.3	9
192	Lack of an association between the aPKC ζ expression in prostate cancer and the patient outcomes. <i>International Journal of Surgery Case Reports</i> , 2017 , 37, 180-182	0.8	
191	Perineural invasion by prostate cancer on MR/US fusion targeted biopsy is associated with extraprostatic extension and early biochemical recurrence after radical prostatectomy. <i>Human Pathology</i> , 2017 , 66, 206-211	3.7	16
190	Low-molecular-weight protein tyrosine phosphatase expression as a prognostic factor for men with metastatic hormone-naïve prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 607.e9-607.e14	2.8	2
189	Androgen Receptor Signaling in Bladder Cancer. <i>Cancers</i> , 2017 , 9,	6.6	45

188	Histopathological and prognostic significance of the expression of sex hormone receptors in bladder cancer: A meta-analysis of immunohistochemical studies. <i>PLoS ONE</i> , 2017 , 12, e0174746	3.7	35
187	Characterization of urinary extracellular vesicle proteins in muscle-invasive bladder cancer. <i>Oncotarget</i> , 2017 , 8, 91199-91208	3.3	33
186	Enzalutamide as an androgen receptor inhibitor prevents urothelial tumorigenesis. <i>American Journal of Cancer Research</i> , 2017 , 7, 2041-2050	4.4	9
185	Predicting the mineral composition of ureteral stone using non-contrast computed tomography. <i>Urolithiasis</i> , 2016 , 44, 231-9	3.2	10
184	Increased neutrophil-to-lymphocyte ratio is associated with disease-specific mortality in patients with penile cancer. <i>BMC Cancer</i> , 2016 , 16, 396	4.8	19
183	Enzalutamide inhibits androgen receptor-positive bladder cancer cell growth. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 432.e15-23	2.8	29
182	Developing a preoperative predictive model for ureteral length for ureteral stent insertion. <i>BMC Urology</i> , 2016 , 16, 70	2.2	6
181	Cyclosporine A and tacrolimus inhibit urothelial tumorigenesis. <i>Molecular Carcinogenesis</i> , 2016 , 55, 161-9		20
180	The Neutrophil-to-Lymphocyte Ratio before Repeat Prostate Needle Biopsy for Predicting Prostate Cancer. <i>Urologia Internationalis</i> , 2016 , 96, 123-4	1.9	7
179	Neutrophil-to-lymphocyte ratio is a prognostic marker in bladder cancer patients after radical cystectomy. <i>BMC Cancer</i> , 2016 , 16, 185	4.8	39
178	First Clinical Experience With Thermal-Sprayed Silver Oxide-Containing Hydroxyapatite Coating Implant. <i>Journal of Arthroplasty</i> , 2016 , 31, 1498-503	4.4	35
177	Serum chemokine (CC motif) ligand 2 level as a diagnostic, predictive, and prognostic biomarker for prostate cancer. <i>Oncotarget</i> , 2016 , 7, 8389-98	3.3	26
176	Identification of extracellular vesicle-borne periostin as a feature of muscle-invasive bladder cancer. <i>Oncotarget</i> , 2016 , 7, 23335-45	3.3	32
175	Intravesical Bacillus Calmette-Guerin Therapy for Bladder Cancer: Molecular Mechanisms of Action. <i>Clinical Immunology, Endocrine and Metabolic Drugs</i> , 2016 , 3, 31-38		2
174	ZKSCAN3 promotes bladder cancer cell proliferation, migration, and invasion. <i>Oncotarget</i> , 2016 , 7, 53599-53610	3.5	11
173	Expression of androgen receptor in non-muscle-invasive bladder cancer predicts the preventive effect of androgen deprivation therapy on tumor recurrence. <i>Oncotarget</i> , 2016 , 7, 14153-60	3.3	32
172	Androgen receptor activity modulates responses to cisplatin treatment in bladder cancer. <i>Oncotarget</i> , 2016 , 7, 49169-49179	3.3	40
171	Silver-Containing Hydroxyapatite Coating Reduces Biofilm Formation by Methicillin-Resistant In Vitro and In Vivo. <i>BioMed Research International</i> , 2016 , 2016, 8070597	3	24

170	Lack of an Association between Neutrophil-to-Lymphocyte Ratio and PSA Failure of Prostate Cancer Patients Who Underwent Radical Prostatectomy. <i>BioMed Research International</i> , 2016 , 2016, 6197-353	3	10
169	Pretreatment Neutrophil-to-Lymphocyte Ratio Can Predict the Prognosis in Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. <i>BioMed Research International</i> , 2016 , 2016, 9846823	3	8
168	Silodosin inhibits prostate cancer cell growth via ELK1 inactivation and enhances the cytotoxic activity of gemcitabine. <i>Prostate</i> , 2016 , 76, 744-56	4.2	15
167	<i>Legionella thermalis</i> sp. nov., isolated from hot spring water in Tokyo, Japan. <i>Microbiology and Immunology</i> , 2016 , 60, 203-8	2.7	4
166	Bone management in Japanese patients with prostate cancer: hormonal therapy leads to an increase in the FRAX score. <i>BMC Urology</i> , 2016 , 16, 32	2.2	7
165	MP83-20 ENZALUTAMIDE AS AN ANDROGEN RECEPTOR INHIBITOR PREVENTS UROTHELIAL TUMORIGENESIS. <i>Journal of Urology</i> , 2016 , 195,	2.5	4
164	Pretreatment neutrophil-to-lymphocyte ratio predicts the prognosis in patients with metastatic prostate cancer. <i>BMC Cancer</i> , 2016 , 16, 111	4.8	27
163	Expression of steroid hormone receptors and its prognostic significance in urothelial carcinoma of the upper urinary tract. <i>Cancer Biology and Therapy</i> , 2016 , 17, 1188-1196	4.6	29
162	Intraoperative Consultation for Renal Masses: Challenges and Implications for Treatment 2015 , 401-405		
161	Prevention of bacterial adhesion and biofilm formation on a vitamin E-blended, cross-linked polyethylene surface with a poly(2-methacryloyloxyethyl phosphorylcholine) layer. <i>Acta Biomaterialia</i> , 2015 , 24, 24-34	10.8	31
160	Utility of uroplakin II expression as a marker of urothelial carcinoma. <i>Human Pathology</i> , 2015 , 46, 58-64	3.7	34
159	Evaluation of the structure of Ag in thermal sprayed Ag-containing hydroxyapatite coatings. <i>Journal of the Ceramic Society of Japan</i> , 2015 , 123, 667-671	1	
158	Silver oxide-containing hydroxyapatite coating supports osteoblast function and enhances implant anchorage strength in rat femur. <i>Journal of Orthopaedic Research</i> , 2015 , 33, 1391-7	3.8	17
157	The role of NFATc1 in prostate cancer progression: cyclosporine A and tacrolimus inhibit cell proliferation, migration, and invasion. <i>Prostate</i> , 2015 , 75, 573-84	4.2	25
156	Investigation of Legionella Contamination in Bath Water Samples by Culture, Amoebic Co-Culture, and Real-Time Quantitative PCR Methods. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 13118-30	4.6	9
155	Steroid Hormone Receptor Signals as Prognosticators for Urothelial Tumor. <i>Disease Markers</i> , 2015 , 2015, 840640	3.2	15
154	Cyclosporine A and tacrolimus inhibit bladder cancer growth through down-regulation of NFATc1. <i>Oncotarget</i> , 2015 , 6, 1582-93	3.3	43
153	The Differential Effects of Anti-Diabetic Thiazolidinedione on Prostate Cancer Progression Are Linked to the TR4 Nuclear Receptor Expression Status. <i>Neoplasia</i> , 2015 , 17, 339-47	6.4	8

152	Compound A Inhibits Bladder Cancer Growth Predominantly via Glucocorticoid Receptor Transrepression. <i>Molecular Endocrinology</i> , 2015 , 29, 1486-97		27
151	Discolored ureteral stents: findings in urinalysis and urine culture. <i>PLoS ONE</i> , 2015 , 10, e0122984	3.7	4
150	TR4 nuclear receptor enhances prostate cancer initiation via altering the stem cell population and EMT signals in the PPARG-deleted prostate cells. <i>Oncoscience</i> , 2015 , 2, 142-50	0.8	12
149	Semenogelin I promotes prostate cancer cell growth via functioning as an androgen receptor coactivator and protecting against zinc cytotoxicity. <i>American Journal of Cancer Research</i> , 2015 , 5, 738-47	4.4	7
148	Fibroblast ER α promotes bladder cancer invasion via increasing the CCL1 and IL-6 signals in the tumor microenvironment. <i>American Journal of Cancer Research</i> , 2015 , 5, 1146-57	4.4	22
147	Silodosin inhibits the growth of bladder cancer cells and enhances the cytotoxic activity of cisplatin via ELK1 inactivation. <i>American Journal of Cancer Research</i> , 2015 , 5, 2959-68	4.4	19
146	ELK1 is up-regulated by androgen in bladder cancer cells and promotes tumor progression. <i>Oncotarget</i> , 2015 , 6, 29860-76	3.3	56
145	Neutrophil-to-lymphocyte ratio predicts prostatic carcinoma in men undergoing needle biopsy. <i>Oncotarget</i> , 2015 , 6, 32169-76	3.3	44
144	Comparison of two types of matrix-assisted laser desorption/ionization time-of-flight mass spectrometer for the identification and typing of <i>Clostridium difficile</i> . <i>Journal of Medical Microbiology</i> , 2015 , 64, 1144-1150	3.2	8
143	Intraoperative Consultation for Prostate Tumors: Challenges and Implications for Treatment 2015 , 145-148		
142	Intraoperative Consultation for Bladder Tumors: Challenges and Implications for Treatment 2015 , 247-251		
141	Intraoperative Consultation for Testicular Tumors: Challenges and Implications for Treatment 2015 , 517-520		
140	Androgen deprivation therapy to prevent bladder cancer recurrence.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 329-329	2.2	
139	Differential regulation of bladder cancer growth by various glucocorticoids: corticosterone and prednisone inhibit cell invasion without promoting cell proliferation or reducing cisplatin cytotoxicity. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 249-55	3.5	21
138	Outcomes and predictive factors of prostate cancer patients with extremely high prostate-specific antigen level. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1413-9	4.9	24
137	Estrogen receptor β in cancer-associated fibroblasts suppresses prostate cancer invasion via modulation of thrombospondin 2 and matrix metalloproteinase 3. <i>Carcinogenesis</i> , 2014 , 35, 1301-9	4.6	45
136	MP31-08 SEMENOGELIN I PROMOTES PROSTATE CANCER CELL GROWTH VIA FUNCTIONING AS AN ANDROGEN RECEPTOR COACTIVATOR AND PROTECTING AGAINST ZINC CYTOTOXICITY. <i>Journal of Urology</i> , 2014 , 191,	2.5	2
135	Androgen Receptor Antagonists in the Treatment of Prostate Cancer. <i>Clinical Immunology, Endocrine and Metabolic Drugs</i> , 2014 , 1, 11-19		5

134	Reduced glucocorticoid receptor expression predicts bladder tumor recurrence and progression. <i>American Journal of Clinical Pathology</i> , 2014 , 142, 157-64	1.9	23
133	Loss of GATA3 in bladder cancer promotes cell migration and invasion. <i>Cancer Biology and Therapy</i> , 2014 , 15, 428-35	4.6	29
132	Acute and subacute toxicity in vivo of thermal-sprayed silver containing hydroxyapatite coating in rat tibia. <i>BioMed Research International</i> , 2014 , 2014, 902343	3	13
131	TR4 nuclear receptor functions as a tumor suppressor for prostate tumorigenesis via modulation of DNA damage/repair system. <i>Carcinogenesis</i> , 2014 , 35, 1399-406	4.6	23
130	Expression of UDP-glucuronosyltransferase 1A in bladder cancer: association with prognosis and regulation by estrogen. <i>Molecular Carcinogenesis</i> , 2014 , 53, 314-24	5	33
129	Estrogen receptor alpha prevents bladder cancer via INPP4B inhibited akt pathway in vitro and in vivo. <i>Oncotarget</i> , 2014 , 5, 7917-35	3.3	50
128	Androgen deprivation therapy prevents bladder cancer recurrence. <i>Oncotarget</i> , 2014 , 5, 12665-74	3.3	79
127	GATA3 in the urinary bladder: suppression of neoplastic transformation and down-regulation by androgens. <i>American Journal of Cancer Research</i> , 2014 , 4, 461-73	4.4	28
126	Androgen receptor signals regulate UDP-glucuronosyltransferases in the urinary bladder: a potential mechanism of androgen-induced bladder carcinogenesis. <i>Molecular Carcinogenesis</i> , 2013 , 52, 94-102	5	68
125	Ramelteon combined with an α -blocker decreases nocturia in men with benign prostatic hyperplasia. <i>BMC Urology</i> , 2013 , 13, 30	2.2	2
124	Androgen activates E-catenin signaling in bladder cancer cells. <i>Endocrine-Related Cancer</i> , 2013 , 20, 293-304	4.7	51
123	Decreased tumorigenesis and mortality from bladder cancer in mice lacking urothelial androgen receptor. <i>American Journal of Pathology</i> , 2013 , 182, 1811-20	5.8	85
122	The impact of frozen section analysis during partial nephrectomy on surgical margin status and tumor recurrence: a clinicopathologic study of 433 cases. <i>Clinical Genitourinary Cancer</i> , 2013 , 11, 527-36	3.3	13
121	Role of frozen section analysis of surgical margins during robot-assisted laparoscopic radical prostatectomy: a 2608-case experience. <i>Human Pathology</i> , 2013 , 44, 1556-62	3.7	24
120	Role of frozen section analysis of testicular/paratesticular fibrous pseudotumours: a five-case experience. <i>Canadian Urological Association Journal</i> , 2013 , 5, 47	1.2	
119	Higher expression of peroxisome proliferator-activated receptor β or its activation by agonist thiazolidinedione-rosiglitazone promotes bladder cancer cell migration and invasion. <i>Urology</i> , 2013 , 81, 1109.e1-6	1.6	24
118	Histopathologic features of atypical glands on prostate biopsy: nucleolar size is a predictor of subsequent detection of prostatic adenocarcinoma. <i>Prostate</i> , 2013 , 73, 376-81	4.2	3
117	The International Society of Urological Pathology (ISUP) grading system for renal cell carcinoma and other prognostic parameters. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1490-504	6.7	448

116	The International Society of Urological Pathology (ISUP) Vancouver Classification of Renal Neoplasia. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1469-89	6.7	737
115	Renal tumors: diagnostic and prognostic biomarkers. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1518-31	6.7	126
114	Handling and staging of renal cell carcinoma: the International Society of Urological Pathology Consensus (ISUP) conference recommendations. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1505-17	6.7	96
113	Infiltrating macrophages promote prostate tumorigenesis via modulating androgen receptor-mediated CCL4-STAT3 signaling. <i>Cancer Research</i> , 2013 , 73, 5633-46	10.1	105
112	Authors' Response to Chew and Lange. <i>Journal of Endourology</i> , 2013 , 27, 507	2.7	1
111	Clinicopathologic features of prostate cancer in patients diagnosed by age 45 who underwent radical prostatectomy. <i>European Urology</i> , 2012 , 62, 354-5	10.2	1
110	Expression of androgen and oestrogen receptors and its prognostic significance in urothelial neoplasm of the urinary bladder. <i>BJU International</i> , 2012 , 109, 1716-26	5.6	148
109	Erratum for Characteristics of Bacterial Species in Positive Blood Cultures among Hospitalized Patients in Three Wards in the Department of Internal Medicine: Retrospective Chart Review 1999-2008. <i>Internal Medicine</i> , 2012 , 51, 3315-3315	1.1	
108	The role of the androgen receptor in the development and progression of bladder cancer. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 569-77	2.8	60
107	ASC-J9 suppresses castration-resistant prostate cancer growth through degradation of full-length and splice variant androgen receptors. <i>Neoplasia</i> , 2012 , 14, 74-83	6.4	114
106	High-grade papillary urothelial carcinoma of the urinary tract: a clinicopathologic analysis of a post-World Health Organization/International Society of Urological Pathology classification cohort from a single academic center. <i>Human Pathology</i> , 2012 , 43, 115-20	3.7	17
105	Chronic inflammation on initial benign prostate biopsy is a negative predictor of subsequent cancer detection. <i>Pathology International</i> , 2012 , 62, 774-6	1.8	4
104	Frozen section assessment in testicular and paratesticular lesions suspicious for malignancy: its role in preventing unnecessary orchiectomy. <i>Human Pathology</i> , 2012 , 43, 1514-9	3.7	43
103	Seminal plasma proteins in prostatic carcinoma: increased nuclear semenogelin I expression is a predictor of biochemical recurrence after radical prostatectomy. <i>Human Pathology</i> , 2012 , 43, 1991-2000	3.7	21
102	GATA binding protein 3 is down-regulated in bladder cancer yet strong expression is an independent predictor of poor prognosis in invasive tumor. <i>Human Pathology</i> , 2012 , 43, 2033-40	3.7	53
101	Urine-Based Assays Complementing Cytologic Examination in the Detection of Urothelial Neoplasm 2012 , 109-121		
100	Nuclear hormone receptor signals as new therapeutic targets for urothelial carcinoma. <i>Current Cancer Drug Targets</i> , 2012 , 12, 14-22	2.8	37
99	The role of periprostatic and periseminal vesicle lymph node metastasis in the staging and prognosis of prostate cancer. <i>Histopathology</i> , 2012 , 60, 1009-10	7.3	2

98	Contrary regulation of bladder cancer cell proliferation and invasion by dexamethasone-mediated glucocorticoid receptor signals. <i>Molecular Cancer Therapeutics</i> , 2012 , 11, 2621-32	6.1	52
97	Mixed epithelial and stromal tumor of the kidney in a 14-year-old boy. <i>Urologia Internationalis</i> , 2012 , 88, 247-8	1.9	12
96	Epidermal growth factor induces bladder cancer cell proliferation through activation of the androgen receptor. <i>International Journal of Oncology</i> , 2012 , 41, 1587-92	4.4	40
95	Papillary urothelial neoplasm of low malignant potential of the urinary bladder: clinicopathologic and outcome analysis from a single academic center. <i>Human Pathology</i> , 2011 , 42, 1799-803	3.7	17
94	Identification of Gleason pattern 5 on prostatic needle core biopsy: frequency of underdiagnosis and relation to morphology. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1706-11	6.7	34
93	Loss of androgen receptor expression is not associated with pathological stage, grade, gender or outcome in bladder cancer: a large multi-institutional study. <i>BJU International</i> , 2011 , 108, 24-30	5.6	90
92	Eppin expression in prostate cancer. <i>European Urology</i> , 2011 , 59, 1071-2	10.2	3
91	Expression of semenogelins I and II and its prognostic significance in human prostate cancer. <i>Prostate</i> , 2011 , 71, 1108-14	4.2	25
90	Dihydrotestosterone upregulates the expression of epidermal growth factor receptor and ERBB2 in androgen receptor-positive bladder cancer cells. <i>Endocrine-Related Cancer</i> , 2011 , 18, 451-64	5.7	70
89	Role of frozen section analysis of testicular/paratesticular fibrous pseudotumours: a five-case experience. <i>Canadian Urological Association Journal</i> , 2011 , 5, E47-51	1.2	11
88	Moraxella catarrhalis bacteraemia associated with prosthetic vascular graft infection. <i>Journal of Medical Microbiology</i> , 2010 , 59, 245-250	3.2	10
87	Transurethral resection specimens of the bladder: outcome of invasive urothelial cancer involving muscle bundles indeterminate between muscularis mucosae and muscularis propria. <i>Urology</i> , 2010 , 76, 600-2	1.6	8
86	Paratesticular fibrous pseudotumor: a morphologic and immunohistochemical study of 13 cases. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 569-74	6.7	29
85	Pitfalls in the use of smoothelin to identify muscularis propria invasion by urothelial carcinoma. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 418-22	6.7	46
84	Smooth muscle neoplasms of the urinary bladder: a clinicopathologic study of 51 cases. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 502-9	6.7	35
83	Non-invasive papillary urothelial neoplasms: the 2004 WHO/ISUP classification system. <i>Pathology International</i> , 2010 , 60, 1-8	1.8	123
82	Low-grade papillary urothelial carcinoma of the urinary bladder: a clinicopathologic analysis of a post-World Health Organization/International Society of Urological Pathology classification cohort from a single academic center. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 1160-3	5	57
81	Development of novel thermal sprayed antibacterial coating and evaluation of release properties of silver ions. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009 , 89, 456-465	3.5	96

80	Alterations of p16 and p14ARF genes and their 9p21 locus in oral squamous cell carcinoma. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 107, 81-91		46
79	A pathological reassessment of organ-confined, Gleason score 6 prostatic adenocarcinomas that progress after radical prostatectomy. <i>Human Pathology</i> , 2009 , 40, 1693-8	3.7	43
78	Radical prostatectomy findings in patients in whom active surveillance of prostate cancer fails. <i>Journal of Urology</i> , 2009 , 182, 2274-8	2.5	114
77	Small endoscopic biopsies of the ureter and renal pelvis: pathologic pitfalls. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 1540-6	6.7	94
76	Pulmonary metastases from uterine neoplasms after long tumour-free interval: four cases and review of the literature. <i>Pathology</i> , 2009 , 41, 234-41	1.6	7
75	Differential Roles of Androgen Receptor in Prostate Development and Cancer Progression 2009 , 73-89		2
74	Androgen deprivation therapy for prostate cancer. <i>Expert Opinion on Pharmacotherapy</i> , 2008 , 9, 211-28	4	50
73	Tissue prostate-specific antigen facilitates refractory prostate tumor progression via enhancing ARA70-regulated androgen receptor transactivation. <i>Cancer Research</i> , 2008 , 68, 7110-9	10.1	59
72	Androgenic dependence of exophytic tumor growth in a transgenic mouse model of bladder cancer: a role for thrombospondin-1. <i>BMC Urology</i> , 2008 , 8, 7	2.2	55
71	Androgen Receptor in Prostate Cancer Progression 2008 , 129-146		1
70	Prostate cancer cells increase androgen sensitivity by increase in nuclear androgen receptor and androgen receptor coactivators; a possible mechanism of hormone-resistance of prostate cancer cells. <i>Cancer Investigation</i> , 2007 , 25, 32-7	2.1	40
69	ASC-J9 ameliorates spinal and bulbar muscular atrophy phenotype via degradation of androgen receptor. <i>Nature Medicine</i> , 2007 , 13, 348-53	50.5	133
68	Promotion of bladder cancer development and progression by androgen receptor signals. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 558-68	9.7	292
67	Transgelin functions as a suppressor via inhibition of ARA54-enhanced androgen receptor transactivation and prostate cancer cell growth. <i>Molecular Endocrinology</i> , 2007 , 21, 343-58		69
66	Suppression of androgen receptor transactivation and prostate cancer cell growth by heterogeneous nuclear ribonucleoprotein A1 via interaction with androgen receptor coregulator ARA54. <i>Endocrinology</i> , 2007 , 148, 1340-9	4.8	16
65	Solitary fibrous tumor of the pancreas: a case report. <i>International Journal of Surgical Pathology</i> , 2007 , 15, 311-4	1.2	35
64	C19-steroids as androgen receptor modulators: design, discovery, and structure-activity relationship of new steroidal androgen receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 5933-47	3.4	22
63	HORMONAL THERAPY FOR PROSTATE CANCER: CLINICAL AND EXPERIMENTAL EVIDENCE 2005 , 1-32		

62	Identification of steroid derivatives that function as potent antiandrogens. <i>International Journal of Cancer</i> , 2005 , 117, 866-72	7.5	11
61	Inhibition of the Akt, cyclooxygenase-2, and matrix metalloproteinase-9 pathways in combination with androgen deprivation therapy: potential therapeutic approaches for prostate cancer. <i>Molecular Carcinogenesis</i> , 2005 , 44, 1-10	5	55
60	Does androgen deprivation improve treatment outcomes in patients with low-risk and intermediate-risk prostate cancer?. <i>Nature Clinical Practice Oncology</i> , 2005 , 2, 236-7		11
59	Androgen receptor coregulators in prostate cancer: mechanisms and clinical implications. <i>Clinical Cancer Research</i> , 2004 , 10, 2208-19	12.9	85
58	Early versus late hormonal therapy for prostate cancer. <i>Current Prostate Reports</i> , 2004 , 2, 60-68		
57	Early versus late hormonal therapy for prostate cancer. <i>Current Urology Reports</i> , 2004 , 5, 188-96	2.9	5
56	Androgen deprivation therapy for prostate cancer: current status and future prospects. <i>Prostate</i> , 2004 , 61, 332-53	4.2	248
55	Molecular basis for the antiandrogen withdrawal syndrome. <i>Journal of Cellular Biochemistry</i> , 2004 , 91, 3-12	4.7	77
54	Reducing the agonist activity of antiandrogens by a dominant-negative androgen receptor coregulator ARA70 in prostate cancer cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 19619-26	5.4	33
53	Expression of AR associated protein 55 (ARA55) and androgen receptor in prostate cancer. <i>Prostate</i> , 2003 , 56, 280-6	4.2	43
52	3 beta-acetoxyandrost-1,5-diene-17-ethylene ketal functions as a potent antiandrogen with marginal agonist activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 4440-4	11.5	15
51	Inactivation of androgen receptor coregulator ARA55 inhibits androgen receptor activity and agonist effect of antiandrogens in prostate cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 5124-9	11.5	54
50	Modulation of androgen receptor transactivation by gelsolin: a newly identified androgen receptor coregulator. <i>Cancer Research</i> , 2003 , 63, 4888-94	10.1	92
49	A dominant-negative mutant of androgen receptor coregulator ARA54 inhibits androgen receptor-mediated prostate cancer growth. <i>Journal of Biological Chemistry</i> , 2002 , 277, 4609-17	5.4	49
48	Interaction of Cell Cycle Regulatory Proteins with the Androgen Receptor 2002 , 223-238		
47	A 1-Year Follow-Up Study of Anti-Legionella Antibodies in Users of Japanese 24-Hour Hot Water Baths. <i>Journal of Occupational Health</i> , 2001 , 43, 46-49	2.3	1
46	Fate of Legionella pneumophila in macrophages of C57BL/6 chronic granulomatous disease mice. <i>Microbiology and Immunology</i> , 2001 , 45, 539-41	2.7	4
45	Morphological variety of intracellular microcolonies of Legionella species in Vero cells. <i>Microbiology and Immunology</i> , 2001 , 45, 557-62	2.7	20

44	A unique and common restriction fragment pattern of the nucleotide sequences homologous to the genome of <i>vf33</i> , a filamentous bacteriophage, in pandemic strains of <i>Vibrio parahaemolyticus</i> O3:K6 O4:K68, and O1:K untypeable. <i>FEMS Microbiology Letters</i> , 2000 , 192, 231-6	2.9	11
43	C-ERBB-2 gene amplification as a prognostic marker in human bladder cancer. <i>Urology</i> , 2000 , 55, 679-83	1.6	62
42	Bio-Psycho-Socio-Ecological Risk Factors for Legionella Infection among Japanese 24-Hour Hot Water Bath Users and Non-Users. <i>Journal of Occupational Health</i> , 2000 , 42, 205-212	2.3	2
41	Suppression of Delta(5)-androstenediol-induced androgen receptor transactivation by selective steroids in human prostate cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 11173-7	11.5	34
40	Differential induction of androgen receptor transactivation by different androgen receptor coactivators in human prostate cancer DU145 cells. <i>Endocrine</i> , 1999 , 11, 195-202		59
39	Differential induction of the androgen receptor transcriptional activity by selective androgen receptor coactivators. <i>Keio Journal of Medicine</i> , 1999 , 48, 87-92	1.6	41
38	Retinoblastoma, a tumor suppressor, is a coactivator for the androgen receptor in human prostate cancer DU145 cells. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 248, 361-7	3.4	109
37	Delta5-androstenediol is a natural hormone with androgenic activity in human prostate cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 11083-8	11.5	134
36	Entry and intracellular growth of <i>Legionella dumoffii</i> in alveolar epithelial cells. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998 , 157, 1967-74	10.2	47
35	From estrogen to androgen receptor: a new pathway for sex hormones in prostate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 5527-32	11.5	221
34	Promotion of agonist activity of antiandrogens by the androgen receptor coactivator, ARA70, in human prostate cancer DU145 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 7379-84	11.5	176
33	Molecular determination of infection source of a sporadic <i>Legionella pneumonia</i> case associated with a hot spring bath. <i>Microbiology and Immunology</i> , 1997 , 41, 197-202	2.7	25
32	Hydroxyflutamide may not always be a pure antiandrogen. <i>Lancet, The</i> , 1997 , 349, 852-3	4.0	66
31	Loss of Heterozygosity at the p53, RB, DCC and APC Tumor Suppressor Gene Loci in Human Bladder Cancer. <i>Journal of Urology</i> , 1996 , 155, 1444-1447	2.5	42
30	Bilateral adrenocortical carcinoma showing loss of heterozygosity at the p53 and RB gene loci. <i>Cancer Genetics and Cytogenetics</i> , 1996 , 88, 181-3		14
29	DNA polymerase beta gene mutations in human bladder cancer. <i>Molecular Carcinogenesis</i> , 1996 , 15, 38-43		29
28	Tumor suppressor gene p53 mutations in human prostate cancer. <i>Prostate</i> , 1995 , 27, 18-24	4.2	45
27	Retinoblastoma gene mutations in primary human prostate cancer. <i>Prostate</i> , 1995 , 27, 314-20	4.2	87

26	The Loss of Retinoblastoma Gene in Association with c-myc and Transforming Growth Factor-beta 1 Gene Expression in Human Bladder Cancer. <i>Journal of Urology</i> , 1995 , 154, 371-374	2.5	23
25	Temperature effects on Legionella pneumophila killing by and multiplication in phagocytes of guinea pigs. <i>Microbiology and Immunology</i> , 1995 , 39, 647-54	2.7	9
24	Retinoblastoma gene mutations in primary human bladder cancer. <i>British Journal of Cancer</i> , 1995 , 71, 831-5	8.7	62
23	Expression of transforming growth factor-beta 1 in human bladder cancer. <i>Cancer</i> , 1995 , 75, 2565-70	6.4	43
22	Retroperitoneal tumor eleven years after initial treatment of testicular cancer. <i>Urology</i> , 1994 , 43, 116-7	1.6	3
21	Intracellular multiplication of Legionella pneumophila in Tetrahymena thermophila. <i>Journal of UOEH</i> , 1994 , 16, 263-75	1.6	19
20	Arrest of cell cycle progression of HeLa cells in the early G1 phase in K(+)-depleted conditions and its recovery upon addition of insulin and LDL. <i>Journal of Cellular Biochemistry</i> , 1993 , 53, 13-20	4.7	4
19	Kinetic study on the effects of intracellular K ⁺ and Na ⁺ on Na ⁺ , K ⁺ , Cl ⁻ cotransport of HeLa cells by Rb ⁺ influx determination. <i>Journal of Membrane Biology</i> , 1993 , 132, 115-24	2.3	5
18	Changes in carotid blood flow and electrocardiogram in humans during and after walking on a treadmill. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1993 , 67, 486-91		6
17	Investigation of the role of macrophages and endogenous interferon-gamma in natural resistance of mice against Legionella pneumophila infection. <i>FEMS Microbiology Letters</i> , 1992 , 4, 183-91	2.9	9
16	Association of Lps gene with natural resistance of mouse macrophages against Legionella pneumophila. <i>FEMS Microbiology Letters</i> , 1991 , 4, 51-6	2.9	14
15	MEASUREMENT OF CARTILAGE THICKNESS ON THE ARTICULAR FACE OF THE HUMAN PATELLA AND MOVEMENT OF THE PATELLA DURING FLEXION OF THE KNEE. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 1991 , 40, 102-110	0.1	
14	COMPARISONS OF LEFT VENTRICULAR SYSTOLIC AND DIASTOLIC TIMES IN EXERCISE BETWEEN TRAINED AND UNTRAINED MEN. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 1991 , 40, 145-155	0.1	
13	Dependence on exercise intensity of changes in electrolyte secretion from the skin sampled by a simple method. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1990 , 60, 407-11		6
12	Stimulating effects of insulin and low-density lipoprotein on cell growth and macromolecular syntheses of HeLa cells cultured in K(+)-depleted medium. <i>Journal of Cellular Physiology</i> , 1990 , 144, 254-61	7.1	3
11	Flow cytometric DNA content analysis in primary lung cancer: comparison of results from fresh and paraffin-embedded specimens. <i>Journal of Surgical Oncology</i> , 1990 , 43, 36-9	2.8	8
10	Prognostic and therapeutic significance of the flow cytometric nuclear DNA content in non-small cell lung cancer. <i>Cancer</i> , 1990 , 65, 1391-5	6.4	76
9	Serum selenium and vitamin E concentrations in families of lung cancer patients. <i>Cancer</i> , 1987 , 60, 1159-62		33

8	An auscultatory recording method for blood pressure measurement during exercise. <i>The Japanese Journal of Physiology</i> , 1987 , 37, 757-60		
7	Phenazine methosulfate stimulation of ouabain-sensitive Rb ⁺ uptake by HeLa cells: effects of respiratory inhibitors, anaerobiosis, and ascorbate. <i>Journal of Cellular Biochemistry</i> , 1985 , 28, 273-80	4.7	1
6	Rb ⁺ influx in response to changes in energy generation: effect of the regulation of the ATP content of HeLa cells. <i>Journal of Cellular Physiology</i> , 1984 , 119, 273-82	7	26
5	HL-A and its clinical application. <i>Keio Journal of Medicine</i> , 1972 , 21, 159-69	1.6	5
4	Bronchial smear in lung transplantation—early detection of rejection in canine lung allotransplantation. <i>Keio Journal of Medicine</i> , 1972 , 21, 49-56	1.6	2
3	Prolonged survival of rat skin allografts treated by prolonged hypothermia. A preliminary report. <i>Keio Journal of Medicine</i> , 1969 , 18, 71-9	1.6	
2	Targeting Vitamin-D receptor (VDR) by a small molecule antagonist MeTC7 inhibits PD-L1 but controls THMYCN neuroblastoma growth PD-L1 independently		1
1	Primary adrenal melanoma: A case report and review of the literature. <i>Journal of Clinical Urology</i> , 205141582110320		