

Patricia Pereira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1250989/publications.pdf>

Version: 2024-02-01

67
papers

2,155
citations

172457

29
h-index

243625

44
g-index

67
all docs

67
docs citations

67
times ranked

2803
citing authors

#	ARTICLE	IF	CITATIONS
1	Organ-Specific Metabolome Deciphering Cell Pathways to Cope with Mercury in Wild Fish (Golden Tj ETQq1 1 0.784314 rgBT ₁₁ /Overlo	2.3	11
2	Mild Effects of Sunscreen Agents on a Marine Flatfish: Oxidative Stress, Energetic Profiles, Neurotoxicity and Behaviour in Response to Titanium Dioxide Nanoparticles and Oxybenzone. International Journal of Molecular Sciences, 2021, 22, 1567.	4.1	19
3	Assessing the neurotoxicity of the carbamate methomyl in <i>Caenorhabditis elegans</i> with a multi-level approach. Toxicology, 2021, 451, 152684.	4.2	14
4	Overview of Chemotaxis Behavior Assays in <i>Caenorhabditis elegans</i> . Current Protocols, 2021, 1, e120.	2.9	6
5	Measurement of the Effects of Metals on Taxisâ€œâ€œFood Behavior in <i>Caenorhabditis elegans</i> . Current Protocols, 2021, 1, e131.	2.9	2
6	Macroalgae-enriched diet protects gilthead seabream (<i>Sparus aurata</i>) against erythrocyte population instability and chromosomal damage induced by aqua-medicines. Journal of Applied Phycology, 2020, 32, 1477-1493.	2.8	6
7	Forest fires as potential triggers for production and mobilization of polycyclic aromatic hydrocarbons to the terrestrial ecosystem. Land Degradation and Development, 2019, 30, 2360-2370.	3.9	36
8	<i>Caenorhabditis elegans</i> as a tool for environmental risk assessment: emerging and promising applications for a â€œnobelized wormâ€œ. Critical Reviews in Toxicology, 2019, 49, 411-429.	3.9	53
9	A multidimensional concept for mercury neuronal and sensory toxicity in fish - From toxicokinetics and biochemistry to morphometry and behavior. Biochimica Et Biophysica Acta - General Subjects, 2019, 1863, 129298.	2.4	36
10	Brain morphometric profiles and their seasonal modulation in fish (<i>Liza aurata</i>) inhabiting a mercury contaminated estuary. Environmental Pollution, 2018, 237, 318-328.	7.5	7
11	Metal bioaccumulation and oxidative stress profiles in <i>Ruditapes philippinarum</i> â€œ insights towards its suitability as bioindicator of estuarine metal contamination. Ecological Indicators, 2018, 95, 1087-1099.	6.3	20
12	Metals(oids) targeting fish eyes and brain in a contaminated estuary - Uncovering neurosensory (un)susceptibility through bioaccumulation, antioxidant and morphometric profiles. Marine Environmental Research, 2018, 140, 403-411.	2.5	3
13	Phytoplankton community-level bio-optical assessment in a naturally mercury contaminated Antarctic ecosystem (Deception Island). Marine Environmental Research, 2018, 140, 412-421.	2.5	19
14	First record of bioaccumulation and bioconcentration of metals in Scleractinian corals and their algal symbionts from Kharg and Lark coral reefs (Persian Gulf, Iran). Science of the Total Environment, 2018, 640-641, 1500-1511.	8.0	50
15	Off-site impacts of wildfires on aquatic systems â€œ Biomarker responses of the mosquitofish <i>Gambusia holbrooki</i> . Science of the Total Environment, 2017, 581-582, 305-313.	8.0	40
16	Is metal contamination responsible for increasing aneuploidy levels in the Manila clam <i>Ruditapes philippinarum</i> ?. Science of the Total Environment, 2017, 577, 340-348.	8.0	20
17	Effects of metal contamination on the gene expression profile of two benthic species: <i>Cerastoderma edule</i> and <i>Ruditapes philippinarum</i> . Marine Pollution Bulletin, 2017, 125, 157-165.	5.0	4
18	Oxidative stress profiles in brain point out a higher susceptibility of fish to waterborne divalent mercury compared to dietary organic mercury. Marine Pollution Bulletin, 2017, 122, 110-121.	5.0	20

#	ARTICLE	IF	CITATIONS
19	Environmental hazard assessment of contaminated soils in Antarctica: Using a structured tier 1 approach to inform decision-making. <i>Science of the Total Environment</i> , 2017, 574, 443-454.	8.0	20
20	Stakeholder involvement for management of the coastal zone. <i>Integrated Environmental Assessment and Management</i> , 2016, 12, 701-710.	2.9	8
21	How functional traits of estuarine macrobenthic assemblages respond to metal contamination?. <i>Ecological Indicators</i> , 2016, 71, 645-659.	6.3	59
22	Advances in understanding the mechanisms of mercury toxicity in wild golden grey mullet (<i>Liza</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6	7.5	80
23	Unveiling the neurotoxicity of methylmercury in fish (<i>Diplodus sargus</i>) through a regional morphometric analysis of brain and swimming behavior assessment. <i>Aquatic Toxicology</i> , 2016, 180, 320-333.	4.0	21
24	Insights into the mechanisms underlying mercury-induced oxidative stress in gills of wild fish (<i>Liza</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 <i>Environment</i> , 2016, 548-549, 13-24.	8.0	126
25	Inorganic mercury accumulation in brain following waterborne exposure elicits a deficit on the number of brain cells and impairs swimming behavior in fish (white seabream "Diplodus sargus). <i>Aquatic Toxicology</i> , 2016, 170, 400-412.	4.0	50
26	Propensity to metal accumulation and oxidative stress responses of two benthic species (<i>Cerastoderma edule</i> and <i>Nephtys hombergii</i>): are tolerance processes limiting their responsiveness?. <i>Ecotoxicology</i> , 2016, 25, 664-676.	2.4	32
27	Major and trace elements in soils and ashes of eucalypt and pine forest plantations in Portugal following a wildfire. <i>Science of the Total Environment</i> , 2016, 572, 1363-1376.	8.0	104
28	Insights into neurosensory toxicity of mercury in fish eyes stemming from tissue burdens, oxidative stress and synaptic transmission profiles. <i>Marine Environmental Research</i> , 2016, 113, 70-79.	2.5	13
29	Micro-scale elemental partition in brain structures of the fish <i>Liza aurata</i> . <i>Microscopy and Microanalysis</i> , 2015, 21, 4-5.	0.4	0
30	Elemental mapping inventory of the fish <i>Liza aurata</i> brain: a biomarker of metal pollution vulnerability. <i>Metallomics</i> , 2015, 7, 277-282.	2.4	0
31	A new page on the road book of inorganic mercury in fish body " tissue distribution and elimination following waterborne exposure and post-exposure periods. <i>Metallomics</i> , 2015, 7, 525-535.	2.4	27
32	Unravelling the mechanisms of mercury hepatotoxicity in wild fish (<i>Liza aurata</i>) through a triad approach: bioaccumulation, metabolomic profiles and oxidative stress. <i>Metallomics</i> , 2015, 7, 1352-1363.	2.4	108
33	Temporal variability of biodiversity patterns and trophic structure of estuarine macrobenthic assemblages along a gradient of metal contamination. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 167, 286-299.	2.1	28
34	The sub-cellular fate of mercury in the liver of wild mullets (<i>Liza aurata</i>) " Contribution to the understanding of metal-induced cellular toxicity. <i>Marine Pollution Bulletin</i> , 2015, 95, 412-418.	5.0	8
35	Effects of wildfire on mercury mobilisation in eucalypt and pine forests. <i>Catena</i> , 2015, 131, 149-159.	5.0	52
36	Modelling the Impacts of Wildfire on Ash Thickness in a Short-term Period. <i>Land Degradation and Development</i> , 2015, 26, 180-192.	3.9	94

#	ARTICLE	IF	CITATIONS
37	Immobilised <i>Phaeodactylum tricornutum</i> as biomonitor of trace element availability in the water column during dredging. <i>Environmental Science and Pollution Research</i> , 2014, 21, 3572-3581.	5.3	17
38	Metal accumulation and oxidative stress responses in <i>Ulva</i> spp. in the presence of nocturnal pulses of metals from sediment: A field transplantation experiment under eutrophic conditions. <i>Marine Environmental Research</i> , 2014, 94, 56-64.	2.5	6
39	Fish eyes and brain as primary targets for mercury accumulation – A new insight on environmental risk assessment. <i>Science of the Total Environment</i> , 2014, 494-495, 290-298.	8.0	33
40	Relations between total mercury, methylmercury and selenium in five tissues of <i>Sepia officinalis</i> captured in the south Portuguese coast. <i>Chemosphere</i> , 2014, 108, 190-196.	8.2	18
41	Major factors influencing the elemental composition of surface estuarine sediments: The case of 15 estuaries in Portugal. <i>Marine Pollution Bulletin</i> , 2014, 84, 135-146.	5.0	65
42	EPR detection of paramagnetic chromium in liver of fish (<i>Anguilla anguilla</i>) treated with dichromate(VI) and associated oxidative stress responses – Contribution to elucidation of toxicity mechanisms. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2013, 157, 132-140.	2.6	10
43	Looking at the aquatic contamination through fish eyes – A faithful picture based on metals burden. <i>Marine Pollution Bulletin</i> , 2013, 77, 375-379.	5.0	13
44	Optimizing alginate beads for the immobilisation of <i>Phaeodactylum tricornutum</i> in estuarine waters. <i>Marine Environmental Research</i> , 2013, 87-88, 37-43.	2.5	14
45	Hydroxybenzoate paralytic shellfish toxins induce transient GST activity depletion and chromosomal damage in white seabream (<i>Diplodus sargus</i>). <i>Marine Environmental Research</i> , 2012, 79, 63-69.	2.5	8
46	Environmental quality assessment combining sediment metal levels, biomarkers and macrobenthic communities: application to the Ábidos coastal lagoon (Portugal). <i>Environmental Monitoring and Assessment</i> , 2012, 184, 7141-7151.	2.7	13
47	Biotransformation modulation and genotoxicity in white seabream upon exposure to paralytic shellfish toxins produced by <i>Gymnodinium catenatum</i> . <i>Aquatic Toxicology</i> , 2012, 106-107, 42-47.	4.0	29
48	Winter – summer nutrient composition linkage to algae-produced toxins in shellfish at a eutrophic coastal lagoon (Ábidos lagoon, Portugal). <i>Estuarine, Coastal and Shelf Science</i> , 2012, 112, 61-72.	2.1	16
49	A phytoplankton tool for water quality assessment in semi-enclosed coastal lagoons: Open vs closed regimes. <i>Estuarine, Coastal and Shelf Science</i> , 2012, 110, 134-146.	2.1	54
50	Factors structuring temporal and spatial dynamics of macrobenthic communities in a eutrophic coastal lagoon (Ábidos lagoon, Portugal). <i>Marine Environmental Research</i> , 2011, 71, 97-110.	2.5	61
51	Decrease of Zn, Cd and Pb concentrations in marine fish species over a decade as response to reduction of anthropogenic inputs: The example of Tagus estuary. <i>Marine Pollution Bulletin</i> , 2011, 62, 2854-2858.	5.0	14
52	Bioaccumulation and biochemical markers in feral crab (<i>Carcinus maenas</i>) exposed to moderate environmental contamination – The impact of non-contamination related variables. <i>Environmental Toxicology</i> , 2011, 26, 524-540.	4.0	16
53	Daily availability of nutrients and metals in a eutrophic meso-tidal coastal lagoon (Ábidos lagoon, Portugal). <i>Estuarine, Coastal and Shelf Science</i> , 2011, 88, 107-116.	5.0	13
54	Combined use of environmental data and biomarkers in fish (<i>Liza aurata</i>) inhabiting a eutrophic and metal-contaminated coastal system – Gills reflect environmental contamination. <i>Marine Environmental Research</i> , 2010, 69, 53-62.	2.5	70

#	ARTICLE	IF	CITATIONS
55	Effect of tidal flooding on metal distribution in pore waters of marsh sediments and its transport to water column (Tagus estuary, Portugal). <i>Marine Environmental Research</i> , 2010, 70, 358-367.	2.5	44
56	The relevance of temporal and organ specific factors on metals accumulation and biochemical effects in feral fish (<i>Liza aurata</i>) under a moderate contamination scenario. <i>Ecotoxicology and Environmental Safety</i> , 2010, 73, 805-816.	6.0	28
57	Metal concentrations in digestive gland and mantle of <i>Sepia officinalis</i> from two coastal lagoons of Portugal. <i>Science of the Total Environment</i> , 2009, 407, 1080-1088.	8.0	36
58	Effects of fire temperature on the physical and chemical characteristics of the ash from two plots of cork oak (<i>Quercus suber</i>). <i>Land Degradation and Development</i> , 2009, 20, 589-608.	3.9	114
59	Spatial and seasonal variation of water quality in an impacted coastal lagoon (Ábidos Lagoon, Portugal). <i>Journal of Environmental Monitoring</i> , 2009, 11, 1073-1080.	2.7	42
60	Metal and nutrient dynamics in a eutrophic coastal lagoon (Ábidos, Portugal): the importance of observations at different time scales. <i>Environmental Monitoring and Assessment</i> , 2009, 158, 405-418.	2.7	33
61	Biochemical responses of the shore crab (<i>Carcinus maenas</i>) in a eutrophic and metal-contaminated coastal system (Ábidos lagoon, Portugal). <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 1471-1480.	6.0	57
62	Metal accumulation and oxidative stress in <i>Ulva</i> sp. substantiated by response integration into a general stress index. <i>Aquatic Toxicology</i> , 2009, 91, 336-345.	4.0	38
63	Environmental chemical data and <i>Carcinus maenas</i> biochemical responses in a coastal eutrophic ecosystem (Ábidos Lagoon, Portugal). <i>Ciencias Marinas</i> , 2008, 34, 317-327.	0.4	2
64	Decomposition of belowground litter and metal dynamics in salt marshes (Tagus Estuary, Portugal). <i>Science of the Total Environment</i> , 2007, 380, 93-101.	8.0	38
65	Seasonal Variation of Surface Sediments Composition in Mondego River Estuary. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2005, 40, 317-329.	1.7	22
66	Fe, Zn, Cu and Cd concentrations in the digestive gland and muscle tissues of <i>Octopus vulgaris</i> and <i>Sepia officinalis</i> from two coastal areas in Portugal. <i>Ciencias Marinas</i> , 2005, 31, 243-251.	0.4	34
67	Improved efficiency of an herbicide combining bentazone and terbuthylazine can weeds be controlled with better environmental safety?. <i>Environmental Science Advances</i> , 0, , .	2.7	1