

Ichiro Murakami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1252042/publications.pdf>

Version: 2024-02-01

35
papers

443
citations

840776

11
h-index

752698

20
g-index

35
all docs

35
docs citations

35
times ranked

542
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection of molecular cytogenetic aberrations in langerhans cell histiocytosis of bone. <i>Human Pathology</i> , 2002, 33, 555-560.	2.0	86
2	Interleukin-1 loop model for pathogenesis of Langerhans cell histiocytosis. <i>Cell Communication and Signaling</i> , 2015, 13, 13.	6.5	30
3	Detection of Merkel Cell Polyomavirus in the Human Tissues from 41 Japanese Autopsy Cases Using Polymerase Chain Reaction. <i>Intervirolgy</i> , 2013, 56, 1-5.	2.8	28
4	Comparison of Akt/mTOR/4E-BP1 pathway signal activation and mutations of PIK3CA in Merkel cell polyomavirus-positive and Merkel cell polyomavirus-negative carcinomas. <i>Human Pathology</i> , 2015, 46, 210-216.	2.0	28
5	Merkel cell polyomavirus DNA sequences in peripheral blood and tissues from patients with Langerhans cell histiocytosis. <i>Human Pathology</i> , 2014, 45, 119-126.	2.0	24
6	IL-17A receptor expression differs between subclasses of Langerhans cell histiocytosis, which might settle the IL-17A controversy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 219-228.	2.8	22
7	Immunoglobulin Expressions Are Only Associated With MCPyV-positive Merkel Cell Carcinomas But Not With MCPyV-negative Ones. <i>American Journal of Surgical Pathology</i> , 2014, 38, 1627-1635.	3.7	21
8	Low prevalence of Merkel cell polyomavirus with low viral loads in oral and maxillofacial tumours or tumour-like lesions from immunocompetent patients: Absence of Merkel cell polyomavirus-associated neoplasms. <i>Molecular and Clinical Oncology</i> , 2015, 3, 1301-1306.	1.0	16
9	Questiomycin A stimulates sorafenib-induced cell death via suppression of glucose-regulated protein 78. <i>Biochemical and Biophysical Research Communications</i> , 2017, 492, 33-40.	2.1	16
10	Human Polyomavirus 6 with the Asian Japanese Genotype in Cases of Kimura Disease and Angiolymphoid Hyperplasia with Eosinophilia. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1650-1653.e4.	0.7	14
11	Glypican-1 Is a Novel Target for Stroma and Tumor Cell Dual-Targeting Antibody-Drug Conjugates in Pancreatic Cancer. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 2495-2505.	4.1	14
12	High viral load of Merkel cell polyomavirus DNA sequences in Langerhans cell sarcoma tissues. <i>Infectious Agents and Cancer</i> , 2014, 9, 15.	2.6	12
13	Prognostic significance of human papillomavirus 16 viral load level in patients with oropharyngeal cancer. <i>Cancer Science</i> , 2021, 112, 4404-4417.	3.9	11
14	Merkel cell polyomavirus and Langerhans cell neoplasm. <i>Cell Communication and Signaling</i> , 2018, 16, 49.	6.5	10
15	Anti-Glypican-1 Antibody-Drug Conjugate as Potential Therapy Against Tumor Cells and Tumor Vasculature for Glypican-1-Positive Cholangiocarcinoma. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1713-1722.	4.1	10
16	A glypican-1-targeted antibody-drug conjugate exhibits potent tumor growth inhibition in glypican-1-positive pancreatic cancer and esophageal squamous cell carcinoma. <i>Neoplasia</i> , 2021, 23, 939-950.	5.3	9
17	Killer cell immunoglobulin-like receptor 2DL4 is expressed in and suppresses the cell growth of Langerhans cell histiocytosis. <i>Oncotarget</i> , 2017, 8, 36964-36972.	1.8	9
18	Acute-phase ITIH4 levels distinguish multi-system from single-system Langerhans cell histiocytosis via plasma peptidomics. <i>Clinical Proteomics</i> , 2015, 12, 16.	2.1	8

#	ARTICLE	IF	CITATIONS
19	Aberrant expression of AID and AID activators of NF- κ B and PAX5 is irrelevant to EBV-associated gastric cancers, but is associated with carcinogenesis in certain EBV-non-associated gastric cancers. <i>Oncology Letters</i> , 2017, 13, 4133-4140.	1.8	8
20	Generation and characteristics of a novel "double-hit" high grade B-cell lymphoma cell line DH-My6 with <i>MYC</i> / <i>IGH</i> and <i>BCL6</i> / <i>IGH</i> gene arrangements and potential molecular targeted therapies. <i>Oncotarget</i> , 2018, 9, 33482-33499.	1.8	8
21	Production of thyrotropin receptor antibodies in acute phase of infectious mononucleosis due to Epstein-Barr virus primary infection: a case report of a child. <i>SpringerPlus</i> , 2015, 4, 456.	1.2	7
22	Vocal cord inflammatory myofibroblastic tumor with mucoid deposits harboring TIMP3-ALK fusion: A potential diagnostic pitfall. <i>Pathology International</i> , 2019, 69, 366-371.	1.3	7
23	Establishment of a Langerhans cell histiocytosis lesion cell line with dermal dendritic cell characteristics. <i>Oncology Reports</i> , 2015, 33, 171-178.	2.6	6
24	Hepatic stellate cells derived from the nestin-positive cells in septum transversum during rat liver development. <i>Medical Molecular Morphology</i> , 2018, 51, 199-207.	1.0	6
25	Fascin-1 is associated with recurrence in solitary fibrous tumor/hemangiopericytoma. <i>Molecular and Clinical Oncology</i> , 2021, 15, 199.	1.0	6
26	Recurrence of Solitary Fibrous Tumor/Hemangiopericytoma Could Be Predicted by Ki-67 Regardless of Its Origin. <i>Acta Medica Okayama</i> , 2020, 74, 335-343.	0.2	5
27	Lymph node retrieval after colorectal cancer surgery: a comparative study of the efficacy between the conventional manual method and a new fat dissolution method. <i>Surgery Today</i> , 2020, 50, 726-733.	1.5	4
28	Development of a novel cell line-derived xenograft model of primary herpesvirus 8-unrelated effusion large B-cell lymphoma and antitumor activity of birabresib in vitro and in vivo. <i>Cancer Medicine</i> , 2021, , .	2.8	4
29	Tyrosine phosphatase SHP-1 is expressed higher in multisystem than in single-system Langerhans cell histiocytosis by immunohistochemistry. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 227-234.	2.8	3
30	Renal oncocytoma, small cell variant, with pseudorosettes, showing cyclin D1 expression and tubulovesicular cristae of mitochondria. <i>Pathology International</i> , 2016, 66, 409-410.	1.3	3
31	Lymph node retrieval after dissolution of surrounding adipose tissue for pathological examination of colorectal cancer. <i>Oncology Letters</i> , 2017, 15, 2495-2500.	1.8	3
32	Establishment and characterization of a human parathyroid carcinoma derived cell line. <i>Pathology Research and Practice</i> , 2015, 211, 332-340.	2.3	2
33	Evaluation of Clinical and Immunohistochemical Factors Relating to Melanoma Metastasis: Potential Roles of Nestin and Fascin in Melanoma. <i>Diagnostics</i> , 2022, 12, 219.	2.6	2
34	The Expression of Insulin-Like Growth Factor 2 Messenger RNA-Binding Protein 3 in Langerhans Cell Histiocytosis and Langerhans Cell Sarcoma. <i>Tohoku Journal of Experimental Medicine</i> , 2021, 255, 27-31.	1.2	1
35	Glucocorticoid-induced redistribution lymphocytosis in mantle cell lymphoma with hyaline vascular Castleman disease-like features. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2021, , .	0.8	0