Masayoshi Zaitsu

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1252510/masayoshi-zaitsu-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45	363	12	16
papers	citations	h-index	g-index
52	494	3.2	3.83
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
45	Occupational disparities in survival from common cancers in Japan: Analysis of Kanagawa cancer registry <i>Cancer Epidemiology</i> , 2022 , 77, 102115	2.8	O
44	Threatened abortion, threatened premature labor, and preterm birth during the first state of emergency for COVID-19 in 2020 in Japan <i>Journal of Obstetrics and Gynaecology Research</i> , 2022 ,		1
43	Number of surgeries performed during the lifetime of patients with myelomeningocele <i>Journal of Neurosurgery: Pediatrics</i> , 2022 , 1-9	2.1	1
42	Characteristics of patients who received helicopter emergency medical services in Japan from 2012 to 2019: a retrospective analysis of data from Tochigi Prefecture <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022 , 30, 25	3.6	1
41	Relationship between the frequency of electrocautery of Hunner lesions and changes in bladder capacity in patients with Hunner type interstitial cystitis. <i>Scientific Reports</i> , 2021 , 11, 105	4.9	1
40	Characteristics of Emergency Neurological Patients Who Were Transported by Helicopter Emergency Medical Services in Tochigi, Japan. <i>Tohoku Journal of Experimental Medicine</i> , 2021 , 255, 79-8	19 ^{2.4}	1
39	Occupational difference in use of heated tobacco products: a cross-sectional analysis of retail workers in Japan. <i>BMJ Open</i> , 2021 , 11, e049395	3	1
38	Heated tobacco product use and hypertensive disorders of pregnancy and low birth weight: analysis of a cross-sectional, web-based survey in Japan. <i>BMJ Open</i> , 2021 , 11, e052976	3	1
37	Cancer Incidence by Occupation in Korea: Longitudinal Analysis of a Nationwide Cohort. <i>Safety and Health at Work</i> , 2020 , 11, 41-49	4	6
36	Sex-specific analysis of renal cell carcinoma histology and survival in Japan: A population-based study 2004 to 2016. <i>Health Science Reports</i> , 2020 , 3, e142	2.2	7
35	Pool walking may improve renal function by suppressing the renin-angiotensin-aldosterone system in healthy pregnant women. <i>Scientific Reports</i> , 2020 , 10, 2891	4.9	1
34	Occupational Class and Cancer Survival in Korean Men: Follow-Up Study of Nation-Wide Working Population. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
33	Occupational Differences in C-Reactive Protein Among Working-Age Adults in South Korea. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, 194-201	2	1
32	Light to moderate amount of lifetime alcohol consumption and risk of cancer in Japan. <i>Cancer</i> , 2020 , 126, 1031-1040	6.4	16
31	Occupational disparities in bladder cancer survival: A population-based cancer registry study in Japan. <i>Cancer Medicine</i> , 2020 , 9, 894-901	4.8	6
30	Recent Increasing Incidence of Early-Stage Cervical Cancers of the Squamous Cell Carcinoma Subtype among Young Women. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
29	Occupational disparities in survival in Korean women with cancer: a nationwide registry linkage study. <i>BMJ Open</i> , 2020 , 10, e039259	3	1

(2016-2019)

28	Occupational class and male cancer incidence: Nationwide, multicenter, hospital-based case-control study in Japan. <i>Cancer Medicine</i> , 2019 , 8, 795-813	4.8	20
27	Growth Patterns of Neonates Treated with Thermal Control in Neutral Environment and Nutrition Regulation to Meet Basal Metabolism. <i>Nutrients</i> , 2019 , 11,	6.7	2
26	Placing prostate cancer disparities within a psychosocial context: challenges and opportunities for future research. <i>Cancer Causes and Control</i> , 2019 , 30, 443-456	2.8	8
25	Occupational Class and Risk of Cardiovascular Disease Incidence in Dapan: Nationwide, Multicenter, Hospital-Based Case-Control Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011350	6	21
24	Occupational class differences in pancreatic cancer survival: A population-based cancer registry-based study in Japan. <i>Cancer Medicine</i> , 2019 , 8, 3261-3268	4.8	9
23	Risk of cancer and longest-held occupations in Japanese workers: A multicenter hospital-based case-control study. <i>Cancer Medicine</i> , 2019 , 8, 6139-6150	4.8	10
22	Influence of genetic polymorphisms and habitual caffeine intake on the changes in blood pressure, pulse rate, and calculation speed after caffeine intake: A prospective, double blind, randomized trial in healthy volunteers. <i>Journal of Pharmacological Sciences</i> , 2019 , 139, 209-214	3.7	7
21	Participation in Community Group Activities Among Older Adults: Is Diversity of Group Membership Associated With Better Self-rated Health?. <i>Journal of Epidemiology</i> , 2018 , 28, 452-457	3.4	16
20	Impact of a direct-to-consumer information campaign on prescription patterns for overactive bladder. <i>BMC Health Services Research</i> , 2018 , 18, 325	2.9	4
19	Optimal Thermal Control with Sufficient Nutrition May Reduce the Incidence of Neonatal Jaundice by Preventing Body-Weight Loss Among Non-Low Birth Weight Infants Not Admitted to Neonatal Intensive Care Unit. <i>Neonatology</i> , 2018 , 114, 348-354	4	6
18	Occupational class and risk of renal cell cancer. Health Science Reports, 2018, 1, e49	2.2	13
17	Effect of sex and polymorphisms of CYP2B6 and UGT1A9 on the difference between the target-controlled infusion predicted and measured plasma propofol concentration. <i>JA Clinical Reports</i> , 2018 , 4, 59	0.6	3
16	Occupational inequalities in female cancer incidence in Japan: Hospital-based matched case-control study with occupational class. <i>SSM - Population Health</i> , 2018 , 5, 129-137	3.8	25
15	Alcohol consumption and risk of upper-tract urothelial cancer. Cancer Epidemiology, 2017, 48, 36-40	2.8	14
14	Hypnotics Use and Falls in Hospital Inpatients Stratified by Age. <i>Global Journal of Health Science</i> , 2016 , 9, 148	1.3	3
13	Risk of Alcohol Consumption in Bladder Cancer: Case-Control Study from a Nationwide Inpatient Database in Japan. <i>Tohoku Journal of Experimental Medicine</i> , 2016 , 239, 9-15	2.4	20
12	Detection of AR-V7 mRNA in whole blood may not predict the effectiveness of novel endocrine drugs for castration-resistant prostate cancer. <i>Research and Reports in Urology</i> , 2016 , 8, 21-5	1.3	24
11	A single nucleotide polymorphism in kidney anion exchanger 1 gene is associated with incomplete type 1 renal tubular acidosis. <i>Scientific Reports</i> , 2016 , 6, 35841	4.9	4

10	Sex differences in bladder cancer pathology and survival: analysis of a population-based cancer registry. <i>Cancer Medicine</i> , 2015 , 4, 363-70	4.8	29
9	Overexpression of aquaporin 1 in the tunica vaginalis may contribute to adult-onset primary hydrocele testis. <i>Advances in Urology</i> , 2014 , 2014, 202434	1.6	4
8	A dual 5E eductase inhibitor dutasteride caused reductions in vascular density and area in benign prostatic hyperplasia. <i>ISRN Urology</i> , 2013 , 2013, 863489		9
7	Experience with imidafenacin in the management of overactive bladder disorder. <i>Therapeutic Advances in Urology</i> , 2013 , 5, 43-58	3.2	8
6	Transient occlusion of bilateral internal iliac arteries facilitates bloodless operative field in subcapsular prostatectomy. <i>Case Reports in Medicine</i> , 2012 , 2012, 812615	0.7	1
5	Surgical castration in hormone-refractory metastatic prostate cancer patients can be an alternative for medical castration. <i>Advances in Urology</i> , 2012 , 2012, 979154	1.6	12
4	A Case of Giant Bladder Carcinosarcoma without Submucosal Invasion. <i>Case Reports in Medicine</i> , 2011 , 2011, 349518	0.7	2
3	Comparative Evaluation of the Safety and Efficacy of Long-Term Use of Imidafenacin and Solifenacin in Patients with Overactive Bladder: A Prospective, Open, Randomized, Parallel-Group Trial (the LIST Study). <i>Advances in Urology</i> , 2011 , 2011, 854697	1.6	29
2	A case of hydrocele stone with its composition analysis. <i>Case Reports in Medicine</i> , 2010 , 2010, 586204	0.7	1
1	A case of severe hemorrhagic cystitis caused by melphalan with successful bladder preservation by ligation of bilateral internal iliac arteries. <i>Case Reports in Medicine</i> , 2010 , 2010, 569138	0.7	1