

# Panagiotis Balermipas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/125281/publications.pdf>

Version: 2024-02-01

121  
papers

2,831  
citations

218381

26  
h-index

205818

48  
g-index

132  
all docs

132  
docs citations

132  
times ranked

4235  
citing authors

#	ARTICLE	IF	CITATIONS
1	CD8+ tumour-infiltrating lymphocytes in relation to HPV status and clinical outcome in patients with head and neck cancer after postoperative chemoradiotherapy: A multicentre study of the German cancer consortium radiation oncology group (DKTK-ROG). <i>International Journal of Cancer</i> , 2016, 138, 171-181.	2.3	184
2	A comparative study of machine learning methods for time-to-event survival data for radiomics risk modelling. <i>Scientific Reports</i> , 2017, 7, 13206.	1.6	163
3	Practice Recommendations for Risk-Adapted Head and Neck Cancer Radiation Therapy During the COVID-19 Pandemic: An ASTRO-ESTRO Consensus Statement. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 107, 618-627.	0.4	156
4	HPV16 DNA status is a strong prognosticator of loco-regional control after postoperative radiochemotherapy of locally advanced oropharyngeal carcinoma: Results from a multicentre explorative study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>Radiotherapy and Oncology</i> , 2014, 113, 317-323.	0.3	141
5	HPV status, cancer stem cell marker expression, hypoxia gene signatures and tumour volume identify good prognosis subgroups in patients with HNSCC after primary radiochemotherapy: A multicentre retrospective study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>Radiotherapy and Oncology</i> , 2016, 121, 364-373.	0.3	130
6	Low Cancer Stem Cell Marker Expression and Low Hypoxia Identify Good Prognosis Subgroups in HPV(+) HNSCC after Postoperative Radiochemotherapy: A Multicenter Study of the DKTK-ROG. <i>Clinical Cancer Research</i> , 2016, 22, 2639-2649.	3.2	127
7	The PD-1/PD-L1 axis and human papilloma virus in patients with head and neck cancer after adjuvant chemoradiotherapy: A multicentre study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>International Journal of Cancer</i> , 2017, 141, 594-603.	2.3	91
8	Human papilloma virus load and PD-1/PD-L1, CD8 <sup>+</sup> and FOXP3 in anal cancer patients treated with chemoradiotherapy: Rationale for immunotherapy. <i>Oncolmmunology</i> , 2017, 6, e1288331.	2.1	79
9	Human papillomavirus DNA load and p16 <sup>INK4a</sup> expression predict for local control in patients with anal squamous cell carcinoma treated with chemoradiotherapy. <i>International Journal of Cancer</i> , 2015, 136, 278-288.	2.3	75
10	Tumor-infiltrating lymphocytes favor the response to chemoradiotherapy of head and neck cancer. <i>Oncolmmunology</i> , 2014, 3, e27403.	2.1	61
11	Interference of tumour mutational burden with outcome of patients with head and neck cancer treated with definitive chemoradiation: a multicentre retrospective study of the German Cancer Consortium Radiation Oncology Group. <i>European Journal of Cancer</i> , 2019, 116, 67-76.	1.3	58
12	S2k Guidelines for Cutaneous Basal Cell Carcinoma – Part 2: Treatment, Prevention and Follow-up. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 214-230.	0.4	57
13	Safety and efficacy of single cycle induction treatment with cisplatin/docetaxel/durvalumab/tremelimumab in locally advanced HNSCC: first results of CheckRad-CD8. , 2020, 8, e001378.		51
14	Heat shock protein 70 and tumor-infiltrating NK cells as prognostic indicators for patients with squamous cell carcinoma of the head and neck after radiochemotherapy: A multicentre retrospective study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>International Journal of Cancer</i> , 2018, 142, 1911-1925.	2.3	50
15	Repeated in-field radiosurgery for locally recurrent brain metastases: Feasibility, results and survival in a heavily treated patient cohort. <i>PLoS ONE</i> , 2018, 13, e0198692.	1.1	47
16	Development and Validation of a Gene Signature for Patients with Head and Neck Carcinomas Treated by Postoperative Radio(chemo)therapy. <i>Clinical Cancer Research</i> , 2018, 24, 1364-1374.	3.2	45
17	S2k Guidelines for Cutaneous Basal Cell Carcinoma – Part 1: Epidemiology, Genetics and Diagnosis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 94-103.	0.4	44
18	Combined Cetuximab and Reirradiation for Locoregional Recurrent and Inoperable Squamous Cell Carcinoma of the Head and Neck. <i>Strahlentherapie Und Onkologie</i> , 2009, 185, 775-781.	1.0	43

#	ARTICLE	IF	CITATIONS
19	Anal squamous cell carcinoma – State of the art management and future perspectives. <i>Cancer Treatment Reviews</i> , 2018, 65, 11-21.	3.4	37
20	MR-Guided Radiotherapy for Head and Neck Cancer: Current Developments, Perspectives, and Challenges. <i>Frontiers in Oncology</i> , 2021, 11, 616156.	1.3	37
21	Treatment plan quality during online adaptive re-planning. <i>Radiation Oncology</i> , 2020, 15, 203.	1.2	36
22	Clinical outcome of concomitant vs interrupted BRAF inhibitor therapy during radiotherapy in melanoma patients. <i>British Journal of Cancer</i> , 2018, 118, 785-792.	2.9	34
23	2D and 3D convolutional neural networks for outcome modelling of locally advanced head and neck squamous cell carcinoma. <i>Scientific Reports</i> , 2020, 10, 15625.	1.6	34
24	Diagnostic and treatment modalities for patients with cervical lymph node metastases of unknown primary site – current status and challenges. <i>Radiation Oncology</i> , 2017, 12, 82.	1.2	33
25	Reirradiation With Cetuximab in Locoregional Recurrent and Inoperable Squamous Cell Carcinoma of the Head and Neck: Feasibility and First Efficacy Results. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e377-e383.	0.4	31
26	Randomized phase-III-trial of concurrent chemoradiation for locally advanced head and neck cancer comparing dose reduced radiotherapy with paclitaxel/cisplatin to standard radiotherapy with fluorouracil/cisplatin: The PacCis-trial. <i>Radiotherapy and Oncology</i> , 2020, 144, 209-217.	0.3	30
27	Peripheral Leukocytosis Is Inversely Correlated with Intratumoral CD8+ T-Cell Infiltration and Associated with Worse Outcome after Chemoradiotherapy in Anal Cancer. <i>Frontiers in Immunology</i> , 2017, 8, 1225.	2.2	29
28	Radiomic biomarkers for head and neck squamous cell carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2020, 196, 868-878.	1.0	28
29	Chemoradiotherapy as Definitive Treatment for Elderly Patients with Head and Neck Cancer. <i>BioMed Research International</i> , 2018, 2018, 1-9.	0.9	27
30	Stereotactic radiosurgery combined with immune checkpoint inhibitors or kinase inhibitors for patients with multiple brain metastases of malignant melanoma. <i>Melanoma Research</i> , 2019, 29, 187-195.	0.6	27
31	Breathing-motion-compensated robotic guided stereotactic body radiation therapy. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 143-155.	1.0	26
32	Clinical Results of Mean GTV Dose Optimized Robotic-Guided Stereotactic Body Radiation Therapy for Lung Tumors. <i>Frontiers in Oncology</i> , 2018, 8, 171.	1.3	26
33	Re-irradiation with cetuximab or cisplatin-based chemotherapy for recurrent squamous cell carcinoma of the head and neck. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 656-664.	1.0	25
34	Radiation Sensitization of Basal Cell and Head and Neck Squamous Cell Carcinoma by the Hedgehog Pathway Inhibitor Vismodegib. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2485.	1.8	25
35	Dimethylfumarate Inhibits Colorectal Carcinoma Cell Proliferation: Evidence for Cell Cycle Arrest, Apoptosis and Autophagy. <i>Cells</i> , 2019, 8, 1329.	1.8	25
36	SDF-1/CXCR4 expression is an independent negative prognostic biomarker in patients with head and neck cancer after primary radiochemotherapy. <i>Radiotherapy and Oncology</i> , 2018, 126, 125-131.	0.3	24

#	ARTICLE	IF	CITATIONS
37	Characterization of the tumor immune microenvironment and its interference with outcome after concurrent chemoradiation in patients with oropharyngeal carcinomas. <i>Oncology</i> , 2019, 8, 1614858.	2.1	24
38	Targeted Therapies and Immune-Checkpoint Inhibition in Head and Neck Squamous Cell Carcinoma: Where Do We Stand Today and Where to Go?. <i>Cancers</i> , 2019, 11, 472.	1.7	24
39	Practice recommendations for risk-adapted head and neck cancer radiotherapy during the COVID-19 pandemic: An ASTRO-ESTRO consensus statement. <i>Radiotherapy and Oncology</i> , 2020, 151, 314-321.	0.3	24
40	Stereotactic or conformal radiotherapy for adrenal metastases: Patient characteristics and outcomes in a multicenter analysis. <i>International Journal of Cancer</i> , 2021, 149, 358-370.	2.3	24
41	The immune microenvironment and HPV in anal cancer: Rationale to complement chemoradiation with immunotherapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2017, 1868, 221-230.	3.3	23
42	S2 Leitlinie Basalzellkarzinom der Haut – Teil 1: Epidemiologie, Genetik und Diagnostik. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 94-104.	0.4	23
43	Induction chemoimmunotherapy followed by CD8+ immune cell-based patient selection for chemotherapy-free radioimmunotherapy in locally advanced head and neck cancer. , 2022, 10, e003747.		23
44	Hedgehog pathway inhibitor in combination with radiation therapy for basal cell carcinomas of the head and neck. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 25-31.	1.0	22
45	S2 Leitlinie Basalzellkarzinom der Haut – Teil 2: Therapie, Prävention und Nachsorge. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 214-231.	0.4	19
46	C-Reactive Protein-to-Albumin Ratio as Prognostic Marker for Anal Squamous Cell Carcinoma Treated With Chemoradiotherapy. <i>Frontiers in Oncology</i> , 2019, 9, 1200.	1.3	19
47	Comprehensive Analysis of Tumour Sub-Volumes for Radiomic Risk Modelling in Locally Advanced HNSCC. <i>Cancers</i> , 2020, 12, 3047.	1.7	19
48	Combined proton+photon treatments – A new approach to proton therapy without a gantry. <i>Radiotherapy and Oncology</i> , 2020, 145, 81-87.	0.3	19
49	Merkel Cell Polyoma Viral Load and Intratumoral CD8+ Lymphocyte Infiltration Predict Overall Survival in Patients With Merkel Cell Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 20.	1.3	18
50	Comparison of detection methods for HPV status as a prognostic marker for loco-regional control after radiochemotherapy in patients with HNSCC. <i>Radiotherapy and Oncology</i> , 2018, 127, 27-35.	0.3	17
51	Head and neck radiotherapy on the MR linac: a multicenter planning challenge amongst MRIdian platform users. <i>Strahlentherapie Und Onkologie</i> , 2021, 197, 1093-1103.	1.0	17
52	SDF-1/CXCR4 expression in head and neck cancer and outcome after postoperative radiochemotherapy. <i>Clinical and Translational Radiation Oncology</i> , 2017, 5, 28-36.	0.9	16
53	Prognostic impact of CD8-positive tumour-infiltrating lymphocytes and PD-L1 expression in salivary gland cancer. <i>Oral Oncology</i> , 2020, 111, 104931.	0.8	16
54	RADIANCE – Radiochemotherapy with or without Durvalumab in the treatment of anal squamous cell carcinoma: A randomized multicenter phase II trial. <i>Clinical and Translational Radiation Oncology</i> , 2020, 23, 43-49.	0.9	16

#	ARTICLE	IF	CITATIONS
55	Dental extraction, intensity-modulated radiotherapy of head and neck cancer, and osteoradionecrosis. <i>Strahlentherapie Und Onkologie</i> , 2022, 198, 219-228.	1.0	16
56	Hypo-fractionated SBRT for localized prostate cancer: a German bi-center single treatment group feasibility trial. <i>Radiation Oncology</i> , 2017, 12, 138.	1.2	14
57	Patterns of care analysis for head & neck cancer of unknown primary site: a survey inside the German society of radiation oncology (DEGRO). <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 750-758.	1.0	13
58	MR-Guided Adaptive Radiotherapy for Head and Neck Cancer: Prospective Evaluation of Migration and Anatomical Changes of the Major Salivary Glands. <i>Cancers</i> , 2021, 13, 5404.	1.7	13
59	Operating procedures, risk management and challenges during implementation of adaptive and non-adaptive MR-guided radiotherapy: 1-year single-center experience. <i>Radiation Oncology</i> , 2021, 16, 217.	1.2	13
60	Modulation of radiation sensitivity and antitumor immunity by viral pathogenic factors: Implications for radio-immunotherapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2019, 1871, 126-137.	3.3	12
61	Polo-like kinase 3 and phosphoT273 caspase-8 are associated with improved local tumor control and survival in patients with anal carcinoma treated with concomitant chemoradiotherapy. <i>Oncotarget</i> , 2016, 7, 53339-53349.	0.8	12
62	Nuclear NF- $\kappa$ B Expression Correlates With Outcome Among Patients With Head and Neck Squamous Cell Carcinoma Treated With Primary Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 785-790.	0.4	11
63	Treatment response lowers tumor symptom burden in recurrent and/or metastatic head and neck cancer. <i>BMC Cancer</i> , 2020, 20, 933.	1.1	11
64	Implementation of Double Immune Checkpoint Blockade Increases Response Rate to Induction Chemotherapy in Head and Neck Cancer. <i>Cancers</i> , 2021, 13, 1959.	1.7	11
65	Comparison of GeneChip, nCounter, and Real-Time PCR-Based Gene Expressions Predicting Locoregional Tumor Control after Primary and Postoperative Radiochemotherapy in Head and Neck Squamous Cell Carcinoma. <i>Journal of Molecular Diagnostics</i> , 2020, 22, 801-810.	1.2	10
66	Primary results of the phase II CheckRad-CD8 trial: First-line treatment of locally advanced head and neck squamous cell carcinoma (HNSCC) with double checkpoint blockade and radiotherapy dependent on intratumoral CD8+ T-cell infiltration.. <i>Journal of Clinical Oncology</i> , 2021, 39, 6007-6007.	0.8	10
67	A Bayesian network model of lymphatic tumor progression for personalized elective CTV definition in head and neck cancers. <i>Physics in Medicine and Biology</i> , 2019, 64, 165003.	1.6	9
68	A 2.5D convolutional neural network for HPV prediction in advanced oropharyngeal cancer. <i>Computers in Biology and Medicine</i> , 2022, 142, 105215.	3.9	9
69	Definition and validation of a radiomics signature for loco-regional tumour control in patients with locally advanced head and neck squamous cell carcinoma. <i>Clinical and Translational Radiation Oncology</i> , 2021, 26, 62-70.	0.9	8
70	A hidden Markov model for lymphatic tumor progression in the head and neck. <i>Scientific Reports</i> , 2021, 11, 12261.	1.6	8
71	Combined p16 and p53 expression in cervical cancer of unknown primary and other prognostic parameters. <i>Strahlentherapie Und Onkologie</i> , 2017, 193, 305-314.	1.0	7
72	Prognostic impact of RITA expression in patients with anal squamous cell carcinoma treated with chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2018, 126, 214-221.	0.3	7

#	ARTICLE	IF	CITATIONS
73	Comparison of beam segment versus full plan re-optimization in daily magnetic resonance imaging-guided online-adaptive radiotherapy. <i>Physics and Imaging in Radiation Oncology</i> , 2021, 17, 43-46.	1.2	7
74	ERCC2 gene single-nucleotide polymorphism as a prognostic factor for locally advanced head and neck carcinomas after definitive cisplatin-based radiochemotherapy. <i>Pharmacogenomics Journal</i> , 2021, 21, 37-46.	0.9	6
75	In-field stereotactic body radiotherapy (SBRT) reirradiation for pulmonary malignancies as a multicentre analysis of the German Society of Radiation Oncology (DEGRO). <i>Scientific Reports</i> , 2021, 11, 4590.	1.6	6
76	Re-irradiation with concurrent and maintenance nivolumab in locally recurrent and inoperable squamous cell carcinoma of the head and neck: A single-center cohort study. <i>Clinical and Translational Radiation Oncology</i> , 2021, 28, 71-78.	0.9	6
77	A Prospective Real-World Multi-Center Study to Evaluate Progression-Free and Overall Survival of Radiotherapy with Cetuximab and Platinum-Based Chemotherapy with Cetuximab in Locally Recurrent Head and Neck Cancer. <i>Cancers</i> , 2021, 13, 3413.	1.7	6
78	Patterns of care analysis for salivary gland cancer: a survey within the German Society of Radiation Oncology (DEGRO) and recommendations for daily practice. <i>Strahlentherapie Und Onkologie</i> , 2022, 198, 123-134.	1.0	6
79	Neoadjuvant chemoradiation versus perioperative chemotherapy followed by surgery in resectable adenocarcinomas of the esophagogastric junction: A retrospective single center analysis. <i>Oncology Letters</i> , 2014, 7, 534-540.	0.8	5
80	Analysis of lymphatic metastasis and progression patterns for clinical target volume (CTV) definition in head and neck squamous cell carcinoma (HNSCC). <i>Acta Oncologica</i> , 2019, 58, 1519-1522.	0.8	5
81	A pattern of care analysis: Prosthetic rehabilitation of head and neck cancer patients after radiotherapy. <i>Clinical Implant Dentistry and Related Research</i> , 2020, 22, 333-341.	1.6	5
82	Cochlea sparing optimized radiotherapy for nasopharyngeal carcinoma. <i>Radiation Oncology</i> , 2021, 16, 64.	1.2	5
83	Randomised phase-III-trial of concurrent chemoradiation (CRT) for locally advanced head and neck cancer (stage III-IVB): Comparing dose reduced radiotherapy (63,6 Gy) with paclitaxel/cisplatin to standard radiotherapy (70,6 Gy) with fluorouracil/cisplatin.. <i>Journal of Clinical Oncology</i> , 2017, 35, 6016-6016.	0.8	5
84	Analyses of molecular subtypes and their association to mechanisms of radioresistance in patients with HPV-negative HNSCC treated by postoperative radiochemotherapy. <i>Radiotherapy and Oncology</i> , 2022, 167, 300-307.	0.3	5
85	Detailed patient-individual reporting of lymph node involvement in oropharyngeal squamous cell carcinoma with an online interface. <i>Radiotherapy and Oncology</i> , 2022, 169, 1-7.	0.3	5
86	Biomarker signatures for primary radiochemotherapy of locally advanced HNSCC – Hypothesis generation on a multicentre cohort of the DTK-ROG. <i>Radiotherapy and Oncology</i> , 2022, 169, 8-14.	0.3	5
87	Second in-field re-irradiation with a resulting cumulative equivalent dose (EQD2 max ) of >180%Gy for patients with recurrent head and neck cancer. <i>Head and Neck</i> , 2019, 41, E48-E54.	0.9	4
88	Patterns of care, toxicity and outcome in the treatment of salivary gland carcinomas: long-term experience from a tertiary cancer center. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4411-4421.	0.8	4
89	Neoadjuvant Chemoradiotherapy for Oral Cavity Cancer: Predictive Factors for Response and Interim Analysis of the Prospective INVERT-Trial. <i>Frontiers in Oncology</i> , 2022, 12, 817692.	1.3	4
90	Stereotactic body radiotherapy of adrenal metastases – A dose-finding study. <i>International Journal of Cancer</i> , 2022, 151, 412-421.	2.3	4

#	ARTICLE	IF	CITATIONS
91	Development and validation of a 6-gene signature for the prognosis of loco-regional control in patients with HPV-negative locally advanced HNSCC treated by postoperative radio(chemo)therapy. <i>Radiotherapy and Oncology</i> , 2022, 171, 91-100.	0.3	4
92	A clinical example of extreme dose exposure for an implanted cardioverter-defibrillator. <i>Strahlentherapie Und Onkologie</i> , 2017, 193, 756-760.	1.0	3
93	The Role of Regional Disease and Patterns of Treatment Failure in Primary Sinonasal Malignancies. <i>American Journal of Rhinology and Allergy</i> , 2022, 36, 194589242110334.	1.0	3
94	Diagnostic pathway and stage migration of sinonasal malignancies in the era of the COVID-19 pandemic. <i>Laryngoscope Investigative Otolaryngology</i> , 2021, 6, 904-910.	0.6	3
95	Quantification of the spatial distribution of primary tumors in the lung to develop new prognostic biomarkers for locally advanced NSCLC. <i>Scientific Reports</i> , 2021, 11, 20890.	1.6	3
96	A dataset on patient-individual lymph node involvement in oropharyngeal squamous cell carcinoma. <i>Data in Brief</i> , 2022, 43, 108345.	0.5	3
97	Pediatric CNS imaging and long-term effects of irradiation in pediatric oncology patients. <i>Pediatrics International</i> , 2021, 63, 81-87.	0.2	2
98	Discovery of a reliable and robust methylome classifier of HPV driven head and neck cancer with favorable response to chemoradiation: A multicenter study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>Journal of Clinical Oncology</i> , 2018, 36, 6019-6019.	0.8	2
99	Interference between mutational load, immune signatures and outcome in patients with head and neck cancer treated with definitive chemoradiation: A multicenter study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG). <i>Journal of Clinical Oncology</i> , 2018, 36, 6047-6047.	0.8	2
100	Anti-epidermal growth factor receptor immunotherapy in combination with cisplatin chemoradiation for patients with advanced head and neck carcinoma: biological and clinical limitations of the triple treatment. <i>Translational Cancer Research</i> , 2016, 5, 199-202.	0.4	2
101	Tumor DNA Methylome derived Epigenetic Fingerprint Identifies HPV negative Head and Neck Patients at Risk for Locoregional Recurrence after Postoperative Radiochemotherapy. <i>International Journal of Cancer</i> , 2021, 150, 603.	2.3	2
102	A Novel 2-Metagene Signature to Identify High-Risk HNSCC Patients amongst Those Who Are Clinically at Intermediate Risk and Are Treated with PORT. <i>Cancers</i> , 2022, 14, 3031.	1.7	2
103	OC-0508: Identification of tumour sub-volumes for improved radiomic risk modelling in locally advanced HNSCC. <i>Radiotherapy and Oncology</i> , 2018, 127, S263-S264.	0.3	1
104	OC-0387 radiotherapy with paclitaxel/cisplatin vs. fluorouracil/cisplatin for head and neck cancer. <i>Radiotherapy and Oncology</i> , 2019, 133, S194.	0.3	1
105	FDG-PET/CT for oral focus assessment in head and neck cancer patients. <i>Clinical Oral Investigations</i> , 2022, 26, 4407-4418.	1.4	1
106	Corrigendum to "HPV16 DNA status is a strong prognosticator of loco-regional control after postoperative radiochemotherapy of locally advanced oropharyngeal carcinoma: Results from a multicentre explorative study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG)" [Radiother. Oncol. 113 (2014) 317-323]. <i>Radiotherapy and Oncology</i> , 2015, 114, 419.	0.3	0
107	Reply to: Comment on Dornoff et al.: re-irradiation with cetuximab or cisplatin-based chemotherapy for recurrent squamous cell carcinoma of the head and neck. <i>Strahlentherapie Und Onkologie</i> , 2015, 191, 986-986.	1.0	0
108	OC-0150: Assessing the immune contexture of anal squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2018, 127, S75-S76.	0.3	0

#	ARTICLE	IF	CITATIONS
109	OC-0276: Combining different genomic signatures to improve the prognostic power for LRC after PORT-C in HNSCC. Radiotherapy and Oncology, 2018, 127, S140-S141.	0.3	0
110	OC-0324: Immune contexture in SCCHN and outcome after chemoradiotherapy in an uni- and multicentric cohort. Radiotherapy and Oncology, 2018, 127, S172-S173.	0.3	0
111	PO-1060: Leukocytosis correlates negatively with T-cell infiltration and prognosis in anal cancer. Radiotherapy and Oncology, 2018, 127, S594-S595.	0.3	0
112	OC-0390 TCGA molecular subclassification is prognostic for LRC of HNSCC after postoperative RCTx. Radiotherapy and Oncology, 2019, 133, S196.	0.3	0
113	OC-0496 Deep-learning based estimation of locoregional control for patients with locally advanced HNSCC. Radiotherapy and Oncology, 2019, 133, S254-S255.	0.3	0
114	PV-0533 HPV16 viral load may explain gender differences in treatment outcome of anal squamous cell carcinoma. Radiotherapy and Oncology, 2019, 133, S281.	0.3	0
115	PV-0049 Merkel cell polyoma viral load predicts overall survival in patients with Merkel cell carcinoma. Radiotherapy and Oncology, 2019, 133, S18.	0.3	0
116	A Methylome Classifier Identifies Patients at Risk for Locoregional Recurrence after Adjuvant Radiochemotherapy in HPV-DNA negative HNSCC: a Multicenter Trial of the German Cancer Consortium- Radiation Oncology Group (DKTK-ROG). International Journal of Radiation Oncology Biology Physics, 2019, 105, S17-S18.	0.4	0
117	Induced Leukopenia In Head And Neck Cancer Patients Treated With Proton Or Photon Radiotherapy. International Journal of Radiation Oncology Biology Physics, 2020, 108, e836.	0.4	0
118	Superior Prognostic Performance of an Immunohistochemistry Trained DNA-Methylation Based PD-L1 Score in Patients with HNSCC Treated with Radiochemotherapy: A Multicenter Study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG).. International Journal of Radiation Oncology Biology Physics, 2020, 108, S161.	0.4	0
119	Hypoxia Methylome Classifier (HDMC) Outperforms Gene Signatures in Identifying HPV-Negative HNSCC Patients at Risk for Locoregional Failure Post Primary Radiochemotherapy: A German Cancer Consortium Radiation Oncology Group (DKTK-ROG) Multicenter Trial. International Journal of Radiation Oncology Biology Physics, 2020, 108, e552-e553.	0.4	0
120	Immune-related gene expression signatures as predictive biomarkers for outcome after concurrent chemoradiation in patients with locally advanced oropharyngeal carcinomas.. Journal of Clinical Oncology, 2016, 34, 6056-6056.	0.8	0
121	Connective tissue growth factor (CTGF) methylation status is associated with prognosis of patients with head and neck squamous cell carcinoma (HNSCC) treated with radiochemotherapy (RCHT): A multicenter study of the German Cancer Consortium Radiation Oncology Group (DKTK-ROG).. Journal of Clinical Oncology, 2019, 37, 6050-6050.	0.8	0