

# Lei Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1253806/publications.pdf>

Version: 2024-02-01

67  
papers

1,413  
citations

430874

18  
h-index

395702

33  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2128  
citing authors

#	ARTICLE	IF	CITATIONS
1	ALDH2, ADCY3 and BCMO1 polymorphisms and lifestyle-induced traits are jointly associated with CAD risk in Chinese Han people. <i>Gene</i> , 2022, 807, 145948.	2.2	1
2	CircMET promotes tumor proliferation by enhancing CDKN2A mRNA decay and upregulating SMAD3. <i>Molecular Cancer</i> , 2022, 21, 23.	19.2	28
3	Health Promotion Capacity Among Chinese Healthcare Professionals and Its Influence on Preventive Health Service Practices. <i>Journal of Multidisciplinary Healthcare</i> , 2022, Volume 15, 343-352.	2.7	1
4	A Comparative Study of Different Stem Cell Transplantation for Spinal Cord Injury: A Systematic Review and Network Meta-Analysis. <i>World Neurosurgery</i> , 2022, 159, e232-e243.	1.3	12
5	miR-34a-5p inhibits the malignant progression of KSHV-infected SH-SY5Y cells by targeting c-fos. <i>PeerJ</i> , 2022, 10, e13233.	2.0	5
6	Up-regulation of NMRK2 mediated by TFE3 fusions is the key for energy metabolism adaption of Xp11.2 translocation renal cell carcinoma. <i>Cancer Letters</i> , 2022, 538, 215689.	7.2	5
7	Both SUMOylation and ubiquitination of TFE3 fusion protein regulated by androgen receptor are the potential target in the therapy of Xp11.2 translocation renal cell carcinoma. <i>Clinical and Translational Medicine</i> , 2022, 12, e797.	4.0	5
8	Conditional overexpression of neuritin in supporting cells (SCs) mitigates hair cell (HC) damage and induces HC regeneration in the adult mouse cochlea after drug-induced ototoxicity. <i>Hearing Research</i> , 2022, 420, 108515.	2.0	4
9	Gemcitabine potentiates anti-tumor effect of resveratrol on pancreatic cancer via down-regulation of VEGF-B. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 93-103.	2.5	9
10	Genomic insights into evolution of pathogenicity and resistance of multidrug-resistant <i>Raoultella ornithinolytica</i> WM1. <i>Annals of the New York Academy of Sciences</i> , 2021, 1497, 74-90.	3.8	7
11	Low expression of TRAF3IP2-AS1 promotes progression of NONO-TFE3 translocation renal cell carcinoma by stimulating N6-methyladenosine of PARP1 mRNA and downregulating PTEN. <i>Journal of Hematology and Oncology</i> , 2021, 14, 46.	17.0	40
12	NONO-TFE3 Fusion Promotes Aerobic Glycolysis and Angiogenesis by Targeting HIF1A in NONO-TFE3 Translocation Renal Cell Carcinoma. <i>Current Cancer Drug Targets</i> , 2021, 21, 713-723.	1.6	3
13	Highly Efficient MicroRNA Delivery Using Functionalized Carbon Dots for Enhanced Conversion of Fibroblasts to Cardiomyocytes. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 3741-3754.	6.7	20
14	Long non-coding RNAs HERH-1 and HERH-4 facilitate cyclin A2 expression and accelerate cell cycle progression in advanced hepatocellular carcinoma. <i>BMC Cancer</i> , 2021, 21, 957.	2.6	7
15	Investigating the hemostatic effect of medicinal plant <i>Arnebia euchroma</i> (Royle) I.M.Johnst extract in a mouse model. <i>Journal of Ethnopharmacology</i> , 2021, 278, 114306.	4.1	4
16	Kaposi's sarcoma-associated herpesvirus infection promotes proliferation of SH-SY5Y cells by the Notch signaling pathway. <i>Cancer Cell International</i> , 2021, 21, 577.	4.1	3
17	Estradiol increases risk of topoisomerase II $\beta$ -mediated DNA strand breaks to initiate Xp11.2 translocation renal cell carcinoma. <i>Cell Communication and Signaling</i> , 2021, 19, 114.	6.5	3
18	RTA and LANA Competitively Regulate let-7a/RBPJ Signal to Control KSHV Replication. <i>Frontiers in Microbiology</i> , 2021, 12, 804215.	3.5	5

#	ARTICLE	IF	CITATIONS
19	A Risk Prediction Model for Ischemic Stroke in Southern Chinese Population: Impact of Multiple Genetic Variants and Clinical/Lifestyle Factors. <i>Biomedical and Environmental Sciences</i> , 2021, 34, 641-645.	0.2	0
20	and Gene Polymorphisms, Complex Noise, and Lifestyles interactively Affect the Risk of Noise-induced Hearing Loss. <i>Biomedical and Environmental Sciences</i> , 2021, 34, 705-718.	0.2	3
21	Analysis of influential factors of self-reported hearing loss deviation in young adults. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2020, 28, 455-461.	1.6	3
22	Exposure to multiple metals in early pregnancy and gestational diabetes mellitus: A prospective cohort study. <i>Environment International</i> , 2020, 135, 105370.	10.0	95
23	Association of Genetic and Environmental Factors with Non-Alcoholic Fatty Liver Disease in a Chinese Han Population. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5217.	2.6	5
24	Fluvoxamine vs Placebo and Clinical Deterioration in Outpatients With Symptomatic COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 2292.	7.4	421
25	Environmental exposure to lead and cadmium and hearing loss in Chinese adults: A case-control study. <i>PLoS ONE</i> , 2020, 15, e0233165.	2.5	13
26	Association between Leucocyte Telomere Length and Risk of Hearing Loss in the General Population: A Case-Control Study in Zhejiang Province, China. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1881.	2.6	5
27	Model of genetic and environmental factors associated with type 2 diabetes mellitus in a Chinese Han population. <i>BMC Public Health</i> , 2020, 20, 1024.	2.9	7
28	Associations of noise kurtosis, genetic variations in NOX3 and lifestyle factors with noise-induced hearing loss. <i>Environmental Health</i> , 2020, 19, 13.	4.0	9
29	Inhibition of Peptidyl Arginine Deiminase-4 Prevents Renal Ischemia-Reperfusion-Induced Remote Lung Injury. <i>Mediators of Inflammation</i> , 2020, 2020, 1-14.	3.0	24
30	Increased atherogenic index in the general hearing loss population. <i>Open Medicine (Poland)</i> , 2020, 15, 349-357.	1.3	5
31	miR-199a decreases Neuritin expression involved in the development of Alzheimer's disease in APP/PS1 mice. <i>International Journal of Molecular Medicine</i> , 2020, 46, 384-396.	4.0	12
32	Polymorphisms in PCSK9, LDLR, BCMO1, SLC12A3, and KCNJ1 are Associated with Serum Lipid Profile in Chinese Han Population. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3207.	2.6	6
33	Relationship between alcohol use, blood pressure and hypertension: an association study and a Mendelian randomisation study. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 796-801.	3.7	25
34	Arsenic inhibited cholesterol efflux of THP-1 macrophages via ROS-mediated ABCA1 hypermethylation. <i>Toxicology</i> , 2019, 424, 152225.	4.2	19
35	Associations of Genetic Variations in ABCA1 and Lifestyle Factors with Coronary Artery Disease in a Southern Chinese Population with Dyslipidemia: A Nested Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 786.	2.6	4
36	Latency-associated nuclear antigen inhibits lytic replication of Kaposi's sarcoma-associated herpesvirus by regulating let-7a/RBPJ signaling. <i>Virology</i> , 2019, 531, 69-78.	2.4	10

#	ARTICLE	IF	CITATIONS
37	Hearing threshold levels and hearing loss among people in Zhejiang, China: a population-based cross-sectional study. <i>BMJ Open</i> , 2019, 9, e027152.	1.9	12
38	Antimony in urine during early pregnancy correlates with increased risk of gestational diabetes mellitus: A prospective cohort study. <i>Environment International</i> , 2019, 123, 164-170.	10.0	23
39	Current State of Pain Resource Nurse (PRN) Programs and Experiences of PRNs in China. <i>Pain Management Nursing</i> , 2019, 20, 174-182.	0.9	5
40	Associations for BCO2, PCSK9, and TR1B1 Polymorphism and Lifestyle Factors with Ischemic Stroke: A Nested Case-Control Study. <i>Yonsei Medical Journal</i> , 2019, 60, 659.	2.2	9
41	Carotenoid metabolic (BCO1) polymorphisms and personal behaviors modify the risk of coronary atherosclerosis: a nested case-control study in Han Chinese with dyslipidaemia (2013-2016). <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 192-202.	0.4	3
42	Higher serum magnesium concentration is associated with lower hearing thresholds and risk of hearing loss among a Chinese population. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 754-760.	0.4	0
43	Effects of Tai Chi on Self-Efficacy: A Systematic Review. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-21.	1.2	27
44	Transgenerational impaired spermatogenesis with sperm H19 and Gtl2 hypomethylation induced by the endocrine disruptor p,p'-DDE. <i>Toxicology Letters</i> , 2018, 297, 34-41.	0.8	27
45	Interactions between ALDH2 rs671 polymorphism and lifestyle behaviors on coronary artery disease risk in a Chinese Han population with dyslipidemia: A guide to targeted heart health management. <i>Environmental Health and Preventive Medicine</i> , 2018, 23, 29.	3.4	6
46	Associations between social capital and maternal depression: results from a follow-up study in China. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 45.	2.4	13
47	Social capital and antenatal depression among Chinese primiparas: A cross-sectional survey. <i>Psychiatry Research</i> , 2017, 257, 533-539.	3.3	12
48	Recombinant neuritin affects the senescence, apoptosis, proliferation, and migration of rat bone marrow-derived mesenchymal stem cells. <i>Biotechnology Letters</i> , 2017, 39, 1649-1655.	2.2	3
49	Transgenerational pancreatic impairment with Igf2/H19 epigenetic alteration induced by p,p'-DDE exposure in early life. <i>Toxicology Letters</i> , 2017, 280, 222-231.	0.8	23
50	Effects of neuritin on the differentiation of bone marrow-derived mesenchymal stem cells into neuron-like cells. <i>Molecular Medicine Reports</i> , 2017, 16, 3201-3207.	2.4	10
51	Neuritin Inhibits Notch Signaling through Interacted with Neuralized to Promote the Neurite Growth. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 179.	2.9	16
52	Positive association between ALDH2 rs671 polymorphism and essential hypertension: A case-control study and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0177023.	2.5	21
53	Metformin attenuates myocardial ischemia-reperfusion injury via up-regulation of antioxidant enzymes. <i>PLoS ONE</i> , 2017, 12, e0182777.	2.5	48
54	Associations of genetic variation in CASP3 gene with noise-induced hearing loss in a Chinese population: a case-control study. <i>Environmental Health</i> , 2017, 16, 78.	4.0	14

#	ARTICLE	IF	CITATIONS
55	Association between polymorphisms of heat-shock protein 70 genes and noise-induced hearing loss: A meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0188539.	2.5	19
56	Epigenetic Landscape of Kaposi's Sarcoma-Associated Herpesvirus Genome in Classic Kaposi's Sarcoma Tissues. <i>PLoS Pathogens</i> , 2017, 13, e1006167.	4.7	39
57	serine protease inhibitor increases endothelial barrier function. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 7312-7324.	0.5	0
58	Recombinant hNeuritin Promotes Structural and Functional Recovery of Sciatic Nerve Injury in Rats. <i>Frontiers in Neuroscience</i> , 2016, 10, 589.	2.8	17
59	Oncomirs miRNA-221/222 and Tumor Suppressors miRNA-199a/195 Are Crucial miRNAs in Liver Cancer: A Systematic Analysis. <i>Digestive Diseases and Sciences</i> , 2016, 61, 2315-2327.	2.3	33
60	Resveratrol attenuates myocardial ischemia/reperfusion injury through up-regulation of vascular endothelial growth factor B. <i>Free Radical Biology and Medicine</i> , 2016, 101, 1-9.	2.9	60
61	Prevalence of Kaposi's sarcoma associated herpesvirus among men attending sexually transmitted infections clinics in Anhui, China. <i>Journal of Medical Virology</i> , 2016, 88, 304-311.	5.0	6
62	Effect of vegetable consumption on the association between peripheral leucocyte telomere length and hypertension: a case-control study. <i>BMJ Open</i> , 2015, 5, e009305-e009305.	1.9	19
63	Cellular MicroRNA Let-7a Suppresses KSHV Replication through Targeting MAP4K4 Signaling Pathways. <i>PLoS ONE</i> , 2015, 10, e0132148.	2.5	19
64	Protein kinases are potential targets to treat inflammatory bowel disease. <i>World Journal of Gastrointestinal Pharmacology and Therapeutics</i> , 2014, 5, 209.	1.1	12
65	High Efficient Differentiation of Functional Hepatocytes from Porcine Induced Pluripotent Stem Cells. <i>PLoS ONE</i> , 2014, 9, e100417.	2.5	20
66	Hypoxic preconditioning increases iron transport rate in astrocytes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012, 1822, 500-508.	3.8	28
67	Acute myelogenous leukemia-derived SMAD4 mutations target the protein to ubiquitin-proteasome degradation. <i>Human Mutation</i> , 2006, 27, 897-905.	2.5	27