Riitta Antikainen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/125605/publications.pdf

Version: 2024-02-01

38 papers 3,738 citations

16 h-index 27 g-index

38 all docs 38 docs citations

38 times ranked

5371 citing authors

#	Article	IF	Citations
1	Effect of a multi-domain lifestyle intervention on cardiovascular risk in older people: the FINGER trial. European Heart Journal, 2022, 43, 2054-2061.	2.2	26
2	Occupational complexity and cognition in the FINGER multidomain intervention trial. Alzheimer's and Dementia, 2022, 18, 2438-2447.	0.8	4
3	Psychosocial determinants for adherence to a healthy lifestyle and intervention participation in the FINGER trial: an exploratory analysis of a randomised clinical trial. Aging Clinical and Experimental Research, 2022, 34, 1793-1805.	2.9	5
4	Change in CAIDE Dementia Risk Score and Neuroimaging Biomarkers During a 2-Year Multidomain Lifestyle Randomized Controlled Trial: Results of a Post-Hoc Subgroup Analysis. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1407-1414.	3.6	17
5	Evaluation of High Cholesterol and Risk of Dementia and Cognitive Decline in Older Adults Using Individual Patient Meta-Analysis. Dementia and Geriatric Cognitive Disorders, 2021, 50, 318-325.	1.5	15
6	Progress in advance care planning among nursing home residents dying with advanced dementia—Does it make any difference in end-of-life care?. Archives of Gerontology and Geriatrics, 2020, 86, 103955.	3.0	9
7	White Matter Changes on Diffusion Tensor Imaging in the FINGER Randomized Controlled Trial. Journal of Alzheimer's Disease, 2020, 78, 75-86.	2.6	17
8	Effect of berries and fruits on cognitive change during a 2â€year multiâ€domain lifestyle intervention: The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's and Dementia, 2020, 16, e042431.	0.8	1
9	Longâ€term dietary intervention adherence among individuals with elevated risk of dementia: The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's and Dementia, 2020, 16, e045150.	0.8	0
10	High Home Blood Pressure Variability Associates With Exaggerated Blood Pressure Response to Cold Stress. American Journal of Hypertension, 2019, 32, 538-546.	2.0	7
11	Brain volumes and cortical thickness on MRI in the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's Research and Therapy, 2019, 11, 53.	6.2	75
12	Smoking and cancer, cardiovascular and total mortality among older adults: The Finrisk Study. Preventive Medicine Reports, 2019, 14, 100875.	1.8	12
13	Cardiorespiratory Fitness and Cognition: Longitudinal Associations in the FINGER Study. Journal of Alzheimer's Disease, 2019, 68, 961-968.	2.6	38
14	Dietary changes and cognition over 2 years within a multidomain intervention trial—The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's and Dementia, 2019, 15, 410-417.	0.8	63
15	Effect of the Apolipoprotein E Genotype on Cognitive Change During a Multidomain Lifestyle Intervention. JAMA Neurology, 2018, 75, 462.	9.0	136
16	Multidomain lifestyle intervention benefits a large elderly population at risk for cognitive decline and dementia regardless of baseline characteristics: The FINGER trial. Alzheimer's and Dementia, 2018, 14, 263-270.	0.8	236
17	The Effect of a 2-Year Intervention Consisting of Diet, Physical Exercise, Cognitive Training, and Monitoring of Vascular Risk on Chronic Morbidity—the FINGER Randomized Controlled Trial. Journal of the American Medical Directors Association, 2018, 19, 355-360.e1.	2.5	48
18	O3â€05â€05: EFFECTS OF A MULTIDOMAIN LIFESTYLE INTERVENTION ON OVERALL RISK FOR DEMENTIA: THE FINGER RANDOMIZED CONTROLLED TRIAL. Alzheimer's and Dementia, 2018, 14, P1024.	0.8	5

#	Article	IF	CITATIONS
19	P3â€610: USE OF HEALTH CARE SERVICES AMONG OLDER ADULTS PARTICIPATING IN A MULTIDOMAIN LIFESTYLI INTERVENTION TO PREVENT COGNITIVE IMPAIRMENT (FINGER). Alzheimer's and Dementia, 2018, 14, P1363.	E _{0.8}	1
20	Orthostatic hypotension and symptomatic subclinical orthostatic hypotension increase risk of cognitive impairment: an integrated evidence review and analysis of a large older adult hypertensive cohort. European Heart Journal, 2018, 39, 3135-3143.	2.2	57
21	Leisureâ€Time Physical Activity Reduces Total and Cardiovascular Mortality and Cardiovascular Disease Incidence in Older Adults. Journal of the American Geriatrics Society, 2017, 65, 504-510.	2.6	64
22	[P1â€"019]: MULTIDOMAIN LIFESTYLE INTERVENTION BENEFITS A LARGE ELDERLY POPULATION AT RISK FOR COGNITIVE DECLINE: SUBGROUP ANALYSES OF THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P239.	0.8	0
23	[P1–616]: DIETARY INTERVENTION ADHERENCE AND COGNITIVE CHANGES AMONG INDIVIDUALS WITH ELEVATED RISK OF DEMENTIA: THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P532.	0.8	1
24	Antihypertensive treatment decreases arterial stiffness at night but not during the day. Results from the Hypertension in the Very Elderly Trial. Blood Pressure, 2017, 26, 109-114.	1.5	0
25	[P1–071]: MULTIDOMAIN LIFESTYLE INTERVENTION BENEFITS A LARGE ELDERLY POPULATION AT RISK FOR COGNITIVE DECLINE: SUBGROUP ANALYSES OF THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P265.	0.8	O
26	[P3–574]: ASSOCIATIONS OF LEUCOCYTE TELOMERE LENGTH WITH BRAINÂMRIÂAND PIBâ€PET MEASURES: THEÂFINGER STUDY. Alzheimer's and Dementia, 2017, 13, P1199.	0.8	0
27	[P3–579]: IMPACT OF BASELINE BRAIN MRI MEASURES ON COGNITIVE EFFECTS OF A MULTIDOMAIN INTERVENTION: THE FINGER RANDOMIZED CONTROLLED TRIAL. Alzheimer's and Dementia, 2017, 13, P1202.	0.8	0
28	[P3–581]: THE IMPACT OF ADHERENCE TO MULTIDOMAIN LIFESTYLE INTERVENTION ON COGNITION: THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P1203.	0.8	0
29	Baseline Telomere Length and Effects of a Multidomain Lifestyle Intervention on Cognition: The FINGER Randomized Controlled Trial. Journal of Alzheimer's Disease, 2017, 59, 1459-1470.	2.6	20
30	Associations of CAIDE Dementia Risk Score with MRI, PIB-PET measures, andÂcognition. Journal of Alzheimer's Disease, 2017, 59, 695-705.	2.6	44
31	P3-030: White Matter Changes on Diffusion Tensor Imaging in the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). , 2016, 12, P828-P828.		O
32	P1-069: Influence of Apoe, Age, Sex, Education and Baseline Cognition on Intervention Effects on Cognition in the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER)., 2016, 12, P428-P429.		0
33	Geriatric and physically oriented rehabilitation improves the ability of independent living and physical rehabilitation reduces mortality: a randomised comparison of 538 patients. Clinical Rehabilitation, 2015, 29, 892-906.	2.2	33
34	A 2 year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): a randomised controlled trial. Lancet, The, 2015, 385, 2255-2263.	13.7	2,307
35	Cardiac Repolarization and Autonomic Regulation during Short-Term Cold Exposure in Hypertensive Men: An Experimental Study. PLoS ONE, 2014, 9, e99973.	2.5	36
36	Recruitment and Baseline Characteristics of Participants in the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER)—A Randomized Controlled Lifestyle Trial. International Journal of Environmental Research and Public Health, 2014, 11, 9345-9360.	2.6	69

3

#	Article	IF	CITATIONS
37	O1-05-04: A MULTIDOMAIN, TWO-YEAR, RANDOMIZED CONTROLLED TRIAL TO PREVENT COGNITIVE IMPAIRMENT: THE FINGER STUDY. , 2014, 10, P137-P138.		7
38	The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER): Study design and progress. Alzheimer's and Dementia, 2013, 9, 657-665.	0.8	385