

Nan Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1258097/nan-wang-publications-by-year.pdf>
Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87 papers	1,596 citations	23 h-index	37 g-index
91 ext. papers	2,560 ext. citations	4.6 avg, IF	4.74 L-index

#	Paper	IF	Citations
87	Effects of 6S-2 on Apple Tree Growth and Replanted Soil Microbial Environment.. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022 , 8,	5.6	2
86	Effects of Bacillus amyloliquefaciens QSB-6 on the Growth of Replanted Apple Trees and the Soil Microbial Environment. <i>Horticulturae</i> , 2022 , 8, 83	2.5	1
85	Transcription factor McWRKY71 induced by ozone stress regulates anthocyanin and proanthocyanidin biosynthesis in Malus crabapple.. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 232, 113274	7	1
84	Control of Apple Replant Disease Using Mixed Cropping with Brassica juncea or Allium fistulosum. <i>Agriculture (Switzerland)</i> , 2022 , 12, 68	3	0
83	Quicklime and Superphosphate Alleviating Apple Replant Disease by Improving Acidified Soil.. <i>ACS Omega</i> , 2022 , 7, 7920-7930	3.9	
82	The Phlorizin-Degrading XNRB-3 Mediates Soil Microorganisms to Alleviate Apple Replant Disease.. <i>Frontiers in Microbiology</i> , 2022 , 13, 839484	5.7	0
81	MdBAK1 overexpression in apple enhanced resistance to replant disease as well as to the causative pathogen Fusarium oxysporum.. <i>Plant Physiology and Biochemistry</i> , 2022 , 179, 144-157	5.4	0
80	Identification of a biomass unaffected pale green mutant gene in Chinese cabbage (Brassica rapa L. ssp. pekinensis).. <i>Scientific Reports</i> , 2022 , 12, 7731	4.9	0
79	The Endophytic Strain 6S-2: An Efficient Biocontrol Agent against Apple Replant Disease in China and a Potential Plant-Growth-Promoting Fungus.. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	5
78	Development of potent promoters that drive the efficient expression of genes in apple protoplasts. <i>Horticulture Research</i> , 2021 , 8, 211	7.7	2
77	Analyses of the photosynthetic characteristics, chloroplast ultrastructure, and transcriptome of apple (Malus domestica) grown under red and blue lights. <i>BMC Plant Biology</i> , 2021 , 21, 483	5.3	2
76	Ethylene increases the cold tolerance of apple via the MdERF1B-MdCibHLH1 regulatory module. <i>Plant Journal</i> , 2021 , 106, 379-393	6.9	13
75	The MdHY5-MdWRKY41-MdMYB transcription factor cascade regulates the anthocyanin and proanthocyanidin biosynthesis in red-fleshed apple. <i>Plant Science</i> , 2021 , 306, 110848	5.3	8
74	Research progress of fruit color development in apple (Malus domestica Borkh.). <i>Plant Physiology and Biochemistry</i> , 2021 , 162, 267-279	5.4	7
73	Amygdalin and Benzoic Acid on the Influences of the Soil Environment and Growth of Rehd. Seedlings. <i>ACS Omega</i> , 2021 , 6, 12522-12529	3.9	2
72	Brassinolide inhibits flavonoid biosynthesis and red-flesh coloration via the MdBEH2.2-MdMYB60 complex in apple. <i>Journal of Experimental Botany</i> , 2021 , 72, 6382-6399	7	2
71	Genetics and Genomics of Fruit Color Development in Apple. <i>Compendium of Plant Genomes</i> , 2021 , 271-298		1

70	MdbHLH106-like transcription factor enhances apple salt tolerance by upregulating MdNHX1 expression. <i>Plant Cell, Tissue and Organ Culture</i> , 2021 , 145, 333-345	2.7	1
69	MdMYB114 regulates anthocyanin biosynthesis and functions downstream of MdbZIP4-like in apple fruit. <i>Journal of Plant Physiology</i> , 2021 , 257, 153353	3.6	8
68	Effect of Emerging Soil Chemical Amendments on the Replant Soil Environment and Growth of Rehd. Seedlings. <i>ACS Omega</i> , 2021 , 6, 20445-20454	3.9	1
67	Differential effects of phenolic extracts from red-fleshed apple peels and flesh induced G1 cell cycle arrest and apoptosis in human breast cancer MDA-MB-231 cells. <i>Journal of Food Science</i> , 2021 , 86, 4209-4222	3.4	0
66	Analysis of the postharvest storage characteristics of the new red-fleshed apple cultivar 'meihong'. <i>Food Chemistry</i> , 2021 , 354, 129470	8.5	2
65	An emerging chemical fumigant: two-sided effects of dazomet on soil microbial environment and plant response. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	2
64	Comprehensive Analysis of the Influence of Fulvic Acid from Paper Mill Effluent on Soil Properties, Soil Microbiome, and Growth of Rehd. Seedlings under Replant Conditions. <i>ACS Omega</i> , 2021 , 6, 24027-24038	3.8	3
63	Isolation, Identification, and Antibacterial Mechanisms of QSB-6 and Its Effect on Plant Roots. <i>Frontiers in Microbiology</i> , 2021 , 12, 746799	5.7	7
62	MdMYB6 regulates anthocyanin formation in apple both through direct inhibition of the biosynthesis pathway and through substrate removal. <i>Horticulture Research</i> , 2020 , 7, 72	7.7	26
61	How does Malus crabapple resist ozone? Transcriptomics and metabolomics analyses. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 201, 110832	7	4
60	Identification of two recessive etiolation genes (py1, py2) in pakchoi (<i>Brassica rapa</i> L. ssp. <i>chinensis</i>). <i>BMC Plant Biology</i> , 2020 , 20, 68	5.3	4
59	Methylation of MdMYB1 locus mediated by RdDM pathway regulates anthocyanin biosynthesis in apple. <i>Plant Biotechnology Journal</i> , 2020 , 18, 1736-1748	11.6	15
58	Ultraviolet B-induced MdWRKY72 expression promotes anthocyanin synthesis in apple. <i>Plant Science</i> , 2020 , 292, 110377	5.3	13
57	The vacuolar membrane sucrose transporter MdSWEET16 plays essential roles in the cold tolerance of apple. <i>Plant Cell, Tissue and Organ Culture</i> , 2020 , 140, 129-142	2.7	6
56	Role of BrSDG8 on bolting in Chinese cabbage (<i>Brassica rapa</i>). <i>Theoretical and Applied Genetics</i> , 2020 , 133, 2937-2948	6	7
55	Interaction between MdMYB63 and MdERF106 enhances salt tolerance in apple by mediating Na/H transport. <i>Plant Physiology and Biochemistry</i> , 2020 , 155, 464-471	5.4	4
54	HEAT SHOCK FACTOR A8a Modulates Flavonoid Synthesis and Drought Tolerance. <i>Plant Physiology</i> , 2020 , 184, 1273-1290	6.6	29
53	Antioxidant and hepatoprotective effects against acute CCl ₄ -induced liver damage in mice from red-fleshed apple flesh flavonoid extract. <i>Journal of Food Science</i> , 2020 , 85, 3618-3627	3.4	1

52	Transcriptomic and metabolomic analysis provides insights into anthocyanin and procyanidin accumulation in pear. <i>BMC Plant Biology</i> , 2020 , 20, 129	5.3	19
51	The complete chloroplast genome of apple rootstock 'M9'. <i>Mitochondrial DNA Part B: Resources</i> , 2019 , 4, 2187-2188	0.5	
50	Characterization of complete chloroplast genome of L. <i>Mitochondrial DNA Part B: Resources</i> , 2019 , 4, 2357-2358	0.5	1
49	MdCOL4 Interaction Mediates Crosstalk Between UV-B and High Temperature to Control Fruit Coloration in Apple. <i>Plant and Cell Physiology</i> , 2019 , 60, 1055-1066	4.9	25
48	A feedback loop involving MdMYB108L and MdHY5 controls apple cold tolerance. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 512, 381-386	3.4	10
47	The B-box zinc finger protein MdBBX20 integrates anthocyanin accumulation in response to ultraviolet radiation and low temperature. <i>Plant, Cell and Environment</i> , 2019 , 42, 2090-2104	8.4	59
46	The R2R3-MYB transcription factor MdMYB24-like is involved in methyl jasmonate-induced anthocyanin biosynthesis in apple. <i>Plant Physiology and Biochemistry</i> , 2019 , 139, 273-282	5.4	26
45	Members of B-box Protein Family from <i>Malus domestica</i> Enhanced Abiotic Stresses Tolerance in <i>Escherichia coli</i> . <i>Molecular Biotechnology</i> , 2019 , 61, 421-426	3	1
44	Methylome and transcriptome analyses of apple fruit somatic mutations reveal the difference of red phenotype. <i>BMC Genomics</i> , 2019 , 20, 117	4.5	23
43	Characterization of the complete chloroplast genome of var. xiaojinensis. <i>Mitochondrial DNA Part B: Resources</i> , 2019 , 4, 2487-2488	0.5	
42	MdWRKY11 Participates in Anthocyanin Accumulation in Red-Fleshed Apples by Affecting MYB Transcription Factors and the Photoresponse Factor MdHY5. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 8783-8793	5.7	25
41	Investigating the effect of methyl jasmonate and melatonin on resistance of <i>Malus crabapple</i> 'Hong Jiu' to ozone stress. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 27761-27768	5.1	8
40	Molecular mechanism of MYB111 and WRKY40 involved in anthocyanin biosynthesis in red-fleshed apple callus. <i>Plant Cell, Tissue and Organ Culture</i> , 2019 , 139, 467-478	2.7	10
39	Apple NAC transcription factor MdNAC52 regulates biosynthesis of anthocyanin and proanthocyanidin through MdMYB9 and MdMYB11. <i>Plant Science</i> , 2019 , 289, 110286	5.3	38
38	MdMYBDL1 employed by MdHY5 increases anthocyanin accumulation via repression of MdMYB16/308 in apple. <i>Plant Science</i> , 2019 , 283, 32-40	5.3	13
37	MdGSTF6, activated by MdMYB1, plays an essential role in anthocyanin accumulation in apple. <i>Horticulture Research</i> , 2019 , 6, 40	7.7	50
36	MdMYBL2 helps regulate cytokinin-induced anthocyanin biosynthesis in red-fleshed apple (<i>Malus sieversii</i> f. <i>niedzwetzkyana</i>) callus. <i>Functional Plant Biology</i> , 2019 , 46, 187-196	2.7	12
35	Methyl jasmonate enhances apple cold tolerance through the JAZMYC2 pathway. <i>Plant Cell, Tissue and Organ Culture</i> , 2019 , 136, 75-84	2.7	16

34	Overexpression of a repressor MdMYB15L negatively regulates anthocyanin and cold tolerance in red-fleshed callus. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 500, 405-410	3.4	27
33	Nitrogen Affects Anthocyanin Biosynthesis by Regulating MdLOB52 Downstream of MdARF19 in Callus Cultures of Red-Fleshed Apple (<i>Malus sieversii</i> f. <i>niedzwetzkyana</i>). <i>Journal of Plant Growth Regulation</i> , 2018 , 37, 719-729	4.7	9
32	Overexpression of the transcription factor MdbHLH33 increases cold tolerance of transgenic apple callus. <i>Plant Cell, Tissue and Organ Culture</i> , 2018 , 134, 131-140	2.7	9
31	Genome-wide identification and expression analysis of the B-box gene family in the Apple (<i>Malus domestica</i> Borkh.) genome. <i>Molecular Genetics and Genomics</i> , 2018 , 293, 303-315	3.1	39
30	Evolution analysis of Dof transcription factor family and their expression in response to multiple abiotic stresses in <i>Malus domestica</i> . <i>Gene</i> , 2018 , 639, 137-148	3.8	19
29	The proanthocyanidin-specific transcription factor MdMYBPA1 initiates anthocyanin synthesis under low-temperature conditions in red-fleshed apples. <i>Plant Journal</i> , 2018 , 96, 39-55	6.9	64
28	Activation of disease resistance against by downregulating the expression of in apple. <i>Horticulture Research</i> , 2018 , 5, 24	7.7	22
27	Transcriptomic Analysis of Red-Fleshed Apples Reveals the Novel Role of MdWRKY11 in Flavonoid and Anthocyanin Biosynthesis. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 7076-7086	5.7	49
26	Auxin regulates anthocyanin biosynthesis through the Aux/IAA-ARF signaling pathway in apple. <i>Horticulture Research</i> , 2018 , 5, 59	7.7	52
25	: the origin, flavonoid synthesis mechanism, and breeding of red-skinned and red-fleshed apples. <i>Horticulture Research</i> , 2018 , 5, 70	7.7	35
24	Molecular characterization and expression analysis of the critical floral gene MdAGL24-like in red-fleshed apple. <i>Plant Science</i> , 2018 , 276, 189-198	5.3	2
23	The ethylene response factor MdERF1B regulates anthocyanin and proanthocyanidin biosynthesis in apple. <i>Plant Molecular Biology</i> , 2018 , 98, 205-218	4.6	53
22	MYB12 and MYB22 play essential roles in proanthocyanidin and flavonol synthesis in red-fleshed apple (<i>Malus sieversii</i> f. <i>niedzwetzkyana</i>). <i>Plant Journal</i> , 2017 , 90, 276-292	6.9	124
21	Effects of methyl jasmonate and abscisic acid on anthocyanin biosynthesis in callus cultures of red-fleshed apple (<i>Malus sieversii</i> f. <i>niedzwetzkyana</i>). <i>Plant Cell, Tissue and Organ Culture</i> , 2017 , 130, 227-237	2.7	23
20	The molecular mechanism underlying anthocyanin metabolism in apple using the MdMYB16 and MdbHLH33 genes. <i>Plant Molecular Biology</i> , 2017 , 94, 149-165	4.6	78
19	Analysis of the Xyloglucan Endotransglucosylase/Hydrolase Gene Family during Apple Fruit Ripening and Softening. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 429-434	5.7	19
18	Transcriptional Profiles Underlying the Effects of Methyl Jasmonate on Apple Ripening. <i>Journal of Plant Growth Regulation</i> , 2017 , 36, 271-280	4.7	10
17	Genome re-sequencing reveals the history of apple and supports a two-stage model for fruit enlargement. <i>Nature Communications</i> , 2017 , 8, 249	17.4	160

16	MdMYB4 enhances apple callus salt tolerance by increasing MdNHX1 expression levels. <i>Plant Cell, Tissue and Organ Culture</i> , 2017 , 131, 283-293	2.7	13
15	The complete mitochondrial genome sequence of <i>Malus hupehensis</i> var. <i>pinyiensis</i> . <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016 , 27, 2905-6	1.3	2
14	Genome-wide identification and characterization of the apple (<i>Malus domestica</i>) HECT ubiquitin-protein ligase family and expression analysis of their responsiveness to abiotic stresses. <i>Molecular Genetics and Genomics</i> , 2016 , 291, 635-46	3.1	15
13	How to Plant Apple Trees to Reduce Replant Disease in Apple Orchard: A Study on the Phenolic Acid of the Replanted Apple Orchard. <i>PLoS ONE</i> , 2016 , 11, e0167347	3.7	22
12	Construction of a Genetic Linkage Map and QTL Analysis of Fruit-related Traits in an F1 Red Fuji x Hongrou Apple Hybrid. <i>Open Life Sciences</i> , 2016 , 11, 487-497	1.2	8
11	Synergistic effects of light and temperature on anthocyanin biosynthesis in callus cultures of red-fleshed apple (<i>Malus sieversii</i> f. <i>niedzwetzkyana</i>). <i>Plant Cell, Tissue and Organ Culture</i> , 2016 , 127, 217-227	2.7	35
10	Transcriptome profiling reveals auxin suppressed anthocyanin biosynthesis in red-fleshed apple callus (<i>Malus sieversii</i> f. <i>niedzwetzkyana</i>). <i>Plant Cell, Tissue and Organ Culture</i> , 2015 , 123, 389-404	2.7	26
9	Comparative Transcriptomes Analysis of Red- and White-Fleshed Apples in an F1 Population of <i>Malus sieversii</i> f. <i>niedzwetzkyana</i> Crossed with <i>M. domestica</i> 'Fuji'. <i>PLoS ONE</i> , 2015 , 10, e0133468	3.7	22
8	PyMYB10 and PyMYB10.1 Interact with bHLH to Enhance Anthocyanin Accumulation in Pears. <i>PLoS ONE</i> , 2015 , 10, e0142112	3.7	26
7	Identification of Differentially Expressed Genes Associated with Apple Fruit Ripening and Softening by Suppression Subtractive Hybridization. <i>PLoS ONE</i> , 2015 , 10, e0146061	3.7	12
6	Comparison of MdMYB1 sequences and expression of anthocyanin biosynthetic and regulatory genes between <i>Malus domestica</i> Borkh. cultivar 'Balland' and its blushed sport. <i>Euphytica</i> , 2012 , 185, 157-170	2.1	40
5	Three nonfunctional S-haplotypes in self-compatible tetraploid Chinese cherry (<i>Prunus pseudocerasus</i> L. cv. Taixiaohongying). <i>Euphytica</i> , 2010 , 174, 143-151	2.1	6
4	Identification of self-incompatibility (S-) genotypes of Chinese apricot cultivars. <i>Euphytica</i> , 2008 , 160, 241-248	2.1	31
3	Interspecific hybridization of <i>Prunus persica</i> with <i>P. armeniaca</i> and <i>P. salicina</i> using embryo rescue. <i>Plant Cell, Tissue and Organ Culture</i> , 2007 , 88, 289-299	2.7	18
2	Inheritance and Correlation of Self-Compatibility and other Yield Components in the Apricot Hybrid F1 Populations. <i>Euphytica</i> , 2006 , 150, 69-74	2.1	11
1	MdWRKY74 is involved in resistance response to apple replant disease. <i>Plant Growth Regulation</i> , 2011 , 67, 115-124	3.2	0