

Rahul R Salunkhe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1259139/publications.pdf>

Version: 2024-02-01

80
papers

12,095
citations

39113

52
h-index

73587

79
g-index

82
all docs

82
docs citations

82
times ranked

15404
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Mesoporous nano hybrids of 2D Cobalt-Chromium layered double hydroxide and polyoxovanadate anions for high performance hybrid asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2022, 524, 231065. | 4.0 | 22 |
| 2 | Multifunctional nanoarchitected porous carbon for solar steam generation and supercapacitor applications. <i>Sustainable Energy and Fuels</i> , 2022, 6, 1762-1769. | 2.5 | 19 |
| 3 | Two-Dimensional Layered Heterostructures of Nanoporous Carbons Using Reduced Graphene Oxide and Metal-Organic Frameworks. <i>Chemistry of Materials</i> , 2022, 34, 4946-4954. | 3.2 | 24 |
| 4 | Nanoporous Metal Oxides for Supercapacitor Applications. , 2021, , 601-621. | | 2 |
| 5 | Block copolymer-assisted synthesis of VO ₂ (B) microflowers for supercapacitor applications. <i>Chemical Communications</i> , 2021, 57, 13748-13751. | 2.2 | 10 |
| 6 | General template-free strategy for fabricating mesoporous two-dimensional mixed oxide nanosheets via self-deconstruction/reconstruction of monodispersed metal glycerate nanospheres. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5971-5983. | 5.2 | 81 |
| 7 | Three-Dimensional Macroporous Graphitic Carbon for Supercapacitor Application. <i>ChemistrySelect</i> , 2018, 3, 4522-4526. | 0.7 | 15 |
| 8 | Significant Effect of Pore Sizes on Energy Storage in Nanoporous Carbon Supercapacitors. <i>Chemistry - A European Journal</i> , 2018, 24, 6127-6132. | 1.7 | 68 |
| 9 | Zinc Ferrite Anchored Multiwalled Carbon Nanotubes for High-Performance Supercapacitor Applications. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 137-142. | 1.0 | 41 |
| 10 | High surface area nanoporous carbon derived from high quality jute from Bangladesh. <i>Materials Chemistry and Physics</i> , 2018, 216, 491-495. | 2.0 | 24 |
| 11 | Metal-Organic Framework-Derived Nanoporous Metal Oxides toward Supercapacitor Applications: Progress and Prospects. <i>ACS Nano</i> , 2017, 11, 5293-5308. | 7.3 | 988 |
| 12 | High energy density supercapacitors composed of nickel cobalt oxide nanosheets on nanoporous carbon nanoarchitectures. <i>Journal of Materials Chemistry A</i> , 2017, 5, 11834-11839. | 5.2 | 97 |
| 13 | Hollow carbon nanospheres using an asymmetric triblock copolymer structure directing agent. <i>Chemical Communications</i> , 2017, 53, 236-239. | 2.2 | 37 |
| 14 | Nanoarchitected Design of Porous Materials and Nanocomposites from Metal-Organic Frameworks. <i>Advanced Materials</i> , 2017, 29, 1604898. | 11.1 | 732 |
| 15 | Synthesis of MOF-525 Derived Nanoporous Carbons with Different Particle Sizes for Supercapacitor Application. <i>Chemistry - an Asian Journal</i> , 2017, 12, 2857-2862. | 1.7 | 52 |
| 16 | Effect of Various Carbonization Temperatures on ZIF-67 Derived Nanoporous Carbons. <i>Bulletin of the Chemical Society of Japan</i> , 2017, 90, 939-942. | 2.0 | 53 |
| 17 | A Simple Approach to Generate Hollow Carbon Nanospheres Loaded with Uniformly Dispersed Metal Nanoparticles. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 5413-5416. | 1.0 | 3 |
| 18 | Prussian blue derived iron oxide nanoparticles wrapped in graphene oxide sheets for electrochemical supercapacitors. <i>RSC Advances</i> , 2017, 7, 33994-33999. | 1.7 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Controlled growth of polythiophene nanofibers in TiO ₂ nanotube arrays for supercapacitor applications. <i>Journal of Materials Chemistry A</i> , 2017, 5, 172-180. | 5.2 | 76 |
| 20 | Controlled Synthesis of Highly Crystallized Mesoporous Mn ₂ O ₃ and Mn ₃ O ₄ by Using Anionic Surfactants. <i>Chemistry - an Asian Journal</i> , 2016, 11, 667-673. | 1.7 | 11 |
| 21 | Phosphonate-Derived Nanoporous Metal Phosphates and Their Superior Energy Storage Application. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 9790-9797. | 4.0 | 71 |
| 22 | Flexible-wire shaped all-solid-state supercapacitors based on facile electropolymerization of polythiophene with ultra-high energy density. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7406-7415. | 5.2 | 81 |
| 23 | Nanoarchitectures for Metal-Organic Framework-Derived Nanoporous Carbons toward Supercapacitor Applications. <i>Accounts of Chemical Research</i> , 2016, 49, 2796-2806. | 7.6 | 670 |
| 24 | Zeolitic imidazolate framework (ZIF-8) derived nanoporous carbon: the effect of carbonization temperature on the supercapacitor performance in an aqueous electrolyte. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 29308-29315. | 1.3 | 213 |
| 25 | Bimetallic Metal-Organic Frameworks for Controlled Catalytic Graphitization of Nanoporous Carbons. <i>Scientific Reports</i> , 2016, 6, 30295. | 1.6 | 314 |
| 26 | ZIF-8 Derived, Nitrogen-Doped Porous Electrodes of Carbon Polyhedron Particles for High-Performance Electrosorption of Salt Ions. <i>Scientific Reports</i> , 2016, 6, 28847. | 1.6 | 55 |
| 27 | Ultrahigh performance supercapacitors utilizing core-shell nanoarchitectures from a metal-organic framework-derived nanoporous carbon and a conducting polymer. <i>Chemical Science</i> , 2016, 7, 5704-5713. | 3.7 | 236 |
| 28 | Surfactant-assisted synthesis of nanoporous nickel sulfide flakes and their hybridization with reduced graphene oxides for supercapacitor applications. <i>RSC Advances</i> , 2016, 6, 21246-21253. | 1.7 | 45 |
| 29 | Zinc Oxide Encapsulated Carbon Nanotube Thin Films for Energy Storage Applications. <i>Electrochimica Acta</i> , 2016, 192, 377-384. | 2.6 | 57 |
| 30 | A high-performance supercapacitor cell based on ZIF-8-derived nanoporous carbon using an organic electrolyte. <i>Chemical Communications</i> , 2016, 52, 4764-4767. | 2.2 | 394 |
| 31 | Nitrogen-doped hollow carbon spheres with large mesoporous shells engineered from diblock copolymer micelles. <i>Chemical Communications</i> , 2016, 52, 505-508. | 2.2 | 87 |
| 32 | Controlled Synthesis of Nanoporous Nickel Oxide with Two-Dimensional Shapes through Thermal Decomposition of Metal-Cyanide Hybrid Coordination Polymers. <i>Chemistry - A European Journal</i> , 2015, 21, 3509-3509. | 1.7 | 2 |
| 33 | Synthesis and Characterization of NiMoO ₄ Nanorods for Supercapacitor Application. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 3694-3699. | 1.0 | 103 |
| 34 | Cover Picture: Controlled Synthesis of Nanoporous Nickel Oxide with Two-Dimensional Shapes through Thermal Decomposition of Metal-Cyanide Hybrid Coordination Polymers (<i>Chem. Eur. J.</i>) | 1.7 | 10 |
| 35 | Controlled Synthesis of Nanoporous Nickel Oxide with Two-Dimensional Shapes through Thermal Decomposition of Metal-Cyanide Hybrid Coordination Polymers. <i>Chemistry - A European Journal</i> , 2015, 21, 3605-3612. | 1.7 | 64 |
| 36 | Thermal Conversion of Core-Shell Metal-Organic Frameworks: A New Method for Selectively Functionalized Nanoporous Hybrid Carbon. <i>Journal of the American Chemical Society</i> , 2015, 137, 1572-1580. | 6.6 | 1,307 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Asymmetric Supercapacitors Using 3D Nanoporous Carbon and Cobalt Oxide Electrodes Synthesized from a Single Metal-Organic Framework. ACS Nano, 2015, 9, 6288-6296. | 7.3 | 890 |
| 38 | Rational design of coaxial structured carbon nanotube-manganese oxide (CNT-MnO ₂) for energy storage application. Nanotechnology, 2015, 26, 204004. | 1.3 | 55 |
| 39 | Fabrication of Asymmetric Supercapacitors Based on Coordination Polymer Derived Nanoporous Materials. Electrochimica Acta, 2015, 183, 94-99. | 2.6 | 24 |
| 40 | Three-Dimensional Nitrogen-Doped Hierarchical Porous Carbon as an Electrode for High-Performance Supercapacitors. Chemistry - A European Journal, 2015, 21, 17293-17298. | 1.7 | 63 |
| 41 | Large-scale synthesis of coaxial carbon nanotube/Ni(OH) ₂ composites for asymmetric supercapacitor application. Nano Energy, 2015, 11, 211-218. | 8.2 | 439 |
| 42 | Towards Vaporized Molecular Discrimination: A Quartz Crystal Microbalance (QCM) Sensor System Using Cobalt-Containing Mesoporous Graphitic Carbon. Chemistry - an Asian Journal, 2014, 9, 3238-3244. | 1.7 | 33 |
| 43 | Chemical Preparation of Ferroelectric Mesoporous Barium Titanate Thin Films: Drastic Enhancement of Curie Temperature Induced by Mesopore-Derived Strain. Chemistry - A European Journal, 2014, 20, 11283-11286. | 1.7 | 14 |
| 44 | Single-Crystal-Like Nanoporous Spinel Oxides: A Strategy for Synthesis of Nanoporous Metal Oxides Utilizing Metal-Cyanide Hybrid Coordination Polymers. Chemistry - A European Journal, 2014, 20, 17375-17384. | 1.7 | 41 |
| 45 | Fabrication of symmetric supercapacitors based on MOF-derived nanoporous carbons. Journal of Materials Chemistry A, 2014, 2, 19848-19854. | 5.2 | 419 |
| 46 | Presenting highest supercapacitance for TiO ₂ /MWNTs nanocomposites: Novel method. Chemical Engineering Journal, 2014, 247, 103-110. | 6.6 | 62 |
| 47 | Direct Growth of Cobalt Hydroxide Rods on Nickel Foam and Its Application for Energy Storage. Chemistry - A European Journal, 2014, 20, 3084-3088. | 1.7 | 127 |
| 48 | Nanoarchitected Graphene-Based Supercapacitors for Next-Generation Energy Storage Applications. Chemistry - A European Journal, 2014, 20, 13838-13852. | 1.7 | 274 |
| 49 | Direct synthesis of a mesoporous TiO ₂ -RuO ₂ composite through evaporation-induced polymeric micelle assembly. Physical Chemistry Chemical Physics, 2014, 16, 10425-10428. | 1.3 | 15 |
| 50 | Electric Double-Layer Capacitors Based on Highly Graphitized Nanoporous Carbons Derived from ZIF-67. Chemistry - A European Journal, 2014, 20, 7895-7900. | 1.7 | 423 |
| 51 | Large-Scale Synthesis of Reduced Graphene Oxides with Uniformly Coated Polyaniline for Supercapacitor Applications. ChemSusChem, 2014, 7, 1551-1556. | 3.6 | 170 |
| 52 | Platinum-Free Counter Electrode Comprised of Metal-Organic-Framework (MOF)-Derived Cobalt Sulfide Nanoparticles for Efficient Dye-Sensitized Solar Cells (DSSCs). Scientific Reports, 2014, 4, 6983. | 1.6 | 182 |
| 53 | Facile Low-temperature Chemical Synthesis and Characterization of a Manganese Oxide/multi-walled Carbon Nanotube Composite for Supercapacitor Applications. Bulletin of the Korean Chemical Society, 2014, 35, 2974-2978. | 1.0 | 11 |
| 54 | Synthesis and characterization of mesoporous Ni-Co oxy-hydroxides for pseudocapacitor application. Electrochimica Acta, 2013, 94, 104-112. | 2.6 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Aligned nickel-cobalt hydroxide nanorod arrays for electrochemical pseudocapacitor applications. RSC Advances, 2012, 2, 3190. | 1.7 | 130 |
| 56 | Binary metal hydroxide nanorods and multi-walled carbon nanotube composites for electrochemical energy storage applications. Journal of Materials Chemistry, 2012, 22, 21630. | 6.7 | 81 |
| 57 | Temperature impact on morphological evolution of ZnO and its consequent effect on physico-chemical properties. Journal of Alloys and Compounds, 2011, 509, 3486-3492. | 2.8 | 44 |
| 58 | Photosensitive nanostructured TiO ₂ grown at room temperature by novel "bottom-up" approach. Journal of Alloys and Compounds, 2011, 509, 6196-6199. | 2.8 | 38 |
| 59 | Chemical synthesis and electrochemical analysis of nickel cobaltite nanostructures for supercapacitor applications. Journal of Alloys and Compounds, 2011, 509, 6677-6682. | 2.8 | 176 |
| 60 | Hydrophilic polyaniline nanofibrous architecture using electrosynthesis method for supercapacitor application. Current Applied Physics, 2010, 10, 904-909. | 1.1 | 106 |
| 61 | A novel chemical synthesis of Mn ₃ O ₄ thin film and its stepwise conversion into birnessite MnO ₂ during super capacitive studies. Journal of Electroanalytical Chemistry, 2010, 647, 60-65. | 1.9 | 156 |
| 62 | Room temperature LPG sensor based on n-CdS/p-polyaniline heterojunction. Sensors and Actuators B: Chemical, 2010, 145, 205-210. | 4.0 | 69 |
| 63 | A novel chemical synthesis and characterization of Mn ₃ O ₄ thin films for supercapacitor application. Applied Surface Science, 2010, 256, 4411-4416. | 3.1 | 187 |
| 64 | Fabrication of copper oxide multilayer nanosheets for supercapacitor application. Journal of Alloys and Compounds, 2010, 492, 26-30. | 2.8 | 312 |
| 65 | Effect of electron irradiation on properties of chemically deposited TiO ₂ nanorods. Journal of Alloys and Compounds, 2010, 499, 63-67. | 2.8 | 15 |
| 66 | Conversion of interlocked cube-like Mn ₃ O ₄ into nanoflakes of layered birnessite MnO ₂ during supercapacitive studies. Journal of Alloys and Compounds, 2010, 496, 370-375. | 2.8 | 79 |
| 67 | Chemical synthesis and characterization of Mn ₃ O ₄ thin films for supercapacitor application. Journal of Alloys and Compounds, 2010, 497, 166-170. | 2.8 | 155 |
| 68 | Fuzzy nanofibrous network of polyaniline electrode for supercapacitor application. Synthetic Metals, 2010, 160, 519-522. | 2.1 | 85 |
| 69 | Conversion of Chemically Prepared Interlocked Cubelike Mn ₃ O ₄ to Birnessite MnO ₂ Using Electrochemical Cycling. Journal of the Electrochemical Society, 2010, 157, A812. | 1.3 | 107 |
| 70 | Structural, electrical and optical studies of SILAR deposited cadmium oxide thin films: Annealing effect. Materials Research Bulletin, 2009, 44, 364-368. | 2.7 | 62 |
| 71 | Improved response of CdO nanorods towards liquefied petroleum gas (LPG): Effect of Pd sensitization. Sensors and Actuators B: Chemical, 2009, 136, 39-44. | 4.0 | 73 |
| 72 | Sprayed CdO thin films for liquefied petroleum gas (LPG) detection. Sensors and Actuators B: Chemical, 2009, 140, 86-91. | 4.0 | 75 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Synthesis and characterization of cadmium hydroxide nano-nest by chemical route. Applied Surface Science, 2009, 255, 3923-3926. | 3.1 | 31 |
| 74 | An approach towards the growth of polyaniline nanograins by electrochemical route. Applied Surface Science, 2009, 255, 8213-8216. | 3.1 | 26 |
| 75 | Liquefied petroleum gas (LPG) sensing performance of electron beam irradiated chemically deposited TiO ₂ thin films. Sensors and Actuators B: Chemical, 2009, 141, 58-64. | 4.0 | 31 |
| 76 | A novel chemical synthesis of interlocked cubes of hausmannite Mn ₃ O ₄ thin films for supercapacitor application. Journal of Alloys and Compounds, 2009, 484, 218-221. | 2.8 | 97 |
| 77 | Effect of film thickness on liquefied petroleum gas (LPG) sensing properties of SILAR deposited CdO thin films. Sensors and Actuators B: Chemical, 2008, 129, 345-351. | 4.0 | 128 |
| 78 | Liquefied petroleum gas (LPG) sensing properties of nanocrystalline CdO thin films prepared by chemical route: Effect of molarities of precursor solution. Sensors and Actuators B: Chemical, 2008, 133, 296-301. | 4.0 | 75 |
| 79 | Room temperature liquefied petroleum gas (LPG) sensor based on p-polyaniline/n-TiO ₂ heterojunction. Sensors and Actuators B: Chemical, 2008, 134, 988-992. | 4.0 | 139 |
| 80 | Chemically deposited nanocrystalline NiO thin films for supercapacitor application. Applied Surface Science, 2008, 255, 2603-2607. | 3.1 | 227 |