

Ratika Parkash

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1259566/ratika-parkash-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

2,299
citations

22
h-index

47
g-index

99
ext. papers

3,067
ext. citations

5.5
avg, IF

4.43
L-index

#	Paper	IF	Citations
85	Ventricular Tachycardia Ablation versus Escalation of Antiarrhythmic Drugs. <i>New England Journal of Medicine</i> , 2016 , 375, 111-21	59.2	372
84	2016 Focused Update of the Canadian Cardiovascular Society Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 1170-1185	3.8	212
83	2018 Focused Update of the Canadian Cardiovascular Society Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 1371-1392	3.8	144
82	Complications associated with defibrillation threshold testing: the Canadian experience. <i>Heart Rhythm</i> , 2008 , 5, 387-90	6.7	131
81	Approach to the catheter ablation technique of paroxysmal and persistent atrial fibrillation: a meta-analysis of the randomized controlled trials. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 729-38	2.7	96
80	Standardized approaches to the investigation of syncope: Canadian Cardiovascular Society position paper. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 246-53	3.8	91
79	Cardiac resynchronization therapy: a meta-analysis of randomized controlled trials. <i>Cmaj</i> , 2011 , 183, 421-9	3.5	88
78	Clinical predictors of Fidelis lead failure: report from the Canadian Heart Rhythm Society Device Committee. <i>Circulation</i> , 2012 , 125, 1217-25	16.7	84
77	The 2020 Canadian Cardiovascular Society/Canadian Heart Rhythm Society Comprehensive Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 1847-1948	3.8	82
76	Fludrocortisone for the Prevention of Vasovagal Syncope: A Randomized, Placebo-Controlled Trial. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1-9	15.1	74
75	Complications associated with revision of Sprint Fidelis leads: report from the Canadian Heart Rhythm Society Device Advisory Committee. <i>Circulation</i> , 2010 , 121, 2384-7	16.7	69
74	Canadian Cardiovascular Society/Canadian Heart Rhythm Society 2016 Implantable Cardioverter-Defibrillator Guidelines. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 174-188	3.8	60
73	Predicting early mortality after implantable defibrillator implantation: a clinical risk score for optimal patient selection. <i>American Heart Journal</i> , 2006 , 151, 397-403	4.9	60
72	An Integrated Management Approach to Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	53
71	Effect of Aggressive Blood Pressure Control on the Recurrence of Atrial Fibrillation After Catheter Ablation: A Randomized, Open-Label Clinical Trial (SMAC-AF [Substrate Modification With Aggressive Blood Pressure Control]). <i>Circulation</i> , 2017 , 135, 1788-1798	16.7	47
70	Atrial fibrillation in heart failure: high mortality risk even if ventricular function is preserved. <i>American Heart Journal</i> , 2005 , 150, 701-6	4.9	44
69	Risk Factors for Infections Involving Cardiac Implanted Electronic Devices. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2845-2854	15.1	44

68	Canadian Cardiovascular Society guidelines on the use of cardiac resynchronization therapy: evidence and patient selection. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 182-95	3.8	43
67	Failure rate of the Riata lead under advisory: a report from the CHRS Device Committee. <i>Heart Rhythm</i> , 2013 , 10, 692-5	6.7	35
66	Persistent atrial fibrillation: current approach and controversies. <i>Current Opinion in Cardiology</i> , 2010 , 25, 1-7	2.1	32
65	Intramural Ventricular Recording and Pacing in Patients With Refractory Ventricular Tachycardia: Initial Findings and Feasibility With a Retractable Needle Catheter. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 1181-8	6.4	24
64	The impact of warfarin use on clinical outcomes in atrial fibrillation: a population-based study. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 457-61	3.8	24
63	Use of primary prevention implantable cardioverter-defibrillators in a population-based cohort is associated with a significant survival benefit. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, 706-13	6.4	20
62	Cost Effectiveness of Ventricular Tachycardia Ablation Versus Escalation of Antiarrhythmic Drug Therapy: The VANISH Trial. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 660-668	4.6	18
61	Canadian Cardiovascular Society guidelines on the use of cardiac resynchronization therapy: implementation. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1346-60	3.8	17
60	Cardiac Resynchronization Therapy Reduces Ventricular Arrhythmias in Primary but Not Secondary Prophylactic Implantable Cardioverter Defibrillator Patients: Insight From the Resynchronization in Ambulatory Heart Failure Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	16
59	Optimizing primary care management of atrial fibrillation: The rationale and methods of the Integrated Management Program Advancing Community Treatment of Atrial Fibrillation (IMPACT-AF) study. <i>American Heart Journal</i> , 2018 , 201, 149-157	4.9	16
58	Sprint Fidelis lead fractures in patients with cardiac resynchronization therapy devices: insight from the Resynchronization/Defibrillation for Ambulatory Heart Failure (RAFT) study. <i>Circulation</i> , 2012 , 126, 2928-34	16.7	16
57	Canadian Registry of Implantable Electronic Device Outcomes: Surveillance of the Riata Lead Under Advisory. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	15
56	Use of Administrative Data to Monitor Cardiac Implantable Electronic Device Complications. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 100-103	3.8	13
55	Effect of Baseline Antiarrhythmic Drug on Outcomes With Ablation in Ischemic Ventricular Tachycardia: A VANISH Substudy (Ventricular Tachycardia Ablation Versus Escalated Antiarrhythmic Drug Therapy in Ischemic Heart Disease). <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005663	6.4	12
54	Effect of coronary revascularization on long-term clinical outcomes in patients with ischemic cardiomyopathy and recurrent ventricular arrhythmia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 775-779	1.6	12
53	Integrated Management Program Advancing Community Treatment of Atrial Fibrillation (IMPACT-AF): A cluster randomized trial of a computerized clinical decision support tool. <i>American Heart Journal</i> , 2020 , 224, 35-46	4.9	12
52	Cardiac Arrhythmias and Pregnancy. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2018 , 20, 63	2.1	11
51	Insight into the mechanism of failure of the Riata lead under advisory. <i>Heart Rhythm</i> , 2015 , 12, 574-579	6.7	11

50	Short-term dabigatran interruption before cardiac rhythm device implantation: multi-centre experience from the RE-LY trial. <i>Europace</i> , 2017 , 19, 1630-1636	3.9	10
49	Use of implantable cardioverter defibrillators after out-of-hospital cardiac arrest: a prospective follow-up study. <i>Cmaj</i> , 2004 , 171, 1053-6	3.5	10
48	Ventricular Tachycardia Ablation versus Antiarrhythmic-Drug Escalation. <i>New England Journal of Medicine</i> , 2016 , 375, 1499-1500	59.2	10
47	Role of contact force in ischemic scar-related ventricular tachycardia ablation; optimal force required and impact of left ventricular access route. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 53, 323-331	2.4	10
46	Prospective Assessment of an Automated Intraprocedural 12-Lead ECG-Based System for Localization of Early Left Ventricular Activation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008262	6.4	9
45	Safe Cardioversion for Patients With Acute-Onset Atrial Fibrillation and Flutter: Practical Concerns and Considerations. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1296-1300	3.8	9
44	Prescribing of oral anticoagulants in the emergency department and subsequent long-term use by older adults with atrial fibrillation. <i>Cmaj</i> , 2019 , 191, E1345-E1354	3.5	9
43	A randomized ablation-based atrial fibrillation rhythm control versus rate control trial in patients with heart failure and high burden atrial fibrillation: The RAFT-AF trial rationale and design. <i>American Heart Journal</i> , 2021 , 234, 90-100	4.9	8
42	The Canadian Community Utilization of Stroke Prevention Study in Atrial Fibrillation in the Emergency Department (C-CUSP ED). <i>Annals of Emergency Medicine</i> , 2019 , 73, 382-392	2.1	8
41	Benefit of Implantable Cardioverter-Defibrillator Generator Replacement in a Primary Prevention Population-Based Cohort. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 1180-1189	4.6	7
40	The Canadian Cardiovascular Society 2018 guideline update for atrial fibrillation - A different perspective. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 572-575	0.6	7
39	Cardiac Resynchronization in Women: A Substudy of the Resynchronization-Defibrillation for Ambulatory Heart Failure Trial. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 1036-1044	4.6	7
38	2021 CAEP Acute Atrial Fibrillation/Flutter Best Practices Checklist. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 604-610	0.6	7
37	Primary Prevention of Sudden Cardiac Death With Device Therapy in Urban and Rural Populations. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 437-442	3.8	6
36	Sex Differences in Vasovagal Syncope: A Post Hoc Analysis of the Prevention of Syncope Trials (POST) I and II. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 79-83	3.8	6
35	Ventricular tachycardia ablation in arrhythmogenic right ventricular cardiomyopathy patients with TMEM43 gene mutations. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 90-97	2.7	6
34	Integrated Management Approach to Atrial Fibrillation Care: A Cost Utility Analysis. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1142-1148	3.8	5
33	Pulmonary Vein Stenosis After Atrial Fibrillation Ablation: Insights From the ADVICE Trial. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 1965-1974	3.8	5

32	The influence of sex and age on ventricular arrhythmia in a population-based registry. <i>International Journal of Cardiology</i> , 2017 , 244, 169-174	3.2	5
31	Anticoagulation and population risk of stroke and death in incident atrial fibrillation: a population-based cohort study. <i>CMAJ Open</i> , 2016 , 4, E1-6	2.5	5
30	Remote Monitoring of Cardiovascular Implantable Electronic Devices in Canada: Survey of Patients and Device Health Care Professionals. <i>CJC Open</i> , 2021 , 3, 391-399	2	5
29	Management of Implantable Cardioverter Defibrillator Recipients: Care Beyond Guidelines. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 977-990	3.8	4
28	The Effect of Shock Burden on Heart Failure and Mortality. <i>CJC Open</i> , 2019 , 1, 161-167	2	4
27	Body-surface potential mapping to aid ablation of scar-related ventricular tachycardia. <i>Journal of Electrocardiology</i> , 2006 , 39, S87-95	1.4	4
26	Polymorphic ventricular tachycardia due to change in pacemaker programming. <i>HeartRhythm Case Reports</i> , 2017 , 3, 243-247	1	3
25	Mortality Risk Increases With Clustered Ventricular Arrhythmias in Patients With Implantable Cardioverter-Defibrillators. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 327-337	4.6	3
24	Automated intraprocedural localization of origin of ventricular activation using patient-specific computed tomographic imaging. <i>Heart Rhythm</i> , 2020 , 17, 567-575	6.7	3
23	The Effect of Cardiac Rehabilitation and a Specialized Clinic on Outcomes of Patients With Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 382-388	3.8	3
22	Canadian Registry of Implantable Electronic Device Outcomes: Longer-term follow-up of the Riata lead under advisory. <i>Heart Rhythm</i> , 2018 , 15, 524-529	6.7	3
21	Differentiating Ventricular From Supraventricular Arrhythmias Using the Postpacing Interval After Failed Antitachycardia Pacing. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005921	6.4	2
20	Canadian Registry of Implantable Electronic Device Outcomes: Surveillance of High-Voltage Leads. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 808-811	3.8	2
19	Prospective Study of Skipping Meals to Lose Weight as a Predictor of Incident Type 2 Diabetes With Potential Modification by Cardiometabolic Risk Factors: The Canadian 1995 Nova Scotia Health Survey. <i>Canadian Journal of Diabetes</i> , 2021 , 45, 306-312	2.1	2
18	Lead-lead interaction: Interaction with an abandoned implantable cardiac defibrillator externalized lead. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1040-1041	2.7	1
17	RAFF-3 Trial: A Stepped-Wedge Cluster Randomised Trial to Improve Care of Acute Atrial Fibrillation and Flutter in the Emergency Department. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1569-1577	3.8	1
16	Virtual follow-up and care for patients with cardiac electronic implantable devices: protocol for a systematic review. <i>Systematic Reviews</i> , 2020 , 9, 153	3	0
15	Variability in Reassessment of Left Ventricular Ejection Fraction After Myocardial Infarction in the Acute Myocardial Infarction Quality Assurance Canada Study. <i>JAMA Network Open</i> , 2021 , 4, e2136830	10.4	0

14	The effect of revascularization on mortality and risk of ventricular arrhythmia in patients with ischemic cardiomyopathy. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 455	2.3	○
13	Canadian Registry of Electronic Device Outcomes (CREDO): The Abbott ICD Premature Battery Depletion Advisory, a Multicentre Cohort Study. <i>CJC Open</i> , 2021 , 3, 48-53	2	○
12	Remote-only monitoring for patients with cardiac implantable electronic devices: a before-and-after pilot study. <i>CMAJ Open</i> , 2021 , 9, E53-E61	2.5	○
11	Canadian Registry of Electronic Device Outcomes: remote monitoring outcomes in the Abbott battery performance alert-a multicentre cohort. <i>Europace</i> , 2021 , 23, 1319-1323	3.9	○
10	Patient-Reported Outcomes and Patient-Reported Experience of Patients With Atrial Fibrillation in the IMPACT-AF Clinical Trial. <i>Journal of the American Heart Association</i> , 2021 , 10, e019783	6	○
9	Oral anticoagulation for patients with atrial fibrillation in the ED: RE-LY AF registry analysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	○
8	Lessons learned from Integrated Management Program Advancing Community Treatment of Atrial Fibrillation (IMPACT-AF): a pragmatic clinical trial of computerized decision support in primary care. <i>Trials</i> , 2021 , 22, 531	2.8	○
7	Adverse Events Associated With Electrical Cardioversion in Patients With Acute Atrial Fibrillation and Atrial Flutter. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1775-1782	3.8	○
6	The role of brain natriuretic peptide in atrial fibrillation: a substudy of the Substrate Modification with Aggressive Blood Pressure Control for Atrial Fibrillation (SMAC-AF) trial. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 445	2.3	○
5	Canadian Heart Rhythm Society Task Force Report on Physician Training and Maintenance of Competency for Cardiovascular Implantable Electronic Device Therapies: Executive Summary. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1857-1860	3.8	○
4	Response by Parkash et al to Letters Regarding Article, "Effect of Aggressive Blood Pressure Control on the Recurrence of Atrial Fibrillation After Catheter Ablation: A Randomized, Open-Label Clinical Trial (SMAC-AF [Substrate Modification With Aggressive Blood Pressure Control])". <i>Circulation</i> , 2017 , 136, 1271-1272	16.7	
3	Patient and healthcare provider reported barriers and enablers to virtual or remote-only follow-up models for cardiovascular implantable electronic devices: protocol for a qualitative framework synthesis. <i>Systematic Reviews</i> , 2020 , 9, 151	3	
2	Narrow, Intermediate, and Wide Complex Tachycardia: What Is the Mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 494-6	2.7	
1	An Evaluation of Device-Measured Physical Activity Levels of Patients With Nonpermanent Atrial Fibrillation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2021 , 41, 440-442	3.6	