

Ratika Parkash

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1259566/ratika-parkash-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

2,299
citations

22
h-index

47
g-index

99
ext. papers

3,067
ext. citations

5.5
avg, IF

4.43
L-index

#	Paper	IF	Citations
85	An Evaluation of Device-Measured Physical Activity Levels of Patients With Nonpermanent Atrial Fibrillation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2021 , 41, 440-442	3.6	0
84	Variability in Reassessment of Left Ventricular Ejection Fraction After Myocardial Infarction in the Acute Myocardial Infarction Quality Assurance Canada Study. <i>JAMA Network Open</i> , 2021 , 4, e2136830	10.4	0
83	A randomized ablation-based atrial fibrillation rhythm control versus rate control trial in patients with heart failure and high burden atrial fibrillation: The RAFT-AF trial rationale and design. <i>American Heart Journal</i> , 2021 , 234, 90-100	4.9	8
82	RAFF-3 Trial: A Stepped-Wedge Cluster Randomised Trial to Improve Care of Acute Atrial Fibrillation and Flutter in the Emergency Department. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1569-1577	3.8	1
81	Prospective Study of Skipping Meals to Lose Weight as a Predictor of Incident Type 2 Diabetes With Potential Modification by Cardiometabolic Risk Factors: The Canadian 1995 Nova Scotia Health Survey. <i>Canadian Journal of Diabetes</i> , 2021 , 45, 306-312	2.1	2
80	Canadian Registry of Electronic Device Outcomes (CREDO): The Abbott ICD Premature Battery Depletion Advisory, a Multicentre Cohort Study. <i>CJC Open</i> , 2021 , 3, 48-53	2	0
79	Remote Monitoring of Cardiovascular Implantable Electronic Devices in Canada: Survey of Patients and Device Health Care Professionals. <i>CJC Open</i> , 2021 , 3, 391-399	2	5
78	Remote-only monitoring for patients with cardiac implantable electronic devices: a before-and-after pilot study. <i>CMAJ Open</i> , 2021 , 9, E53-E61	2.5	0
77	Canadian Registry of Electronic Device Outcomes: remote monitoring outcomes in the Abbott battery performance alert-a multicentre cohort. <i>Europace</i> , 2021 , 23, 1319-1323	3.9	0
76	2021 CAEP Acute Atrial Fibrillation/Flutter Best Practices Checklist. <i>Canadian Journal of Emergency Medicine</i> , 2021 , 23, 604-610	0.6	7
75	Patient-Reported Outcomes and Patient-Reported Experience of Patients With Atrial Fibrillation in the IMPACT-AF Clinical Trial. <i>Journal of the American Heart Association</i> , 2021 , 10, e019783	6	0
74	Oral anticoagulation for patients with atrial fibrillation in the ED: RE-LY AF registry analysis. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	0
73	Lessons learned from Integrated Management Program Advancing Community Treatment of Atrial Fibrillation (IMPACT-AF): a pragmatic clinical trial of computerized decision support in primary care. <i>Trials</i> , 2021 , 22, 531	2.8	0
72	Adverse Events Associated With Electrical Cardioversion in Patients With Acute Atrial Fibrillation and Atrial Flutter. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1775-1782	3.8	0
71	The role of brain natriuretic peptide in atrial fibrillation: a substudy of the Substrate Modification with Aggressive Blood Pressure Control for Atrial Fibrillation (SMAC-AF) trial. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 445	2.3	0
70	Canadian Heart Rhythm Society Task Force Report on Physician Training and Maintenance of Competency for Cardiovascular Implantable Electronic Device Therapies: Executive Summary. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1857-1860	3.8	0
69	Pulmonary Vein Stenosis After Atrial Fibrillation Ablation: Insights From the ADVICE Trial. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 1965-1974	3.8	5

68	Prospective Assessment of an Automated Intraprocedural 12-Lead ECG-Based System for Localization of Early Left Ventricular Activation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008262	6.4	9
67	Virtual follow-up and care for patients with cardiac electronic implantable devices: protocol for a systematic review. <i>Systematic Reviews</i> , 2020 , 9, 153	3	0
66	Patient and healthcare provider reported barriers and enablers to virtual or remote-only follow-up models for cardiovascular implantable electronic devices: protocol for a qualitative framework synthesis. <i>Systematic Reviews</i> , 2020 , 9, 151	3	
65	Mortality Risk Increases With Clustered Ventricular Arrhythmias in Patients With Implantable Cardioverter-Defibrillators. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 327-337	4.6	3
64	Automated intraprocedural localization of origin of ventricular activation using patient-specific computed tomographic imaging. <i>Heart Rhythm</i> , 2020 , 17, 567-575	6.7	3
63	Sex Differences in Vasovagal Syncope: A Post Hoc Analysis of the Prevention of Syncope Trials (POST) I and II. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 79-83	3.8	6
62	The effect of revascularization on mortality and risk of ventricular arrhythmia in patients with ischemic cardiomyopathy. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 455	2.3	0
61	The 2020 Canadian Cardiovascular Society/Canadian Heart Rhythm Society Comprehensive Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 1847-1948	3.8	82
60	Integrated Management Program Advancing Community Treatment of Atrial Fibrillation (IMPACT-AF): A cluster randomized trial of a computerized clinical decision support tool. <i>American Heart Journal</i> , 2020 , 224, 35-46	4.9	12
59	The Effect of Shock Burden on Heart Failure and Mortality. <i>CJC Open</i> , 2019 , 1, 161-167	2	4
58	The Canadian Cardiovascular Society 2018 guideline update for atrial fibrillation - A different perspective. <i>Canadian Journal of Emergency Medicine</i> , 2019 , 21, 572-575	0.6	7
57	Cardiac Resynchronization in Women: A Substudy of the Resynchronization-Defibrillation for Ambulatory Heart Failure Trial. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 1036-1044	4.6	7
56	Integrated Management Approach to Atrial Fibrillation Care: A Cost Utility Analysis. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1142-1148	3.8	5
55	Use of Administrative Data to Monitor Cardiac Implantable Electronic Device Complications. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 100-103	3.8	13
54	Safe Cardioversion for Patients With Acute-Onset Atrial Fibrillation and Flutter: Practical Concerns and Considerations. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1296-1300	3.8	9
53	Prescribing of oral anticoagulants in the emergency department and subsequent long-term use by older adults with atrial fibrillation. <i>Cmaj</i> , 2019 , 191, E1345-E1354	3.5	9
52	Risk Factors for Infections Involving Cardiac Implanted Electronic Devices. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2845-2854	15.1	44
51	The Effect of Cardiac Rehabilitation and a Specialized Clinic on Outcomes of Patients With Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 382-388	3.8	3

50	The Canadian Community Utilization of Stroke Prevention Study in Atrial Fibrillation in the Emergency Department (C-CUSP ED). <i>Annals of Emergency Medicine</i> , 2019 , 73, 382-392	2.1	8
49	Differentiating Ventricular From Supraventricular Arrhythmias Using the Postpacing Interval After Failed Antitachycardia Pacing. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005921	6.4	2
48	Effect of Baseline Antiarrhythmic Drug on Outcomes With Ablation in Ischemic Ventricular Tachycardia: A VANISH Substudy (Ventricular Tachycardia Ablation Versus Escalated Antiarrhythmic Drug Therapy in Ischemic Heart Disease). <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005663	6.4	12
47	Optimizing primary care management of atrial fibrillation: The rationale and methods of the Integrated Management Program Advancing Community Treatment of Atrial Fibrillation (IMPACT-AF) study. <i>American Heart Journal</i> , 2018 , 201, 149-157	4.9	16
46	Lead-lead interaction: Interaction with an abandoned implantable cardiac defibrillator externalized lead. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1040-1041	2.7	1
45	Cost Effectiveness of Ventricular Tachycardia Ablation Versus Escalation of Antiarrhythmic Drug Therapy: The VANISH Trial. <i>JACC: Clinical Electrophysiology</i> , 2018 , 4, 660-668	4.6	18
44	Cardiac Arrhythmias and Pregnancy. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2018 , 20, 63	2.1	11
43	Effect of coronary revascularization on long-term clinical outcomes in patients with ischemic cardiomyopathy and recurrent ventricular arrhythmia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 775-779	1.6	12
42	Canadian Registry of Implantable Electronic Device Outcomes: Surveillance of High-Voltage Leads. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 808-811	3.8	2
41	Ventricular tachycardia ablation in arrhythmogenic right ventricular cardiomyopathy patients with TMEM43 gene mutations. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 90-97	2.7	6
40	Canadian Registry of Implantable Electronic Device Outcomes: Longer-term follow-up of the Riata lead under advisory. <i>Heart Rhythm</i> , 2018 , 15, 524-529	6.7	3
39	2018 Focused Update of the Canadian Cardiovascular Society Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 1371-1392	3.8	144
38	Role of contact force in ischemic scar-related ventricular tachycardia ablation; optimal force required and impact of left ventricular access route. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 53, 323-331	2.4	10
37	Effect of Aggressive Blood Pressure Control on the Recurrence of Atrial Fibrillation After Catheter Ablation: A Randomized, Open-Label Clinical Trial (SMAC-AF [Substrate Modification With Aggressive Blood Pressure Control]). <i>Circulation</i> , 2017 , 135, 1788-1798	16.7	47
36	Primary Prevention of Sudden Cardiac Death With Device Therapy in Urban and Rural Populations. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 437-442	3.8	6
35	Benefit of Implantable Cardioverter-Defibrillator Generator Replacement in a Primary Prevention Population-Based Cohort. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 1180-1189	4.6	7
34	Management of Implantable Cardioverter Defibrillator Recipients: Care Beyond Guidelines. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 977-990	3.8	4
33	Polymorphic ventricular tachycardia due to change in pacemaker programming. <i>HeartRhythm Case Reports</i> , 2017 , 3, 243-247	1	3

32	Cardiac Resynchronization Therapy Reduces Ventricular Arrhythmias in Primary but Not Secondary Prophylactic Implantable Cardioverter Defibrillator Patients: Insight From the Resynchronization in Ambulatory Heart Failure Trial. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	16
31	Response by Parkash et al to Letters Regarding Article, "Effect of Aggressive Blood Pressure Control on the Recurrence of Atrial Fibrillation After Catheter Ablation: A Randomized, Open-Label Clinical Trial (SMAC-AF [Substrate Modification With Aggressive Blood Pressure Control])". <i>Circulation</i> , 2017 , 136, 1271-1272	16.7	
30	Short-term dabigatran interruption before cardiac rhythm device implantation: multi-centre experience from the RE-LY trial. <i>Europace</i> , 2017 , 19, 1630-1636	3.9	10
29	The influence of sex and age on ventricular arrhythmia in a population-based registry. <i>International Journal of Cardiology</i> , 2017 , 244, 169-174	3.2	5
28	Canadian Cardiovascular Society/Canadian Heart Rhythm Society 2016 Implantable Cardioverter-Defibrillator Guidelines. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 174-188	3.8	60
27	Canadian Registry of Implantable Electronic Device Outcomes: Surveillance of the Riata Lead Under Advisory. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	15
26	Narrow, Intermediate, and Wide Complex Tachycardia: What Is the Mechanism?. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 494-6	2.7	
25	Fludrocortisone for the Prevention of Vasovagal Syncope: A Randomized, Placebo-Controlled Trial. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1-9	15.1	74
24	An Integrated Management Approach to Atrial Fibrillation. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	53
23	Anticoagulation and population risk of stroke and death in incident atrial fibrillation: a population-based cohort study. <i>CMAJ Open</i> , 2016 , 4, E1-6	2.5	5
22	Ventricular Tachycardia Ablation versus Escalation of Antiarrhythmic Drugs. <i>New England Journal of Medicine</i> , 2016 , 375, 111-21	59.2	372
21	2016 Focused Update of the Canadian Cardiovascular Society Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 1170-1185	3.8	212
20	Ventricular Tachycardia Ablation versus Antiarrhythmic-Drug Escalation. <i>New England Journal of Medicine</i> , 2016 , 375, 1499-1500	59.2	10
19	Intramural Ventricular Recording and Pacing in Patients With Refractory Ventricular Tachycardia: Initial Findings and Feasibility With a Retractable Needle Catheter. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 1181-8	6.4	24
18	Insight into the mechanism of failure of the Riata lead under advisory. <i>Heart Rhythm</i> , 2015 , 12, 574-579	6.7	11
17	Canadian Cardiovascular Society guidelines on the use of cardiac resynchronization therapy: implementation. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 1346-60	3.8	17
16	Failure rate of the Riata lead under advisory: a report from the CHRS Device Committee. <i>Heart Rhythm</i> , 2013 , 10, 692-5	6.7	35
15	Canadian Cardiovascular Society guidelines on the use of cardiac resynchronization therapy: evidence and patient selection. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 182-95	3.8	43

14	Sprint Fidelis lead fractures in patients with cardiac resynchronization therapy devices: insight from the Resynchronization/Defibrillation for Ambulatory Heart Failure (RAFT) study. <i>Circulation</i> , 2012 , 126, 2928-34	16.7	16
13	Clinical predictors of Fidelis lead failure: report from the Canadian Heart Rhythm Society Device Committee. <i>Circulation</i> , 2012 , 125, 1217-25	16.7	84
12	Use of primary prevention implantable cardioverter-defibrillators in a population-based cohort is associated with a significant survival benefit. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2012 , 5, 706-13	6.4	20
11	Standardized approaches to the investigation of syncope: Canadian Cardiovascular Society position paper. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 246-53	3.8	91
10	Approach to the catheter ablation technique of paroxysmal and persistent atrial fibrillation: a meta-analysis of the randomized controlled trials. <i>Journal of Cardiovascular Electrophysiology</i> , 2011 , 22, 729-38	2.7	96
9	Cardiac resynchronization therapy: a meta-analysis of randomized controlled trials. <i>Cmaj</i> , 2011 , 183, 421-9	3.5	88
8	Complications associated with revision of Sprint Fidelis leads: report from the Canadian Heart Rhythm Society Device Advisory Committee. <i>Circulation</i> , 2010 , 121, 2384-7	16.7	69
7	Persistent atrial fibrillation: current approach and controversies. <i>Current Opinion in Cardiology</i> , 2010 , 25, 1-7	2.1	32
6	Complications associated with defibrillation threshold testing: the Canadian experience. <i>Heart Rhythm</i> , 2008 , 5, 387-90	6.7	131
5	The impact of warfarin use on clinical outcomes in atrial fibrillation: a population-based study. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 457-61	3.8	24
4	Body-surface potential mapping to aid ablation of scar-related ventricular tachycardia. <i>Journal of Electrocardiology</i> , 2006 , 39, S87-95	1.4	4
3	Predicting early mortality after implantable defibrillator implantation: a clinical risk score for optimal patient selection. <i>American Heart Journal</i> , 2006 , 151, 397-403	4.9	60
2	Atrial fibrillation in heart failure: high mortality risk even if ventricular function is preserved. <i>American Heart Journal</i> , 2005 , 150, 701-6	4.9	44
1	Use of implantable cardioverter defibrillators after out-of-hospital cardiac arrest: a prospective follow-up study. <i>Cmaj</i> , 2004 , 171, 1053-6	3.5	10