

# Jianji Pan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1259806/publications.pdf>

Version: 2024-02-01

102  
papers

4,897  
citations

87843

38  
h-index

98753

67  
g-index

103  
all docs

103  
docs citations

103  
times ranked

4637  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Factors for Overall Survival in Nasopharyngeal Cancer and Implication for TNM Staging by UICC: A Systematic Review of the Literature. <i>Frontiers in Oncology</i> , 2021, 11, 703995.	1.3	25
2	Prognosis of nasopharyngeal carcinoma with insufficient radical dose to the primary site in the intensity-modulated radiotherapy era. <i>Head and Neck</i> , 2019, 41, 3516-3524.	0.9	3
3	Chinese expert consensus on diagnosis and treatment of nasopharyngeal carcinoma: evidence from current practice and future perspectives. <i>Cancer Management and Research</i> , 2019, Volume 11, 6365-6376.	0.9	26
4	Stanniocalcin 2 (STC2) expression promotes post-radiation survival, migration and invasion of nasopharyngeal carcinoma cells. <i>Cancer Management and Research</i> , 2019, Volume 11, 6411-6424.	0.9	19
5	10-Year Locoregional Control with Postoperative External Beam Radiotherapy in Patients with Locally Advanced High-Risk Non-Anaplastic Thyroid Carcinoma De Novo or at Relapse, a Propensity Score Analysis. <i>Cancers</i> , 2019, 11, 849.	1.7	7
6	Prognostic value of radiologic extranodal extension and its potential role in future N classification for nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2019, 99, 104438.	0.8	43
7	Maintenance chemotherapy using S-1 following definitive chemoradiotherapy in patients with N3 nasopharyngeal carcinoma. <i>Radiation Oncology</i> , 2019, 14, 182.	1.2	21
8	High-grade radiologic extranodal extension predicts distant metastasis in stage II nasopharyngeal carcinoma. <i>Head and Neck</i> , 2019, 41, 3317-3327.	0.9	29
9	Depicting distant metastatic risk by refined subgroups derived from the 8th edition nasopharyngeal carcinoma TNM. <i>Oral Oncology</i> , 2019, 91, 113-120.	0.8	8
10	Human blood test based on surface-enhanced Raman spectroscopy technology using different excitation light for nasopharyngeal cancer detection. <i>IET Nanobiotechnology</i> , 2019, 13, 942-945.	1.9	5
11	Longitudinal Assessment of Intravoxel Incoherent Motion Diffusion Weighted Imaging in Evaluating the Radio-sensitivity of Nasopharyngeal Carcinoma Treated with Intensity-Modulated Radiation Therapy. <i>Cancer Research and Treatment</i> , 2019, 51, 345-356.	1.3	17
12	Autofluorescence and white light imaging-guided endoscopic Raman and diffuse reflectance spectroscopy for in vivo nasopharyngeal cancer detection. <i>Journal of Biophotonics</i> , 2018, 11, e201700251.	1.1	37
13	EBV-miR-BART8-3p induces epithelial-mesenchymal transition and promotes metastasis of nasopharyngeal carcinoma cells through activating NF- $\kappa$ B and Erk1/2 pathways. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 283.	3.5	66
14	Metal Carbonyls for the Biointerference-Free Ratiometric Surface-Enhanced Raman Spectroscopy-Based Assay for Cell-Free Circulating DNA of Epstein-Barr Virus in Blood. <i>Analytical Chemistry</i> , 2018, 90, 7139-7147.	3.2	29
15	NF- $\kappa$ B Signaling Regulates Epstein-Barr Virus BamHI-Q-Driven EBNA1 Expression. <i>Cancers</i> , 2018, 10, 119.	1.7	13
16	Silver nanoparticle based surface-enhanced Raman spectroscopy for label-free discrimination of diabetic albumin under near-infrared laser excitation. <i>Laser Physics Letters</i> , 2018, 15, 095703.	0.6	8
17	Analysis of the Expression of Surface Receptors on NK Cells and NKG2D on Immunocytes in Peripheral Blood of Patients with Nasopharyngeal Carcinoma. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018, 19, 661-665.	0.5	6
18	Changes in Tumor Volumes and Spatial Locations Relative to Normal Tissues During Cervical Cancer Radiotherapy Assessed by Cone Beam Computed Tomography. <i>Technology in Cancer Research and Treatment</i> , 2017, 16, 246-252.	0.8	10

#	ARTICLE	IF	CITATIONS
19	Prognostic effect of parotid area lymph node metastases after preliminary diagnosis of nasopharyngeal carcinoma: a propensity score matching study. <i>Cancer Medicine</i> , 2017, 6, 2213-2221.	1.3	21
20	Patterns and rates of abdominal lymphatic metastasis following esophageal carcinoma. <i>PLoS ONE</i> , 2017, 12, e0185424.	1.1	16
21	Pretreatment Serum Lactate Dehydrogenase Level as an Independent Prognostic Factor of Nasopharyngeal Carcinoma in the Intensity-Modulated Radiation Therapy Era. <i>Medical Science Monitor</i> , 2017, 23, 437-445.	0.5	15
22	Decreased expression of the NKG2D ligand ULBP4 may be an indicator of poor prognosis in patients with nasopharyngeal carcinoma. <i>Oncotarget</i> , 2017, 8, 42007-42019.	0.8	14
23	Prognostic Evaluation of Nasopharyngeal Carcinoma with Bone-Only Metastasis after Therapy. <i>Yonsei Medical Journal</i> , 2016, 57, 840.	0.9	18
24	Benefit of percutaneous endoscopic gastrostomy in patients undergoing definitive chemoradiotherapy for locally advanced nasopharyngeal carcinoma. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 6835-6841.	1.0	17
25	Multimodality Treatment May Improve the Survival Rate of Patients with Metastatic Nasopharyngeal Carcinoma with Good Performance Status. <i>PLoS ONE</i> , 2016, 11, e0146771.	1.1	30
26	Locoregionally advanced nasopharyngeal carcinoma in childhood and adolescence: Analysis of 95 patients treated with combined chemotherapy and intensity-modulated radiotherapy. <i>Head and Neck</i> , 2016, 38, E665-72.	0.9	16
27	Early discrimination of nasopharyngeal carcinoma based on tissue deoxyribose nucleic acid surface-enhanced Raman spectroscopy analysis. <i>Journal of Biomedical Optics</i> , 2016, 21, 125003.	1.4	6
28	Label-free discrimination of different stage nasopharyngeal carcinoma tissue based on Raman spectroscopy. <i>Oncology Letters</i> , 2016, 11, 2590-2594.	0.8	12
29	Identification of different tumor states in nasopharyngeal cancer using surface-enhanced Raman spectroscopy combined with Lasso-PLS-DA algorithm. <i>RSC Advances</i> , 2016, 6, 7760-7764.	1.7	16
30	NF- $\kappa$ B Signaling Regulates Expression of Epstein-Barr Virus BART MicroRNAs and Long Noncoding RNAs in Nasopharyngeal Carcinoma. <i>Journal of Virology</i> , 2016, 90, 6475-6488.	1.5	73
31	Gemcitabine plus cisplatin versus fluorouracil plus cisplatin in recurrent or metastatic nasopharyngeal carcinoma: a multicentre, randomised, open-label, phase 3 trial. <i>Lancet, The</i> , 2016, 388, 1883-1892.	6.3	406
32	Genetic variations in the PI3K-PTEN-AKT-mTOR pathway are associated with distant metastasis in nasopharyngeal carcinoma patients treated with intensity-modulated radiation therapy. <i>Scientific Reports</i> , 2016, 6, 37576.	1.6	22
33	Non-invasive detection of nasopharyngeal carcinoma using saliva surface-enhanced Raman spectroscopy. <i>Oncology Letters</i> , 2016, 11, 884-890.	0.8	40
34	Long-term survival of nasopharyngeal carcinoma patients with Stage II in intensity-modulated radiation therapy era. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 241-247.	0.6	38
35	International randomized phase 2 study on the addition of docetaxel to the combination of cisplatin and 5-fluorouracil in the induction treatment for nasopharyngeal carcinoma in children and adolescents. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 289-298.	1.1	57
36	Unidimensional Measurement May Evaluate Target Lymph Nodal Response After Induction Chemotherapy for Nasopharyngeal Carcinoma. <i>Medicine (United States)</i> , 2016, 95, e2667.	0.4	4

#	ARTICLE	IF	CITATIONS
37	Whole-exome sequencing identifies <i>MST1R</i> as a genetic susceptibility gene in nasopharyngeal carcinoma. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3317-3322.	3.3	71
38	Parotid area lymph node metastases from preliminarily diagnosed patients with nasopharyngeal carcinoma: report on tumor characteristics and oncologic outcomes. Oncotarget, 2016, 7, 19654-19665.	0.8	6
39	Evolution of the Chinese staging system for nasopharyngeal carcinoma. Chinese Clinical Oncology, 2016, 5, 19-19.	0.4	19
40	Suggestions for Lymph Node Classification of UICC/AJCC Staging System. Medicine (United States), 2015, 94, e808.	0.4	33
41	Prognostic value of MRI-derived masticator space involvement in IMRT-treated nasopharyngeal carcinoma patients. Radiation Oncology, 2015, 10, 204.	1.2	17
42	Diffusion kurtosis imaging predicts neoadjuvant chemotherapy responses within 4 days in advanced nasopharyngeal carcinoma patients. Journal of Magnetic Resonance Imaging, 2015, 42, 1354-1361.	1.9	50
43	Intravoxel Incoherent Motion-Magnetic Resonance Imaging as an Early Predictor of Treatment Response to Neoadjuvant Chemotherapy in Locoregionally Advanced Nasopharyngeal Carcinoma. Medicine (United States), 2015, 94, e973.	0.4	46
44	Surface-enhanced Raman spectroscopy of saliva proteins for the noninvasive differentiation of benign and malignant breast tumors. International Journal of Nanomedicine, 2015, 10, 537.	3.3	101
45	A Comparison Between the Chinese 2008 and the 7th Edition AJCC Staging Systems for Nasopharyngeal Carcinoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 2015, 38, 189-196.	0.6	78
46	Platinum-based chemotherapy plus cetuximab first-line for Asian patients with recurrent and/or metastatic squamous cell carcinoma of the head and neck: Results of an open-label, single-arm, multicenter trial. Head and Neck, 2015, 37, 1081-1087.	0.9	22
47	Impact of intensity-modulated radiotherapy on nasopharyngeal carcinoma: Validation of the 7th edition AJCC staging system. Oral Oncology, 2015, 51, 254-259.	0.8	75
48	Development of a rapid macro-Raman spectroscopy system for nasopharyngeal cancer detection based on surface-enhanced Raman spectroscopy. Applied Physics Letters, 2015, 106, .	1.5	11
49	The Prognosis of Nasopharyngeal Carcinoma Involving Masticatory Muscles. Medicine (United States), 2015, 94, e420.	0.4	13
50	Circulating Epstein-Barr virus microRNA miR-BART7 and miR-BART13 as biomarkers for nasopharyngeal carcinoma diagnosis and treatment. International Journal of Cancer, 2015, 136, E301-12.	2.3	107
51	Does MRI-Detected Cranial Nerve Involvement Affect the Prognosis of Locally Advanced Nasopharyngeal Carcinoma Treated with Intensity Modulated Radiotherapy?. PLoS ONE, 2014, 9, e100571.	1.1	10
52	Cervical lymph node metastasis classified as regional nodal staging in thoracic esophageal squamous cell carcinoma after radical esophagectomy and three-field lymph node dissection. BMC Surgery, 2014, 14, 110.	0.6	19
53	Advantages of intensity modulated radiotherapy in recurrent T1-2 nasopharyngeal carcinoma: a retrospective study. BMC Cancer, 2014, 14, 797.	1.1	15
54	The Correlation Between the Comprehensive Nutrition Index and Quality of Life of Patients with Nasopharyngeal Carcinoma Treated by Intensity-Modulated Radiotherapy. Nutrition and Cancer, 2014, 66, 152-158.	0.9	13

#	ARTICLE	IF	CITATIONS
55	Survival analyses correlate stanniocalcin 2 overexpression to poor prognosis of nasopharyngeal carcinomas. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014, 33, 26.	3.5	43
56	Diffusion-weighted magnetic resonance imaging for early response assessment of chemoradiotherapy in patients with nasopharyngeal carcinoma. <i>Magnetic Resonance Imaging</i> , 2014, 32, 630-637.	1.0	71
57	Will weight loss cause significant dosimetric changes of target volumes and organs at risk in nasopharyngeal carcinoma treated with intensity-modulated radiation therapy?. <i>Medical Dosimetry</i> , 2014, 39, 34-37.	0.4	33
58	Surface-enhanced Raman spectroscopy for differentiation between benign and malignant thyroid tissues. <i>Laser Physics Letters</i> , 2014, 11, 045602.	0.6	30
59	Update report of nasopharyngeal carcinoma treated with reduced-volume intensity-modulated radiation therapy and hypothesis of the optimal margin. <i>Radiotherapy and Oncology</i> , 2014, 110, 385-389.	0.3	109
60	Label-free blood plasma test based on surface-enhanced Raman scattering for tumor stages detection in nasopharyngeal cancer. <i>Scientific Reports</i> , 2014, 4, 4751.	1.6	108
61	Is it necessary to repeat CT imaging and replanning during the course of intensity-modulated radiation therapy for locoregionally advanced nasopharyngeal carcinoma?. <i>Japanese Journal of Radiology</i> , 2013, 31, 593-599.	1.0	12
62	Postoperative Radiation Therapy With or Without Concurrent Chemotherapy for Node-Positive Thoracic Esophageal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 671-677.	0.4	49
63	Addition of intracavitary brachytherapy to external beam radiation therapy for T1â€”T2 nasopharyngeal carcinoma. <i>Brachytherapy</i> , 2013, 12, 479-486.	0.2	14
64	Raman microspectroscopy as a diagnostic tool to study single living nasopharyngeal carcinoma cell lines. <i>Biochemistry and Cell Biology</i> , 2013, 91, 182-186.	0.9	5
65	Blood plasma surface-enhanced Raman spectroscopy for non-invasive optical detection of cervical cancer. <i>Analyst</i> , 2013, 138, 3967.	1.7	156
66	Prognostic significance of expression of cyclooxygenaseâ€”2, vascular endothelial growth factor, and epidermal growth factor receptor in nasopharyngeal carcinoma. <i>Head and Neck</i> , 2013, 35, 1238-1247.	0.9	37
67	Micro-Raman spectroscopy study of cancerous and normal nasopharyngeal tissues. <i>Journal of Biomedical Optics</i> , 2013, 18, 027003.	1.4	44
68	Value of Magnetic Resonance Diffusionâ€”Weighted Imaging for the Prediction of Radiosensitivity in Nasopharyngeal Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 149, 707-713.	1.1	49
69	Early Assessment of Induction Chemotherapy Response of Nasopharyngeal Carcinoma by Pretreatment Diffusion-Weighted Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2013, 37, 673-680.	0.5	23
70	Recombinant adenovirus-p53 (Gendicine) sensitizes a pancreatic carcinoma cell line to radiation. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2013, 25, 715-21.	0.7	11
71	Combined High-dose Radiation Therapy and Systemic Chemotherapy Improves Survival in Patients With Newly Diagnosed Metastatic Nasopharyngeal Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2012, 35, 474-479.	0.6	70
72	Label-free serum ribonucleic acid analysis for colorectal cancer detection by surface-enhanced Raman spectroscopy and multivariate analysis. <i>Journal of Biomedical Optics</i> , 2012, 17, 067003.	1.4	48

#	ARTICLE	IF	CITATIONS
73	Number and Location of Positive Nodes, Postoperative Radiotherapy, and Survival After Esophagectomy With Three-Field Lymph Node Dissection for Thoracic Esophageal Squamous Cell Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 475-482.	0.4	76
74	Intensity-Modulated Radiation Therapy in the Salvage of Locally Recurrent Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 676-683.	0.4	107
75	Preliminary study of the internal margin of the gross tumor volume in thoracic esophageal cancer. <i>Cancer Radiotherapie: Journal De La Societe Francaise De Radiotherapie Oncologique</i> , 2012, 16, 595-600.	0.6	3
76	Diagnostic potential for gold nanoparticle-based surface-enhanced Raman spectroscopy to provide colorectal cancer screening using blood serum sample. <i>Proceedings of SPIE</i> , 2012, , .	0.8	0
77	Surface-enhanced Raman spectroscopy of creatinine in silver colloid. <i>Proceedings of SPIE</i> , 2012, , .	0.8	5
78	Quantitative study of lung perfusion SPECT scanning and pulmonary function testing for early radiation-induced lung injury in patients with locally advanced non-small cell lung cancer. <i>Experimental and Therapeutic Medicine</i> , 2012, 3, 631-635.	0.8	12
79	Fractal Analysis of Two-Photon Microscopic Images for Diagnosis of Nasopharyngeal Cancer. <i>Scanning</i> , 2012, 34, 399-403.	0.7	6
80	Surface-enhanced Raman scattering spectroscopy for potential noninvasive nasopharyngeal cancer detection. <i>Journal of Raman Spectroscopy</i> , 2012, 43, 497-502.	1.2	43
81	Early changes in apparent diffusion coefficients predict radiosensitivity of human nasopharyngeal carcinoma xenografts. <i>Laryngoscope</i> , 2012, 122, 839-843.	1.1	18
82	Colorectal cancer detection by gold nanoparticle based surface-enhanced Raman spectroscopy of blood serum and statistical analysis. <i>Optics Express</i> , 2011, 19, 13565.	1.7	242
83	A novel blood plasma analysis technique combining membrane electrophoresis with silver nanoparticle-based SERS spectroscopy for potential applications in noninvasive cancer detection. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2011, 7, 655-663.	1.7	133
84	The initial results of Epstein-Barr virus (EBV)-encoded latent membrane protein-1 (LMP-1) for screening nasopharyngeal carcinoma (NPC). <i>Chinese-German Journal of Clinical Oncology</i> , 2011, 10, 51-55.	0.1	1
85	Study on gastric cancer blood plasma based on surface-enhanced Raman spectroscopy combined with multivariate analysis. <i>Science China Life Sciences</i> , 2011, 54, 828-834.	2.3	80
86	Gastric cancer detection based on blood plasma surface-enhanced Raman spectroscopy excited by polarized laser light. <i>Biosensors and Bioelectronics</i> , 2011, 26, 3167-3174.	5.3	196
87	Significance of Primary Tumor Volume and T-stage on Prognosis in Nasopharyngeal Carcinoma Treated with Intensity-modulated Radiation Therapy. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 537-542.	0.6	72
88	Sequential chemotherapy and intensity-modulated radiation therapy in the management of locoregionally advanced nasopharyngeal carcinoma: Experience of 370 consecutive cases. <i>BMC Cancer</i> , 2010, 10, 39.	1.1	143
89	Postoperative Radiotherapy Improved Survival of Poor Prognostic Squamous Cell Carcinoma Esophagus. <i>Annals of Thoracic Surgery</i> , 2010, 90, 435-442.	0.7	70
90	Nasopharyngeal cancer detection based on blood plasma surface-enhanced Raman spectroscopy and multivariate analysis. <i>Biosensors and Bioelectronics</i> , 2010, 25, 2414-2419.	5.3	393

#	ARTICLE	IF	CITATIONS
91	A novel nasopharyngeal cancer detection based on plasma SERS combined with PCA-LDA statistical analysis. Proceedings of SPIE, 2010, , .	0.8	0
92	Raman micro-spectroscopy for classification of nasopharyngeal tissue in vitro. Proceedings of SPIE, 2010, , .	0.8	1
93	Factors associated with overall survival in 1706 patients with nasopharyngeal carcinoma: Significance of intensive neoadjuvant chemotherapy and radiation break. Radiotherapy and Oncology, 2010, 96, 94-99.	0.3	52
94	Intensity-Modulated Radiation Therapy Without Concurrent Chemotherapy for Stage IIB Nasopharyngeal Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 2010, 33, 294-299.	0.6	57
95	The pattern and prevalence of lymphatic spread in thoracic oesophageal squamous cell carcinoma. European Journal of Cardio-thoracic Surgery, 2009, 36, 480-486.	0.6	91
96	The surface enhanced Raman spectroscopy of DCM in silver colloid. , 2009, , .		0
97	Raman spectral study of anti-angiogenic drugs on the role of chick vascular. Proceedings of SPIE, 2009, , .	0.8	2
98	Nasopharyngeal Carcinoma Treated With Reduced-Volume Intensity-Modulated Radiation Therapy: Report on the 3-Year Outcome of a Prospective Series. International Journal of Radiation Oncology Biology Physics, 2009, 75, 1071-1078.	0.4	224
99	Raman spectroscopic analysis of cytotoxic effect of cisplatin-treated leukemic cells. Proceedings of SPIE, 2009, , .	0.8	2
100	The Clinical Significance of Coexpression of Cyclooxygenasesâ€², Vascular Endothelial Growth Factors, and Epidermal Growth Factor Receptor in Nasopharyngeal Carcinoma. Laryngoscope, 2008, 118, 1970-1975.	1.1	43
101	Preliminary study on Raman spectra of nasopharyngeal carcinoma in vitro. Proceedings of SPIE, 2007, , .	0.8	0
102	Is Gemcitabine and Cisplatin Induction Chemotherapy Superior in Locoregionally Advanced Nasopharyngeal Carcinoma?. Pakistan Journal of Medical Sciences, 1969, 31, 781-6.	0.3	12