

Ji-Bin Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1260305/publications.pdf>

Version: 2024-02-01

100
papers

2,219
citations

279798

23
h-index

289244

40
g-index

105
all docs

105
docs citations

105
times ranked

2590
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Hepatic arterial infusion of oxaliplatin plus fluorouracil/leucovorin vs. sorafenib for advanced hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2018, 69, 60-69. | 3.7 | 153 |
| 2 | Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy alone in locoregionally advanced nasopharyngeal carcinoma: long-term results of a phase III multicentre randomised controlled trial. <i>European Journal of Cancer</i> , 2019, 119, 87-96. | 2.8 | 150 |
| 3 | Efficacy and Safety of Locoregional Radiotherapy With Chemotherapy vs Chemotherapy Alone in De Novo Metastatic Nasopharyngeal Carcinoma. <i>JAMA Oncology</i> , 2020, 6, 1345. | 7.1 | 137 |
| 4 | Concurrent chemoradiotherapy with nedaplatin versus cisplatin in stage II-IVB nasopharyngeal carcinoma: an open-label, non-inferiority, randomised phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 461-473. | 10.7 | 118 |
| 5 | Effect of Capecitabine Maintenance Therapy Using Lower Dosage and Higher Frequency vs Observation on Disease-Free Survival Among Patients With Early-Stage Triple-Negative Breast Cancer Who Had Received Standard Treatment. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 50. | 7.4 | 113 |
| 6 | Arterial Chemotherapy of Oxaliplatin Plus Fluorouracil Versus Sorafenib in Advanced Hepatocellular Carcinoma: A Biomolecular Exploratory, Randomized, Phase III Trial (FOHAIC-1). <i>Journal of Clinical Oncology</i> , 2022, 40, 468-480. | 1.6 | 98 |
| 7 | Establishment and validation of M1 stage subdivisions for de novo metastatic nasopharyngeal carcinoma to better predict prognosis and guide treatment. <i>European Journal of Cancer</i> , 2017, 77, 117-126. | 2.8 | 80 |
| 8 | Insomnia partially mediated the association between problematic Internet use and depression among secondary school students in China. <i>Journal of Behavioral Addictions</i> , 2017, 6, 554-563. | 3.7 | 69 |
| 9 | Online social networking addiction and depression: The results from a large-scale prospective cohort study in Chinese adolescents. <i>Journal of Behavioral Addictions</i> , 2018, 7, 686-696. | 3.7 | 65 |
| 10 | Concurrent Chemoradiotherapy with or without Anti-EGFR-Targeted Treatment for Stage II-IVb Nasopharyngeal Carcinoma: Retrospective Analysis with a Large Cohort and Long Follow-up. <i>Theranostics</i> , 2017, 7, 2314-2324. | 10.0 | 61 |
| 11 | DNA damage inducible-gene expression following platinum treatment in human ovarian carcinoma cell lines. <i>Cancer Chemotherapy and Pharmacology</i> , 1996, 39, 245-253. | 2.3 | 55 |
| 12 | Regorafenib plus toripalimab in patients with metastatic colorectal cancer: a phase Ib/II clinical trial and gut microbiome analysis. <i>Cell Reports Medicine</i> , 2021, 2, 100383. | 6.5 | 49 |
| 13 | Elective upper-neck versus whole-neck irradiation of the uninvolved neck in patients with nasopharyngeal carcinoma: an open-label, non-inferiority, multicentre, randomised phase 3 trial. <i>Lancet Oncology</i> , The, 2022, 23, 479-490. | 10.7 | 43 |
| 14 | Association between thyroid dysfunction and type 2 diabetes: a meta-analysis of prospective observational studies. <i>BMC Medicine</i> , 2021, 19, 257. | 5.5 | 39 |
| 15 | Potential impact of internet addiction and protective psychosocial factors onto depression among Hong Kong Chinese adolescents – direct, mediation and moderation effects. <i>Comprehensive Psychiatry</i> , 2016, 70, 41-52. | 3.1 | 38 |
| 16 | Cetuximab or nimotuzumab plus intensity-modulated radiotherapy versus cisplatin plus intensity-modulated radiotherapy for stage II-IVb nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2017, 141, 1265-1276. | 5.1 | 38 |
| 17 | Willingness to Use and Adhere to HIV Pre-Exposure Prophylaxis (PrEP) among Men Who Have Sex with Men (MSM) in China. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2620. | 2.6 | 38 |
| 18 | Validation of the Social Networking Activity Intensity Scale among Junior Middle School Students in China. <i>PLoS ONE</i> , 2016, 11, e0165695. | 2.5 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effect of Pregabalin on Radiotherapy-Related Neuropathic Pain in Patients With Head and Neck Cancer: A Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 135-143. | 1.6 | 36 |
| 20 | Metabolic Syndrome: Prevalence and Risk Factors in Southern China. <i>Journal of International Medical Research</i> , 2010, 38, 1142-1148. | 1.0 | 34 |
| 21 | Universal screening for Lynch syndrome in a large consecutive cohort of Chinese colorectal cancer patients: High prevalence and unique molecular features. <i>International Journal of Cancer</i> , 2019, 144, 2161-2168. | 5.1 | 34 |
| 22 | Ablation Reboots the Response in Advanced Hepatocellular Carcinoma With Stable or Atypical Response During PD-1 Therapy: A Proof-of-Concept Study. <i>Frontiers in Oncology</i> , 2020, 10, 580241. | 2.8 | 31 |
| 23 | Quantitative analysis of neurite orientation dispersion and density imaging in grading gliomas and detecting IDH-1 gene mutation status. <i>NeuroImage: Clinical</i> , 2018, 19, 174-181. | 2.7 | 28 |
| 24 | Deintensified Chemoradiotherapy for Pretreatment Epstein-Barr Virus DNA-Selected Low-Risk Locoregionally Advanced Nasopharyngeal Carcinoma: A Phase II Randomized Noninferiority Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 1163-1173. | 1.6 | 25 |
| 25 | Why is Internet gaming disorder more prevalent among Chinese male than female adolescents? The role of cognitive mediators. <i>Addictive Behaviors</i> , 2021, 112, 106637. | 3.0 | 24 |
| 26 | Hepatic Artery Infusion Chemotherapy Using Fluorouracil, Leucovorin, and Oxaliplatin versus Transarterial Chemoembolization as Initial Treatment for Locally Advanced Hepatocellular Carcinoma: A Propensity Score-Matching Analysis. <i>Journal of Vascular and Interventional Radiology</i> , 2021, 32, 1267-1276.e1. | 0.5 | 24 |
| 27 | A positive association between dietary sodium intake and obesity and central obesity: results from the National Health and Nutrition Examination Survey 1999-2006. <i>Nutrition Research</i> , 2018, 55, 33-44. | 2.9 | 22 |
| 28 | Longitudinal associations between BMI change and the risks of colorectal cancer incidence, cancer-related and all-cause mortality among 81,388 older adults. <i>BMC Cancer</i> , 2019, 19, 1082. | 2.6 | 22 |
| 29 | Radiation Oncologists'™ Perceptions of Adopting an Artificial Intelligence-Assisted Contouring Technology: Model Development and Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e27122. | 4.3 | 22 |
| 30 | Hepatic Arterial Infusion of Oxaliplatin, Fluorouracil, and Leucovorin in Hepatocellular Cancer with Extrahepatic Spread. <i>Journal of Vascular and Interventional Radiology</i> , 2019, 30, 349-357.e2. | 0.5 | 21 |
| 31 | Beneficial effects of anti-EGFR agents, Cetuximab or Nimotuzumab, in combination with concurrent chemoradiotherapy in advanced nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2018, 80, 1-8. | 1.5 | 20 |
| 32 | Surgery for isolated regional failure in nasopharyngeal carcinoma after radiation: Selective or comprehensive neck dissection. <i>Laryngoscope</i> , 2019, 129, 387-395. | 2.0 | 20 |
| 33 | Adjuvant chemotherapy for small, lymph node-negative, triple-negative breast cancer: A single-center study and a meta-analysis of the published literature. <i>Cancer</i> , 2020, 126, 3837-3846. | 4.1 | 20 |
| 34 | Sentinel lymph node biopsy versus pelvic lymphadenectomy in early-stage cervical cancer: a multi-center randomized trial (PHENIX/CSEM 010). <i>International Journal of Gynecological Cancer</i> , 2020, 30, 1829-1833. | 2.5 | 20 |
| 35 | Classification of probable online social networking addiction: A latent profile analysis from a large-scale survey among Chinese adolescents. <i>Journal of Behavioral Addictions</i> , 2020, 9, 698-708. | 3.7 | 20 |
| 36 | The Effects of Ganglioside-Monosialic Acid in Taxane-Induced Peripheral Neurotoxicity in Patients with Breast Cancer: A Randomized Trial. <i>Journal of the National Cancer Institute</i> , 2020, 112, 55-62. | 6.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Validation of the Chinese Version of the Revised Internet Gaming Cognition Scale among Adolescents in China: Maladaptive Cognitions as Potential Determinants of Internet Gaming Disorder. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 290. | 2.6 | 19 |
| 38 | AJCC 8th edition prognostic staging provides no better discriminatory ability in prognosis than anatomical staging in triple negative breast cancer. <i>BMC Cancer</i> , 2020, 20, 18. | 2.6 | 19 |
| 39 | Impact of L4 lymph node dissection on long-term survival in left-side operable non-small-cell lung cancer: a propensity score matching study. <i>European Journal of Cardio-thoracic Surgery</i> , 2020, 57, 1181-1188. | 1.4 | 19 |
| 40 | High leukocyte mtDNA content contributes to poor prognosis through ROS-mediated immunosuppression in hepatocellular carcinoma patients. <i>Oncotarget</i> , 2016, 7, 22834-22845. | 1.8 | 19 |
| 41 | Impact of ER β and CD44 expression on the prognosis of patients with stage II colon cancer. <i>Tumor Biology</i> , 2012, 33, 1907-1914. | 1.8 | 17 |
| 42 | Impulsivity, Self-control, Interpersonal Influences, and Maladaptive Cognitions as Factors of Internet Gaming Disorder Among Adolescents in China: Cross-sectional Mediation Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e26810. | 4.3 | 17 |
| 43 | Low willingness to pay for pre-exposure prophylaxis (PrEP) among men who have sex with men (MSM) in China. <i>BMC Public Health</i> , 2020, 20, 337. | 2.9 | 16 |
| 44 | Hypofractionated Intensity Modulated Radiation Therapy With Concurrent Chemotherapy in Locally Advanced Non-Small Cell Lung Cancer: A Phase II Prospective Clinical Trial (GASTO1011). <i>Practical Radiation Oncology</i> , 2021, 11, 374-383. | 2.1 | 15 |
| 45 | HIV incidence and sexual behavioral correlates among 4578 men who have sex with men (MSM) in Chengdu, China: a retrospective cohort study. <i>BMC Public Health</i> , 2021, 21, 802. | 2.9 | 13 |
| 46 | Validation of the nonmotor symptoms questionnaire for Parkinson's disease: results from a Chinese pilot study. <i>International Journal of Neuroscience</i> , 2015, 125, 929-935. | 1.6 | 12 |
| 47 | Maladaptive cognitions, loneliness, and social anxiety as potential moderators of the association between Internet gaming time and Internet gaming disorder among adolescent Internet gamers in China. <i>Addictive Behaviors</i> , 2022, 129, 107239. | 3.0 | 12 |
| 48 | Clinical characteristics and prognostic implications of BRCA-associated tumors in males: a pan-tumor survey. <i>BMC Cancer</i> , 2020, 20, 994. | 2.6 | 10 |
| 49 | Prevalence and temporal trends of presarcopenia metrics and related body composition measurements from the 1999 to 2006 NHANES. <i>BMJ Open</i> , 2020, 10, e034495. | 1.9 | 10 |
| 50 | Learning curve of robotic portal lobectomy for pulmonary neoplasms: A prospective observational study. <i>Thoracic Cancer</i> , 2021, 12, 1431-1440. | 1.9 | 10 |
| 51 | Different effects of ER β and TROP2 expression in Chinese patients with early-stage colon cancer. <i>Tumor Biology</i> , 2012, 33, 2227-2235. | 1.8 | 9 |
| 52 | Problematic Internet Use and Smoking among Chinese Junior Secondary Students: The Mediating Role of Depressive Symptomatology and Family Support. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5053. | 2.6 | 9 |
| 53 | Nomogram to Predict Cancer Specific Survival in Patients with Pathological Stage IA Non-small Cell Lung Cancer. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2022, 34, 1040-1048. | 0.6 | 8 |
| 54 | Nomogram for the prediction of primary distant metastasis of nasopharyngeal carcinoma to guide individualized application of FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2586-2598. | 6.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | An early report of a screening program for colorectal cancer in Guangzhou, China. <i>Annals of Translational Medicine</i> , 2019, 7, 604-604. | 1.7 | 8 |
| 56 | Developing and validating an integrated gross tumor volume (GTV)-TNM stratification system for supplementing unresectable locally advanced non-small cell lung cancer treated with concurrent chemoradiotherapy. <i>Radiation Oncology</i> , 2020, 15, 260. | 2.7 | 7 |
| 57 | Prostate cryoablation combined with androgen deprivation therapy for newly diagnosed metastatic prostate cancer: a propensity score-based study. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 837-844. | 3.9 | 7 |
| 58 | Determination of follistatin-like protein 1 expression in colorectal cancer and its association with clinical outcomes. <i>Annals of Translational Medicine</i> , 2019, 7, 606-606. | 1.7 | 7 |
| 59 | Prolonged surveillance of colorectal cancer patients after curative surgeries beyond five years of follow-up. <i>Annals of Translational Medicine</i> , 2019, 7, 608-608. | 1.7 | 7 |
| 60 | Gender Differences in Factors Associated with Clinically Meaningful Weight Loss among Adults Who Were Overweight or Obese: A Population-Based Cohort Study. <i>Obesity Facts</i> , 2021, 14, 108-120. | 3.4 | 7 |
| 61 | Dose-volume analysis of predictors for acute anal toxicity after radiotherapy in prostate cancer patients. <i>Radiation Oncology</i> , 2019, 14, 174. | 2.7 | 6 |
| 62 | Docetaxel and nedaplatin twice a week with concurrent definitive radiotherapy in inoperable esophageal squamous cell carcinoma: A phase I trial (GASTO-1021). <i>Radiotherapy and Oncology</i> , 2021, 155, 105-112. | 0.6 | 6 |
| 63 | Awareness and Potential Impacts of the Medicalization of Internet Gaming Disorder: Cross-sectional Survey Among Adolescents in China. <i>Journal of Medical Internet Research</i> , 2021, 23, e22393. | 4.3 | 6 |
| 64 | Hepatic artery infusion chemotherapy (HAIC) combined with apatinib and camrelizumab for hepatocellular carcinoma (HCC) in BCLC stage c: A prospective, single-arm, phase II trial (TRIPLER). <i>Journal of Clinical Oncology</i> , 2021, 39, 1000-1009. | 10.6 | 10 |
| 65 | Analyses of the factors influencing the accuracy of three-dimensional ultrasound in comparison with cone-beam CT in image-guided radiotherapy for prostate cancer with or without pelvic lymph node irradiation. <i>Radiation Oncology</i> , 2019, 14, 22. | 2.7 | 5 |
| 66 | TROP2 overexpression in colorectal liver oligometastases is associated with poor prognosis after liver resection. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591989754. | 3.2 | 5 |
| 67 | A phase I study to evaluate the application of photocyanine using pharmacokinetic and pharmacodynamic analysis in patients with malignancy. <i>Cancer Chemotherapy and Pharmacology</i> , 2020, 86, 267-276. | 2.3 | 5 |
| 68 | Low value of whole-body dual-modality [18f]fluorodeoxyglucose positron emission tomography/computed tomography in primary staging of stage I nasopharyngeal carcinoma: a nested case-control study. <i>European Radiology</i> , 2021, 31, 5222-5233. | 4.5 | 5 |
| 69 | Hepatic artery infusion chemotherapy combined with apatinib and toripalimab in advanced hepatocellular carcinoma: Real-world data from a single center. <i>Journal of Clinical Oncology</i> , 2020, 38, e16602-e16602. | 1.6 | 5 |
| 70 | Effect and Safety of Prophylactic Parecoxib for Pain Control of Transarterial Chemoembolization in Liver Cancer: A Single-Center, Parallel-Group, Randomized Trial. <i>Journal of the American College of Radiology</i> , 2022, 19, 61-70. | 1.8 | 5 |
| 71 | Factors associated with adherence to colonoscopy among individuals who were positive in the preliminary screening for colorectal neoplasms. <i>Cancer Medicine</i> , 2022, . | 2.8 | 5 |
| 72 | Computational fluid dynamics for investigation of saliva pressure in parotid obstruction. <i>Laryngoscope</i> , 2012, 122, 1051-1056. | 2.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Associations between Serum Sex Hormone Concentrations and Telomere Length among U.S. Adults, 1999–2002. <i>Journal of Nutrition, Health and Aging</i> , 2020, 24, 48-54. | 3.3 | 4 |
| 74 | Efficacy of Transnasal Endoscopic Fine-Needle Aspiration Biopsy in Diagnosing Submucosal Nasopharyngeal Carcinoma. <i>Laryngoscope</i> , 2021, 131, 1798-1804. | 2.0 | 4 |
| 75 | Roles of Psychosocial Factors on the Association Between Online Social Networking Use Intensity and Depressive Symptoms Among Adolescents: Prospective Cohort Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e21316. | 4.3 | 4 |
| 76 | Comparison and quantification of different concurrent chemotherapy regimens with radiotherapy in locally advanced non-small cell lung cancer: Clinical outcomes and theoretical results from an extended LQ and TCP model. <i>Radiotherapy and Oncology</i> , 2022, 167, 34-41. | 0.6 | 4 |
| 77 | Core Needle Biopsy Targeting the Viable Area of Deep-Sited Dominant Lesion Verified by Color Doppler and/or Contrast-Enhanced Ultrasound Contribute to the Actionable Diagnosis of the Patients Suspicious of Lymphoma. <i>Frontiers in Oncology</i> , 2020, 10, 500153. | 2.8 | 3 |
| 78 | Is major pathologic response sufficient to predict survival in resectable nonsmall-cell lung cancer patients receiving neoadjuvant chemotherapy?. <i>Thoracic Cancer</i> , 2021, 12, 1336-1346. | 1.9 | 3 |
| 79 | De-intensified chemoradiotherapy for locoregionally advanced nasopharyngeal carcinoma based on plasma EBV DNA: A phase 2 randomized noninferiority trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 110-110. | 1.6 | 3 |
| 80 | Reply to Z. McCaw and L-J. Wei. <i>Journal of Clinical Oncology</i> , 2019, 37, 1034-1034. | 1.6 | 2 |
| 81 | Efficacy of Moxifloxacin plus Treatment of Physician's Choice in Patients with Metastatic Breast Cancer. <i>Oncologist</i> , 2020, 25, e1439-e1445. | 3.7 | 2 |
| 82 | Anlotinib plus sintilimab in patients with recurrent advanced endometrial cancer: A prospective open-label, single-arm, phase II clinical trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 5583-5583. | 1.6 | 2 |
| 83 | Development and validation of a normal tissue complication probability model for acquired nasal cavity stenosis and atresia after radical radiotherapy for nasopharyngeal carcinoma. <i>Radiotherapy and Oncology</i> , 2021, 160, 9-17. | 0.6 | 2 |
| 84 | The beneficial effect of Escalated-dose R-CHOP21 for the treatment of diffuse large B-cell lymphoma in elderly male patients: A propensity-matched cohort study. <i>Cancer Medicine</i> , 2021, 10, 7650-7664. | 2.8 | 2 |
| 85 | Smartphone non-users experience disproportionately higher psychological distress than their counterparts: Mediations via psychosocial resources in a large sample of college students in China. <i>Journal of Affective Disorders</i> , 2022, 296, 41-48. | 4.1 | 2 |
| 86 | Factors associated with positive predictive value of preliminary screening in a two-step screening strategy for colorectal neoplasms in China. <i>Discover Oncology</i> , 2022, 13, 4. | 2.1 | 2 |
| 87 | Cost-Effectiveness analysis of combining plasma Epstein-Barr virus DNA testing and different surveillance imaging modalities for nasopharyngeal carcinoma patients in first remission. <i>Oral Oncology</i> , 2022, 128, 105851. | 1.5 | 2 |
| 88 | Associations of intensity and emotional connection related to online social networking use on the risk of incident depression among Chinese adolescents: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 308, 116-122. | 4.1 | 2 |
| 89 | Gaps in Training in Interdisciplinary Social and Behavioral Sciences and Applications Among Undergraduate and Graduate Students in the 22 Top-Ranked Schools of Public Health in China. <i>Asia-Pacific Journal of Public Health</i> , 2018, 30, 252-265. | 1.0 | 1 |
| 90 | Comparison of T2N0M0 and T3aN0M0 in Predicting the Prognosis of Patients With Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 564631. | 2.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Longitudinal Trend of Health-Related Quality of Life During Concurrent Chemoradiotherapy and Survival in Patients With Stage IIâ€“IVb Nasopharyngeal Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 579292. | 2.8 | 1 |
| 92 | Impact of Time to Castration Resistance on Cytoreductive Radiotherapy in Metastatic Castration-Resistant Prostate Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 606133. | 2.8 | 1 |
| 93 | Very tall female young adults tended to be smokers: A large-scale exploratory cross-sectional survey of 26,405 college students in China. <i>Journal of American College Health</i> , 0, , 1-8. | 1.5 | 1 |
| 94 | INTERPOLATION OF MISSING VALUES AND ADJUSTMENT OF MOVING HOLIDAY EFFECT IN TIME SERIES. , 2015, , 1379-1411. | | 0 |
| 95 | Exploration of Racial Differences in Reproductive Factors for Breast Cancer among Women aged 55-74. <i>Journal of Cancer</i> , 2018, 9, 469-478. | 2.5 | 0 |
| 96 | Response to â€œLimitations of the Hazard Ratio as a Summary Measure in Cancer Clinical Trialsâ€. <i>Journal of Thoracic Oncology</i> , 2021, 16, e87-e88. | 1.1 | 0 |
| 97 | Safety and Effectiveness of Hepatic Arterial Infusion Chemotherapy Combined With Tyrosine Kinase Inhibitors and Immune Checkpoint Inhibitors for Advanced Hepatocellular Carcinoma in BCLC Stage C. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 98 | Abstract P5-06-19: AJCC 8th edition prognostic staging system provide no better discriminatory ability in prognosis than anatomical staging system in triple negative breast cancer: A cohort from two institutions and a large population based study. , 2020, , . | | 0 |
| 99 | Evaluating Long-term Efficacy of Neoadjuvant Chemoradiotherapy Plus Surgery for the Treatment of Locally Advanced Esophageal Squamous Cell Carcinomaâ€”Reply. <i>JAMA Surgery</i> , 2022, , . | 4.3 | 0 |
| 100 | Efficacy of neoadjuvant hyperthermic intraperitoneal chemotherapy in advanced high-grade serous ovarian cancer (the NHIPEC trial): study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e046415. | 1.9 | 0 |