
## Achmad Munir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1261732/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Wideband Dual-Polarized 3D Printed Quad-Ridged Horn Antenna. IEEE Access, 2022, 10, 8036-8048.	4.2	23
2	Experimental Verification For Magnon and Photon Generation using YIG-Loaded Planar Resonator. , 2022, , .		0
3	Characterization of Compact Ovoidal Printed Antenna with Windowed Groundplane. , 2022, , .		3
4	Utilization of CSRR and DGS on Wideband SIW Bandpass Filter. , 2022, , .		4
5	Development of Circularly Polarized Ring-shaped Array Antenna for L-band Radar Application. , 2022, , .		4
6	Performance Comparison of FBP and CS Methods on Microwave Tomography. , 2021, , .		1
7	Energy Management System with IoT Connectivity for Portable Solar Power Plant. , 2021, , .		5
8	Android-based Disaster Management Application for After-Disaster Rapid Mobile Assessment. , 2021, , .		2
9	Analysis of Square Patch-based Electromagnetics Wave Absorber Frequency Response Using Transmission Line Model. , 2021, , .		3
10	Implementation of Circular Waveguide Band Pass Filter using Artificial Dielectric Resonator for Transverse Electric Propagation Mode. , 2021, , .		1
11	Design of Proximity Coupled Linear Antenna Array Using Kaiser Power Weighted Function. , 2021, , .		3
12	Experimental Validation of Dual-Polarized Aluminium-based Ridged Horn Antenna. , 2021, , .		1
13	Proximity Coupled Square Patch Array Antenna for L-Band Radar with Sequential Phase Feeding Network. , 2021, , .		2
14	Development of Filtering Power Divider for WLAN Application Using SIW Bandpass Filter. , 2021, , .		7
15	Interpolation Effect on FBP-Based Image Reconstruction of Measured L-Band Microwave Tomography. , 2021, , .		1
16	Design and Characterization of ADM-based Dual-band SIW Bandpass Filter. , 2021, , .		5
17	Experimental Approach of L-Band Microwave Tomography and Its Image Reconstruction Using CS Method. , 2021, , .		1
18	Experimental Investigation of Wave Absorber Made of Ring Resonator-Based AMC Structure. , 2021, , .		0

#	Article	IF	CITATIONS
19	Implementation and Experimental Characterization of Dual-Band Wearable Reflector Composed of AMC Structure for Wireless Communication. , 2021, , .		2
20	Implementation of Dolph-Chebyshev Window on Proximity-Fed Circularly Polarized Array Slotted Square Patch Antenna. , 2021, , .		3
21	Cut-Off Frequency Analysis of Ridged Rectangular Waveguide Based on Its Equivalent Circuit. , 2021, , .		1
22	Bandwidth Enhancement of Wideb and Sensor Using Triangle-to-Oval Patch Geometric Change for EMC Measurement. , 2021, , .		4
23	Simulation and Experimental Study of Electromagnetic Heating for Heavy Oil Stimulation. , 2021, , .		2
24	Characteristic Performance of L-Band Waveguide BPF Made of Substrate Integrated Structure. , 2021, , .		3
25	AMC-Based Dualband Microstrip Antenna for Wireless Communication. , 2021, , .		Ο
26	Characterization of SIW-Based 5.8 Ghz Monopulse Antenna Using Type-V Linear Slot. , 2021, , .		1
27	Implementation of Non-Uniform Slot for Radiation Characteristics Improvement of Slot Substrate Integrated Waveguide Antenna. , 2021, , .		3
28	Experimental Investigation of ADM-based Microstrip Square Patch Antenna with Resonant Frequency Lowering Characteristic. , 2020, , .		1
29	Characterization of Power Weighted Linear Antenna Array Using Kaiser Function in Comparison with Uniform Distribution. , 2020, , .		1
30	Circularly Polarized Square Patch Array Antenna with Multiple Rectangular-Slots Fed by Proximity Coupling Technique. , 2020, , .		7
31	Analytical Comparison of Blackman and Kaiser Functions for Power Weighted Linear Array Antennas with Small Number of Elements. , 2020, , .		1
32	Two-stage S-Band LNA Development Using Non-Simultaneous Conjugate Match Technique. Journal of ICT Research and Applications, 2020, 13, 213.	0.8	3
33	AMC-based Dual-Band Wearable Reflector and Its Characterization with Dipole Antenna. , 2020, , .		1
34	Utilization of Filtered Back Projection and Compressive Sensing Methods on Microwave Tomography and Its Comparative Analysis. , 2020, , .		1
35	Meander Line-based Wilkinson Power Divider for Unmanned Aerial Vehicle Application. , 2020, , .		3
36	Narrowband BPF Made of Waveguide Loaded by SRR-based Frequency Selective Surfaces. , 2020, , .		1

#	Article	IF	CITATIONS
37	Accuracy Analysis of Transmission Phase-Shift Method for Material Characterization. , 2020, , .		0
38	Experimental Characterization of Compact Slotted Substrate-Integrated-Waveguide Array Antenna. , 2020, , .		3
39	Characterization of EM Wave Absorber Configured by Axially Symmetrical C-Shaped Planar Structure. , 2020, , .		3
40	Experimental Study on Polarization of X-Band Wave Absorber Configured by An Array of SRR with Thin Wire. , 2020, , .		1
41	Performance Analysis of 2.4 GHz Slotted Substrate Integrated Waveguide Array Antenna. , 2020, , .		6
42	Implementation of Meander Line Structure for Size Miniaturization of $4 ilde{A}-4$ Butler Matrix. , 2020, , .		5
43	Performance Analysis of Waveguide BPF Configured by SRR-Based Frequency Selective Surface and Its Equivalent Circuit. , 2020, , .		2
44	Comparison of Image Reconstruction on Microwave Tomography Using Filtered Back Projection. , 2020, , .		5
45	Performance Characterization of Aluminium-based Dual-Polarized Wideband Quad-Ridged Horn Antenna. , 2020, , .		3
46	Performance Analysis of Equivalent Circuit on UWB Microstrip BPF. , 2020, , .		0
47	Characterization of PLA–based Quad-Ridged Horn Antenna. , 2020, , .		2
48	Development of Compact Wilkinson Power Divider Using Meander Line for UAV Telemetry Application. , 2020, , .		5
49	Frequency Reconfigurable Multiband Microstrip Antenna Composed of Artificial Magnetic Conductor. , 2020, , .		1
50	loT-based Sensor System for Stop Line Traffic Area Using ATmega2560 Microcontroller. , 2020, , .		1
51	Performance Analysis of CS Method for Image Reconstruction on Microwave Tomography. , 2020, , .		1
52	Characterization of Electromagnetics Wave Absorber Composed of Ring Resonator Structure. , 2020, ,		2
53	Design of 2.4 GHz Slotted SIW Array Antenna for WLAN Application. , 2020, , .		15
54	Experimental Characterization of AMC-based Thin Tunable Absorber Using Varactor Diode. , 2020, , .		2

#	Article	IF	CITATIONS
55	SIW-based Radial-Line-Slot-Array Antenna for Wireless Communication. , 2020, , .		3
56	Transmission Phase-Shift Method for Complex Permittivity Determination of Biological Sample Performed Using X-Band Rectangular Waveguide. , 2020, , .		4
57	Absorption Characteristics of Tunable AMC-based Wave Absorber using Varactor Diode. , 2020, , .		1
58	Design of Rectangular Patch Antenna with Double-F-Slot for RFID Application. , 2020, , .		3
59	Development of Portable Solar Power Plant Equipped with IoT Connectability. , 2020, , .		0
60	Design and Characterization of 1800MHz TM Mode Circular Waveguide Array Antenna for Energy Harvesting Application. , 2020, , .		0
61	Design and Characterization of High Gain Amplifier for ELF Receiver Application. , 2020, , .		0
62	Design of Compact SIW Bandpass Filter for GPS Application. , 2020, , .		7
63	Image Quality Assessment on Microwave Tomography Based on Filtered-Back-Projection. , 2020, , .		1
64	Tunable Multi-Band Microstrip Antenna Based on Artificial Magnetic Conductor. , 2020, , .		1
65	Filtering Power Divider Composed of SIW-based Bandpass Filter for WLAN Application. , 2020, , .		3
66	Characterization of Slotted Square Rings AMC Reflector Using Printed Dipole Antenna. , 2020, , .		1
67	Design and Realization of AMC-Based Tunable Multi-Band Microstrip Antenna. , 2020, , .		2
68	Reduced Size Meander Line-based 433MHz Printed Dipole Antenna for UAV Telemetry Application. , 2020, , .		3
69	Back Propagation Technique for Image Reconstruction of Microwave Tomography. , 2019, , .		7
70	Circular Waveguide Array Rectenna Equipped with Pump-Charge and DC-DC Converter Circuits for 1.8GHz RF Energy Harvesting Application. , 2019, , .		2
71	Study on Multilayer EM Wave Absorber Composed of Metasurface for X-band Application. , 2019, , .		7
72	Experimental Investigation on Effectiveness of High Power EM Wave Usage for Decreasing Heavy Oil		2

Viscosity., 2019,,.

#	Article	IF	CITATIONS
73	Data Monitoring System of Solar Module with Data Logger for Public Street Lighting Application. , 2019, , .		7
74	Radiation Characteristics of Chebyshev Function-Based Power Weighted Linear Array Antennas Influenced by Elements Configuration. , 2019, , .		2
75	Study on Equivalent Circuit of Wideband Microstrip Bandpass Filter Involving Defected Ground Structure. , 2019, , .		2
76	Experimental Characterization of Rectifier Made of Pump-Charge and DC–DC Converter for Receiver of Wireless Power Transfer. , 2019, , .		2
77	PLA-based 3D Printed Quad-ridged Horn Antenna for Tomography Application. , 2019, , .		7
78	Analytical Approach for Dielectric Property Measurements of Biological Tissues Based on Transmission Phase-shift Method. , 2019, , .		3
79	Study on Super Wideband Compact Ovoidal Printed Antenna. , 2019, , .		5
80	Development of High Power Class-E Amplifier for Radio Communication of Tsunami Early Warning System. , 2019, , .		1
81	Performance Analysis of Power Weighted Linear Array Antennas Based on Blackman Function. , 2019, , .		8
82	Impact of CSRR Incorporation in Lowering Resonant Frequency of X-Band SIW Antenna. , 2019, , .		5
83	Verification Design of Up-Down Frequency Converter Based on Double-Balanced Mixer and Its Performance Characterization. , 2019, , .		0
84	Dual-polarized Wideband Horn Antenna with Lower Frequency Extension for Microwave Imaging Application. , 2019, , .		8
85	Differentially Proximity-coupled Circular Ring-shaped Array Antenna with Improved Radiation Characteristic. , 2019, , .		3
86	Effect of Earthquake Intensity to Land Deformation Observed from Space. , 2019, , .		5
87	Characterization of Artificial Dielectric Material Implementation on Square Patch Antenna. , 2019, , .		2
88	Characterization of Wideband Gain RF Amplifier for L-Band Frequency Application. , 2019, , .		1
89	Multilayer X-Band Wave Absorber with Enhanced Absorption Bandwidth. , 2019, , .		3
90	Incorporation of Spiral Shaped Defected Ground Structure for Improving Radiation Characteristic of Planar Array-Antenna. , 2019, , .		0

#	Article	IF	CITATIONS
91	Characterization of X-Band Wave Absorber Made of SRR-Based Metasurface. , 2019, , .		4
92	Effect of DGS Utilization on Characteristics of Square shaped CSRR-Based SIW BPF. , 2019, , .		6
93	Design of Linear Array Triangular Patch Antenna for Mobile Communication. , 2019, , .		1
94	Triple-Band Microstrip Patch Antenna Made of Artificial Magnetic Conductors. , 2019, , .		8
95	Development of Wideband Microstrip Bandpass Filter Involved Defected Ground Structure. , 2019, , .		2
96	A 2 $ ilde{A}$ —2 X-band Array Antenna with Sequential Rotation Network Feeding for Communication. , 2019, , .		5
97	Study on Radiation Characteristics of QRHA Based on Gaussian Ridge Profile. , 2019, , .		1
98	Multi-stage Ku-band Waveguide BPF Using CSRR-based Dielectric Frequency Selective Structure. , 2019, ,		1
99	Multiband Microstrip Antenna Using Square-shaped SRR Based Artificial Magnetic Conductors. , 2019, , ·		5
100	High Gain 2-stage Class-E RF Power Amplifier for Wireless Power Transfer. , 2019, , .		1
101	Experimental Characterization of SRR-based Multilayer X-band Wave Absorber. , 2019, , .		3
102	Two-Stage Wideband Waveguide BSF Composed of CSRR-based Dielectric Frequency Selective Structure for X-band Application. , 2019, , .		1
103	Power Divider with Sequential Phase for X-Band Array Antenna Feeding Network Application. , 2019, , .		1
104	IoT System Implementation for ATmega328 Microcontroller Based Home Door Control. , 2019, , .		7
105	TM Mode Rectangular Waveguide Antenna for 2.3GHz LTE Recipient Signal Enhancement. , 2019, , .		0
106	Development of Dual Band Power Divider Using Meander Line Technique for Local Oscillator System. , 2019, , .		5
107	Defected Ground Structure for Characteristic Enhancement of CSRR-based Substrate Integrated Waveguide BPF. , 2019, , .		3
108	Performance Evaluation of Wavelet Packet Modulation for Wireless Digital Communications. , 2019, , .		3

#	Article	IF	CITATIONS
109	Axial Ratio Enhancement Using Triangular Truncation of X-band Communication Antenna. , 2019, , .		2
110	ATmega16 Microcontroller-based Automatic Coffee Brewing System using Pour Over V60 Technique. , 2019, , .		2
111	Performance Analysis of Fractal Wavelet Packet for Digital Mobile Communications. , 2019, , .		2
112	Performance Evaluation of Quad-Ridged Horn Antenna in Variation of Its Ridge Profile. , 2019, , .		8
113	FDTD Analysis for TE Mode Resonant Frequency of Anisotropic Circular Dielectric Resonator. , 2019, , .		0
114	Development of GPS Transceiver for Quadcopter-based Emergency Locator Beacon. , 2019, , .		2
115	On Possibility of Kaiser Function Utilization for Power Weighted Linear Array Antennas. , 2019, , .		1
116	Performance Analysis of Wideband Circularly Polarized Pyramidal Horn Antenna with Binomial Polarizer Manufactured by 3D Printing Technology. , 2019, , .		2
117	Circularly Polarized Sequential Phased Array Antenna Fed Using Proximity Coupling Method. , 2019, , .		1
118	TM Mode Circular Waveguide Array Antennas for 1800MHz RF Energy Harvesting. , 2019, , .		2
119	Filtering Power Divider using Pseudo Interdigital Based on Substrate Integrated Waveguide. , 2019, , .		2
120	Performance Analysis of Microstrip Circular Patch Antenna Composed of Artificial Dielectric Material. , 2018, , .		6
121	Differentially Proximity Coupled Ring Printed Antenna Array For L-Band SAR Application. , 2018, , .		4
122	Planar Array Antenna with Radiation Pattern Reconfigurability Using PIN Diode. , 2018, , .		3
123	SFCW Signal Generator Based on ATMega328 Microcontroller and Rl2R Ladder Networks. , 2018, , .		2
124	Design and Implementation of Fuzzy Logic Controller for A Class of Hexapod Mobile Robot. , 2018, , .		5
125	3D Printed Wideband Circularly Polarized Pyramidal Horn Antenna. , 2018, , .		10
126	Resonant Frequency Analysis for Rectangular Waveguide Loaded with Anisotropic Dielectric Material Using 3D-FDTD Method. , 2018, , .		1

#	Article	IF	CITATIONS
127	Proximity Coupled Patch Array Antenna with Switchable Polarization for WLAN Application. , 2018, , .		4
128	Slot and DGS Incorporation for Bandwidth Enhancement of Substrate Integrated Waveguide Antenna. , 2018, , .		9
129	Power Transfer Efficiency of Planar Inverted-F Wireless Charging Radiator. , 2018, , .		1
130	Meandered Inductor Shape of DGS for Coupling Suppression Between Adjacent Elements of Array Antenna. , 2018, , .		5
131	Waveguide BPF Composed of Dielectric Frequency Selective Structure with High Suppression of Spurious Mode. , 2018, , .		3
132	Wideband Substrate-Integrated-Waveguide BPF Incorporated with Camplimentary-Split-Ring-Resonators. , 2018, , .		3
133	13.56MHz CMOS-Based Crystal Oscillator for Wireless Power Transfer Application. , 2018, , .		2
134	Multilayered Wideband SIW Antenna Incorporated with Slot and DGS. , 2018, , .		5
135	Analysis of SIW BPF Performance Influenced by Number of CSRRs Incorporation. , 2018, , .		3
136	Circular Waveguide Array for Radio Frequency Energy Harvesting. , 2018, , .		4
137	SR-Based Printed Antenna Array with Reduced Size. , 2018, , .		0
138	Tomography Image Reconstruction using Parallel-Beam Projection at Microwave Frequency. , 2018, , .		7
139	IoT Based Organic Waste Burner for Wood Vinegar Production. , 2018, , .		2
140	Compact X-Band SIW Antenna with Reduced Size Using CSRR Incorporation. , 2018, , .		6
141	Experimental Approach of Resonant Frequency Lowering Using ADM for Microstrip Circular Patch Antenna. , 2018, , .		6
142	Miniaturization of 2.4GHz SIW Antenna using Complementary Split Ring Resonator. , 2018, , .		7
143	Size Reduction of Printed Antenna Based on Spiral Resonator Incorporated with Matching Circuit for Performance Enhancement. , 2018, , .		1
144	SIW Power Divider and its Performance Analysis Affected by Number of Incorporated CSRRs. , 2018, , .		5

#	Article	IF	CITATIONS
145	Performance Analysis of Waveguide BPF Loaded with Dielectric Frequency Selective Structure. , 2018, ,		0
146	Proximity-Coupled Multiband Substrate Integrated Waveguide Antenna with Defected Ground Structure. , 2018, , .		4
147	A \$2 imes 2\$ Inset Feed Circular Patch Antenna Array for 1.8GHz LTE Application. , 2018, , .		6
148	Thin EM Wave Absorber Metasurface Based on Artificial Magnetic Conductor. , 2018, , .		6
149	FSK Modulation for Electronic Information Board Radio Communication of Tsunami Early Warning System. , 2018, , .		2
150	Experimental Analysis of Range Detection for Portable SFCW Ground Penetrating Radar. , 2018, , .		0
151	Compact SIW Power Divider with CSRRs for WLAN Application. , 2018, , .		6
152	Differentially Fed Ring-Shaped Planar Printed Antenna with Higher Order Mode Suppression. , 2018, , .		2
153	A Novel Technique of Broadband Circularly Polarized Microstrip Antenna Development withSquare Ring Slot for SAR Application. , 2018, , .		1
154	A 13.56MHz AD9850 Oscillator with E-Class Power Amplifier for Wireless Power Charging. , 2018, , .		5
155	Planar Array-Antenna with Improved Radiation Characteristic Using Spiral Shaped DGS. , 2018, , .		1
156	DDS-Based 13.56MHz Sine Wave Generator for Wireless Charging System. , 2018, , .		3
157	PLA-based 3D printed circularly polarized X-band horn array antenna for CP-SAR sensor. , 2018, , .		23
158	4.2GHz compact collinear antenna for manpack satellite communication. , 2018, , .		0
159	Equilateral Triangular Slot Antenna for Communication System and GNSS RO Sensor of GAIA-I Microsatellite. IEICE Transactions on Communications, 2018, E101.B, 835-846.	0.7	6
160	Electronic Information Board Based on AVR Atmega128 for TEWS in Cilacap. Bulletin of Electrical Engineering and Informatics, 2018, 7, 216-221.	0.8	5
161	Flexible Artificial Magnetic Conductor Reflector for Wearable Antenna Application. , 2018, , .		13
162	Experimental study on small scale L-band FMCW synthetic aperture radar. , 2017, , .		1

#	Article	IF	CITATIONS
163	Automatic direction system for outdoor WLAN antenna array driven by AT89S51 microcontroller. , 2017, , .		4
164	Wireless electronic information board for tsunami early warning system based on FM radio. , 2017, , .		3
165	Slot and corner truncation for enhancing bandwidth of circularly polarized patch antenna. , 2017, , .		12
166	Effect of DGS incorporation for bandwidth enhancement of UWB microstrip BPF. , 2017, , .		10
167	Design of printed bowtie dipole array antenna for rectenna application. , 2017, , .		4
168	Bandwidth enhancement of substrate integrated waveguide cavity-backed slot antenna. , 2017, , .		7
169	1.8CHz printed bow-tie dipole rectenna with voltage quadrupler for RF energy harvesting. , 2017, , .		13
170	Automatic VSAT antenna pointing system featured with non-horizontal alignment autocorrect. , 2017, , $\cdot$		0
171	Proximity-coupled L-band patch array antenna fed by binomial power distribution. , 2017, , .		11
172	Late-time ringing characterization of cavity-backed UWB printed monopole antenna. , 2017, , .		5
173	Circuit analysis of coupled lines and open stubs based UWB microstrip BPF. , 2017, , .		2
174	Spiral-shaped printed planar inverted-F antenna for body wearable application. , 2017, , .		15
175	Coupling reduction between two elements of array antenna using U-shaped defected ground structure. , 2017, , .		10
176	Wideband monofilar helical antenna for wireless communication in remote area. , 2017, , .		0
177	Dual-band patch antenna incorporated with SRR for GPS and WLAN application. , 2017, , .		1
178	Wideband lhcp truncated-circular-shape microstrip antenna for sar application. , 2017, , .		6
179	Bowtie-shaped DGS for reducing coupling between elements of planar array antenna. , 2017, , .		6
180	Artificial dielectric material and its implementation for TEio mode waveguide filter. , 2017, , .		2

#	Article	IF	CITATIONS
181	Persistent scattering interferometry sar based velocity and acceleration analysis of land deformation: case study on kelok sembilan bridge. , 2017, , .		3
182	Side lobe level suppression for L-band array antenna using binomial power distribution. , 2017, , .		10
183	Performance enhancement of cavity-backed UWB printed monopole antenna. , 2017, , .		5
184	Linearly polarized slotted patch antenna array fed by power weighting distribution. , 2017, , .		12
185	DGS-based UWB microstrip bandpass filter and its equivalent circuit. , 2017, , .		8
186	Compact dual band printed planar inverted-F antenna for wireless communications. , 2017, , .		2
187	System simulation of low power FMCW-based X-band weather radar. , 2017, , .		0
188	DGS-based UWB microstrip BPF and its equivalent circuit. , 2017, , .		6
189	Study on capacitor-based reconfigurable FSS and its characterization. , 2017, , .		0
190	Experimental validation of microwave imaging for wood inspection. , 2017, , .		9
191	Accuracy analysis of range detection for SFCW portable through-wall radar. , 2017, , .		9
192	A new method of bandwidth widening for square patch antenna fed by proximity feeding line. , 2017, , .		5
193	Study on equivalent circuit of wideband BPF using groundplane windowed SRR and its realization. , 2017, , .		7
194	Effect of truncation shape against axial ratio of left-handed circularly polarized X-band antenna. , 2017, , .		8
195	Incorporation of high permittivity circular dielectric resonator for enhancing resonant frequency of microstrip antenna. , 2017, , .		0
196	LHCP X-band printed antenna with ellipse-shaped truncation for microsatellite data communication. , 2017, , .		4
197	Wideband BPF composed of planar inverted-F shaped for S-band frequency application. , 2017, , .		2
198	Implementation of planar inverted-F structure for wireless charging radiator. , 2017, , .		5

Implementation of planar inverted-F structure for wireless charging radiator. , 2017, , . 198

#	Article	IF	CITATIONS
199	Broadband X-band circularly polarized microstrip antenna with elliptical patch ring-slotted for airborne sar system. , 2017, , .		7
200	Metasurface-backed monopole printed antenna with enhanced bandwidth. , 2017, , .		9
201	Development of compact SLR BPF with cross-shaped I/O coupling. , 2017, , .		1
202	Wide bandwidth left-handed circularly polarized printed antenna with crescent slot. , 2017, , .		12
203	Normal mode 3.3GHz bifilar helical antenna for wireless communication. , 2017, , .		2
204	Equivalent circuit analysis of square-loop-resonator BPF with cross-shaped I/O coupling for X-band frequency application. , 2017, , .		4
205	3D print X-band horn antenna for ground-based SAR application. , 2017, , .		7
206	Polyphase P4 code usage for target detection of pulse radar using Matlab and GNU radio. , 2017, , .		0
207	Cohn topology-based 1:8 power divider for S-band array antenna feeding network. , 2017, , .		8
208	Planar array approach as alternative method to characterize radiation pattern of 2 ${\rm \tilde{A}}-$ 2 spiral resonator (SR) structure. , 2017, , .		1
209	Microwave heating with nano ferro fluid for heavy oil application. , 2017, , .		5
210	Printed traveling wave antenna with vertical transition for wireless communications. , 2017, , .		2
211	Experimental study on textile properties for wearable absorber using cavity method. , 2017, , .		4
212	High Sensitivity Very Low Frequency Receiver for Earthquake Data Acquisition. Telkomnika (Telecommunication Computing Electronics and Control), 2017, 15, 150.	0.8	3
213	Theoretical Analysis of Resonant Frequency for Anisotropic Artificial Circular Dielectric Resonator Encapsulated in Waveguide. International Journal on Electrical Engineering and Informatics, 2017, 9, 259-270.	0.5	5
214	Coupling analysis of isotropic and anisotropic dielectric materials in rectangular waveguide. , 2016, , .		1
215	FDTD method for property analysis of waveguide loaded artificial circular dielectric resonator with anisotropic permittivity. , 2016, , .		3
216	Experimental approach of FMCW signal generation using Direct Digital Synthesizer module. , 2016, , .		1

8

#	Article	IF	CITATIONS
217	Development of FMCW SAR on L-band frequency for UAV payload. , 2016, , .		4
218	Development of multiple elements of SRR-based Bandpass Filter. , 2016, , .		8
219	Ultra high frequency log periodic antenna for digital TV application. , 2016, , .		0
220	Design of 9GHz dual-polarized rectangular waveguide antenna. , 2016, , .		4
221	Performance analysis of FMCW-based X-band weather radar. , 2016, , .		3
222	Proximity coupled x-band patch antenna array with dual polarization. , 2016, , .		12
223	Circular waveguide BPF composed of artificial dielectric resonators. , 2016, , .		7
224	Experimental approach of quality enhancement for image acquisition of ground penetrating radar. , 2016, , .		6
225	Dual polarization X-band square horn antenna. , 2016, , .		2
226	A novel of square loop resonator band pass filter by using cross-shape input/output coupling for 9GHz application. , 2016, , .		2
227	Isolation improvement for x-band FMCW radar transmit and receive antennas. , 2016, , .		7
228	Wideband printed dipole antenna fed using modified planar marchand balun. , 2016, , .		9
229	Effect of elements number of SRR-based BPF to its characteristics. , 2016, , .		6
230	Signal analysis of GMSK modulation-based CubeSat automatic identification system receiver. , 2016, , .		10
231	Equivalent circuit for microstrip bandpass filter. , 2016, , .		4
232	Adaptive FFT-based signal processing on FMCW weather radar. , 2016, , .		2
233	Dual-band microstrip patch antenna using capacitive artificial magnetic conductor. , 2016, , .		13

234 Characteristic improvement of circular waveguide BPF using artificial dielectric resonators. , 2016, , .

#	Article	IF	CITATIONS
235	Development of automatic VSAT antenna pointing system based on AVR microcontroller. , 2016, , .		2
236	Utilization of split ring resonator for compact narrowband microstrip bandpass filter. , 2016, , .		8
237	Resonant frequency lowering of square patch antenna using anisotropic artificial dielectric material. , 2016, , .		11
238	Analysis of equivalent circuit for bandpass filter based on SRR with groundplane windowing. , 2016, , .		10
239	Compact T-shaped dipole antenna for GPS application. , 2016, , .		4
240	Cylindrical coordinate system-based FDTD method for analysis of THz circular waveguide coated by dielectric material. , 2016, , .		1
241	Circular sector printed antenna array for S-band radar application. , 2016, , .		5
242	Image quality improvement for GPR acquisition using interpolation method. , 2016, , .		2
243	High gain 2.4GHz patch antenna array for rural area application. , 2016, , .		15
244	Signal processing of position plan indicator display for weather radar. , 2016, , .		5
245	Rectangular waveguide BPF using split ring resonator metamaterials. , 2016, , .		10
246	Side lobe suppression for X-band array antenna using Dolph-Chebyshev power distribution. , 2016, , .		18
247	Design and realization of planar reflector based on artificial magnetic conductor at S-band frequency. , 2016, , .		10
248	Slot utilization for altering polarization of X-band microstrip patch antenna. , 2016, , .		8
249	X-band microstrip narrowband BPF composed of split ring resonator. , 2016, , .		4
250	Development of dual-band microstrip bandpass filter based on split ring resonator. , 2016, , .		6
251	Experimental approach of X-band slotted microstrip patch antenna array with non-uniform current distribution. , 2016, , .		4
252	Modeling and analyzing of seismo-electromagnetics disturbance on crust of earth using FDTD method. , 2016, , .		1

#	Article	IF	CITATIONS
253	Wrap -around Cylindrical Printed Traveling Wave Passive Antenna for Experimental -Rocket Communication. International Journal on Electrical Engineering and Informatics, 2016, 8, 897-906.	0.5	6
254	Effect of material thickness on resonance characteristics of anisotropic artificial circular dielectric resonator. , 2015, , .		2
255	Stationary and moving targets detection on FMCW radar using GNU radio-based software defined radio. , 2015, , .		16
256	Cylindrical coordinate system-based full wave FDTD computation for resonant frequency calculation of circular cavity resonator. , 2015, , .		3
257	Compact antipodal Vivaldi printed antenna for ultra wideband application. , 2015, , .		4
258	Linear frequency modulated continuous wave radar using GNU radio and USRP. , 2015, , .		1
259	Performance enhancement of directional coupler using split ring resonator. , 2015, , .		8
260	Resonant frequency computation of dielectric material loaded circular waveguide using cylindrical coordinate system-based FDTD method. , 2015, , .		1
261	Interdigital capacitor structure-based conformal traveling wave active antenna for experimental rocket communication. , 2015, , .		5
262	Reconfigurable radiation pattern of microstrip antenna using shorting post. , 2015, , .		7
263	Radiator of wireless power charging for mobile device and its efficiency characterization. , 2015, , .		4
264	Radio frequency interference measurement in site testing programs for the future multi-wavelength observatory in Indonesia. AIP Conference Proceedings, 2015, , .	0.4	1
265	2-Stage microstrip combline BPF with capacitor chip incorporation. , 2015, , .		3
266	Development of capacitor-based tunable frequency selective surface for wireless communication. , 2015, , .		5
267	Artificial dielectric material for lowering resonant frequency of microstrip circular patch antenna. , 2015, , .		13
268	Compact SRR-based microstrip BPF for wireless communication. , 2015, , .		9
269	Beam reconfiguration of capacitor-based square patch antenna array. , 2015, , .		4
270	Extraction of anisotropic thin slab artificial dielectric material property using rectangular waveguide. , 2015, , .		3

#	Article	IF	CITATIONS
271	Development of radio telescope receiver based on GNU radio and USRP. , 2015, , .		7
272	Characterization of circular spiral patch for wireless charging radiator. , 2015, , .		6
273	Analysis of wave characteristics between cylindrical and cartesian coordinate system-based structure using FDTD method. , 2015, , .		3
274	Development of AVR microcontroller-based antenna measurement tool for student experimentation. , 2015, , .		5
275	Impedance matching circuit for 30 $\hat{a}$ €"88MHz monopole antenna with automatic matching. , 2015, , .		1
276	FMCW-based SAR transmitter for remote sensing application and its characterization. , 2015, , .		4
277	Development of SAR transmitter for nanosatellite-based remote sensing application. , 2015, , .		6
278	Scattering parameters extraction of dielectric loaded circular waveguide using cylindrical coordinate system-based FDTD method. , 2015, , .		3
279	Capacitor-based reconfigurable beam and polarization of square patch antenna for WLAN application. , 2015, , .		6
280	Characteristic of narrowband hairpin BPF as influence of number of its elements. , 2015, , .		0
281	Simulation design of compact stepped-frequency continuous-wave through-wall radar. , 2015, , .		7
282	Matlab and GNU radio-based SFCW radar for range detection. , 2015, , .		4
283	Thin EM wave absorber composed of octagonal patch array and its characteristic measurement. , 2015, , .		9
284	Multiband printed antenna composed of an array of split ring resonators. , 2015, , .		8
285	Wireless power charging system for mobile device based on magnetic resonance coupling. , 2015, , .		16
286	Improvement of radar performance using LFM pulse compression technique. , 2015, , .		9
287	Bandwidth improvement of square patch array-based AMC using multiple slots technique. , 2015, , .		6
288	FSS-based planar filter with capacitor chips for antenna frequency selection. , 2015, , .		1

#	Article	IF	CITATIONS
289	Incorporation of square patch and SRR metamaterials for dual-band printed antenna. , 2015, , .		5
290	Development of high sensitivity amplifier for VLF receiver application. , 2015, , .		3
291	Conformal printed traveling wave antenna composed of interdigital capacitor structure. , 2015, , .		5
292	Computational approach for resonant frequency calculation of coaxial cavity resonator using cylindrical coordinate system-based FDTD method. , 2015, , .		6
293	16-port array antenna feeding network with programmable phase shifter capability. , 2015, , .		2
294	Capacitor-based phase shifter for 8 elements antenna feeding network. , 2015, , .		3
295	Multiband printed antenna composed of an array of split ring resonators. , 2015, , .		5
296	SRR incorporation for dual-band square patch antenna. , 2015, , .		3
297	Printed traveling wave antenna composed of interdigital capacitor structure for wireless communication application. , 2015, , .		7
298	Characterization of Wireless Power Charging Receiver for Mobile Device. International Journal on Electrical Engineering and Informatics, 2015, 7, 130-139.	0.5	8
299	Theoretical Analysis of Resonant Frequency for AMC-based Absorber Composed of Square Patch Array. International Journal on Electrical Engineering and Informatics, 2015, 7, 284-296.	0.5	11
300	Size Reduction of Printed Log-peri odic Dipole Array Antenna Using Fractal Koch Geometry. International Journal on Electrical Engineering and Informatics, 2015, 7, 226-236.	0.5	11
301	FSS-based planar bandpass filter using strip slotted-lines. , 2014, , .		8
302	Microcontroller-based programmable phase shifter for array antenna system. , 2014, , .		4
303	FDTD method for scattering parameters extraction of rectangular waveguide loaded with anisotropic dielectric material. , 2014, , .		5
304	High gain RF amplifier for very low frequency receiver application. , 2014, , .		5
305	Size reduction of UHF planar inverted-F antenna with patch geometry modification. , 2014, , .		17
306	3D artificial material characterization using rectangular waveguide. , 2014, , .		2

#	Article	IF	CITATIONS
307	Development of wireless power transfer receiver for mobile device charging. , 2014, , .		9
308	Characterization of thin slab artificial dielectric material using rectangular waveguide. , 2014, , .		3
309	Accuracy analysis of FM chirp in GNU radio-based FMCW radar for multiple target detection. , 2014, , .		6
310	Signal processing of range detection for SFCW radars using Matlab and GNU radio. , 2014, , .		8
311	Performance enhancement of coupled microstrip lines using split ring resonators. , 2014, , .		8
312	Characterization of 2-stage RF power amplifier for FMCW radar application. , 2014, , .		1
313	Development of microstrip BPF using open split ring resonator with square groundplane window. , 2014, , .		14
314	Numerical analysis for wave propagation in circular waveguide using cylindrical coordinate system-based FDTD method. , 2014, , .		5
315	Radio frequency interference measurements in Indonesia. Experimental Astronomy, 2014, 37, 85-108.	3.7	16
316	Prediction Method for Rain Rate and Rain Propagation Attenuation for K-Band Satellite Communications Links in Tropical Areas. Journal of ICT Research and Applications, 2014, 8, 85-96.	0.8	3
317	Rectangular to Parallel Plate Waveguide Transition and Its Tapering Effect for Microwave Devices Characterization. International Journal on Electrical Engineering and Informatics, 2014, 6, 181-194.	0.5	1
318	Modeling and Numerical Analysis of Seismo-Electromagnetics Perturbation Using FDTD Method. International Journal on Electrical Engineering and Informatics, 2014, 6, 225-236.	0.5	2
319	3D-FDTD Method for Analysis of Rectangular Waveguide Loaded with Anisotropic Dielectric Material. Proceeding of the Electrical Engineering Computer Science and Informatics, 2014, 1, .	0.0	1
320	Single Stage RF Amplifier with High Gain for 2.4GHz Receiver Front-Ends. Telkomnika (Telecommunication Computing Electronics and Control), 2014, 12, 711.	0.8	4
321	Microstrip-based ultra-wideband composite BPF with short-circuited stubs. , 2013, , .		15
322	Dual-band circular patch antenna incorporated with split ring resonators metamaterials. , 2013, , .		13
323	Bandwidth enhancement of ultra-wideband microstrip bandpass filter using defected ground structure. , 2013, , .		14
324	Multiple slots technique for bandwidth enhancement of microstrip rectangular patch antenna. , 2013, , .		25

#	Article	IF	CITATIONS
325	Basic theory of artificial circular resonator encapsulated in a circular waveguide and its theoretical analysis. , 2013, , .		4
326	Barker code radar simulation for target range detection using software defined radio. , 2013, , .		5
327	Two-stage Waveguide Bandpass Filter Composed of Circular Dielectric Resonators. Procedia Technology, 2013, 11, 1083-1087.	1.1	0
328	Electronically programmable beam direction of array antennas based on microcontroller. , 2013, , .		4
329	Transmission Loss Reduction of Circular Terahertz Waveguide Using Dielectric–Lined Method. International Journal on Electrical Engineering and Informatics, 2013, 5, 377-385.	0.5	5
330	Characterization of Series Iteration Log-periodic Fractal Koch Printed Antenna Equipped with Balun Unit. Journal of ICT Research and Applications, 2013, 7, 191-204.	0.8	19
331	Cavity reflection-transmission-perturbation method for foliage relative permittivity measurement. , 2012, , .		6
332	Wilkinson topology-based 1:6 power divider for L-band frequency application. , 2012, , .		14
333	Characterization of radar absorber based on square patch textured surface. , 2012, , .		7
334	High permittivity circular dielectric resonator for 2-stage narrowband bandpass filter. , 2012, , .		4
335	G-patch dualband printed monopole antenna for GPS and WLAN application. , 2012, , .		8
336	Rain rate and rain attenuation time series synthesizer based on Hidden Markov Model for K-band satellite in tropical area. , 2012, , .		1
337	Inductance and capacitance reformulation of square patch-based artificial magnetic conductor. , 2012, , .		4
338	Bandwidth enhancement of artificial magnetic conductor-based microwave absorber using square patch corner cutting. , 2012, , .		9
339	Defected ground structure for bandwidth improvement of artificial magnetic conductor-based microwave absorber. , 2012, , .		11
340	Utilization of artificial magnetic conductor for bandwidth enhancement of square patch antenna. , 2012, , .		22
341	Shape enhancement and size reduction of UWB printed monopole antenna. , 2012, , .		9
342	Artificial circular dielectric resonator with resonant mode selectability. , 2012, , .		5

Artificial circular dielectric resonator with resonant mode selectability. , 2012, , . 342

#	Article	IF	CITATIONS
343	Mobile WiMAX-based communication network planning in Seribu Island by utilizing existing towers. , 2011, , .		0
344	Numerical characterization of metamaterials-based patch antenna array. , 2011, , .		3
345	Unidirectional broadband microstrip antenna for through walls radar application. , 2011, , .		6
346	Microstrip patch antenna miniaturization using artificial magnetic conductor. , 2011, , .		32
347	Characterization of 4×4 high gain microstrip array antenna for 3.3GHz WiMAX application. , 2011, , .		15
348	Design of rectangular to circular waveguide converter for S-band frequency. , 2011, , .		6
349	GNU Radio based software-defined FMCW radar for weather surveillance application. , 2011, , .		29
350	Characterization of 50–5000MHz UWB printed antennas with different number of arms. , 2011, , .		3
351	Size reduction of compact dual-band antenna based on metamaterials. , 2011, , .		13
352	Printed multiband antenna for mobile and wireless communications. , 2011, , .		11
353	Crosstalk analysis of parallel microstrip line using 4-port scattering model. , 2011, , .		2
354	Relative permittivity characterization of foliages based on rectangular waveguide. , 2011, , .		0
355	Performance evaluation of Ka-Band satellite communication system in rain fading channel at tropical area. , 2011, , .		3
356	Numerical Design of Ultra-Wideband Printed Antenna for Surface Penetrating Radar Application. Telkomnika (Telecommunication Computing Electronics and Control), 2011, 9, 341.	0.8	19
357	Hybrid De-embedding Technique for Microwave Absorber Characterization. Telkomnika (Telecommunication Computing Electronics and Control), 2011, 9, 133.	0.8	3
358	Self Oscillating Mixer with Dielectric Resonator for Low Noise Block Application. Telkomnika (Telecommunication Computing Electronics and Control), 2011, 9, 351.	0.8	1
359	Rectangular to Circular Waveguide Converter for Microwave Devices Characterization. International Journal on Electrical Engineering and Informatics, 2011, 3, 350-359.	0.5	7

Return loss enhancement of surface resistors loaded microwave radar absorber. , 2009, , .

#	Article	IF	CITATIONS
361	Effect of surface resistor loading on high-impedance surface radar absorber return loss and bandwidth. Microwave and Optical Technology Letters, 2009, 51, 1773-1775.	1.4	24
362	Frequency selective surface with dual band switchable reflection and transmission characteristics. Microwave and Optical Technology Letters, 2009, 51, 2059-2061.	1.4	15
363	Dual band switchable substrateless frequency selective surfaces. , 2009, , .		6
364	QPSK reflector based on textured surface technology. , 2009, , .		7
365	Characterisation of microwave phase conjugate signal generation using nonlinearly loaded wire frequency selective surface (FSS). IET Microwaves, Antennas and Propagation, 2009, 3, 834.	1.4	3
366	Characterization of Switchable Substrateless Frequency Selective Surfaces. International Journal on Electrical Engineering and Informatics, 2009, 1, 42-52.	0.5	5
367	Parallel plate waveguide simulator design, characterisation and DUT de-embedding. , 2008, , .		7
368	Tunable Frequency Selective Surfaces Characterisation. , 2008, , .		13
369	Characterization of microwave anisotropic thin radar absorber using artificial magnetic ground plane. , 2008, , .		5
370	A hybrid de-embedding technique and its application for FSS characterization. , 2008, , .		5
371	A Simple Method for Controlling Wave Impedance of Artificial Dielectrics. , 2006, , .		2
372	Study of reflection properties of thin slabs based on artificial materials. , 2006, , .		3
373	Improvement of Characteristics of Dielectric Circular Resonator and Its Filter Application. , 2006, , .		2
374	Artificial Dielectric Rectangular Resonator with Novel Anisotropic Permittivity and Its TE10Â Mode Waveguide Filter Application. IEICE Transactions on Electronics, 2005, E88-C, 40-46.	0.6	34
375	2D finite-difference frequency-domain method and its application for dispersion characteristic analysis of ferrite devices. Microwave and Optical Technology Letters, 2004, 41, 437-439.	1.4	2
376	Application of the 2-D finite difference-frequency domain method for the analysis of the dispersion characteristic of ferrite devices. , 2003, , .		0
377	Artificial Dielectrics Composed of Metal Strips and Calculation Method of the Permittivity and Permeability. IEEJ Transactions on Fundamentals and Materials, 2003, 123, 265-272.	0.2	8
378	Study of Artificial Dielectric Resonator with Anisotropic Permittivity Encapsulated in a Circular Waveguide and Its Filter Application. , 0, , .		7