

# Qiuju Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1261775/publications.pdf>

Version: 2024-02-01

56  
papers

2,099  
citations

304368

22  
h-index

243296

44  
g-index

57  
all docs

57  
docs citations

57  
times ranked

1217  
citing authors

#	ARTICLE	IF	CITATIONS
1	Medroxyprogesterone acetate is an effective oral alternative for preventing premature luteinizing hormone surges in women undergoing controlled ovarian hyperstimulation for in vitro fertilization. <i>Fertility and Sterility</i> , 2015, 104, 62-70.e3.	0.5	276
2	Double stimulations during the follicular and luteal phases of poor responders in IVF/ICSI programmes (Shanghai protocol). <i>Reproductive BioMedicine Online</i> , 2014, 29, 684-691.	1.1	230
3	Luteal-phase ovarian stimulation is feasible for producing competent oocytes in women undergoing in vitro fertilization/intracytoplasmic sperm injection treatment, with optimal pregnancy outcomes in frozen-thawed embryo transfer cycles. <i>Fertility and Sterility</i> , 2014, 101, 105-111.	0.5	206
4	Comparison of live-birth defects after luteal-phase ovarian stimulation vs. conventional ovarian stimulation for in vitro fertilization and vitrified embryo transfer cycles. <i>Fertility and Sterility</i> , 2015, 103, 1194-1201.e2.	0.5	117
5	Controlled Ovarian Stimulation Using Medroxyprogesterone Acetate and hMG in Patients With Polycystic Ovary Syndrome Treated for IVF. <i>Medicine (United States)</i> , 2016, 95, e2939.	0.4	100
6	Live birth rates in the first complete IVF cycle among 20 687 women using a freeze-all strategy. <i>Human Reproduction</i> , 2018, 33, 924-929.	0.4	85
7	Luteal-phase ovarian stimulation vs conventional ovarian stimulation in patients with normal ovarian reserve treated for IVF: a large retrospective cohort study. <i>Clinical Endocrinology</i> , 2016, 84, 720-728.	1.2	75
8	Dual trigger for final oocyte maturation improves the oocyte retrieval rate of suboptimal responders to gonadotropin-releasing hormone agonist. <i>Fertility and Sterility</i> , 2016, 106, 1356-1362.	0.5	66
9	Effect of body mass index on pregnancy outcomes in a freeze-all policy: an analysis of 22,043 first autologous frozen-thawed embryo transfer cycles in China. <i>BMC Medicine</i> , 2019, 17, 114.	2.3	64
10	Flexibility in starting ovarian stimulation at different phases of the menstrual cycle for treatment of infertile women with the use of in vitro fertilization or intracytoplasmic sperm injection. <i>Fertility and Sterility</i> , 2016, 106, 334-341.e1.	0.5	61
11	Letrozole use during frozen embryo transfer cycles in women with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2019, 112, 371-377.	0.5	59
12	Fertility and neonatal outcomes of embryos achieving blastulation on Day 7: are they of clinical value?. <i>Human Reproduction</i> , 2018, 33, 1038-1051.	0.4	51
13	Controlled ovulation of the dominant follicle using progestin in minimal stimulation in poor responders. <i>Reproductive Biology and Endocrinology</i> , 2017, 15, 71.	1.4	50
14	Progestin vs. Gonadotropin-Releasing Hormone Antagonist for the Prevention of Premature Luteinizing Hormone Surges in Poor Responders Undergoing in vitro Fertilization Treatment: A Randomized Controlled Trial. <i>Frontiers in Endocrinology</i> , 2019, 10, 796.	1.5	48
15	Effect of endometrial thickness on birthweight in frozen embryo transfer cycles: an analysis including 6181 singleton newborns. <i>Human Reproduction</i> , 2019, 34, 1707-1715.	0.4	43
16	Effect of in vitro culture period on birth weight after vitrified-warmed transfer cycles: analysis of 4,201 singleton newborns. <i>Fertility and Sterility</i> , 2019, 111, 97-104.	0.5	43
17	Comparison of ectopic pregnancy risk among transfers of embryos vitrified on day 3, day 5, and day 6. <i>Fertility and Sterility</i> , 2017, 108, 108-116.e1.	0.5	40
18	A review of contraceptive practices among married and unmarried women in China from 1982 to 2010. <i>European Journal of Contraception and Reproductive Health Care</i> , 2013, 18, 148-158.	0.6	37

#	ARTICLE	IF	CITATIONS
19	Dual trigger of final oocyte maturation in poor ovarian responders undergoing IVF/ICSI cycles. <i>Reproductive BioMedicine Online</i> , 2017, 35, 701-707.	1.1	32
20	Direct rosiglitazone action on steroidogenesis and proinflammatory factor production in human granulosa-lutein cells. <i>Reproductive Biology and Endocrinology</i> , 2009, 7, 147.	1.4	31
21	The effect of storage time after vitrification on pregnancy and neonatal outcomes among 24,698 patients following the first embryo transfer cycles. <i>Human Reproduction</i> , 2020, 35, 1675-1684.	0.4	29
22	Neonatal outcomes and congenital malformations in children born after human menopausal gonadotropin and medroxyprogesterone acetate treatment cycles. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 1207-1217.	0.8	24
23	Gonadotropin-releasing hormone antagonist versus progestin for the prevention of premature luteinising hormone surges in poor responders undergoing in vitro fertilisation treatment: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 455.	0.7	23
24	Cross-linked hyaluronan gel to improve pregnancy rate of women patients with moderate to severe intrauterine adhesion treated with IVF: a randomized controlled trial. <i>Archives of Gynecology and Obstetrics</i> , 2020, 301, 199-205.	0.8	23
25	Use of medroxyprogesterone acetate in women with ovarian endometriosis undergoing controlled ovarian hyperstimulation for in vitro fertilization. <i>Scientific Reports</i> , 2017, 7, 11927.	1.6	19
26	Effect of Frozen Embryo Transfer and Progestin-primed Ovary Stimulation on IVF outcomes in women with high body mass index. <i>Scientific Reports</i> , 2017, 7, 7447.	1.6	19
27	Lipidomic Components Alterations of Human Follicular Fluid Reveal the Relevance of Improving Clinical Outcomes in Women Using Progestin-Primed Ovarian Stimulation Compared to Short-Term Protocol. <i>Medical Science Monitor</i> , 2018, 24, 3357-3365.	0.5	19
28	Short-term copper intrauterine device placement improves the implantation and pregnancy rates in women with repeated implantation failure. <i>Fertility and Sterility</i> , 2017, 108, 55-61.e1.	0.5	16
29	Elevated progesterone on the trigger day does not impair the outcome of Human Menotrophins Gonadotrophin and Medroxyprogesterone acetate treatment cycles. <i>Scientific Reports</i> , 2016, 6, 31112.	1.6	15
30	Progestin-primed milder stimulation with clomiphene citrate yields fewer oocytes and suboptimal pregnancy outcomes compared with the standard progestin-primed ovarian stimulation in infertile women with polycystic ovarian syndrome. <i>Reproductive Biology and Endocrinology</i> , 2018, 16, 53.	1.4	13
31	The effect of Day 3 cell number on pregnancy outcomes in vitrified-thawed single blastocyst transfer cycles. <i>Human Reproduction</i> , 2020, 35, 2478-2487.	0.4	13
32	Decrease in preovulatory serum estradiol is a valuable marker for predicting premature ovulation in natural/unstimulated in vitro fertilization cycle. <i>Journal of Ovarian Research</i> , 2018, 11, 96.	1.3	12
33	Elevated basal luteinizing hormone does not impair the outcome of human menopausal gonadotropin and medroxyprogesterone acetate treatment cycles. <i>Scientific Reports</i> , 2018, 8, 13835.	1.6	12
34	Pregnancy and Live Birth In Women With Pathogenic LHCGR Variants Using Their Own Oocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5877-5892.	1.8	12
35	Effect of hysteroscopy before starting in-vitro fertilization for women with recurrent implantation failure. <i>Medicine (United States)</i> , 2019, 98, e14075.	0.4	12
36	Association between peak serum estradiol level during controlled ovarian stimulation and neonatal birthweight in freeze-all cycles: a retrospective study of 8501 singleton live births. <i>Human Reproduction</i> , 2020, 35, 424-433.	0.4	12

#	ARTICLE	IF	CITATIONS
37	Evaluation of Follicular Synchronization Caused by Estrogen Administration and Its Reproductive Outcome. <i>PLoS ONE</i> , 2015, 10, e0127595.	1.1	10
38	Progesterone-primed ovarian stimulation with or without clomiphene citrate supplementation in normal ovulatory women undergoing in vitro fertilization/intracytoplasmic sperm injection: A prospective randomized controlled trial. <i>Clinical Endocrinology</i> , 2018, 88, 442-452.	1.2	10
39	Three-Dimensional HyCoSy With Perfluoropropane-Albumin Microspheres as Contrast Agents and Normal Saline Injections Into the Pelvic Cavity for Morphological Assessment of the Fallopian Tube in Infertile Women. <i>Journal of Ultrasound in Medicine</i> , 2017, 36, 741-748.	0.8	9
40	Association between the number of oocytes retrieved and neonatal outcomes after freeze-all IVF cycles. <i>Human Reproduction</i> , 2019, 34, 1937-1947.	0.4	9
41	Impacts of medroxyprogesterone acetate on oocytes and embryos: matched case-control study in women with stage III-IV ovarian endometriosis undergoing controlled ovarian hyperstimulation for in vitro fertilization. <i>Annals of Translational Medicine</i> , 2020, 8, 377-377.	0.7	9
42	Frozen Embryo Transfer in Mildly Stimulated Cycle With Letrozole Compared to Natural Cycle in Ovulatory Women: A Large Retrospective Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 677689.	1.5	9
43	Effect of Natural Cycle Endometrial Preparation for Frozen-Thawed Embryo Transfer in Patients with Advanced Endometriosis. <i>Medical Science Monitor</i> , 2016, 22, 4596-4603.	0.5	8
44	Brefeldin A impairs porcine oocyte meiotic maturation via interruption of organelle dynamics. <i>Journal of Cellular Physiology</i> , 2019, 234, 20111-20117.	2.0	8
45	Luteinizing Hormone Suppression by Progesterone-Primed Ovarian Stimulation Is Associated With Higher Implantation Rate for Patients With Polycystic Ovary Syndrome Who Underwent in vitro Fertilization/Intracytoplasmic Sperm Injection Cycles: Comparing With Short Protocol. <i>Frontiers in Physiology</i> , 2021, 12, 744968.	1.3	7
46	Dynorphin and GABA <sub>A</sub> Receptor Signaling Contribute to Progesterone's Inhibition of the LH Surge in Female Mice. <i>Endocrinology</i> , 2020, 161, .	1.4	6
47	Strengthened luteal phase support for patients with low serum progesterone on the day of frozen embryo transfer in artificial endometrial preparation cycles: a large-sample retrospective trial. <i>Reproductive Biology and Endocrinology</i> , 2021, 19, 60.	1.4	6
48	Effect of Switching from a Progesterone-Primed Ovarian Stimulation Protocol to a Modified Ultra-Long Protocol Among Women Who Had 1 Progesterone-Primed Ovarian Stimulation (PPOS) Failure Verses Those Who Had 2 PPOS Failures. <i>Medical Science Monitor</i> , 2020, 26, e918705.	0.5	5
49	The role of combining medroxyprogesterone 17-acetate with human menopausal gonadotropin in mouse ovarian follicular development. <i>Scientific Reports</i> , 2018, 8, 4439.	1.6	4
50	The effect of human chorionic gonadotrophin contained in human menopausal gonadotropin on the clinical outcomes during progesterone-primed ovarian stimulation. <i>Oncotarget</i> , 2017, 8, 87340-87352.	0.8	4
51	Effect of maternal body mass index on neonatal outcomes in women with endometriosis undergoing IVF. <i>Reproductive BioMedicine Online</i> , 2020, 40, 559-567.	1.1	3
52	REPLY: The "Big Freeze": freeze-all should not be used for everyone. <i>Human Reproduction</i> , 2018, 33, 1579-1580.	0.4	2
53	Differences in Ectopic Pregnancy Rates between Fresh and Frozen Embryo Transfer after In Vitro Fertilization: A Large Retrospective Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 3386.	1.0	2
54	Alternations in miRNA Expression in Chronic Stress-Induced Ageing of Leydig Cells. , 2017, 06, .		1

#	ARTICLE	IF	CITATIONS
55	Corrigendum. REPLY: The "Big Freeze": freeze-all should not be used for everyone. Human Reproduction, 2018, 33, 1580-1580.	0.4	0
56	The Functions of UCH L1 on the Apoptosis of Spermatocytes in Cryptorchid Testes of Mice Were Related with Its Coordinated Up-Regulation with Jab1 and p27kip1.. Biology of Reproduction, 2008, 78, 87-87.	1.2	0