
## **Tanvier** Omar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1262403/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of antiretroviral therapy with high-risk human papillomavirus, cervical intraepithelial neoplasia, and invasive cervical cancer in women living with HIV: a systematic review and meta-analysis. Lancet HIV,the, 2018, 5, e45-e58.	4.7	170
2	Causes of Death on Antiretroviral Therapy: A Post-Mortem Study from South Africa. PLoS ONE, 2012, 7, e47542.	2.5	115
3	Validation of Cervical Cancer Screening Methods in HIV Positive Women from Johannesburg South Africa. PLoS ONE, 2013, 8, e53494.	2.5	93
4	Causes of death in hospitalized adults with a premortem diagnosis of tuberculosis: an autopsy study. Aids, 2007, 21, 2043-2050.	2.2	91
5	High Cryptococcal Antigen Titers in Blood Are Predictive of Subclinical Cryptococcal Meningitis Among Human Immunodeficiency Virus-Infected Patients. Clinical Infectious Diseases, 2018, 66, 686-692.	5.8	76
6	Progression and regression of premalignant cervical lesions in HIV-infected women from Soweto: a prospective cohort. Aids, 2011, 25, 87-94.	2.2	58
7	Epidemiology of high-risk human papillomavirus and cervical lesions in African women living with HIV/AIDS. Aids, 2017, 31, 273-285.	2.2	51
8	Autopsy Prevalence of Tuberculosis and Other Potentially Treatable Infections among Adults with Advanced HIV Enrolled in Out-Patient Care in South Africa. PLoS ONE, 2016, 11, e0166158.	2.5	42
9	Cryptococcal-related Mortality Despite Fluconazole Preemptive Treatment in a Cryptococcal Antigen Screen-and-Treat Program. Clinical Infectious Diseases, 2020, 70, 1683-1690.	5.8	38
10	Performance of careHPV for detecting high-grade cervical intraepithelial neoplasia among women living with HIV-1 in Burkina Faso and South Africa: HARP study. British Journal of Cancer, 2016, 115, 425-430.	6.4	34
11	A randomized clinical trial comparing cervical dysplasia treatment with cryotherapy vs loop electrosurgical excision procedure in HIV-seropositive women from Johannesburg, South Africa. American Journal of Obstetrics and Gynecology, 2017, 217, 183.e1-183.e11.	1.3	32
12	Associations of Human Papillomavirus (HPV) genotypes with high-grade cervical neoplasia (CIN2+) in a cohort of women living with HIV in Burkina Faso and South Africa. PLoS ONE, 2017, 12, e0174117.	2.5	25
13	Measuring mortality due to HIV-associated tuberculosis among adults in South Africa: Comparing verbal autopsy, minimally-invasive autopsy, and research data. PLoS ONE, 2017, 12, e0174097.	2.5	24
14	Diagnostic accuracy of cervical cancer screening and screening–triage strategies among women living with HIV-1 in Burkina Faso and South Africa: A cohort study. PLoS Medicine, 2021, 18, e1003528.	8.4	23
15	High-risk oncogenic HPV genotype infection associates with increased immune activation and T cell exhaustion in ART-suppressed HIV-1-infected women. Oncolmmunology, 2016, 5, e1128612.	4.6	21
16	Comparison of Analytical and Clinical Performances of the Digene HC2 HPV DNA Assay and the INNO-LiPA HPV Genotyping Assay for Detecting High-Risk HPV Infection and Cervical Neoplasia Among HIV-Positive African Women. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 68, 162-168.	2.1	19
17	The Impact of Human Immunodeficiency Virus Infection (HIV) on Lymphoma in South Africa. Journal of Cancer Therapy, 2015, 06, 527-535.	0.4	19
18	Tuberculosis and Hepatic Steatosis Are Prevalent Liver Pathology Findings among HIV-Infected Patients in South Africa. PLoS ONE, 2015, 10, e0117813.	2.5	15

TANVIER OMAR

#	Article	IF	CITATIONS
19	Human papillomavirus infection and cervical dysplasia in HIV-positive women. Aids, 2020, 34, 115-125.	2.2	14
20	The cytopathology of mycobacterial infection. Diagnostic Cytopathology, 2016, 44, 255-262.	1.0	13
21	Cervical intraepithelial neoplasia (CIN) in African women living with HIV: role and effect of rigorous histopathological review by a panel of pathologists in the HARP study endpoint determination. Journal of Clinical Pathology, 2018, 71, 40-45.	2.0	11
22	Prospective One Year Follow Up of HIV Infected Women Screened for Cervical Cancer Using Visual Inspection with Acetic Acid, Cytology and Human Papillomavirus Testing in Johannesburg South Africa. PLoS ONE, 2016, 11, e0144905.	2.5	9
23	Feasibility of Cell-Free DNA Collection and Clonal Immunoglobulin Sequencing in South African Patients With HIV-Associated Lymphoma. JCO Global Oncology, 2021, 7, 611-621.	1.8	7
24	HUMAN IMMUNODEFICIENCY VIRUS INFECTION AND AMEBIASIS. Pediatric Infectious Disease Journal, 2006, 25, 1192-1193.	2.0	5
25	Molecular Diagnostics for AIDS Lymphoma Diagnosis in South Africa and the Potential for Other Low- and Middle-Income Countries. Journal of Global Oncology, 2018, 4, 1-6.	0.5	5
26	Significance of lymph node fine needle aspiration for the diagnosis of HIV-associated lymphoma in a low-resource setting. Aids, 2022, 36, 1393-1398.	2.2	2
27	Brief report: Challenges of conducting research within the funeral services sector in South Africa. Death Studies, 2020, 44, 379-383.	2.7	Ο