

Sabrina Buoro

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1262560/sabrina-buoro-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59 papers	597 citations	13 h-index	21 g-index
65 ext. papers	707 ext. citations	3.4 avg, IF	3.79 L-index

#	Paper	IF	Citations
59	JAK2V617F mutation and hydroxyurea treatment as determinants of immature platelet parameters in essential thrombocythemia and polycythemia vera patients. <i>Blood</i> , 2011 , 118, 2599-601	2.2	54
58	The impact of perioperative transfusion of blood products on survival after pediatric liver transplantation. <i>Pediatric Transplantation</i> , 2012 , 16, 357-66	1.8	33
57	Performance evaluation of the new fully automated urine particle analyser UF-5000 compared to the reference method of the Fuchs-Rosenthal chamber. <i>Clinica Chimica Acta</i> , 2017 , 472, 123-130	6.2	30
56	Biological variation of platelet parameters determined by the Sysmex XN hematology analyzer. <i>Clinica Chimica Acta</i> , 2017 , 470, 125-132	6.2	28
55	Typing of hepatitis C virus by a new method based on restriction fragment length polymorphism. <i>Intervirology</i> , 1999 , 42, 1-8	2.5	23
54	Cell Population Data and reflex testing rules of cell analysis in pleural and ascitic fluids using body fluid mode on Sysmex XN-9000. <i>Clinica Chimica Acta</i> , 2016 , 452, 92-8	6.2	22
53	Short- and medium-term biological variation estimates of leukocytes extended to differential count and morphology-structural parameters (cell population data) in blood samples obtained from healthy people. <i>Clinica Chimica Acta</i> , 2017 , 473, 147-156	6.2	21
52	Analytical evaluation of Sysmex UF-1000i for flow cytometric analysis of peritoneal fluid. <i>Clinical Biochemistry</i> , 2012 , 45, 1263-5	3.5	21
51	Clinical significance of cell population data (CPD) on Sysmex XN-9000 in septic patients with or without liver impairment. <i>Annals of Translational Medicine</i> , 2016 , 4, 418	3.2	19
50	Assessment of blood sample stability for complete blood count using the Sysmex XN-9000 and Mindray BC-6800 analyzers. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2016 , 38, 225-39		18
49	Optimization of Cellular analysis of Synovial Fluids by optical microscopy and automated count using the Sysmex XN Body Fluid Mode. <i>Clinica Chimica Acta</i> , 2016 , 462, 41-48	6.2	15
48	Two-site evaluation of the diagnostic performance of the Sysmex XN Body Fluid (BF) module for cell count and differential in Cerebrospinal Fluid. <i>International Journal of Laboratory Hematology</i> , 2018 , 40, 26-33	2.5	14
47	Automated Cerebrospinal Fluid Cell Counts Using the New Body Fluid Mode of Sysmex UF-1000i. <i>Journal of Clinical Laboratory Analysis</i> , 2016 , 30, 381-91	3	13
46	Evaluation of Mindray BC-6800 body fluid mode for automated cerebrospinal fluid cell counting. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1799-1810	5.9	13
45	Reliability of automated synovial fluid cell counting with Mindray BC-6800 body fluid mode. <i>International Journal of Laboratory Hematology</i> , 2017 , 39, 337-346	2.5	12
44	Abnormal scattergrams and cell population data generated by fully automated hematological analyzers: New tools for screening malaria infection?. <i>International Journal of Laboratory Hematology</i> , 2018 , 40, 326-334	2.5	12
43	Short- and medium-term biological variation estimates of red blood cell and reticulocyte parameters in healthy subjects. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 954-963	5.9	12

42	Preliminary evaluation of UF-5000 Body Fluid Mode for automated cerebrospinal fluid cell counting. <i>Clinica Chimica Acta</i> , 2017 , 473, 133-138	6.2	12
41	Reflex Testing Rules for Cell Count and Differentiation of Nucleated Elements in Pleural and Ascitic Fluids on Sysmex XE-5000. <i>Journal of the Association for Laboratory Automation</i> , 2016 , 21, 297-304		11
40	Performance evaluation of the automated nucleated red blood cell count of five commercial hematological analyzers. <i>International Journal of Laboratory Hematology</i> , 2017 , 39, 663-670	2.5	11
39	Platelet Transfusion Thresholds: How Low Can We Go in Respect to Platelet Counting?. <i>Seminars in Thrombosis and Hemostasis</i> , 2020 , 46, 238-244	5.3	11
38	Innovative haematological parameters for early diagnosis of sepsis in adult patients admitted in intensive care unit. <i>Journal of Clinical Pathology</i> , 2018 , 71, 330-335	3.9	10
37	Mindray BC-6800 body fluid mode, performance of nucleated cells, and differential count in ascitic and pleural fluids. <i>International Journal of Laboratory Hematology</i> , 2016 , 38, 90-101	2.5	10
36	Analytical comparison between two hematological analyzer systems: CAL-8000 vs. XN-9000. <i>International Journal of Laboratory Hematology</i> , 2017 , 39, 147-162	2.5	9
35	Lack of harmonization in high fluorescent cell automated counts with body fluids mode in ascitic, pleural, synovial, and cerebrospinal fluids. <i>International Journal of Laboratory Hematology</i> , 2019 , 41, 277-286	2.5	9
34	Evaluation and comparison of automated hematology analyzer, flow cytometry, and digital morphology analyzer for monocyte counting. <i>International Journal of Laboratory Hematology</i> , 2018 , 40, 577-585	2.5	8
33	Harmonization of interpretative comments in laboratory hematology reporting: the recommendations of the Working Group on Diagnostic Hematology of the Italian Society of Clinical Chemistry and Clinical Molecular Biology (WGDH-SIBioC). <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 57, 66-77	5.9	7
32	Changes in HCV Viremia following LDL Apheresis in a HCV Positive Patient with Familial Hypercholesterolemia. <i>International Journal of Artificial Organs</i> , 1999 , 22, 640-644	1.9	7
31	Morphological features and kinetics of primary cultures of BPH tissue supported by TV1 medium. <i>Annals of Anatomy</i> , 1996 , 178, 41-8	2.9	7
30	What is the normal composition of pericardial fluid?. <i>Heart</i> , 2021 , 107, 1584-1590	5.1	7
29	ANALYTICAL AND CLINICAL EVALUATION OF SYSMEX UF1000I FOR AUTOMATED SCREENING OF CEREBROSPINAL FLUIDS ANALITIKA I KLINIKA EVALUACIJA UREAJA SYSMEX UF1000I ZA AUTOMATSKI SKRINING CEREBROSPINALNIH TEJESTI. <i>Journal of Medical Biochemistry</i> , 2013 , 33, 191-196	1.9	6
28	PCR in meningoencephalitis diagnosis. <i>Scandinavian Journal of Infectious Diseases</i> , 2000 , 32, 689-92		6
27	Evaluation of nucleated red blood cell count by Sysmex XE-2100 in patients with thalassaemia or sickle cell anaemia and in neonates. <i>Blood Transfusion</i> , 2015 , 13, 588-94	3.6	6
26	Comparison between optical microscopy and automation for cytometric analysis of pericardial fluids in a cohort of adult subjects undergoing cardiac surgery. <i>Journal of Clinical Pathology</i> , 2019 , 72, 493-500	3.9	5
25	Erythroblastaemia in natalizumab-treated patients with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2016 , 8, 141-4	4	5

24	A Preliminary Proposal for Quality Control Assessment and Harmonization of Leukocytes Morphology-structural Parameters (cell Population Data Parameters). <i>Journal of Medical Biochemistry</i> , 2018 , 37, 486-498	1.9	5
23	Multicenter evaluation of analytical performances of platelet counts and platelet parameters: Carryover, precision, and stability. <i>International Journal of Laboratory Hematology</i> , 2020 , 42, 552-564	2.5	5
22	Comparing the performance of three panels rules of blood smear review criteria on an Italian multicenter evaluation. <i>International Journal of Laboratory Hematology</i> , 2017 , 39, 645-652	2.5	4
21	Standardization and harmonization in hematology: Instrument alignment, quality control materials, and commutability issue. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 364-371	2.5	4
20	Mozhaisk haemoglobin variant effects on leukocyte differential channel using the Sysmex XN series. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, e324-e327	5.9	3
19	Abnormal leukocyte scattergrams and immature platelet fraction on Sysmex XN-9000 analyzer: a new diagnostic tool for altered megakaryopoiesis?. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017 , 77, 73-75	2	2
18	Validation rules for blood smear revision after automated hematological testing using Mindray CAL-8000. <i>Journal of Clinical Laboratory Analysis</i> , 2017 , 31,	3	2
17	Effects of DHT and EGF on human hyperplastic prostate cells cultured in vitro: growth, morphology and phenotype characterisation. <i>Annals of Anatomy</i> , 1997 , 179, 255-64	2.9	2
16	Uptake and intracellular distribution of idarubicin in secondary cultures of normal and neoplastic urothelium. <i>Urological Research</i> , 1997 , 25, 125-30		2
15	Multicentric evaluation of analytical performances digital morphology with respect to the reference methods by manual optical microscopy. <i>Journal of Clinical Pathology</i> , 2020 ,	3.9	2
14	A specific abnormal scattergram of peripheral blood leukocytes that may suggest hairy cell leukemia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, e108-e111	5.9	2
13	Cytographic changes on BC-6800 Haematological Analyzer related to the presence of in peripheral blood. A new tool to suspect candidemia?. <i>Journal of Clinical Pathology</i> , 2017 , 70, 494-499	3.9	1
12	Validation of an immunoturbidimetric assay for assessment of C reactive protein in synovial fluid. <i>Journal of Immunological Methods</i> , 2018 , 457, 22-25	2.5	1
11	A very uncommon haemoglobin value resulting from a severe acute malnutrition in a 16-month-old child in Ethiopia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, e103-e105	5.9	1
10	A specific abnormal scattergram of peripheral blood leukocytes suggestive for the presence of proerythroblast. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020 , 80, 55-58	2	1
9	Lymphocyte morphology supports early diagnosis of Bordetella pertussis infection in neonates. <i>Intensive Care Medicine</i> , 2019 , 45, 894-895	14.5	1
8	New immortalized human stromal cell lines enhancing in vitro expansion of cord blood hematopoietic stem cells. <i>International Journal of Molecular Medicine</i> , 2004 , 13, 363	4.4	0
7	Preliminary evaluation of a new flow cytometry method for the routine hematology workflow. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1608-1622	5.9	

6	Clinical usefulness of automated cellular analysis of synovial fluids: a paradigmatic case report for diagnosing peri-prosthetic infections. <i>AME Medical Journal</i> , 2019 , 4, 29-29	1
5	Conteggio degli eritroblasti con ADVIA2120i in soggetti affetti da talassemia, drepanocitosi e nei neonati. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2014 , 10, 157-166	1.1
4	Production of epidermal growth factor in human prostatic cells cultured in vitro. <i>Annals of Anatomy</i> , 2000 , 182, 249-58	2.9
3	Stromal cell and human prostatic epithelial cell in-vitro co-cultures: Growth and morphology. <i>Urologia</i> , 1996 , 63, 65-68	1.2
2	Complete Blood Count as point of care testing QBC STAR®Preliminary evaluation. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 973-982	2.5
1	Megakaryoblasts in a newborn with Down syndrome. <i>Blood Research</i> , 2018 , 53, 102	1.4