

# Yong-June Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1263368/publications.pdf>

Version: 2024-02-01

64  
papers

1,273  
citations

535685

17  
h-index

425179

34  
g-index

64  
all docs

64  
docs citations

64  
times ranked

2205  
citing authors

#	ARTICLE	IF	CITATIONS
1	Urinary hsv2-miR-H9 to hsa-miR-3659 ratio is an effective marker for discriminating prostate cancer from benign prostate hyperplasia in patients within the prostate-specific antigen grey zone. <i>Investigative and Clinical Urology</i> , 2022, 63, 238.	1.0	3
2	A high basal metabolic rate is an independent predictor of stone recurrence in obese patients. <i>Investigative and Clinical Urology</i> , 2021, 62, 195.	1.0	4
3	Expression of phosphorylated p21-activated kinase 4 is associated with aggressive histologic characteristics and poor prognosis in patients with surgically treated renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2021, 62, 399.	1.0	2
4	Efficacy and Tolerability of Solifenacin Fumarate with Overactive Bladder Patients: A Multicenter Observational Study. <i>Urogenital Tract Infection</i> , 2021, 16, 8-15.	0.1	0
5	Effect of pre-operative internal obturator muscle mass index in MRI on biochemical recurrence of prostate cancer patients after radical prostatectomy: a multi-center study. <i>BMC Urology</i> , 2021, 21, 85.	0.6	1
6	Integrative Transcriptome Profiling Reveals SKA3 as a Novel Prognostic Marker in Non-Muscle Invasive Bladder Cancer. <i>Cancers</i> , 2021, 13, 4673.	1.7	5
7	Nutritional status assessed by the Controlling Nutritional Status (CONUT) score as a predictor of recurrence of urolithiasis. <i>Investigative and Clinical Urology</i> , 2021, 62, 553.	1.0	2
8	The prognostic value of the pretreatment serum albumin to globulin ratio for predicting adverse pathology in patients undergoing radical prostatectomy for prostate cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 545.	1.0	6
9	Prognostic Value of BUB1 for Predicting Non-Muscle-Invasive Bladder Cancer Progression. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12756.	1.8	7
10	A Low Geriatric Nutritional Risk Index is Associated with Aggressive Pathologic Characteristics and Poor Survival after Nephrectomy in Clear Renal Cell Carcinoma: A Multicenter Retrospective Study. <i>Nutrition and Cancer</i> , 2020, 72, 88-97.	0.9	19
11	The age-adjusted Charlson comorbidity index as a predictor of overall survival of surgically treated non-metastatic clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 187-196.	1.2	24
12	Intraoperative allogeneic blood transfusion is associated with adverse oncological outcomes in patients with surgically treated non-metastatic clear cell renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1551-1561.	1.0	4
13	A novel urinary mRNA signature using the droplet digital polymerase chain reaction platform improves discrimination between prostate cancer and benign prostatic hyperplasia within the prostate-specific antigen gray zone. <i>Investigative and Clinical Urology</i> , 2020, 61, 411.	1.0	7
14	Twenty-four-hour urine osmolality as a representative index of adequate hydration and a predictor of recurrence in patients with urolithiasis. <i>International Urology and Nephrology</i> , 2019, 51, 1129-1135.	0.6	8
15	The prognostic significance of preexisting diabetes in patients with surgically treated renal cell carcinoma: the ongoing debate. <i>Annals of Translational Medicine</i> , 2019, 7, S321-S321.	0.7	1
16	ZNF492 and GPR149 methylation patterns as prognostic markers for clear cell renal cell carcinoma: Array-based DNA methylation profiling. <i>Oncology Reports</i> , 2019, 42, 453-460.	1.2	6
17	Gender- and cholesterol-specific predictive value of body mass index in renal cell carcinoma: A multicenter study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, e36-e42.	0.7	2
18	Methylation Signature for Prediction of Progression Free Survival in Surgically Treated Clear Cell Renal Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2019, 34, e144.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Trends in clinical, operative, and pathologic characteristics of surgically treated renal mass in a Korean center: A surgical series from 1988 through 2015. <i>Investigative and Clinical Urology</i> , 2019, 60, 184.	1.0	2
20	Molecular Progression Risk Score for Prediction of Muscle Invasion in Primary T1 High-Grade Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 274-280.	0.9	8
21	Electrochemical detection of methylated DNA on a microfluidic chip with nanoelectrokinetic pre-concentration. <i>Biosensors and Bioelectronics</i> , 2018, 107, 103-110.	5.3	60
22	Sex-Specific Prognostic Significance of Obesity in Nonmetastatic Clear-Cell Renal-Cell Carcinoma in Korea: A Large Multicenter Cohort Analysis. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e173-e179.	0.9	7
23	Low preoperative serum cholesterol level is associated with aggressive pathologic features and poor cancer-specific survival in patients with surgically treated renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2018, 23, 142-150.	1.0	20
24	<i>CDC6</i> mRNA Expression Is Associated with the Aggressiveness of Prostate Cancer. <i>Journal of Korean Medical Science</i> , 2018, 33, e303.	1.1	19
25	Prognostic Impact of Nutritional Status Assessed by the Controlling Nutritional Status (CONUT) Score in Patients with Surgically Treated Renal Cell Carcinoma. <i>Nutrition and Cancer</i> , 2018, 70, 886-894.	0.9	18
26	Age-dependent prognostic value of body mass index for non-metastatic clear cell renal cell carcinoma: A large multicenter retrospective analysis. <i>Journal of Surgical Oncology</i> , 2018, 118, 199-205.	0.8	9
27	Metabolic Characteristics and Risks Associated with Stone Recurrence in Korean Young Adult Stone Patients. <i>Journal of Endourology</i> , 2017, 31, 806-811.	1.1	7
28	Change in Prostate Specific Antigen Concentration in Men with Prostate Specific Antigen Less than 2.5 ng/ml Taking Low Dose Finasteride or Dutasteride for Male Androgenetic Alopecia. <i>Journal of Urology</i> , 2017, 198, 1340-1345.	0.2	2
29	Long-term validation of a molecular progression-associated gene classifier for prediction of muscle invasion in primary non-muscle-invasive bladder cancer. <i>Oncology Letters</i> , 2017, 14, 2468-2474.	0.8	6
30	Chronological Trends in Clinical and Urinary Metabolic Features over 20 Years in Korean Urolithiasis Patients. <i>Journal of Korean Medical Science</i> , 2017, 32, 1496.	1.1	7
31	Impact of the ASA Physical Status Score on Adjuvant Chemotherapy Eligibility and Survival of Upper Tract Urothelial Carcinoma Patients: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2017, 32, 335.	1.1	10
32	Impact of preoperative thrombocytosis on prognosis after surgical treatment in pathological T1 and T2 renal cell carcinoma: results of a multi-institutional comprehensive study. <i>Oncotarget</i> , 2017, 8, 64449-64458.	0.8	6
33	The establishment of KORCC (Korean Renal Cell Carcinoma) database. <i>Investigative and Clinical Urology</i> , 2016, 57, 50.	1.0	30
34	A Prospective Multicenter Trial of the Efficacy and Tolerability of Neoadjuvant Sunitinib for Inoperable Metastatic Renal Cell Carcinoma. <i>Journal of Korean Medical Science</i> , 2016, 31, 1983.	1.1	3
35	Association between Perioperative Blood Transfusion and Oncologic Outcomes after Curative Surgery for Renal Cell Carcinoma. <i>Journal of Cancer</i> , 2016, 7, 965-972.	1.2	17
36	Prognostic Significance of Preoperative Neutrophil-to-Lymphocyte Ratio in Nonmetastatic Renal Cell Carcinoma: A Large, Multicenter Cohort Analysis. <i>BioMed Research International</i> , 2016, 2016, 1-8.	0.9	20

#	ARTICLE	IF	CITATIONS
37	Impact of Young Age at Diagnosis on Survival in Patients with Surgically Treated Renal Cell Carcinoma: a Multicenter Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1976.	1.1	20
38	Lower Levels of Human MOB3B Are Associated with Prostate Cancer Susceptibility and Aggressive Clinicopathological Characteristics. <i>Journal of Korean Medical Science</i> , 2015, 30, 937.	1.1	8
39	Clinical Implications and Prognostic Values of<i>Prostate Cancer Susceptibility Candidate</i>Methylation in Primary Nonmuscle Invasive Bladder Cancer. <i>Disease Markers</i> , 2015, 2015, 1-6.	0.6	8
40	Role of 1,25-Dihydroxy Vitamin D<sub>3</sub> and Parathyroid Hormone in Urinary Calcium Excretion in Calcium Stone Formers. <i>Yonsei Medical Journal</i> , 2014, 55, 1326.	0.9	13
41	Effect of Renal Insufficiency on Stone Recurrence in Patients with Urolithiasis. <i>Journal of Korean Medical Science</i> , 2014, 29, 1132.	1.1	13
42	Impact of Transobturator Tape Treatment on Overactive Bladder Symptoms, Particularly Nocturia, in Patients With Mixed Urinary Incontinence. <i>Korean Journal of Urology</i> , 2014, 55, 520.	1.2	3
43	Distinct Metabolic Characteristics and Risk of Stone Recurrence in Patients With Multiple Stones at the First-time Presentation. <i>Urology</i> , 2014, 84, 274-278.	0.5	4
44	The predictive value of GSTT1 polymorphisms in predicting the early response to induction BCG therapy in patients with non-muscle invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 458-465.	0.8	9
45	Hypertriglyceridemia Is Associated With Increased Risk for Stone Recurrence in Patients With Urolithiasis. <i>Urology</i> , 2014, 84, 766-771.	0.5	21
46	<i>HOXA9</i>, <i>ISL1</i> and <i>ALDH1A3</i> methylation patterns as prognostic markers for nonmuscle invasive bladder cancer: Array-based DNA methylation and expression profiling. <i>International Journal of Cancer</i> , 2013, 133, 1135-1142.	2.3	100
47	Multi-Institutional Analysis of Localized Renal Cell Carcinoma that Demonstrates the Impact of Diabetic Status on Prognosis After Nephrectomy. <i>Annals of Surgical Oncology</i> , 2013, 20, 3662-3668.	0.7	27
48	Pyrosequencing Analysis of APC Methylation Level in Human Prostate Tissues: A Molecular Marker for Prostate Cancer. <i>Korean Journal of Urology</i> , 2013, 54, 194.	1.2	6
49	DNA Methylation of <i>GSTP1</i> in Human Prostate Tissues: Pyrosequencing Analysis. <i>Korean Journal of Urology</i> , 2012, 53, 200.	1.2	17
50	Hypertension Influences Recurrent Stone Formation in Nonobese Stone Formers. <i>Urology</i> , 2011, 77, 1059-1063.	0.5	19
51	<i>EFEMP1</i> as a Novel DNA Methylation Marker for Prostate Cancer: Array-Based DNA Methylation and Expression Profiling. <i>Clinical Cancer Research</i> , 2011, 17, 4523-4530.	3.2	61
52	<i>GSTT1</i> as a Prognosticator for Recurrence and Progression in Patients with Non-Muscle-Invasive Bladder Cancer. <i>Disease Markers</i> , 2010, 29, 81-87.	0.6	11
53	Gene Signatures for the Prediction of Response to Bacillus Calmette-Guérin Immunotherapy in Primary pT1 Bladder Cancers. <i>Clinical Cancer Research</i> , 2010, 16, 2131-2137.	3.2	47
54	Expression Signature of <i>E2F1</i> and Its Associated Genes Predict Superficial to Invasive Progression of Bladder Tumors. <i>Journal of Clinical Oncology</i> , 2010, 28, 2660-2667.	0.8	296

#	ARTICLE	IF	CITATIONS
55	Can We Use Single Nucleotide Polymorphism and Runt Domain Transcription Factor 3 Methylation as Tumor Markers for Bladder Cancer?. Korean Journal of Urology, 2009, 50, 311.	1.2	1
56	Changes in Urinary Lithogenic Features Over Time in Patients With Urolithiasis. Urology, 2009, 74, 51-55.	0.5	8
57	The Relationship between RUNX3 Inactivation and Its Pathological Features in Renal Cell Carcinoma. Korean Journal of Urology, 2009, 50, 432.	1.2	2
58	The association between metabolic syndrome and prostate-specific antigen levels. International Journal of Urology, 2008, 15, 905-909.	0.5	21
59	Methylation of the RUNX3 Promoter as a Potential Prognostic Marker for Bladder Tumor. Journal of Urology, 2008, 180, 1141-1145.	0.2	71
60	Impact of Obesity in Patients With Urolithiasis and its Prognostic Usefulness in Stone Recurrence. Journal of Urology, 2008, 179, 570-574.	0.2	84
61	Comparison of Perioperative Outcomes of Extraperitoneal Laparoscopic Radical Prostatectomy (ELRP) versus Open Radical Retropubic Prostatectomy (RRP): Single Surgeon's Initial Experience. Korean Journal of Urology, 2007, 48, 131.	0.2	6
62	Utility of Smo as a Prognostic Marker for Human Bladder Tumors. Korean Journal of Urology, 2007, 48, 997.	0.2	4
63	Biomarkers in Bladder Cancer: Present Status and Perspectives. Biomarker Insights, 2007, 2, 117727190700200.	1.0	2
64	Body mass index influences prostate-specific antigen in men younger than 60 years of age. International Journal of Urology, 2007, 14, 1009-1012.	0.5	22