

Christian Godballe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1263785/christian-godballe-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136 papers	2,652 citations	30 h-index	44 g-index
151 ext. papers	3,154 ext. citations	4 avg, IF	4.74 L-index

#	Paper	IF	Citations
136	Diagnosis of possible nasopharyngeal malignancy in adults with isolated serous otitis media; a systematic review and proposal of a management algorithm.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	
135	The Dual-Microphone Voice Range Profile Assessment-Interrater Reliability. <i>Journal of Voice</i> , 2021 , 35, 521-529	1.9	2
134	Germline Leu56Met Variant Is Likely Not Causative of Multiple Endocrine Neoplasia Type 2.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 764512	5.7	
133	Nasal vestibule squamous cell carcinoma: a population-based cohort study from DAHANCA. <i>Acta Oncologica</i> , 2021 , 1-7	3.2	0
132	Surgical treatment of the neck in patients with salivary gland carcinoma. <i>Head and Neck</i> , 2021 , 43, 1898-1911	4.1	5
131	Diagnostic accuracy of imaging modalities in detection of histopathological extranodal extension: A systematic review and meta-analysis. <i>Oral Oncology</i> , 2021 , 114, 105169	4.4	3
130	Multiple endocrine neoplasia type 2: A review. <i>Seminars in Cancer Biology</i> , 2021 ,	12.7	7
129	Prediction of successful hearing aid treatment in first-time and experienced hearing aid users: Using the International Outcome Inventory for Hearing Aids. <i>International Journal of Audiology</i> , 2021 , 1-11	2.6	6
128	Reply to Letter to the Editor regarding "Elective neck dissection and its extent in Salivary gland cancers: A Dilemma". <i>Head and Neck</i> , 2021 , 43, 2861-2862	4.2	
127	Salivary gland carcinoma in Denmark: a national update and follow-up on incidence, histology, and outcome. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 1179-1188	3.5	5
126	Histopathological Definitions of Extranodal Extension: A Systematic Review. <i>Head and Neck Pathology</i> , 2021 , 15, 599-607	3.3	5
125	Sinonasal cancer in Denmark 2008-2015: a population-based phase-4 cohort study from DAHANCA. <i>Acta Oncologica</i> , 2021 , 60, 333-342	3.2	3
124	Prognostic scoring models in parotid gland carcinoma. <i>Head and Neck</i> , 2021 , 43, 2081-2090	4.2	1
123	Reply to Letter to the Editor regarding "In reference to Surgical treatment of the neck in patients with salivary gland carcinoma". <i>Head and Neck</i> , 2021 , 43, 3699-3700	4.2	
122	Health-Related Quality of Life, Dysphagia, Voice Problems, Depression, and Anxiety After Total Laryngectomy. <i>Laryngoscope</i> , 2021 ,	3.6	2
121	Elective neck dissection in patients with salivary gland carcinoma: A systematic review and meta-analysis. <i>Journal of Oral Pathology and Medicine</i> , 2020 , 49, 606-616	3.3	9
120	Recommendations for head and neck surgical oncology practice in a setting of acute severe resource constraint during the COVID-19 pandemic: an international consensus. <i>Lancet Oncology</i> , 2020 , 21, e350-e359	21.7	62

119	Variability in Medullary Thyroid Carcinoma in L790F Carriers: A Case Comparison Study of Index Patients. <i>Frontiers in Endocrinology</i> , 2020 , 11, 251	5.7	1
118	Interrater variation of vascular classifications used in enhanced laryngeal contact endoscopy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 2485-2492	3.5	3
117	Definition of locally recurrent head and neck squamous cell carcinoma: a systematic review and proposal for the Odense-Birmingham definition. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 1593-1599	3.5	8
116	Primary hyperparathyroidism as first manifestation in multiple endocrine neoplasia type 2A: an international multicenter study. <i>Endocrine Connections</i> , 2020 , 9, 489-497	3.5	8
115	Value of pre- and intraoperative diagnostic methods in suspected glottic neoplasia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020 , 277, 207-215	3.5	1
114	Preimplantation Genetic Testing of Multiple Endocrine Neoplasia Type 2A. <i>Frontiers in Endocrinology</i> , 2020 , 11, 572151	5.7	0
113	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features is Rare: A Population Based Study of Incidence. <i>Head and Neck Pathology</i> , 2020 , 14, 144-149	3.3	5
112	Incidence and malignant transformation of glottic precursor lesions in Denmark. <i>Acta Oncologica</i> , 2020 , 59, 596-602	3.2	1
111	Completeness of testing in patients with medullary thyroid carcinoma in Denmark 1997-2013: a nationwide study. <i>Clinical Epidemiology</i> , 2019 , 11, 93-99	5.9	6
110	In response to Laryngeal precursor lesions: Interrater and intrarater reliability of histopathological assessment. <i>Laryngoscope</i> , 2019 , 129, E93	3.6	2
109	Risk of Malignancy in FDG-Avid Thyroid Incidentalomas on PET/CT: A Prospective Study. <i>World Journal of Surgery</i> , 2019 , 43, 2454-2458	3.3	4
108	The Impact of Post-thyroidectomy Paresis on Quality of Life in Patients with Nodular Thyroid Disease. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 161, 589-597	5.5	9
107	Up-front F18-FDG PET/CT in suspected salivary gland carcinoma. <i>Annals of Nuclear Medicine</i> , 2019 , 33, 554-563	2.5	3
106	Upfront PET/CT affects management decisions in patients with recurrent head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2019 , 94, 1-7	4.4	2
105	Incidental and Non-incidental Papillary Thyroid Microcarcinoma in Denmark 1996-2015: A national study on incidence, outcome and thoughts on active surveillance. <i>Cancer Epidemiology</i> , 2019 , 60, 46-50	2.8	8
104	Impact of age, comorbidity, and WHO performance status on delay of treatment in patients undergoing fast-track work-up for head and neck cancer. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 259-264	3.6	6
103	Cross-cultural Adaption and Validation of the Danish Voice Handicap Index. <i>Journal of Voice</i> , 2019 , 33, 441-444	1.9	5
102	Replication of newly proposed TNM staging system for medullary thyroid carcinoma: a nationwide study. <i>Endocrine Connections</i> , 2019 , 8, 1-7	3.5	3

101	Natural history, treatment, and long-term follow up of patients with multiple endocrine neoplasia type 2B: an international, multicentre, retrospective study. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 213-220	18.1	52
100	Survival and Long-Term Biochemical Cure in Medullary Thyroid Carcinoma in Denmark 1997-2014: A Nationwide Study. <i>Thyroid</i> , 2019 , 29, 368-377	6.2	27
99	The Impact of Esophageal Compression on Goiter Symptoms before and after Thyroid Surgery. <i>European Thyroid Journal</i> , 2019 , 8, 16-23	4.2	5
98	Therapeutic Use of the Human Papillomavirus Vaccine on Recurrent Respiratory Papillomatosis: A Systematic Review and Meta-Analysis. <i>Journal of Infectious Diseases</i> , 2019 , 219, 1016-1025	7	26
97	PET/CT Versus Standard Imaging for Prediction of Survival in Patients with Recurrent Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 592-599	8.9	10
96	Letter to the Editor regarding the paper by N. Azzam et al. Germline polymorphisms on RET proto-oncogene involved in medullary thyroid carcinoma in a Druze family. <i>European Journal of Cancer</i> , 2018 , 93, 154-155	7.5	
95	Anaplastic thyroid carcinoma in Denmark 1996-2012: A national prospective study of 219 patients. <i>Cancer Epidemiology</i> , 2018 , 53, 65-71	2.8	10
94	The Danish Head and Neck Cancer fast-track program: a tertiary cancer centre experience. <i>European Journal of Cancer</i> , 2018 , 90, 133-139	7.5	16
93	The compensatory enlargement of the remaining thyroid lobe following hemithyroidectomy is small and without impact on symptom relief. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 161-167	3.5	4
92	Can the Ni classification of vessels predict neoplasia? A systematic review and meta-analysis. <i>Laryngoscope</i> , 2018 , 128, 168-176	3.6	23
91	Reproducibility of Automated Voice Range Profiles, a Systematic Literature Review. <i>Journal of Voice</i> , 2018 , 32, 273-280	1.9	4
90	Test-Retest Reliability of the Dual-Microphone Voice Range Profile. <i>Journal of Voice</i> , 2018 , 32, 32-37	1.9	8
89	Changes in Swallowing Symptoms and Esophageal Motility After Thyroid Surgery: A Prospective Cohort Study. <i>World Journal of Surgery</i> , 2018 , 42, 998-1004	3.3	9
88	Laryngeal precursor lesions: Interrater and intrarater reliability of histopathological assessment. <i>Laryngoscope</i> , 2018 , 128, 2375-2379	3.6	13
87	PET/CT and prediction of thyroid cancer in patients with follicular neoplasm or atypia. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 2109-2117	3.5	5
86	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. <i>Journal of Nuclear Medicine</i> , 2018 , 59, 575-581	8.9	5
85	Up-front PET/CT changes treatment intent in patients with head and neck squamous cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 613-621	8.8	11
84	Oncocytic carcinoma of the salivary glands: A Danish national study. <i>Auris Nasus Larynx</i> , 2018 , 45, 825-830.	3.2	6

83	The Impact of Goiter and Thyroid Surgery on Goiter Related Esophageal Dysfunction. A Systematic Review. <i>Frontiers in Endocrinology</i> , 2018 , 9, 679	5.7	4
82	Incidence and prevalence of multiple endocrine neoplasia 2A in Denmark 1901-2014: a nationwide study. <i>Clinical Epidemiology</i> , 2018 , 10, 1479-1487	5.9	16
81	Transoral Robotic Surgery in the Nordic Countries: Current Status and Perspectives. <i>Frontiers in Oncology</i> , 2018 , 8, 289	5.3	6
80	Incidence and prevalence of sporadic and hereditary MTC in Denmark 1960-2014: a nationwide study. <i>Endocrine Connections</i> , 2018 , 7, 829-839	3.5	26
79	Is serum TSH a biomarker of thyroid carcinoma in patients residing in a mildly iodine-deficient area?. <i>Endocrine</i> , 2018 , 61, 308-316	4	2
78	Defining the surgical margins of adenoid cystic carcinoma and their impact on outcome: An international collaborative study. <i>Head and Neck</i> , 2017 , 39, 1008-1014	4.2	34
77	F-FDG PET/CT to differentiate malignant necrotic lymph node from benign cystic lesions in the neck. <i>Annals of Nuclear Medicine</i> , 2017 , 31, 101-108	2.5	17
76	Incidence and prevalence of multiple endocrine neoplasia 2B in Denmark: a nationwide study. <i>Endocrine-Related Cancer</i> , 2017 , 24, L39-L42	5.7	26
75	Head-to-Head Comparison of Chest X-Ray/Head and Neck MRI, Chest CT/Head and Neck MRI, and F-FDG PET/CT for Detection of Distant Metastases and Synchronous Cancer in Oral, Pharyngeal, and Laryngeal Cancer. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 1919-1924	8.9	48
74	Novel Somatic RET Mutation Questioning the Causality of the RET I852M Germline Sequence Variant in Multiple Endocrine Neoplasia 2A. <i>Thyroid</i> , 2017 , 27, 1103-1104	6.2	11
73	Nonanaplastic follicular cell-derived thyroid carcinoma: mitosis and necrosis in long-term follow-up. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 2541-2548	3.5	3
72	Founder Effect of the RET Mutation in Multiple Endocrine Neoplasia 2A in Denmark: A Nationwide Study. <i>Thyroid</i> , 2017 , 27, 1505-1510	6.2	14
71	Quality of life after thyroidectomy in patients with nontoxic nodular goiter: A prospective cohort study. <i>Head and Neck</i> , 2017 , 39, 2232-2240	4.2	26
70	Reproducibility of Dual-Microphone Voice Range Profile Equipment. <i>Journal of Speech, Language, and Hearing Research</i> , 2017 , 60, 3369-3377	2.8	2
69	Thyroidectomy Improves Tracheal Anatomy and Airflow in Patients with Nodular Goiter: A Prospective Cohort Study. <i>European Thyroid Journal</i> , 2017 , 6, 307-314	4.2	8
68	Distribution of RET Mutations in Multiple Endocrine Neoplasia 2 in Denmark 1994-2014: A Nationwide Study. <i>Thyroid</i> , 2017 , 27, 215-223	6.2	26
67	Aquaporin-4 IgG autoimmune syndrome and immunoreactivity associated with thyroid cancer. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016 , 3, e252	9.1	9
66	Can videostroboscopy predict early glottic cancer? A systematic review and meta-analysis. <i>Laryngoscope</i> , 2016 , 126, 2079-84	3.6	5

65	Polymorphous low-grade adenocarcinoma: A Danish national study. <i>Oral Oncology</i> , 2016 , 55, 6-10	4.4	15
64	Does age affect prognosis in salivary gland carcinoma patients? A national Danish study. <i>Acta Oncologica</i> , 2016 , 55 Suppl 1, 19-22	3.2	11
63	FDG PET/CT in cancer: comparison of actual use with literature-based recommendations. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 695-706	8.8	40
62	Supraglottoplasty as treatment of exercise induced laryngeal obstruction (EILO). <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 945-51	3.5	24
61	Risk factors for treatment failure in surgery for primary hyperparathyroidism: the impact of change in surgical strategy and training procedures. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 1599-605	3.5	1
60	The Danish Head and Neck Cancer database. <i>Clinical Epidemiology</i> , 2016 , 8, 491-496	5.9	26
59	Salivary duct carcinoma: a Danish national study. <i>Journal of Oral Pathology and Medicine</i> , 2016 , 45, 664-673	3.1	14
58	Respiratory Manifestations of Hypothyroidism: A Systematic Review. <i>Thyroid</i> , 2016 , 26, 1519-1527	6.2	23
57	Gene-expression Classifier in Papillary Thyroid Carcinoma: Validation and Application of a Classifier for Prognostication. <i>Anticancer Research</i> , 2016 , 36, 749-56	2.3	5
56	Quality-of-Life Differences among Diagnostic Subgroups of Children Receiving Ventilating Tubes for Otitis Media. <i>Otolaryngology - Head and Neck Surgery</i> , 2015 , 153, 636-43	5.5	16
55	Elective neck dissection in patients with head and neck adenoid cystic carcinoma: an international collaborative study. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1353-9	3.1	52
54	Salivary adenoid cystic carcinoma in Denmark 1990-2005: Outcome and independent prognostic factors including the benefit of radiotherapy. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2015 , 51, 1138-42	4.4	55
53	Incidence of cervical lymph node metastasis and its association with outcomes in patients with adenoid cystic carcinoma. An international collaborative study. <i>Head and Neck</i> , 2015 , 37, 1032-7	4.2	38
52	International collaborative validation of intraneural invasion as a prognostic marker in adenoid cystic carcinoma of the head and neck. <i>Head and Neck</i> , 2015 , 37, 1038-45	4.2	62
51	Nomograms for predicting survival and recurrence in patients with adenoid cystic carcinoma. An international collaborative study. <i>European Journal of Cancer</i> , 2015 , 51, 2768-76	7.5	35
50	Papillary thyroid carcinoma in Denmark, 1996-2008: outcome and evaluation of established prognostic scoring systems in a prospective national cohort. <i>Thyroid</i> , 2015 , 25, 78-84	6.2	44
49	Completeness and validity in a national clinical thyroid cancer database: DATHYRCA. <i>Cancer Epidemiology</i> , 2014 , 38, 633-7	2.8	19
48	¹⁸ F-fluoro-deoxy-glucose-positron emission tomography/computed tomography in diagnosis of head and neck squamous cell carcinoma: a systematic review and meta-analysis. <i>European Journal of Cancer</i> , 2014 , 50, 2271-9	7.5	36

47	Risk factors for recurrent nerve palsy after thyroid surgery: a national study of patients treated at Danish departments of ENT Head and Neck Surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 2267-76	3.5	34
46	The impact of goitre and its treatment on the trachea, airflow, oesophagus and swallowing function. A systematic review. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 481-94	6.5	31
45	Caregiver Quality of Life and Daily Functioning in Relation to Ventilating Tube Treatment. <i>Otolaryngology - Head and Neck Surgery</i> , 2014 , 151, 341-7	5.5	8
44	Otitis Media and Caregiver Quality of Life: Psychometric Properties of the Modified Danish Version of the Caregiver Impact Questionnaire. <i>Otolaryngology - Head and Neck Surgery</i> , 2014 , 151, 142-9	5.5	3
43	A "package solution" fast track program can reduce the diagnostic waiting time in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 1163-70	3.5	30
42	Analysis of failure in patients with adenoid cystic carcinoma of the head and neck. An international collaborative study. <i>Head and Neck</i> , 2014 , 36, 998-1004	4.2	45
41	FDG-PET/CT can rule out malignancy in patients with vocal cord palsy. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 4, 193-201	2.2	5
40	The Otitis Media-6 questionnaire: psychometric properties with emphasis on factor structure and interpretability. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 201	3	19
39	Papillary thyroid carcinoma in Denmark 1996-2008: an investigation of changes in incidence. <i>Cancer Epidemiology</i> , 2013 , 37, e1-6	2.8	32
38	Waiting times for diagnosis and treatment of head and neck cancer in Denmark in 2010 compared to 1992 and 2002. <i>European Journal of Cancer</i> , 2013 , 49, 1627-33	7.5	51
37	Juvenile mandibular chronic osteomyelitis: 3 cases and a literature review. <i>Journal of Oral and Maxillofacial Surgery</i> , 2013 , 71, 305-9	1.8	13
36	The value of routine follow-up after treatment for head and neck cancer. A national survey from DAHANCA. <i>Acta Oncologica</i> , 2013 , 52, 277-84	3.2	21
35	Adenoid cystic carcinoma of the nasal cavity and paranasal sinuses: a meta-analysis. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2013 , 74, 118-25	1.5	40
34	Papillary thyroid microcarcinoma in Denmark 1996-2008: a national study of epidemiology and clinical significance. <i>Thyroid</i> , 2013 , 23, 1159-64	6.2	45
33	Prognostic significance of Ki-67 in salivary gland carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2012 , 41, 598-602	3.3	16
32	Salivary gland carcinoma in Denmark 1990-2005: outcome and prognostic factors. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2012 , 48, 179-85	4.4	48
31	Down-regulation of microRNAs controlling tumourigenic factors in follicular thyroid carcinoma. <i>Journal of Molecular Endocrinology</i> , 2012 , 48, 11-23	4.5	67
30	Salivary gland carcinomas of the larynx: a national study in Denmark. <i>Auris Nasus Larynx</i> , 2012 , 39, 611-4	2.2	22

29	Large discrepancy in the results of sensitive measurements of thyroglobulin antibodies in the follow-up on thyroid cancer: a diagnostic dilemma. <i>European Thyroid Journal</i> , 2012 , 1, 193-7	4.2	8
28	Aggressive elimination of precancerous lesions of the vocal cords to avoid risk of cancer. <i>Danish Medical Journal</i> , 2012 , 59, A4399	3.8	9
27	Osteopontin expression in salivary gland carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2011 , 40, 451-5	3.3	2
26	Salivary gland carcinoma in Denmark 1990-2005: a national study of incidence, site and histology. Results of the Danish Head and Neck Cancer Group (DAHANCA). <i>Oral Oncology</i> , 2011 , 47, 677-82	4.4	152
25	FDG-PET/CT for detection of the unknown primary head and neck tumor. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2011 , 55, 500-8	1.4	19
24	Molecular signatures of thyroid follicular neoplasia. <i>Endocrine-Related Cancer</i> , 2010 , 17, 691-708	5.7	25
23	Solitary fibrous tumor arising in an intrathoracic goiter. <i>Thyroid</i> , 2010 , 20, 435-7	6.2	17
22	Carcinoma of the nasal cavity and paranasal sinuses in Denmark 1995-2004. <i>Acta Oncologica</i> , 2010 , 49, 389-94	3.2	62
21	Value of fine-needle aspiration biopsy of salivary gland lesions. <i>Head and Neck</i> , 2010 , 32, 104-8	4.2	43
20	Benefit of measuring basal serum calcitonin to detect medullary thyroid carcinoma in a Danish population with a high prevalence of thyroid nodules. <i>Head and Neck</i> , 2010 , 32, 612-8	4.2	14
19	Medullary thyroid cancer: RET testing of an archival material. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010 , 267, 613-7	3.5	7
18	Post-tonsillectomy hemorrhage: assessment of risk factors with special attention to introduction of coblation technique. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009 , 266, 1011-5	3.5	23
17	Post-thyroidectomy hemorrhage: a national study of patients treated at the Danish departments of ENT Head and Neck Surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009 , 266, 1945-52	3.5	76
16	Papillary microcarcinoma of the thyroid gland: is the immunohistochemical expression of cyclin D1 or galectin-3 in primary tumour an indicator of metastatic disease?. <i>Acta Oncologica</i> , 2008 , 47, 451-7	3.2	19
15	Adult extracardiac rhabdomyoma: light and immunohistochemical studies of two cases in the parapharyngeal space. <i>Head and Neck</i> , 2006 , 28, 275-9	4.2	11
14	Malignant triton tumor (MTT) of the neck. <i>Auris Nasus Larynx</i> , 2006 , 33, 89-91	2.2	11
13	Parotid carcinoma: expression of kit protein and epidermal growth factor receptor. <i>Journal of Oral Pathology and Medicine</i> , 2006 , 35, 286-91	3.3	24
12	Lipoblastoma of the neck: a rare cause of respiratory problems in children. <i>Auris Nasus Larynx</i> , 2005 , 32, 169-73	2.2	18

11	Duration of symptoms: impact on outcome of radiotherapy in glottic cancer patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2005 , 61, 789-94	4	27
10	Salvage laryngectomy and pharyngocutaneous fistulae after primary radiotherapy for head and neck cancer: a national survey from DAHANCA. <i>Head and Neck</i> , 2003 , 25, 711-6	4.2	73
9	Parotid carcinoma: impact of clinical factors on prognosis in a histologically revised series. <i>Laryngoscope</i> , 2003 , 113, 1411-7	3.6	41
8	Malignant vagal paraganglioma: report of a case treated with embolization and surgery. <i>Auris Nasus Larynx</i> , 2003 , 30, 443-6	2.2	11
7	Hypopharyngeal cancer: results of treatment based on radiation therapy and salvage surgery. <i>Laryngoscope</i> , 2002 , 112, 834-8	3.6	54
6	Cancer of the larynx--treatment results after primary radiotherapy with salvage surgery in a series of 1005 patients. <i>Acta Oncologica</i> , 2002 , 41, 69-76	3.2	57
5	Is thyroidectomy necessary in RET mutations carriers of the familial medullary thyroid carcinoma syndrome?. <i>Cancer</i> , 2000 , 89, 863-867	6.4	27
4	Is thyroidectomy necessary in RET mutations carriers of the familial medullary thyroid carcinoma syndrome?. <i>Cancer</i> , 2000 , 89, 863-7	6.4	13
3	Prognostic factors in papillary and follicular thyroid carcinomas: p53 expression is a significant indicator of prognosis. <i>Laryngoscope</i> , 1998 , 108, 243-9	3.6	34
2	Papillary thyroid carcinoma: correlations between prognosis, age, and clinicopathological and histomorphological findings. <i>Laryngoscope</i> , 1994 , 104, 747-51	3.6	15
1	Congenital laryngo-tracheo-oesophageal cleft. Report of a case with difficulties of diagnosis and treatment. <i>Acta Oto-Laryngologica</i> , 1988 , 449, 105-7	1.6	2