

Frank Mehnert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1263842/frank-mehnert-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55
papers

2,224
citations

27
h-index

47
g-index

58
ext. papers

2,575
ext. citations

4.3
avg, IF

4.57
L-index

#	Paper	IF	Citations
55	Risk of bacteraemia in patients with rheumatoid arthritis and the effect of orthopaedic implants on the risk: a nationwide observational cohort study.. <i>Scandinavian Journal of Rheumatology</i> , 2022 , 1-9	1.9	0
54	Comparative effectiveness of two adalimumab biosimilars in 1318 real-world patients with inflammatory rheumatic disease mandated to switch from originator adalimumab: nationwide observational study emulating a randomised clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1400-1409	2.4	2
53	Risk of serious infections in arthritis patients treated with biological drugs: a matched cohort study and development of prediction model. <i>Rheumatology</i> , 2021 , 60, 3834-3844	3.9	2
52	Hospital contacts due to hepatobiliary adverse events in >5000 patients with inflammatory joint disease treated with originator or biosimilar etanercept (SB4): an observational nationwide study applying linkage between DANBIO and national registries. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 846-848	2.4	2
51	Response to S to switch or not to switch S the missing piece in the puzzle of biosimilar literature? S by Scherlinger. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e37	2.4	1
50	SAT0062 INCIDENCE OF STAPHYLOCOCCUS AUREUS BACTEREMIA IN PATIENTS WITH RHEUMATOID ARTHRITIS: A NATIONWIDE COHORT STUDY. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 964.1-964	2.4	
49	Overall infection risk in rheumatoid arthritis during treatment with abatacept, rituximab and tocilizumab; an observational cohort study. <i>Rheumatology</i> , 2020 , 59, 1949-1956	3.9	10
48	Response to: S Mandatory, cost-driven switching from originator etanercept to its biosimilar SB: possible fallout on non-medical switching S by Cantini and Benucci. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e14	2.4	2
47	Comparative Effectiveness of Certolizumab Pegol, Abatacept, and Biosimilar Infliximab in Patients With Rheumatoid Arthritis Treated in Routine Care: Observational Data From the Danish DANBIO Registry Emulating a Randomized Trial. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1997-2004	9.5	10
46	Risk factors for bacteremia in patients with rheumatoid arthritis and incidence compared with the general population: protocol for a Danish nationwide observational cohort study. <i>BMJ Open</i> , 2019 , 9, e030999	3	1
45	To switch or not to switch: results of a nationwide guideline of mandatory switching from originator to biosimilar etanercept. One-year treatment outcomes in 2061 patients with inflammatory arthritis from the DANBIO registry. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 192-200	2.4	71
44	Risk of serious infections in patients with rheumatoid arthritis treated in routine care with abatacept, rituximab and tocilizumab in Denmark and Sweden. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 320-327	2.4	31
43	Cervical screening in Denmark - a success followed by stagnation. <i>Acta Oncologica</i> , 2018 , 57, 354-361	3.2	25
42	Colonoscopy-related complications in a nationwide immunochemical fecal occult blood test-based colorectal cancer screening program. <i>Clinical Epidemiology</i> , 2018 , 10, 1649-1655	5.9	15
41	Lifetime Risk of Primary Total Hip Replacement Surgery for Osteoarthritis From 2003 to 2013: A Multinational Analysis Using National Registry Data. <i>Arthritis Care and Research</i> , 2017 , 69, 1659-1667	4.7	31
40	Severe Mental Illness and Clinical Outcome After Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2017 , 120, 550-555	3	14
39	Substantial rise in the lifetime risk of primary total knee replacement surgery for osteoarthritis from 2003 to 2013: an international, population-level analysis. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 455-461	6.2	55

38	Age- and sex-related differences in use of guideline-recommended care and mortality among patients with incident heart failure in Denmark. <i>Age and Ageing</i> , 2016 , 45, 635-42	3	5
37	Reply to S Adjusting for Ethnicity <i>S Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, e167	4.6	
36	The database of the Danish Renal Cancer Group. <i>Clinical Epidemiology</i> , 2016 , 8, 725-729	5.9	7
35	Hydroxyapatite coating does not improve uncemented stem survival after total hip arthroplasty!. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 18-25	4.3	46
34	Rheumatoid Arthritis: Trends in Antirheumatic Drug Use, C-reactive Protein Levels, and Surgical Burden. <i>Journal of Rheumatology</i> , 2015 , 42, 2247-54	4.1	11
33	Effectiveness and safety of different duration of thromboprophylaxis in 16,865 hip replacement patients--a real-world, prospective observational study. <i>Thrombosis Research</i> , 2015 , 135, 322-8	8.2	20
32	Use of antihypertensive drugs and risk of skin cancer. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1545-54	4.6	69
31	The risk of venous thromboembolism, myocardial infarction, stroke, major bleeding and death in patients undergoing total hip and knee replacement: a 15-year retrospective cohort study of routine clinical practice. <i>Bone and Joint Journal</i> , 2014 , 96-B, 479-85	5.6	65
30	Association between fixation technique and revision risk in total hip arthroplasty patients younger than 55 years of age. Results from the Nordic Arthroplasty Register Association. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 659-67	6.2	46
29	Is the use of oral contraceptives associated with operatively treated anterior cruciate ligament injury? A case-control study from the Danish Knee Ligament Reconstruction Registry. <i>American Journal of Sports Medicine</i> , 2014 , 42, 2897-905	6.8	25
28	Preadmission oral anticoagulant treatment and clinical outcome among patients hospitalized with acute stroke and atrial fibrillation: a nationwide study. <i>Stroke</i> , 2014 , 45, 168-75	6.7	19
27	Registration of acute stroke: validity in the Danish Stroke Registry and the Danish National Registry of Patients. <i>Clinical Epidemiology</i> , 2014 , 6, 27-36	5.9	97
26	Type of preadmission antidiabetic treatment and outcome among patients with ischemic stroke: a nationwide follow-up study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012 , 21, 717-25	2.8	15
25	Prenatal exposure to acid-suppressive drugs and the risk of childhood asthma: a population-based Danish cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 1190-8	6.1	32
24	Colorectal cancer and risk of atrial fibrillation and flutter: a population-based case-control study. <i>Internal and Emergency Medicine</i> , 2012 , 7, 431-8	3.7	58
23	Use of prescription paracetamol during pregnancy and risk of asthma in children: a population-based Danish cohort study. <i>Clinical Epidemiology</i> , 2012 , 4, 33-40	5.9	26
22	Existing data sources for clinical epidemiology: The Danish Knee Arthroplasty Register. <i>Clinical Epidemiology</i> , 2012 , 4, 125-35	5.9	48
21	Nonsteroidal anti-inflammatory drugs and the risk of skin cancer: a population-based case-control study. <i>Cancer</i> , 2012 , 118, 4768-76	6.4	74

20	Dimensions of socioeconomic status and clinical outcome after primary percutaneous coronary intervention. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 641-8	6	30
19	Use of secondary medical prophylaxis and clinical outcome among patients with ischemic stroke: a nationwide follow-up study. <i>Stroke</i> , 2012 , 43, 802-7	6.7	13
18	Sex- and age-related differences in clinical outcome after primary percutaneous coronary intervention. <i>EuroIntervention</i> , 2012 , 8, 904-11	3.1	27
17	Non-steroidal anti-inflammatory drug use and risk of atrial fibrillation or flutter: population based case-control study. <i>BMJ, The</i> , 2011 , 343, d3450	5.9	88
16	Socioeconomic differences in quality of care and clinical outcome after stroke: a nationwide population-based study. <i>Stroke</i> , 2011 , 42, 2896-902	6.7	67
15	Oral bisphosphonates and risk of ischemic stroke: a case-control study. <i>Osteoporosis International</i> , 2011 , 22, 1773-9	5.3	14
14	Statistical analysis of arthroplasty data. II. Guidelines. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011 , 82, 258-67	4.3	104
13	Statistical analysis of arthroplasty data. I. Introduction and background. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011 , 82, 253-7	4.3	42
12	Venous thromboembolism in patients having knee replacement and receiving thromboprophylaxis: a Danish population-based follow-up study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93, 1281-7	5.6	44
11	Knee arthroplasty in Denmark, Norway and Sweden. A pilot study from the Nordic Arthroplasty Register Association. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 81, 82-9	4.3	158
10	Medical prophylaxis following hospitalization for ischemic stroke: age- and sex-related differences and relation to mortality. <i>Cerebrovascular Diseases</i> , 2010 , 30, 556-66	3.2	11
9	Risk of revision of a total hip replacement in patients with diabetes mellitus: a population-based follow up study. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010 , 92, 929-34		67
8	The risk of revision after primary total hip arthroplasty among statin users: a nationwide population-based nested case-control study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010 , 92, 1063-72	5.6	26
7	Risk factors for venous thromboembolism in patients undergoing total hip replacement and receiving routine thromboprophylaxis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010 , 92, 2156-64	5.6	93
6	Postoperative use of bisphosphonates and risk of revision after primary total hip arthroplasty: a nationwide population-based study. <i>Bone</i> , 2010 , 46, 946-51	4.7	52
5	Allogeneic blood transfusion and prognosis following total hip replacement: a population-based follow up study. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 167	2.8	81
4	Use of diuretics and risk of implant failure after primary total hip arthroplasty: a nationwide population-based study. <i>Bone</i> , 2009 , 45, 499-504	4.7	12
3	The Nordic Arthroplasty Register Association: a unique collaboration between 3 national hip arthroplasty registries with 280,201 THRs. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009 , 80, 393-401	4.3	150

- | | | |
|---|--|--------|
| 2 | Glucocorticoid use and risk of atrial fibrillation or flutter: a population-based, case-control study. <i>Archives of Internal Medicine</i> , 2009 , 169, 1677-83 | 72 |
| 1 | Use of bisphosphonates among women and risk of atrial fibrillation and flutter: population based case-control study. <i>BMJ, The</i> , 2008 , 336, 813-6 | 59 135 |