

# Majid Pedram

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1264188/majid-pedram-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118  
papers

556  
citations

11  
h-index

14  
g-index

122  
ext. papers

655  
ext. citations

1  
avg, IF

4.45  
L-index

#	Paper	IF	Citations
118	Additional data on Iranian trichodorids (Triplonchida: Trichodoridae) and first record of a rare species, <i>Trichodorus variabilis</i> Roca, 1998. <i>Nematology</i> , <b>2017</b> , 19, 121-129	0.9	20
117	n. sp. (Rhabditida: Ektaphelenchinae) from Tehran Province, Iran. <i>Journal of Nematology</i> , <b>2017</b> , 49, 223-230	0.9	20
116	Description of <i>Abursanema iranicum</i> n. gen., n. sp. (Nematoda: Hexatyliina, Sphaerularioidea) from Iran and its phylogenetic relationships. <i>Zootaxa</i> , <b>2014</b> , 3826, 301-14	0.5	17
115	Molecular and morphological characterisation of <i>Paralongidorus iranicus</i> n. sp. and <i>P. bikanerensis</i> (Lal & Mathur, 1987) Siddiqi, Baujard & Mounport, 1993 (Nematoda: Longidoridae) from Iran. <i>Nematology</i> , <b>2012</b> , 14, 427-443	0.9	16
114	Description of <i>Lelenchus brevislitis</i> n. sp. (Nematoda: Tylenchidae), an example of a cryptic species from Iran and its phylogenetic relationships with other species in the family. <i>Nematology</i> , <b>2016</b> , 18, 987-998	0.9	14
113	<i>Ektaphelenchoides sylvestris</i> sp. nov. (Nematoda: Ektaphelenchinae) from Iran. <i>Annales Zoologici</i> , <b>2012</b> , 62, 325	0.6	13
112	Description of <i>Ektaphelenchus berbericus</i> n. sp. (Rhabditida: Ektaphelenchinae) from eastern Iran. <i>Nematology</i> , <b>2016</b> , 18, 1063-1077	0.9	13
111	Data on some members of the family Tylenchidae (Nematoda: Tylenchina) from Iran. <i>Biologia (Poland)</i> , <b>2015</b> , 70, 1376-1387	1.5	12
110	Molecular and morphological characterization of <i>Veleshkinema iranicum</i> n. gen., n. sp. (Nematoda: Hexatyliina, Sphaerularioidea) from Iran. <i>Zootaxa</i> , <b>2015</b> , 4000, 531-46	0.5	12
109	Molecular and morphological characterisations of two new species of <i>Rotylenchus</i> (Nematoda; Hoplolaimidae) from Iran. <i>Nematology</i> , <b>2011</b> , 13, 951-964	0.9	11
108	<i>Longidorus kheirii</i> n. sp. (Nematoda: Longidoridae) from Iran. <i>Systematic Parasitology</i> , <b>2008</b> , 71, 199-211	1	11
107	New evidence of nematode-endosymbiont bacteria coevolution based on one new and one known dagger nematode species of <i>Xiphinema americanum</i> -group (Nematoda, Longidoridae). <i>PLoS ONE</i> , <b>2019</b> , 14, e0217506	3.7	10
106	Description of <i>Xiphinema castilloi</i> sp. n. (Dorylaimida: Longidoridae) from Iran and its phylogenetic relationships. <i>Nematology</i> , <b>2014</b> , 16, 359-368	0.9	10
105	n. gen., a New Member of the Family Tylenchidae Hey, 1880 with Detailed SEM Study on Two Known Species of the Genus Siddiqi, 1980 (Nematoda; Tylenchidae) from Iran. <i>Journal of Nematology</i> , <b>2016</b> , 48, 214-221	1.1	10
104	Observations on <i>Malenchus geraerti</i> n. sp. (Rhabditida: Tylenchidae), a morphological and molecular phylogenetic study. <i>Zootaxa</i> , <b>2018</b> , 4369, 406-418	0.5	10
103	Description of <i>Longidorus perangustus</i> sp. n. (Dorylaimida: Longidoridae), an amphimictic species from Iran. <i>European Journal of Plant Pathology</i> , <b>2016</b> , 144, 581-594	2.1	9
102	Description of <i>Ektaphelenchoides caspiensis</i> n. sp. (Nematoda: Ektaphelenchinae) from Iran. <i>Nematology</i> , <b>2015</b> , 17, 169-177	0.9	8

101	Morphological and molecular characterisation of <i>Aphelenchoides primadentus</i> n. sp. (Nematoda: Aphelenchoididae) from northern Iran. <i>Nematology</i> , <b>2018</b> , 20, 97-109	0.9	8
100	Description of <i>Atetylenchus minor</i> n. sp. (Tylenchina: Tylenchidae) and data on two other species of the family. <i>Nematology</i> , <b>2015</b> , 17, 981-994	0.9	8
99	<i>Devibursaphelenchus kheirii</i> sp. n. (Nematoda: Ektaphelenchinae) from Iran with remarks on <i>Devibursaphelenchus Kakuliya</i> , 1967. <i>Nematology</i> , <b>2014</b> , 16, 1069-1078	0.9	8
98	First record of the genus <i>Discotylenchus</i> Siddiqi, 1980 (Nematoda: Tylenchidae) from Iran, with description of one new and data on two known species. <i>Zootaxa</i> , <b>2012</b> , 3493, 72	0.5	8
97	Description of <i>Rhysocolpus vinciguerrae</i> sp. n. (Dorylaimida, Nordiidae) from Iran and the first molecular study of this genus. <i>Nematology</i> , <b>2011</b> , 13, 927-937	0.9	8
96	Molecular and morphological characterisation of <i>Xiphinema granatum</i> n. sp. and <i>Longidorus pisi</i> Edward, Misra & Singh, 1964 (Dorylaimida: Longidoridae) from Iran. <i>Nematology</i> , <b>2012</b> , 14, 949-960	0.9	8
95	Description of n. sp. (Nematoda: Aphelenchoididae), and Proposal for a New Combination. <i>Journal of Nematology</i> , <b>2018</b> , 50, 437-452	1.1	8
94	<i>Rotylenchus castilloi</i> n. sp. (Nematoda: Hoplolaimidae), a new species with long stylet from northern Iran. <i>Zootaxa</i> , <b>2015</b> , 3931, 88-100	0.5	7
93	Additional data on Iranian trichodorids (Triplonchida: Trichodoridae) and proposal for a new synonymy. <i>Nematology</i> , <b>2015</b> , 17, 1185-1191	0.9	7
92	Description of <i>Trichodorus iranicus</i> sp. n. (Diphtherophorina, Trichodoridae) from Iran. <i>Zootaxa</i> , <b>2014</b> , 3795, 431-40	0.5	7
91	Morphological and molecular characterisation of <i>Xiphinema zagrosense</i> sp. n. (Dorylaimida: Longidoridae) from the Zagros Mountains, Iran. <i>Nematology</i> , <b>2012</b> , 14, 445-455	0.9	7
90	Description of n. sp. (Dorylaimida: Longidoridae) from Iran. <i>Journal of Nematology</i> , <b>2018</b> , 50, 207-218	1.1	7
89	A molecular phylogenetic approach for unravelling the taxonomic status of <i>Basilaphelenchus persicus</i> n. gen., n. sp. (Aphelenchoididae: Tylyphelenchinae). <i>Nematology</i> , <b>2018</b> , 20, 567-582	0.9	7
88	Description of a new species of seed-gall nematode, <i>Anguina obesa</i> n. sp. (Nematoda: Anguinidae) from northern Iran, and its phylogenetic relations with other species and genera. <i>European Journal of Plant Pathology</i> , <b>2017</b> , 148, 423-434	2.1	6
87	Two Ektaphelenchinae Paramonov, 1964 (Nematoda: Rhabditida) from Iran have tripartite stylet, with similar observations in other species. <i>PLoS ONE</i> , <b>2019</b> , 14, e0215731	3.7	6
86	New morphometric ranges for <i>Bursaphelenchus willibaldi</i> Schöfeld et al. 2006 (Nematoda: Parasitaphelenchidae) from Iran. <i>Forest Pathology</i> , <b>2016</b> , 46, 29-34	1.2	6
85	New data on <i>Longidorus aetnaeus</i> Roca, Lamberti, Agostinelli & Vinciguerra, 1986 (Nematoda: Longidoridae) from Iran and Ajaria (Georgia). <i>Systematic Parasitology</i> , <b>2013</b> , 85, 173-87	1	6
84	The occurrence of three species of the genus <i>Oscheius</i> Andr�sy, 1976 (Nematoda: Rhabditida) in Iran. <i>Journal of Plant Protection Research</i> , <b>2017</b> , 57, 248-255		6

83	Description of <i>Rotylenchus arasbaranensis</i> n. sp. from Iran with discussion on the taxonomic status of <i>Plesiorotylenchus Vovlas, Castillo &amp; Lamberti, 1993</i> (Nematoda: Hoplolaimidae). <i>Nematology</i> , <b>2014</b> , 16, 1019-1045	0.9	6
82	Morphological and molecular characterisation of <i>Enchodelus babakicus</i> n. sp. and <i>E. macrodorus</i> Thorne, 1939 (Nematoda: Nordiidae) from Iran. <i>Nematology</i> , <b>2009</b> , 11, 895-907	0.9	6
81	Description of one new, and new data on two known, species of <i>Enchodelus</i> Thorne, 1939 (Dorylaimida: Nordiidae) from Iran. <i>Nematology</i> , <b>2011</b> , 13, 729-740	0.9	6
80	Morphological and molecular characterisation of <i>Xiphinema mazandaranense</i> n. sp. (Dorylaimida: Longidoridae), a new member of the <i>Xiphinema pyrenaicum</i> species complex. <i>Nematology</i> , <b>2012</b> , 14, 109-119	0.9	6
79	Comments on taxonomic status and host association of some <i>Laimaphelenchus</i> spp. (Rhabditida: Aphelenchoidea). <i>Nematology</i> , <b>2018</b> , 20, 483-489	0.9	6
78	Genetic diversity, and description of a new dagger nematode, <i>Xiphinema afratakhtehnsis</i> sp. nov., (Dorylaimida: Longidoridae) in natural forests of southeastern Gorgan, northern Iran. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214147	3.7	5
77	<i>Rotylenchus dalikhaniensis</i> n. sp. (Nematoda: Hoplolaimidae), a monosexual species recovered from the rhizosphere of <i>Ruscus hyrcanus</i> Woronow in Mazandaran province, northern Iran. <i>Nematology</i> , <b>2015</b> , 17, 67-77	0.9	5
76	Two rare species of tylenchids, <i>Discotylenchus biannulatus</i> n. sp. and <i>Labrys chinensis</i> Qing Bert, 2018 (Nematoda: Tylenchidae) from western Iran. <i>Zootaxa</i> , <b>2018</b> , 4413, 260-270	0.5	5
75	Morphological and molecular characterization of <i>Paractinolaimus sahandi</i> n. sp. (Nematoda: Actinolaimidae) from the Sahand Mountains in Iran. <i>Journal of Helminthology</i> , <b>2011</b> , 85, 276-82	1.6	5
74	<i>Xiphinema iranicum</i> n. sp. (Nematoda: Longidoridae) from north-western Iran. <i>Nematology</i> , <b>2009</b> , 11, 11-21	0.9	5
73	<i>Longidorus ferrisi</i> n. sp. from California Citrus. <i>Journal of Nematology</i> , <b>2009</b> , 41, 104-10	1.1	5
72	A New Species of the Rare Genus <i>Anguillonema</i> Fuchs, 1938 (Nematoda: Hexatyulina, Sphaerularioidea) with Its Molecular Phylogenetic Study. <i>Journal of Nematology</i> , <b>2017</b> , 49, 286-294	1.1	5
71	<i>Xiphinema japonicum</i> n. sp. (Nematoda: Longidorinae) from the Rhizosphere of Japanese <i>Podocarpus macrophyllus</i> (Thunb.), a Cryptic Species Related to <i>Xiphinema bakeri</i> Williams, 1961. <i>Journal of Nematology</i> , <b>2018</b> , 49, 404-417	1.1	5
70	Morphological and Molecular Characterization of n. sp. (Rhabditida: Tylenchidae) from Iran. <i>Journal of Nematology</i> , <b>2018</b> , 50, 343-354	1.1	5
69	<i>Sigmolenchus sinuosus</i> n. gen., n. sp. (Tylenchidae: Ecphyadophorinae), a new member of the family. <i>Nematology</i> , <b>2020</b> , 22, 985-997	0.9	5
68	A new species of <i>Basilaphelenchus</i> Pedram, Kanzaki, Giblin-Davis & Pourjam, 2018 (Aphelenchoidea: Tylyphelenchinae), from natural forests of Golestan province, Iran. <i>Nematology</i> , <b>2020</b> , 22, 361-371	0.9	5
67	Morphological and molecular characterisation of <i>Ektaphelenchoides tonekabonensis</i> n. sp. (Rhabditida: Ektaphelenchinae) from northern Iran. <i>Nematology</i> , <b>2019</b> , 21, 1011-1022	0.9	5
66	<i>Labrys khuzestanensis</i> n. sp. (Nematoda, Tylenchidae), a new member of the genus with large labial plate. <i>Zootaxa</i> , <b>2019</b> , 4671, zootaxa.4671.2.7	0.5	4

65	An integrative study of <i>Sakia sisanganensis</i> n. sp. (Rhabditida: Tylenchidae) from Sisangan forest, Iran, and new morphological observations for the genus. <i>Forest Pathology</i> , <b>2019</b> , 49, e12536	1.2	4
64	Additional data on <i>Enchodelus veletensis</i> Guerrero, Liñanas & Peñ-Santiago, 2007 (Dorylaimida: Nordiidae) from Iran, and phylogeny of the genus. <i>Nematology</i> , <b>2009</b> , 11, 217-229	0.9	4
63	Data on Some Species of the Genus Siddiqi, 1978 (Rhabditida, Tylenchidae) from Iran. <i>Journal of Nematology</i> , <b>2016</b> , 48, 268-279	1.1	4
62	Morphological and molecular description of <i>Longidorus behshahrensis</i> n. sp. (Nematoda: Longidoridae) from natural forests of Abbas Abad, north of Iran. <i>European Journal of Plant Pathology</i> , <b>2020</b> , 156, 387-398	2.1	4
61	<i>Ektaphelenchoides shiroodensis</i> n. sp. (Rhabditida: Ektaphelenchinae) a new member of the genus. <i>Nematology</i> , <b>2020</b> , 22, 493-503	0.9	4
60	Description of <i>Cryptaphelenchus paravaricaudatus</i> n. sp. (Aphelenchoidea: Ektaphelenchinae) from <i>Pinus massoniana</i> Lamb. in China. <i>Nematology</i> , <b>2020</b> , 22, 723-732	0.9	3
59	Description of <i>Aphelenchoides hamospiculatus</i> n. sp. (Aphelenchoidea: Aphelenchoididae) from Golestan province, north Iran. <i>Nematology</i> , <b>2020</b> , 23, 201-213	0.9	3
58	First record of the genus <i>Sakia</i> Khan, 1964 (Nematoda: Tylenchidae) from Iran, with proposal of <i>Sakia arboris</i> n. sp.. <i>Nematology</i> , <b>2018</b> , 20, 449-460	0.9	3
57	Occurrence of <i>Neodolichodorus persiangulfus</i> n. sp. (Nematoda: Dolichodoridae) in mangrove forests of southern Iran. <i>Forest Pathology</i> , <b>2019</b> , 49, e12563	1.2	3
56	New data on <i>Labronemella labiata</i> Andr�sy, 1985 (Dorylaimida: Qudsianematidae) from Iran, with SEM study and a compendium of the genus. <i>Zootaxa</i> , <b>2012</b> , 3271, 43	0.5	3
55	Description of <i>Dorylaimoides alborzicus</i> sp. n. (Dorylaimida: Nematoda) from Iran, with updated compendium and key to the species of <i>Dorylaimoides</i> . <i>Zootaxa</i> , <b>2011</b> , 3022, 58	0.5	3
54	n. sp. (Nematoda: Hemicycliophoridae), and data on a known species, from Iran. <i>Journal of Nematology</i> , <b>2020</b> , 52,	1.1	3
53	Further Studies on Soil Nematode Fauna in North Western Iran with the Description of One New Species. <i>Journal of Nematology</i> , <b>2015</b> , 47, 148-52	1.1	3
52	n. sp. (Nematoda: Longidorinae) from the Rhizosphere of Japanese (Thunb.), a Cryptic Species Related to <i>Williams</i> , 1961. <i>Journal of Nematology</i> , <b>2017</b> , 49, 404-417	1.1	3
51	Description of <i>Ditylenchus acantholimonis</i> n. sp. (Rhabditida: Anguinidae) from Iran, a morphological and molecular phylogenetic study. <i>Nematology</i> , <b>2021</b> , 1-10	0.9	3
50	<i>Lobocriconema iranense</i> (Van den Berg, Eskandari, Tiedt & Karegar, 2010) n. comb. and description of <i>L. nokandense</i> n. sp. (Nematoda: Criconematidae) from Iran. <i>Nematology</i> , <b>2019</b> , 21, 1043-1061	0.9	3
49	New morphological observations on <i>Neolobocriconema serratum</i> (Khan & Siddiqi, 1963) Mehta & Raski, 1971 (Rhabditida: Criconematidae). <i>Nematology</i> , <b>2019</b> , 21, 419-434	0.9	3
48	First record of () (Rhabditida: Rhabditidae) from Iran; and its efficacy against two economic forest trees pests, (Walker, 1859) (Lepidoptera: Crambidae) and () (Lepidoptera: Erebidae) in laboratory condition. <i>Journal of Nematology</i> , <b>2021</b> , 53,	1.1	3

47	Description of <i>Xiphinema persicum</i> n. sp. (Nematoda: Longidoridae), a <i>X. americanum</i> -group species from Iran. <i>European Journal of Plant Pathology</i> , <b>2021</b> , 159, 783-797	2.1	3
46	Description of <i>Xiphinema azarbaijanense</i> n. sp. (Nematoda; Longidoridae) from West Azarbaijan province, northwestern Iran. <i>European Journal of Plant Pathology</i> , <b>2019</b> , 155, 417-434	2.1	2
45	Occurrence of <i>Xiphinema santos Lamberti</i> , Lemos, Agostinelli & D'Addato 1993 (Nematoda: Longidoridae), a <i>X. americanum</i> -group member in Iran. <i>European Journal of Plant Pathology</i> , <b>2020</b> , 157, 281-291	2.1	2
44	Description and molecular phylogeny of <i>Ditylenchus gilanicus</i> n. sp. (Nematoda: Anguinidae) from northern forests of Iran. <i>European Journal of Plant Pathology</i> , <b>2018</b> , 152, 735-746	2.1	2
43	Description of a new species of the rare genus <i>Epacrolaimus</i> Andr�sy, 2000 (Dorylaimida, Aporcelaimidae) and new data on male of <i>Paraxonchium laetificans</i> (Andr�sy, 1956) Altherr & Loof, 1969 (Dorylaimida, Paraxonchiidae) from Iran. <i>Zootaxa</i> , <b>2012</b> , 3327, 53	0.5	2
42	<i>Xiphinema bernardi</i> n. sp. (Nematoda: Longidoridae) from the Great Smoky Mountain National Park. <i>Journal of Nematology</i> , <b>2009</b> , 41, 111-9	1.1	2
41	A New Species of the Rare Genus Fuchs, 1938 (Nematoda: Hexatylinea, Sphaerularioidea) with Its Molecular Phylogenetic Study. <i>Journal of Nematology</i> , <b>2017</b> , 49, 286-294	1.1	2
40	Description of n. sp. (Tylenchomorpha: Aphelenchoididae) found in the medium soil imported from Italy. <i>Journal of Nematology</i> , <b>2020</b> , 52, 1-11	1.1	2
39	First Record of <i>Trichodorus primitivus</i> and Morphological and Molecular Identification of <i>Longidorus elongatus</i> from Canada. <i>Plant Disease</i> , <b>2010</b> , 94, 782	1.5	2
38	A molecular phylogenetic reappraisal of Richtersiidae Kreis, 1929 (Desmodorida: Desmodoroidea), with two new species of intertidal nematodes from the Persian Gulf. <i>Nematology</i> , <b>2020</b> , 22, 1045-1060	0.9	2
37	Description of <i>Ektaphelenchus masseyi</i> n. sp. (Rhabditida: Ektaphelenchinae) found in dead wood, from Iran. <i>Nematology</i> , <b>2020</b> , 1-12	0.9	2
36	Occurrence of the genus <i>Dolichodorus</i> Cobb 1914 (Nematoda: Dolichodoridae) in Iran, and description of <i>D. rex</i> n. sp.. <i>European Journal of Plant Pathology</i> , <b>2020</b> , 158, 443-455	2.1	2
35	Further data on Iranian marine nematode diversity, with description of three new Desmodoridae Filipjev, 1922 (Nematoda: Desmodorida) species from the Persian Gulf. <i>Nematology</i> , <b>2021</b> , 23, 781-802	0.9	2
34	<i>Rotylenchus sardashtensis</i> n. sp., a monosexual species from Iran, with molecular identification and detailed morphological observations on an Iranian population of <i>Rotylenchus cypriensis</i> Antoniou, 1980 (Nematoda: Rhabditida: Hoplolaimidae). <i>Systematic Parasitology</i> , <b>2016</b> , 93, 395-411	1	2
33	New observations on <i>Miculenchus</i> Andr�sy, 1959 (Nematoda: Tylenchidae) with descriptions of two new and one known species from Iran. <i>Nematology</i> , <b>2019</b> , 21, 937-956	0.9	2
32	Biocontrol properties of some agricultural waste extracts on three nematode species in in vitro and in vivo conditions. <i>Nematology</i> , <b>2019</b> , 21, 837-846	0.9	2
31	Description of <i>Basilaphelenchus brevicaudatus</i> n. sp. (Aphelenchoidea: Tylyphelenchinae) from a dead forest tree in northern Iran. <i>Nematology</i> , <b>2019</b> , 21, 147-158	0.9	2
30	New and known species of the genus Thorne & Swanger, 1936 (Dorylaimida, Nordiidae) from Iran. <i>Journal of Helminthology</i> , <b>2019</b> , 94, e32	1.6	2



29	Morphological and molecular characterization of n. sp. from east Golestan province, north Iran; with an updated phylogeny of Andr�sy, 1968 (Tylenchomorpha: Tylenchidae). <i>Journal of Nematology</i> , <b>2021</b> , 53,	1.1	2
28	Paurodontella gilanic n. sp. (Nematoda: Sphaerularioidea) from Iran. <i>Nematology</i> , <b>2018</b> , 20, 471-482	0.9	2
27	Molecular characterisation of, and new data on, two populations of Xiphinema ingens Luc & Dalmasso, 1964 (Nematoda: Longidoridae) from Iran. <i>Nematology</i> , <b>2015</b> , 17, 125-138	0.9	1
26	Phylogenetic relationships of Leptolaimus de Man, 1876 (Plectida: Leptolaimidae) with description of two new species from the Persian Gulf, Iran. <i>Nematology</i> , <b>2020</b> , 23, 153-169	0.9	1
25	Description of a new species of the genus Anguillonema Fuchs, 1938 (Nematoda: Sphaerularioidea) with an identification key to the species. <i>Journal of Helminthology</i> , <b>2019</b> , 93, 504-512	1.6	1
24	First record of the genus Parasitorhabditis Fuchs, 1937 (Rhabditida, Nematoda) from Iran with notes on morphological and molecular characters of the Iranian population of P. obtusa (Fuchs, 1915) Chitwood & Chitwood, 1950. <i>Zootaxa</i> , <b>2017</b> , 4353, 591-600	0.5	1
23	Morphological and molecular characterization of Tylencholaimellus persicus sp. n. (Dorylaimida: Tylencholaimellidae) from Iran. <i>Zootaxa</i> , <b>2015</b> , 4040, 74-82	0.5	1
22	An aberrant nematode, Baldwinema n. gen. (Nematoda: Panagrolaimomorpha: Panagrolaimidae), from Iran with description of three new species. <i>Nematology</i> , <b>2015</b> , 17, 877-896	0.9	1
21	A curious nematode, Diploscaeteroides persicus n. sp. (Nematoda: Rhabditida: Rhabditomorpha), from Iran with a note on the status of the male genital papillae. <i>Nematology</i> , <b>2015</b> , 17, 1045-1056	0.9	1
20	Description of Longidorus armeniaca n. sp. (Nematoda: Longidoridae), associated with Prunus armeniaca L. in Semnan province, Iran. <i>European Journal of Plant Pathology</i> , <b>2022</b> , 162, 739	2.1	1
19	Description of Scutylenechus quercinus n. sp. (Nematoda: Tylenchomorpha) from Asalem forests, north Iran. <i>Nematology</i> , <b>2022</b> , 1-12	0.9	1
18	Description of n. sp. (Sphaerularioidea: Neotylenchidae) from Iran: a morphological and molecular phylogenetic study. <i>Journal of Nematology</i> , <b>2020</b> , 52, 1-13	1.1	1
17	New data on species diversity of the genus Trichodorus Cobb, 1913 (Diphtherophorina, Trichodoridae) in Iran, with description of a new species. <i>European Journal of Plant Pathology</i> , <b>2022</b> , 162, 389	2.1	1
16	Data of an Iranian Population of Sturhan & Argo, 1983, with taxonomic revision of Peneva, Orion, Shlevin, Bar-Eyal & Brown, 1998 (Nematoda: Longidoridae) and Proposal for a New Synonymy. <i>Journal of Nematology</i> , <b>2019</b> , 51,	1.1	1
15	Morphological and molecular characterization of () (Aphelenchoididae; Ektaphelenchinae) from Iran, with morphological and taxonomic observations on some species. <i>Journal of Nematology</i> , <b>2020</b> , 52, 1-12	1.1	1
14	A revision of the taxonomy of Aphelenchoides stammeri K�her, 1954 (Rhabditida: Aphelenchoididae) and proposal for a new genus. <i>Nematology</i> , <b>2020</b> , 23, 215-228	0.9	1
13	Bursaphelenchus pterocarpi n. sp. (Tylenchina: Aphelenchoididae) found in Pterocarpus sp. imported into China from Ghana. <i>Nematology</i> , <b>2019</b> , 21, 725-737	0.9	1
12	Basilaphelenchus gorganensis n. sp. (Aphelenchoidea, Tylaphelenchinae) from wood from northern Iran. <i>Forest Pathology</i> , <b>2019</b> , 49, e12490	1.2	1

11	n. sp. (Tylenchomorpha: Aphelenchoididae) from South Africa, a morphological and molecular phylogenetic study, with an update to the diagnostics of the genus. <i>Journal of Nematology</i> , <b>2021</b> , 53,	1.1	1
10	Description of n. sp. (Dorylaimida, Nordiidae) from Southern Iran and Its Molecular Phylogenetic Study. <i>Journal of Nematology</i> , <b>2017</b> , 49, 21-26	1.1	0
9	A new species of the genus Xiphinema Cobb 1913 (Nematoda: Longidoridae) from north and northwest Iran. <i>European Journal of Plant Pathology</i> , <b>2021</b> , 160, 557-574	2.1	0
8	An interesting rare tylenchid species, <i>Antarctenchus urmiensis</i> n. sp. (Tylenchomorpha; Psilenchidae) from Urmia Lake islands, northwest Iran, with a discussion on the taxonomy of related genera. <i>Journal of Nematology</i> , 53, 1-14	1.1	0
7	The nematode genus <i>Haliplectus</i> Cobb, 1913 (Chromadorea: Haliplectidae): phylogenetic relationships, description of a new species from the Persian Gulf, southern Iran, and a tabular key to valid species. <i>Nematology</i> , <b>2022</b> , 1-17	0.9	0
6	n. sp. (Nematoda: Tylenchidae) from South Africa, a new member of the genus with a long pharyngeal overlap. <i>Journal of Nematology</i> , <b>2020</b> , 52, 1-10	1.1	
5	<i>Hemicriconemoides phoenicis</i> Van den Berg et al., 2015 (Nematoda: Criconematidae) from Iran: a morphological and molecular phylogenetic study. <i>Nematology</i> , <b>2020</b> , 22, 815-824	0.9	
4	A new pratylenchid nematode, <i>Hoplotylus japonicus</i> n. sp. (Tylenchina: Pratylenchidae) from the rhizosphere of Japanese maple, <i>Acer palmatum</i> (Thumb.). <i>Nematology</i> , <b>2020</b> , 22, 1131-1140	0.9	
3	YASER ADELDOOST, RAMIN HEYDARI & MAJID PEDRAM (2015) Morphological and molecular characterization of <i>Tylencholaimellus persicus</i> sp. n. (Dorylaimida: Tylencholaimellidae) from Iran. <i>Zootaxa</i> , 4040 (1): 074-082. <i>Zootaxa</i> , <b>2016</b> , 4066, 600	0.5	
2	Amendment to the diagnosis of <i>Aphelenchoides salixae</i> Esmaeili et al., 2017 (Nematoda: Aphelenchoididae). <i>Nematology</i> , <b>2019</b> , 22, 123-124	0.9	
1	The first juvenile developmental stage separates <i>Paralongidorus iranicus</i> Pedram et al., 2012 (Nematoda: Longidoridae) from <i>P. litoralis</i> Palomares-Rius et al., 2008, its cryptic relative. <i>Nematology</i> , <b>2019</b> , 21, 887-888	0.9	