

Majid Pedram

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1264188/majid-pedram-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

556
citations

11
h-index

14
g-index

122
ext. papers

655
ext. citations

1
avg, IF

4.45
L-index

#	Paper	IF	Citations
118	Description of <i>Longidorus armeniaca</i> n. sp. (Nematoda: Longidoridae), associated with <i>Prunus armeniaca</i> L. in Semnan province, Iran. <i>European Journal of Plant Pathology</i> , 2022 , 162, 739	2.1	1
117	Description of <i>Scutylemchus quercinus</i> n. sp. (Nematoda: Tylenchomorpha) from Asalem forests, north Iran. <i>Nematology</i> , 2022 , 1-12	0.9	1
116	New data on species diversity of the genus <i>Trichodorus</i> Cobb, 1913 (Diphtherophorina, Trichodoridae) in Iran, with description of a new species. <i>European Journal of Plant Pathology</i> , 2022 , 162, 389	2.1	1
115	The nematode genus <i>Haliplectus</i> Cobb, 1913 (Chromadorea: Haliplectidae): phylogenetic relationships, description of a new species from the Persian Gulf, southern Iran, and a tabular key to valid species. <i>Nematology</i> , 2022 , 1-17	0.9	0
114	Further data on Iranian marine nematode diversity, with description of three new Desmodoridae Filipjev, 1922 (Nematoda: Desmodorida) species from the Persian Gulf. <i>Nematology</i> , 2021 , 23, 781-802	0.9	2
113	A new species of the genus <i>Xiphinema</i> Cobb 1913 (Nematoda: Longidoridae) from north and northwest Iran. <i>European Journal of Plant Pathology</i> , 2021 , 160, 557-574	2.1	0
112	Description of <i>Ditylenchus acantholimonis</i> n. sp. (Rhabditida: Anguinidae) from Iran, a morphological and molecular phylogenetic study. <i>Nematology</i> , 2021 , 1-10	0.9	3
111	Morphological and molecular characterization of n. sp. from east Golestan province, north Iran; with an updated phylogeny of Andr�s, 1968 (Tylenchomorpha: Tylenchidae). <i>Journal of Nematology</i> , 2021 , 53,	1.1	2
110	First record of () (Rhabditida: Rhabditidae) from Iran; and its efficacy against two economic forest trees pests, (<i>Walker</i> , 1859) (Lepidoptera: Crambidae) and () (Lepidoptera: Erebididae) in laboratory condition. <i>Journal of Nematology</i> , 2021 , 53,	1.1	3
109	Description of <i>Xiphinema persicum</i> n. sp. (Nematoda: Longidoridae), a <i>X. americanum</i> -group species from Iran. <i>European Journal of Plant Pathology</i> , 2021 , 159, 783-797	2.1	3
108	n. sp. (Tylenchomorpha: Aphelenchoididae) from South Africa, a morphological and molecular phylogenetic study, with an update to the diagnostics of the genus. <i>Journal of Nematology</i> , 2021 , 53,	1.1	1
107	Description of <i>Cryptaphelenchus paravaricaudatus</i> n. sp. (Aphelenchoidea: Ektaphelenchinae) from <i>Pinus massoniana</i> Lamb. in China. <i>Nematology</i> , 2020 , 22, 723-732	0.9	3
106	Phylogenetic relationships of <i>Leptolaimus</i> de Man, 1876 (Plectida: Leptolaimidae) with description of two new species from the Persian Gulf, Iran. <i>Nematology</i> , 2020 , 23, 153-169	0.9	1
105	Description of <i>Aphelenchoides hamospiculatus</i> n. sp. (Aphelenchoidea: Aphelenchoididae) from Golestan province, north Iran. <i>Nematology</i> , 2020 , 23, 201-213	0.9	3
104	Occurrence of <i>Xiphinema santos Lambertii</i> , Lemos, Agostinelli & D�ddabo 1993 (Nematoda: Longidoridae), a <i>X. americanum</i> -group member in Iran. <i>European Journal of Plant Pathology</i> , 2020 , 157, 281-291	2.1	2
103	Description of n. sp. (Sphaerularioidea: Neotylenchidae) from Iran: a morphological and molecular phylogenetic study. <i>Journal of Nematology</i> , 2020 , 52, 1-13	1.1	1
102	n. sp. (Nematoda: Tylenchidae) from South Africa, a new member of the genus with a long pharyngeal overlap. <i>Journal of Nematology</i> , 2020 , 52, 1-10	1.1	

101	n. sp. (Nematoda: Hemicycliophoridae), and data on a known species, from Iran. <i>Journal of Nematology</i> , 2020 , 52,	1.1	3
100	Morphological and molecular characterization of () (Aphelenchoididae; Ektaphelenchinae) from Iran, with morphological and taxonomic observations on some species. <i>Journal of Nematology</i> , 2020 , 52, 1-12	1.1	1
99	Description of n. sp. (Tylenchomorpha: Aphelenchoididae) found in the medium soil imported from Italy. <i>Journal of Nematology</i> , 2020 , 52, 1-11	1.1	2
98	Morphological and molecular description of Longidorus behshahrensis n. sp. (Nematoda: Longidoridae) from natural forests of Abbas Abad, north of Iran. <i>European Journal of Plant Pathology</i> , 2020 , 156, 387-398	2.1	4
97	A revision of the taxonomy of Aphelenchoides stammeri K�ner, 1954 (Rhabditida: Aphelenchoididae) and proposal for a new genus. <i>Nematology</i> , 2020 , 23, 215-228	0.9	1
96	Hemicriconemoides phoenicis Van den Berg et al., 2015 (Nematoda: Criconematidae) from Iran: a morphological and molecular phylogenetic study. <i>Nematology</i> , 2020 , 22, 815-824	0.9	
95	Sigmolenchus sinuosus n. gen., n. sp. (Tylenchidae: Ecphyadophorinae), a new member of the family. <i>Nematology</i> , 2020 , 22, 985-997	0.9	5
94	A molecular phylogenetic reappraisal of Richtersiidae Kreis, 1929 (Desmodorida: Desmodoroidea), with two new species of intertidal nematodes from the Persian Gulf. <i>Nematology</i> , 2020 , 22, 1045-1060	0.9	2
93	Ektaphelenchoides shiroodensis n. sp. (Rhabditida: Ektaphelenchinae) a new member of the genus. <i>Nematology</i> , 2020 , 22, 493-503	0.9	4
92	Description of Ektaphelenchus masseyi n. sp. (Rhabditida: Ektaphelenchinae) found in dead wood, from Iran. <i>Nematology</i> , 2020 , 1-12	0.9	2
91	A new species of Basilaphelenchus Pedram, Kanzaki, Giblin-Davis & Pourjam, 2018 (Aphelenchoidea: Tylyphelenchinae), from natural forests of Golestan province, Iran. <i>Nematology</i> , 2020 , 22, 361-371	0.9	5
90	Occurrence of the genus Dolichodoros Cobb 1914 (Nematoda: Dolichodoridae) in Iran, and description of D. rex n. sp.. <i>European Journal of Plant Pathology</i> , 2020 , 158, 443-455	2.1	2
89	A new pratylenchid nematode, Hoplotylus japonicus n. sp. (Tylenchina: Pratylenchidae) from the rhizosphere of Japanese maple, Acer palmatum (Thumb.). <i>Nematology</i> , 2020 , 22, 1131-1140	0.9	
88	Labrys khuzestanensis n. sp. (Nematoda, Tylenchidae), a new member of the genus with large labial plate. <i>Zootaxa</i> , 2019 , 4671, zootaxa.4671.2.7	0.5	4
87	Description of Xiphinema azarbaijanense n. sp. (Nematoda; Longidoridae) from West Azarbaijan province, northwestern Iran. <i>European Journal of Plant Pathology</i> , 2019 , 155, 417-434	2.1	2
86	New evidence of nematode-endosymbiont bacteria coevolution based on one new and one known dagger nematode species of Xiphinema americanum-group (Nematoda, Longidoridae). <i>PLoS ONE</i> , 2019 , 14, e0217506	3.7	10
85	Genetic diversity, and description of a new dagger nematode, Xiphinema afratakhtehsis sp. nov., (Dorylaimida: Longidoridae) in natural forests of southeastern Gorgan, northern Iran. <i>PLoS ONE</i> , 2019 , 14, e0214147	3.7	5
84	Two Ektaphelenchinae Paramonov, 1964 (Nematoda: Rhabditida) from Iran have tripartite stylet, with similar observations in other species. <i>PLoS ONE</i> , 2019 , 14, e0215731	3.7	6

83	Description of a new species of the genus <i>Anguillonema</i> Fuchs, 1938 (Nematoda: Sphaerularioidea) with an identification key to the species. <i>Journal of Helminthology</i> , 2019 , 93, 504-512	1.6	1
82	An integrative study of <i>Sakia sisanganensis</i> n. sp. (Rhabditida: Tylenchidae) from Sisangan forest, Iran, and new morphological observations for the genus. <i>Forest Pathology</i> , 2019 , 49, e12536	1.2	4
81	Occurrence of <i>Neodolichodorus persiangulfus</i> n. sp. (Nematoda: Dolichodoridae) in mangrove forests of southern Iran. <i>Forest Pathology</i> , 2019 , 49, e12563	1.2	3
80	Data of an Iranian Population of <i>Sturhan & Argo</i> , 1983, with taxonomic revision of <i>Peneva</i> , Orion, Shlevin, Bar-Eyal & Brown, 1998 (Nematoda: Longidoridae) and Proposal for a New Synonymy. <i>Journal of Nematology</i> , 2019 , 51,	1.1	1
79	<i>Bursaphelenchus pterocarpi</i> n. sp. (Tylenchina: Aphelenchoididae) found in <i>Pterocarpus</i> sp. imported into China from Ghana. <i>Nematology</i> , 2019 , 21, 725-737	0.9	1
78	Amendment to the diagnosis of <i>Aphelenchoides salixae</i> Esmaeili et al., 2017 (Nematoda: Aphelenchoididae). <i>Nematology</i> , 2019 , 22, 123-124	0.9	
77	New observations on <i>Miculenchus</i> Andr�s, 1959 (Nematoda: Tylenchidae) with descriptions of two new and one known species from Iran. <i>Nematology</i> , 2019 , 21, 937-956	0.9	2
76	<i>Lobocriconema iranense</i> (Van den Berg, Eskandari, Tiedt & Karegar, 2010) n. comb. and description of <i>L. nokandense</i> n. sp. (Nematoda: Criconematidae) from Iran. <i>Nematology</i> , 2019 , 21, 1043-1061	0.9	3
75	New morphological observations on <i>Neolobocriconema serratum</i> (Khan & Siddiqi, 1963) Mehta & Raski, 1971 (Rhabditida: Criconematidae). <i>Nematology</i> , 2019 , 21, 419-434	0.9	3
74	The first juvenile developmental stage separates <i>Paralongidorus iranicus</i> Pedram et al., 2012 (Nematoda: Longidoridae) from <i>P. litoralis</i> Palomares-Rius et al., 2008, its cryptic relative. <i>Nematology</i> , 2019 , 21, 887-888	0.9	
73	Biocontrol properties of some agricultural waste extracts on three nematode species in in vitro and in vivo conditions. <i>Nematology</i> , 2019 , 21, 837-846	0.9	2
72	Morphological and molecular characterisation of <i>Ektaphelenchoides tonekabonensis</i> n. sp. (Rhabditida: Ektaphelenchinae) from northern Iran. <i>Nematology</i> , 2019 , 21, 1011-1022	0.9	5
71	Description of <i>Basilaphelenchus brevicaudatus</i> n. sp. (Aphelenchoidea: Tylaphelenchinae) from a dead forest tree in northern Iran. <i>Nematology</i> , 2019 , 21, 147-158	0.9	2
70	<i>Basilaphelenchus gorganensis</i> n. sp. (Aphelenchoidea, Tylaphelenchinae) from wood from northern Iran. <i>Forest Pathology</i> , 2019 , 49, e12490	1.2	1
69	New and known species of the genus <i>Thorne & Swanger</i> , 1936 (Dorylaimida, Nordiidae) from Iran. <i>Journal of Helminthology</i> , 2019 , 94, e32	1.6	2
68	Morphological and molecular characterisation of <i>Aphelenchoides primadentus</i> n. sp. (Nematoda: Aphelenchoididae) from northern Iran. <i>Nematology</i> , 2018 , 20, 97-109	0.9	8
67	First record of the genus <i>Sakia</i> Khan, 1964 (Nematoda: Tylenchidae) from Iran, with proposal of <i>Sakia arboris</i> n. sp.. <i>Nematology</i> , 2018 , 20, 449-460	0.9	3
66	Two rare species of tylenchids, <i>Discotylenchus biannulatus</i> n. sp. and <i>Labrys chinensis</i> Qing Bert, 2018 (Nematoda: Tylenchidae) from western Iran. <i>Zootaxa</i> , 2018 , 4413, 260-270	0.5	5

65	Description and molecular phylogeny of <i>Ditylenchus gilanicus</i> n. sp. (Nematoda: Anguinidae) from northern forests of Iran. <i>European Journal of Plant Pathology</i> , 2018 , 152, 735-746	2.1	2
64	<i>Xiphinema japonicum</i> n. sp. (Nematoda: Longidorinae) from the Rhizosphere of Japanese <i>Podocarpus macrophyllus</i> (Thunb.), a Cryptic Species Related to <i>Xiphinema bakeri</i> Williams, 1961. <i>Journal of Nematology</i> , 2018 , 49, 404-417	1.1	5
63	Description of n. sp. (Dorylaimida: Longidoridae) from Iran. <i>Journal of Nematology</i> , 2018 , 50, 207-218	1.1	7
62	Morphological and Molecular Characterization of n. sp. (Rhabditida: Tylenchidae) from Iran. <i>Journal of Nematology</i> , 2018 , 50, 343-354	1.1	5
61	Description of n. sp. (Nematoda: Aphelenchoididae), and Proposal for a New Combination. <i>Journal of Nematology</i> , 2018 , 50, 437-452	1.1	8
60	A molecular phylogenetic approach for unravelling the taxonomic status of <i>Basilaphelenchus persicus</i> n. gen., n. sp. (Aphelenchoididae: Tylyphelenchinae). <i>Nematology</i> , 2018 , 20, 567-582	0.9	7
59	<i>Paurodontella gilanicus</i> n. sp. (Nematoda: Sphaerularioidea) from Iran. <i>Nematology</i> , 2018 , 20, 471-482	0.9	2
58	Comments on taxonomic status and host association of some <i>Laimaphelenchus</i> spp. (Rhabditida: Aphelenchoidea). <i>Nematology</i> , 2018 , 20, 483-489	0.9	6
57	Observations on <i>Malenchus geraerti</i> n. sp. (Rhabditida: Tylenchidae), a morphological and molecular phylogenetic study. <i>Zootaxa</i> , 2018 , 4369, 406-418	0.5	10
56	Additional data on Iranian trichodorids (Triplonchida: Trichodoridae) and first record of a rare species, <i>Trichodorus variabilis</i> Roca, 1998. <i>Nematology</i> , 2017 , 19, 121-129	0.9	20
55	Description of a new species of seed-gall nematode, <i>Anguina obesa</i> n. sp. (Nematoda: Anguinidae) from northern Iran, and its phylogenetic relations with other species and genera. <i>European Journal of Plant Pathology</i> , 2017 , 148, 423-434	2.1	6
54	The occurrence of three species of the genus <i>Oscheius</i> Andr�sy, 1976 (Nematoda: Rhabditida) in Iran. <i>Journal of Plant Protection Research</i> , 2017 , 57, 248-255		6
53	First record of the genus <i>Parasitorhabditis</i> Fuchs, 1937 (Rhabditida, Nematoda) from Iran with notes on morphological and molecular characters of the Iranian population of <i>P. obtusa</i> (Fuchs, 1915) Chitwood & Chitwood, 1950. <i>Zootaxa</i> , 2017 , 4353, 591-600	0.5	1
52	A New Species of the Rare Genus Fuchs, 1938 (Nematoda: Hexatyline, Sphaerularioidea) with Its Molecular Phylogenetic Study. <i>Journal of Nematology</i> , 2017 , 49, 286-294	1.1	2
51	n. sp. (Nematoda: Longidorinae) from the Rhizosphere of Japanese (Thunb.), a Cryptic Species Related to Williams, 1961. <i>Journal of Nematology</i> , 2017 , 49, 404-417	1.1	3
50	n. sp. (Rhabditida: Ektaphelenchinae) from Tehran Province, Iran. <i>Journal of Nematology</i> , 2017 , 49, 223-230		20
49	A New Species of the Rare Genus <i>Anguillonema</i> Fuchs, 1938 (Nematoda: Hexatyline, Sphaerularioidea) with Its Molecular Phylogenetic Study. <i>Journal of Nematology</i> , 2017 , 49, 286-294	1.1	5
48	Description of n. sp. (Dorylaimida, Nordiidae) from Southern Iran and Its Molecular Phylogenetic Study. <i>Journal of Nematology</i> , 2017 , 49, 21-26	1.1	0

47	Description of <i>Lelenchus brevislitus</i> n. sp. (Nematoda: Tylenchidae), an example of a cryptic species from Iran and its phylogenetic relationships with other species in the family. <i>Nematology</i> , 2016 , 18, 987-998	0.9	14
46	Description of <i>Longidorus perangustus</i> sp. n. (Dorylaimida: Longidoridae), an amphimictic species from Iran. <i>European Journal of Plant Pathology</i> , 2016 , 144, 581-594	2.1	9
45	New morphometric ranges for <i>Bursaphelenchus willibaldi</i> Schöfeld et al. 2006 (Nematoda: Parasitaphelenchidae) from Iran. <i>Forest Pathology</i> , 2016 , 46, 29-34	1.2	6
44	n. gen., a New Member of the Family Tylenchidae Eley, 1880 with Detailed SEM Study on Two Known Species of the Genus Siddiqi, 1980 (Nematoda; Tylenchidae) from Iran. <i>Journal of Nematology</i> , 2016 , 48, 214-221	1.1	10
43	Data on Some Species of the Genus Siddiqi, 1978 (Rhabditida, Tylenchidae) from Iran. <i>Journal of Nematology</i> , 2016 , 48, 268-279	1.1	4
42	YASER ADELDOOST, RAMIN HEYDARI & MAJID PEDRAM (2015) Morphological and molecular characterization of <i>Tylencholaimellus persicus</i> sp. n. (Dorylaimida: Tylencholaimellidae) from Iran. <i>Zootaxa</i> , 4040 (1): 074-082. <i>Zootaxa</i> , 2016 , 4066, 600	0.5	
41	<i>Rotylenchus sardashtensis</i> n. sp., a monosexual species from Iran, with molecular identification and detailed morphological observations on an Iranian population of <i>Rotylenchus cypriensis</i> Antoniou, 1980 (Nematoda: Rhabditida: Hoplolaimidae). <i>Systematic Parasitology</i> , 2016 , 93, 395-411	1	2
40	Description of <i>Ektaphelenchus berbericus</i> n. sp. (Rhabditida: Ektaphelenchinae) from eastern Iran. <i>Nematology</i> , 2016 , 18, 1063-1077	0.9	13
39	Description of <i>Ektaphelenchoides caspiensis</i> n. sp. (Nematoda: Ektaphelenchinae) from Iran. <i>Nematology</i> , 2015 , 17, 169-177	0.9	8
38	Molecular characterisation of, and new data on, two populations of <i>Xiphinema ingens</i> Luc & Dalmasso, 1964 (Nematoda: Longidoridae) from Iran. <i>Nematology</i> , 2015 , 17, 125-138	0.9	1
37	<i>Rotylenchus dalikhaniensis</i> n. sp. (Nematoda: Hoplolaimidae), a monosexual species recovered from the rhizosphere of <i>Ruscus hyrcanus</i> Woronow in Mazandaran province, northern Iran. <i>Nematology</i> , 2015 , 17, 67-77	0.9	5
36	Data on some members of the family Tylenchidae (Nematoda: Tylenchina) from Iran. <i>Biologia (Poland)</i> , 2015 , 70, 1376-1387	1.5	12
35	Molecular and morphological characterization of <i>Veleshkinema iranicum</i> n. gen., n. sp. (Nematoda: Hexatylinea, Sphaerularioidea) from Iran. <i>Zootaxa</i> , 2015 , 4000, 531-46	0.5	12
34	Morphological and molecular characterization of <i>Tylencholaimellus persicus</i> sp. n. (Dorylaimida: Tylencholaimellidae) from Iran. <i>Zootaxa</i> , 2015 , 4040, 74-82	0.5	1
33	<i>Rotylenchus castilloi</i> n. sp. (Nematoda: Hoplolaimidae), a new species with long stylet from northern Iran. <i>Zootaxa</i> , 2015 , 3931, 88-100	0.5	7
32	An aberrant nematode, <i>Baldwinema</i> n. gen. (Nematoda: Panagrolaimomorpha: Panagrolaimidae), from Iran with description of three new species. <i>Nematology</i> , 2015 , 17, 877-896	0.9	1
31	Description of <i>Atetylenchus minor</i> n. sp. (Tylenchina: Tylenchidae) and data on two other species of the family. <i>Nematology</i> , 2015 , 17, 981-994	0.9	8
30	A curious nematode, <i>Diploscapteroides persicus</i> n. sp. (Nematoda: Rhabditida: Rhabditomorpha), from Iran with a note on the status of the male genital papillae. <i>Nematology</i> , 2015 , 17, 1045-1056	0.9	1

29	Additional data on Iranian trichodorids (Triplonchida: Trichodoridae) and proposal for a new synonymy. <i>Nematology</i> , 2015 , 17, 1185-1191	0.9	7
28	Further Studies on Soil Nematode Fauna in North Western Iran with the Description of One New Species. <i>Journal of Nematology</i> , 2015 , 47, 148-52	1.1	3
27	Description of <i>Trichodorus iranicus</i> sp. n. (Diphtherophorina, Trichodoridae) from Iran. <i>Zootaxa</i> , 2014 , 3795, 431-40	0.5	7
26	Description of <i>Abursanema iranicum</i> n. gen., n. sp. (Nematoda: Hexatylinea, Sphaerularioidea) from Iran and its phylogenetic relationships. <i>Zootaxa</i> , 2014 , 3826, 301-14	0.5	17
25	Description of <i>Rotylenchus arasbaranensis</i> n. sp. from Iran with discussion on the taxonomic status of <i>Plesiorotylenchus Vovlas, Castillo & Lamberti, 1993</i> (Nematoda: Hoplolaimidae). <i>Nematology</i> , 2014 , 16, 1019-1045	0.9	6
24	Description of <i>Xiphinema castilloi</i> sp. n. (Dorylaimida: Longidoridae) from Iran and its phylogenetic relationships. <i>Nematology</i> , 2014 , 16, 359-368	0.9	10
23	<i>Devibursaphelenchus kheirii</i> sp. n. (Nematoda: Ektaphelenchinae) from Iran with remarks on <i>Devibursaphelenchus Kakuliya, 1967</i> . <i>Nematology</i> , 2014 , 16, 1069-1078	0.9	8
22	New data on <i>Longidorus aetnaeus</i> Roca, Lamberti, Agostinelli & Vinciguerra, 1986 (Nematoda: Longidoridae) from Iran and Ajaria (Georgia). <i>Systematic Parasitology</i> , 2013 , 85, 173-87	1	6
21	<i>Ektaphelenchoides sylvestris</i> sp. nov. (Nematoda: Ektaphelenchinae) from Iran. <i>Annales Zoologici</i> , 2012 , 62, 325	0.6	13
20	Description of a new species of the rare genus <i>Epacrolaimus</i> Andr�s, 2000 (Dorylaimida, Aporcelaimidae) and new data on male of <i>Paraxonchium laetificans</i> (Andr�s, 1956) Altherr & Loof, 1969 (Dorylaimida, Paraxonchiidae) from Iran. <i>Zootaxa</i> , 2012 , 3327, 53	0.5	2
19	New data on <i>Labronemella labiata</i> Andr�s, 1985 (Dorylaimida: Qudsianematidae) from Iran, with SEM study and a compendium of the genus. <i>Zootaxa</i> , 2012 , 3271, 43	0.5	3
18	First record of the genus <i>Discotylenchus</i> Siddiqi, 1980 (Nematoda: Tylenchidae) from Iran, with description of one new and data on two known species. <i>Zootaxa</i> , 2012 , 3493, 72	0.5	8
17	Molecular and morphological characterisation of <i>Paralongidorus iranicus</i> n. sp. and <i>P. bikanerensis</i> (Lal & Mathur, 1987) Siddiqi, Baujard & Mounport, 1993 (Nematoda: Longidoridae) from Iran. <i>Nematology</i> , 2012 , 14, 427-443	0.9	16
16	Morphological and molecular characterisation of <i>Xiphinema zagrosense</i> sp. n. (Dorylaimida: Longidoridae) from the Zagros Mountains, Iran. <i>Nematology</i> , 2012 , 14, 445-455	0.9	7
15	Molecular and morphological characterisation of <i>Xiphinema granatum</i> n. sp. and <i>Longidorus pisi</i> Edward, Misra & Singh, 1964 (Dorylaimida: Longidoridae) from Iran. <i>Nematology</i> , 2012 , 14, 949-960	0.9	8
14	Morphological and molecular characterisation of <i>Xiphinema mazandaranense</i> n. sp. (Dorylaimida: Longidoridae), a new member of the <i>Xiphinema pyrenaicum</i> species complex. <i>Nematology</i> , 2012 , 14, 109-119	0.9	6
13	Morphological and molecular characterization of <i>Paractinolaimus sahandi</i> n. sp. (Nematoda: Actinolaimidae) from the Sahand Mountains in Iran. <i>Journal of Helminthology</i> , 2011 , 85, 276-82	1.6	5
12	Description of <i>Dorylaimoides alborzicus</i> sp. n. (Dorylaimida: Nematoda) from Iran, with updated compendium and key to the species of <i>Dorylaimoides</i> . <i>Zootaxa</i> , 2011 , 3022, 58	0.5	3

11	Description of one new, and new data on two known, species of <i>Enchodelus</i> Thorne, 1939 (Dorylaimida: Nordiidae) from Iran. <i>Nematology</i> , 2011 , 13, 729-740	0.9	6
10	Molecular and morphological characterisations of two new species of <i>Rotylenchus</i> (Nematoda; Hoplolaimidae) from Iran. <i>Nematology</i> , 2011 , 13, 951-964	0.9	11
9	Description of <i>Rhysocolpus vinciguerrae</i> sp. n. (Dorylaimida, Nordiidae) from Iran and the first molecular study of this genus. <i>Nematology</i> , 2011 , 13, 927-937	0.9	8
8	First Record of <i>Trichodorus primitivus</i> and Morphological and Molecular Identification of <i>Longidorus elongatus</i> from Canada. <i>Plant Disease</i> , 2010 , 94, 782	1.5	2
7	Morphological and molecular characterisation of <i>Enchodelus babakicus</i> n. sp. and <i>E. macrodorus</i> Thorne, 1939 (Nematoda: Nordiidae) from Iran. <i>Nematology</i> , 2009 , 11, 895-907	0.9	6
6	<i>Xiphinema iranicum</i> n. sp. (Nematoda: Longidoridae) from north-western Iran. <i>Nematology</i> , 2009 , 11, 11-21	0.9	5
5	Additional data on <i>Enchodelus veletensis</i> Guerrero, Liñanas & Peñ-Santiago, 2007 (Dorylaimida: Nordiidae) from Iran, and phylogeny of the genus. <i>Nematology</i> , 2009 , 11, 217-229	0.9	4
4	<i>Xiphinema bernardi</i> n. sp. (Nematoda: Longidoridae) from the Great Smoky Mountain National Park. <i>Journal of Nematology</i> , 2009 , 41, 111-9	1.1	2
3	<i>Longidorus ferrisi</i> n. sp. from California Citrus. <i>Journal of Nematology</i> , 2009 , 41, 104-10	1.1	5
2	<i>Longidorus kheirii</i> n. sp. (Nematoda: Longidoridae) from Iran. <i>Systematic Parasitology</i> , 2008 , 71, 199-211	1	11
1	An interesting rare tylenchid species, <i>Antarctenchus urmiensis</i> n. sp. (Tylenchomorpha; Psilenchidae) from Urmia Lake islands, northwest Iran, with a discussion on the taxonomy of related genera. <i>Journal of Nematology</i> , 2008 , 53, 1-14	1.1	0