

Carmen SÃ-lvia FÃ;varo Trindade

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1265299/publications.pdf>

Version: 2024-02-01

118
papers

6,355
citations

53794

45
h-index

74163

75
g-index

118
all docs

118
docs citations

118
times ranked

5602
citing authors

#	ARTICLE	IF	CITATIONS
1	Essential oils as natural antimicrobials applied in meat and meat products—a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 993-1009.	10.3	52
2	Probiotics and plant extracts: a promising synergy and delivery systems. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 9561-9579.	10.3	9
3	Fortification of yoghurt drink with microcapsules loaded with <i>Lactobacillus paracasei</i> BGP-1 and guaraná seed extract. <i>International Dairy Journal</i> , 2022, 125, 105230.	3.0	14
4	Microencapsulation with spray-chilling as an innovative strategy for probiotic low sodium requeijão cremoso processed cheese processing. <i>Food Bioscience</i> , 2022, 46, 101517.	4.4	10
5	Co-encapsulation of guaraná extracts and probiotics increases probiotic survivability and simultaneously delivers bioactive compounds in simulated gastrointestinal fluids. <i>LWT - Food Science and Technology</i> , 2022, 161, 113351.	5.2	13
6	Simultaneous encapsulation of probiotic and guaraná peel extract for development of functional peanut butter. <i>Food Control</i> , 2022, 138, 109050.	5.5	10
7	Chemopreventive Properties of Extracts Obtained from Blueberry (<i>Vaccinium myrtillus</i> L.) and Jaboticaba (<i>Myrciaria cauliflora</i> Berg.) in Combination with Probiotics. <i>Nutrition and Cancer</i> , 2021, 73, 671-685.	2.0	11
8	Development of natural pigments microencapsulated in waste yeast <i>Saccharomyces cerevisiae</i> using spray drying technology and their application in yogurt. <i>Food and Function</i> , 2021, 12, 8946-8959.	4.6	15
9	Production of vitex (<i>Vitex agnus-castus</i> L.) extract in powder form using spray-drying: Potential for the production of functional foods. <i>Journal of Food Processing and Preservation</i> , 2021, 45, e15333.	2.0	0
10	Study of extraction kinetics and characterization of proanthocyanidin-rich extract from Ceylon cinnamon (<i>Cinnamomum zeylanicum</i>). <i>Journal of Food Processing and Preservation</i> , 2021, 45, e15429.	2.0	3
11	Application of spray drying for production of microparticles containing the carotenoid-rich tucumã oil (<i>Astrocaryum vulgare</i> Mart.). <i>LWT - Food Science and Technology</i> , 2021, 143, 111106.	5.2	14
12	Encapsulation of Active Pharmaceutical Ingredients in Lipid Micro/Nanoparticles for Oral Administration by Spray-Cooling. <i>Pharmaceutics</i> , 2021, 13, 1186.	4.5	23
13	Guaraná (<i>Paullinia cupana</i>) by-product as a source of bioactive compounds and as a natural antioxidant for food applications. <i>Journal of Food Processing and Preservation</i> , 2021, 45, e15854.	2.0	6
14	Microencapsulation of carotenoid-rich materials: A review. <i>Food Research International</i> , 2021, 147, 110571.	6.2	46
15	Production of a rich-carotenoid colorant from pumpkin peels using oil-in-water emulsion followed by spray drying. <i>Food Research International</i> , 2021, 148, 110627.	6.2	12
16	Monitoring the Capillary Jet Breakage by Vibration Using a Fast-Video Camera. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10222.	2.5	1
17	Microencapsulation by complex coacervation as a tool to protect bioactive compounds and to reduce astringency and strong flavor of vegetable extracts. <i>Food Hydrocolloids</i> , 2020, 98, 105244.	10.7	25
18	Sugarcane Juice with Co-encapsulated <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> BLC1 and Proanthocyanidin-Rich Cinnamon Extract. <i>Probiotics and Antimicrobial Proteins</i> , 2020, 12, 1179-1192.	3.9	10

#	ARTICLE	IF	CITATIONS
19	Reducing carotenoid loss during storage by co-encapsulation of pequi and buriti oils in oil-in-water emulsions followed by freeze-drying: Use of heated and unheated whey protein isolates as emulsifiers. Food Research International, 2020, 130, 108901.	6.2	29
20	Potential of solid lipid microparticles covered by the protein-polysaccharide complex for protection of probiotics and proanthocyanidin-rich cinnamon extract. Food Research International, 2020, 136, 109520.	6.2	18
21	Utilization of grape pomaces and brewery waste <i>Saccharomyces cerevisiae</i> for the production of bio-based microencapsulated pigments. Food Research International, 2020, 136, 109470.	6.2	26
22	Study of anticancer properties of proanthocyanidin-rich cinnamon extract in combination with <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> BLC1 and resistance of these free and co-encapsulated materials under in vitro simulated gastrointestinal conditions. Food Research International, 2020, 134, 109274.	6.2	9
23	Microencapsulation as a tool to producing an extruded functional food. LWT - Food Science and Technology, 2020, 128, 109433.	5.2	13
24	Improving stability of vitamin B12 (Cyanocobalamin) using microencapsulation by spray chilling technique. Food Research International, 2019, 126, 108663.	6.2	23
25	Evaluation of the viability and the preservation of the functionality of microencapsulated <i>Lactobacillus paracasei</i> BGP1 and <i>Lactobacillus rhamnosus</i> 64 in lipid particles coated by polymer electrostatic interaction. Journal of Functional Foods, 2019, 54, 98-108.	3.4	20
26	Echium oil with oxidative stability increased by emulsion preparation in the presence of the phenolic compound sinapic acid followed by dehydration by spray and freeze drying processes. Journal of Food Science and Technology, 2019, 56, 1155-1164.	2.8	12
27	Production and characterization of solid lipid microparticles loaded with guaraná (Paullinia cupana) seed extract. Food Research International, 2019, 123, 144-152.	6.2	30
28	Nutritional Value and Modelling of Carotenoids Extraction from Pumpkin (<i>Cucurbita</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5Q 382 Td (M	1.5	5
29	Evaluation of probiotic and synbiotic jussara sorbets. Nutrition and Food Science, 2019, 50, 373-383.	0.9	3
30	Microencapsulation of lactase by W/O/W emulsion followed by complex coacervation: Effects of enzyme source, addition of potassium and core to shell ratio on encapsulation efficiency, stability and kinetics of release. Food Research International, 2019, 121, 754-764.	6.2	22
31	Immobilization of β -galactosidase by complexation: Effect of interaction on the properties of the enzyme. International Journal of Biological Macromolecules, 2019, 122, 594-602.	7.5	26
32	Probiotic and Synbiotic Sorbets Produced with Jussara (<i>Euterpe edulis</i>) Pulp: Evaluation Throughout the Storage Period and Effect of the Matrix on Probiotics Exposed to Simulated Gastrointestinal Fluids. Probiotics and Antimicrobial Proteins, 2019, 11, 264-272.	3.9	11
33	Enhancing stability of echium seed oil and beta-sitosterol by their coencapsulation by complex coacervation using different combinations of wall materials and crosslinkers. Food Chemistry, 2018, 252, 277-284.	8.2	29
34	Production of spray-dried proanthocyanidin-rich cinnamon (<i>Cinnamomum zeylanicum</i>) extract as a potential functional ingredient: Improvement of stability, sensory aspects and technological properties. Food Hydrocolloids, 2018, 79, 343-351.	10.7	39
35	Lactase (β -galactosidase) immobilization by complex formation: Impact of biopolymers on enzyme activity. Food Hydrocolloids, 2018, 83, 88-96.	10.7	37
36	Application of spray chilling and electrostatic interaction to produce lipid microparticles loaded with probiotics as an alternative to improve resistance under stress conditions. Food Hydrocolloids, 2018, 83, 109-117.	10.7	43

#	ARTICLE	IF	CITATIONS
37	Effect of microencapsulated Jabuticaba (<i>Myrciaria cauliflora</i>) extract on quality and storage stability of mortadella sausage. Food Research International, 2018, 108, 551-557.	6.2	26
38	Functional properties and encapsulation of a proanthocyanidin-rich cinnamon extract (<i>Cinnamomum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Hydrocolloids, 2018, 77, 297-306.	10.7	100
39	Comparison of extrusion and co-extrusion encapsulation techniques to protect <i>Lactobacillus acidophilus</i> LA3 in simulated gastrointestinal fluids. LWT - Food Science and Technology, 2018, 89, 392-399.	5.2	78
40	Physico-Chemical Properties, Stability, and Potential Food Applications of Shrimp Lipid Extract Encapsulated by Complex Coacervation. Food and Bioprocess Technology, 2018, 11, 1596-1604.	4.7	25
41	Encapsulation of <i>Lactobacillus Acidophilus</i> in a Pilot Plant Spray Dryer. Effect of Process Parameters on Cell Viability. Journal of Food Process Engineering, 2017, 40, e12394.	2.9	7
42	Properties of active gelatin films incorporated with rutin-loaded nanoemulsions. International Journal of Biological Macromolecules, 2017, 98, 39-49.	7.5	95
43	Evaluation of the release profile, stability and antioxidant activity of a proanthocyanidin-rich cinnamon (<i>Cinnamomum zeylanicum</i>) extract co-encapsulated with α -tocopherol by spray chilling. Food Research International, 2017, 95, 117-124.	6.2	41
44	Improving oxidative stability of echium oil emulsions fabricated by Microfluidics: Effect of ionic gelation and phenolic compounds. Food Chemistry, 2017, 233, 125-134.	8.2	50
45	Development of functional yogurt containing free and encapsulated echium oil, phytosterol and sinapic acid. Food Chemistry, 2017, 237, 948-956.	8.2	79
46	Effects of Spray Drying Parameters on <i>In Vitro</i> Functional Properties of Camu Camu (<i>Myrciaria dubia</i> Mc. Vaugh): A Typical Amazonian Fruit. Journal of Food Science, 2017, 82, 1083-1091.	3.1	21
47	Functional properties of encapsulated Cagaita (<i>Eugenia dysenterica</i> DC.) fruit extract. Food Bioscience, 2017, 18, 15-21.	4.4	30
48	Characterization of antioxidant and antimicrobial properties of spray-dried extracts from peanut skins. Food and Bioproducts Processing, 2017, 105, 215-223.	3.6	31
49	Semisweet chocolate as a vehicle for the probiotics <i>Lactobacillus acidophilus</i> LA3 and <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> BLC1: Evaluation of chocolate stability and probiotic survival under <i>in vitro</i> simulated gastrointestinal conditions. LWT - Food Science and Technology, 2017, 75, 640-647.	5.2	50
50	Production of microcapsules containing <i>Bifidobacterium</i> BB-12 by emulsification/internal gelation. LWT - Food Science and Technology, 2017, 76, 216-221.	5.2	56
51	Effect of feed preparation on the properties and stability of ascorbic acid microparticles produced by spray chilling. LWT - Food Science and Technology, 2017, 75, 251-260.	5.2	25
52	Characterization of low cost orally disintegrating film (ODF). Polimeros, 2017, 27, 48-54.	0.7	17
53	Development of solid lipid microparticles loaded with a proanthocyanidin-rich cinnamon extract () Tj ETQq1 1 0.784314 rgBT /Overlock diabetic population. Food Research International, 2016, 85, 10-18.	6.2	41
54	Development and characterization of alginate microcapsules containing <i>Bifidobacterium</i> BB-12 produced by emulsification/internal gelation followed by freeze drying. LWT - Food Science and Technology, 2016, 71, 302-308.	5.2	74

#	ARTICLE	IF	CITATIONS
55	Spray Chilling Microencapsulation of <i>Lactobacillus acidophilus</i> and <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> and Its Use in the Preparation of Savory Probiotic Cereal Bars. <i>Food and Bioprocess Technology</i> , 2016, 9, 1422-1428.	4.7	62
56	Encapsulation of an astaxanthin-containing lipid extract from shrimp waste by complex coacervation using a novel gelatin-cashew gum complex. <i>Food Hydrocolloids</i> , 2016, 61, 155-162.	10.7	98
57	Production by spray chilling and characterization of solid lipid microparticles loaded with vitamin D 3. <i>Food and Bioprocess Technology</i> , 2016, 100, 344-350.	3.6	29
58	Microcapsules loaded with the probiotic <i>Lactobacillus paracasei</i> BGP-1 produced by co-extrusion technology using alginate/shellac as wall material: Characterization and evaluation of drying processes. <i>Food Research International</i> , 2016, 89, 582-590.	6.2	38
59	Microencapsulation using biopolymers as an alternative to produce food enhanced with phytosterols and omega-3 fatty acids: A review. <i>Food Hydrocolloids</i> , 2016, 61, 442-457.	10.7	129
60	Protection of echium oil by microencapsulation with phenolic compounds. <i>Food Research International</i> , 2016, 88, 114-121.	6.2	38
61	Effect of different polysaccharides and crosslinkers on echium oil microcapsules. <i>Carbohydrate Polymers</i> , 2016, 150, 319-329.	10.2	40
62	Assessment of the inhibitory effect of free and encapsulated commercial nisin (Nisaplin®), tested alone and in combination, on <i>Listeria monocytogenes</i> and <i>Bacillus cereus</i> in refrigerated milk. <i>LWT - Food Science and Technology</i> , 2016, 68, 67-75.	5.2	33
63	Microencapsulated jabuticaba (<i>Myrciaria cauliflora</i>) extract added to fresh sausage as natural dye with antioxidant and antimicrobial activity. <i>Meat Science</i> , 2016, 118, 15-21.	5.5	89
64	Production of solid lipid microparticles loaded with lycopene by spray chilling: Structural characteristics of particles and lycopene stability. <i>Food and Bioprocess Technology</i> , 2016, 98, 86-94.	3.6	51
65	Effect of spray drying conditions on the physical properties of Cagaita (<i>Eugenia dysenterica</i> DC.) fruit extracts. <i>Food and Bioprocess Technology</i> , 2016, 97, 20-29.	3.6	126
66	Aplicação de vitamina C livre e encapsulada por spray chilling em salsicha de carne de frango: características físico-químicas, estabilidade e aceitação sensorial. <i>Brazilian Journal of Food Technology</i> , 2015, 18, 322-331.	0.8	5
67	Microencapsulation of Sweeteners. , 2015, , 333-349.		7
68	Production and structural characterization of solid lipid microparticles loaded with soybean protein hydrolysate. <i>Food Research International</i> , 2015, 76, 689-696.	6.2	24
69	Peanut skin extract reduces lipid oxidation in cooked chicken patties. <i>Poultry Science</i> , 2015, 94, 442-446.	3.4	38
70	Development and characterization of solid lipid microparticles loaded with ascorbic acid and produced by spray congealing. <i>Food Research International</i> , 2015, 67, 52-59.	6.2	45
71	Effect of spray drying on the physicochemical properties and color stability of the powdered pigment obtained from vinification byproducts of the Bordo grape (<i>Vitis labrusca</i>). <i>Food and Bioprocess Technology</i> , 2015, 93, 39-50.	3.6	152
72	Microencapsulation of xylitol by double emulsion followed by complex coacervation. <i>Food Chemistry</i> , 2015, 171, 32-39.	8.2	99

#	ARTICLE	IF	CITATIONS
73	Physicochemical, microbiological and sensory assessments of Italian salami sausages with probiotic potential. <i>Scientia Agricola</i> , 2014, 71, 204-211.	1.2	32
74	Coencapsulation of xylitol and menthol by double emulsion followed by complex coacervation and microcapsule application in chewing gum. <i>Food Research International</i> , 2014, 66, 454-462.	6.2	80
75	Microencapsulation: concepts, mechanisms, methods and some applications in food technology. <i>Ciencia Rural</i> , 2014, 44, 1304-1311.	0.5	126
76	Effect of spray drying on the sensory and physical properties of hydrolysed casein using gum arabic as the carrier. <i>Journal of Food Science and Technology</i> , 2014, 51, 2014-2021.	2.8	50
77	Gelatin-based films additivated with curcuma ethanol extract: Antioxidant activity and physical properties of films. <i>Food Hydrocolloids</i> , 2014, 40, 145-152.	10.7	184
78	Use of the jabuticaba (<i>Myrciaria cauliflora</i>) depulping residue to produce a natural pigment powder with functional properties. <i>LWT - Food Science and Technology</i> , 2014, 55, 203-209.	5.2	70
79	Fabrication of solid lipid microcapsules containing ascorbic acid using a microfluidic technique. <i>Food Chemistry</i> , 2014, 152, 271-275.	8.2	78
80	Structural characterisation and cell viability of a spray dried probiotic yoghurt produced with goats' milk and <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> (BI-07). <i>International Dairy Journal</i> , 2014, 39, 71-77.	3.0	28
81	Functional properties and stability of spray-dried pigments from Bordo grape (<i>Vitis labrusca</i>) winemaking pomace. <i>Food Chemistry</i> , 2014, 164, 380-386.	8.2	89
82	β -carotene-loaded liposome dispersions stabilized with xanthan and guar gums: Physico-chemical stability and feasibility of application in yogurt. <i>LWT - Food Science and Technology</i> , 2014, 59, 1265-1273.	5.2	124
83	Co- encapsulation of <i>Lactobacillus acidophilus</i> with inulin or polydextrose in solid lipid microparticles provides protection and improves stability. <i>Food Research International</i> , 2013, 53, 96-103.	6.2	131
84	Double emulsion stage prior to complex coacervation process for microencapsulation of sweetener sucralose. <i>Journal of Food Engineering</i> , 2013, 119, 28-32.	5.2	68
85	Assessment of production efficiency, physicochemical properties and storage stability of spray-dried propolis, a natural food additive, using gum Arabic and OSA starch-based carrier systems. <i>Food and Bioproducts Processing</i> , 2013, 91, 28-36.	3.6	134
86	Microencapsulation of aspartame by double emulsion followed by complex coacervation to provide protection and prolong sweetness. <i>Food Chemistry</i> , 2013, 139, 72-78.	8.2	118
87	Viability of <i>L. acidophilus</i> microcapsules and their application to buffalo milk yoghurt. <i>Food and Bioproducts Processing</i> , 2013, 91, 83-88.	3.6	54
88	Microencapsulation of ascorbic acid by complex coacervation: Protection and controlled release. <i>Food Research International</i> , 2013, 52, 373-379.	6.2	174
89	Orally disintegrating film (ODF) for delivery of probiotics in the oral cavity – Development of a novel product for oral health. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 19, 227-232.	5.6	26
90	Properties of gelatin-based films with added ethanol – propolis extract. <i>LWT - Food Science and Technology</i> , 2013, 51, 104-110.	5.2	115

#	ARTICLE	IF	CITATIONS
91	Morphology, Stability, and Application of Lycopene Microcapsules Produced by Complex Coacervation. <i>Journal of Chemistry</i> , 2013, 2013, 1-7.	1.9	42
92	Microencapsulation of <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> and <i>Lactobacillus acidophilus</i> in cocoa butter using spray chilling technology. <i>Brazilian Journal of Microbiology</i> , 2013, 44, 777-783.	2.0	61
93	Antimicrobial effects of fractions from cranberry products on the growth of seven pathogenic bacteria. <i>Food Control</i> , 2012, 23, 419-428.	5.5	77
94	Protection of <i>Bifidobacterium lactis</i> and <i>Lactobacillus acidophilus</i> by microencapsulation using spray-chilling. <i>International Dairy Journal</i> , 2012, 26, 127-132.	3.0	122
95	MICROENCAPSULATION OF LYCOPENE BY GELATIN-PECTIN COMPLEX COACERVATION. <i>Journal of Food Processing and Preservation</i> , 2012, 36, 185-190.	2.0	99
96	Microencapsulation of lycopene by spray drying: Characterization, stability and application of microcapsules. <i>Food and Bioproducts Processing</i> , 2012, 90, 37-42.	3.6	232
97	Microencapsulation of propolis extract by complex coacervation. <i>LWT - Food Science and Technology</i> , 2011, 44, 429-435.	5.2	177
98	Water adsorption isotherms and isosteric sorption heat of spray-dried and freeze-dried dehydrated passion fruit pulp with additives and skimmed milk. <i>Ciencia E Agrotecnologia</i> , 2011, 35, 1196-1203.	1.5	22
99	Assessment of production efficiency, physicochemical properties and storage stability of spray-dried chlorophyllide, a natural food colourant, using gum Arabic, maltodextrin and soy protein isolate-based carrier systems. <i>International Journal of Food Science and Technology</i> , 2011, 46, 1259-1265.	2.7	65
100	Physicochemical properties, antioxidant activity and stability of spray-dried propolis. <i>Journal of ApiProduct and ApiMedical Science</i> , 2011, 3, 94-100.	0.4	35
101	Quality of sausage elaborated using minced Nile Tilapia submitted to cold storage. <i>Scientia Agricola</i> , 2010, 67, 183-190.	1.2	24
102	The use of spray drying technology to reduce bitter taste of casein hydrolysate. <i>Food Hydrocolloids</i> , 2010, 24, 336-340.	10.7	205
103	Physical Properties of Edible Gelatin Films Colored with Chlorophyllide. <i>Food Engineering Series</i> , 2010, , 661-678.	0.7	1
104	Minas-type fresh cheese developed from buffalo milk with addition of <i>L. acidophilus</i> . <i>Scientia Agricola</i> , 2009, 66, 481-485.	1.2	11
105	Quality and sensorial characteristics of osmotically dehydrated mango with syrups of inverted sugar and sucrose. <i>Scientia Agricola</i> , 2009, 66, 40-43.	1.2	10
106	Stability enhancement of <i>Lactobacillus acidophilus</i> and <i>Bifidobacterium lactis</i> in lipid microparticles produced by melt emulsification. <i>New Biotechnology</i> , 2009, 25, S56-S57.	4.4	2
107	Microencapsulation of casein hydrolysate by complex coacervation with SPI/pectin. <i>Food Research International</i> , 2009, 42, 1099-1104.	6.2	164
108	Production and properties of casein hydrolysate microencapsulated by spray drying with soybean protein isolate. <i>LWT - Food Science and Technology</i> , 2009, 42, 919-923.	5.2	98

#	ARTICLE	IF	CITATIONS
109	Microcapsules of a Casein Hydrolysate: Production, Characterization, and Application in Protein Bars. Food Science and Technology International, 2009, 15, 407-413.	2.2	60
110	Stability of microencapsulated <i>B. lactis</i> (BI 01) and <i>L. acidophilus</i> (LAC 4) by complex coacervation followed by spray drying. Journal of Microencapsulation, 2007, 24, 685-693.	2.8	119
111	Microencapsulation of <i>B. lactis</i> (BI 01) and <i>L. acidophilus</i> (LAC 4) by Complex Coacervation Followed by Spouted-Bed Drying. Drying Technology, 2007, 25, 1687-1693.	3.1	70
112	Effects of Culture, pH and Fat Concentration on Melting Rate and Sensory Characteristics of Probiotic Fermented Yellow Mombin (<i>Spondias mombin</i> L) Ice Creams. Food Science and Technology International, 2007, 13, 285-291.	2.2	34
113	Funcionalidade da oleoresina de pimenta microencapsulada em goma-arábica e amido de arroz/gelatina. Pesquisa Agropecuária Brasileira, 2006, 41, 351-354.	0.9	8
114	Sensory Acceptability and Stability of Probiotic Microorganisms and Vitamin C in Fermented Acerola (<i>Malpighia emarginata</i> DC.) Ice Cream. Journal of Food Science, 2006, 71, S492-S495.	3.1	48
115	Preparo e caracterização de microcápsulas de oleoresina de pimenta obtidas por atomização. Food Science and Technology, 2005, 25, 322-326.	1.7	31
116	Stability of free and immobilized <i>Lactobacillus acidophilus</i> and <i>Bifidobacterium lactis</i> in acidified milk and of immobilized <i>B. lactis</i> in yoghurt. Brazilian Journal of Microbiology, 2004, 35, 151-156.	2.0	50
117	Microencapsulation of <i>L. acidophilus</i> (La-05) and <i>B. lactis</i> (Bb-12) and evaluation of their survival at the pH values of the stomach and in bile. Journal of Microencapsulation, 2002, 19, 485-494.	2.8	186
118	Cinnamomum zeylanicum extracts reduce lipid oxidation in broadband anchovy (<i>Anchoviella</i>) Tj ETQq0 0 0 rgBT /Overlock 10,Tf 50 382	1.7	3