
Thilo Deckersbach

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1265426/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Avoidant/Restrictive Food Intake Disorder: a Three-Dimensional Model of Neurobiology with Implications for Etiology and Treatment. Current Psychiatry Reports, 2017, 19, 54.	2.1	193
2	Habit reversal versus supportive psychotherapy in Tourette's disorder: A randomized controlled trial and predictors of treatment response. Behaviour Research and Therapy, 2006, 44, 1079-1090.	1.6	176
3	RESEARCH: Cognitive Rehabilitation for Bipolar Disorder: An Open Trial for Employed Patients with Residual Depressive Symptoms. CNS Neuroscience and Therapeutics, 2010, 16, 298-307.	1.9	171
4	Episodic memory impairment in bipolar disorder and obsessive-compulsive disorder: the role of memory strategies. Bipolar Disorders, 2004, 6, 233-244.	1.1	119
5	Behavioral Indicators on a Mobile Sensing Platform Predict Clinically Validated Psychiatric Symptoms of Mood and Anxiety Disorders. Journal of Medical Internet Research, 2017, 19, e75.	2.1	101
6	Mindfulnessâ€Based Cognitive Therapy for Nonremitted Patients with Bipolar Disorder. CNS Neuroscience and Therapeutics, 2012, 18, 133-141.	1.9	99
7	A Study of Parallel Implicit and Explicit Information Processing in Patients With Obsessive-Compulsive Disorder. American Journal of Psychiatry, 2002, 159, 1780-1782.	4.0	98
8	Moderation of the Relationship Between Reward Expectancy and Prediction Error-Related Ventral Striatal Reactivity by Anhedonia in Unmedicated Major Depressive Disorder: Findings From the EMBARC Study. American Journal of Psychiatry, 2015, 172, 881-891.	4.0	87
9	Regional cerebral brain metabolism correlates of neuroticism and extraversion. Depression and Anxiety, 2006, 23, 133-138.	2.0	86
10	Association of exercise with quality of life and mood symptoms in a comparative effectiveness study of bipolar disorder. Journal of Affective Disorders, 2013, 151, 722-727.	2.0	76
11	Nutrition, Exercise, and Wellness Treatment in bipolar disorder: proof of concept for a consolidated intervention. International Journal of Bipolar Disorders, 2013, 1, 24.	0.8	65
12	Empirically supported psychosocial interventions for bipolar disorder: Current state of the research. Journal of Affective Disorders, 2016, 201, 203-214.	2.0	63
13	Poor quality of life and functioning in bipolar disorder. International Journal of Bipolar Disorders, 2017, 5, 10.	0.8	63
14	Cognitive-Behavior Therapy for Self-Injurious Skin Picking. Behavior Modification, 2002, 26, 361-377.	1.1	55
15	Dialectical Behavior Therapy Group Skills Training for Bipolar Disorder. Behavior Therapy, 2017, 48, 557-566.	1.3	46
16	Cortical Connectivity Moderators of Antidepressant vs Placebo Treatment Response in Major Depressive Disorder. JAMA Psychiatry, 2020, 77, 397.	6.0	45
17	Transdiagnostic treatment of bipolar disorder and comorbid anxiety using the Unified Protocol for Emotional Disorders: A pilot feasibility and acceptability trial. Journal of Affective Disorders, 2017, 219, 209-221.	2.0	44
18	A COMPREHENSIVE EXAMINATION OF WHITE MATTER TRACTS AND CONNECTOMETRY IN MAJOR DEPRESSIVE DISORDER. Depression and Anxiety, 2016, 33, 56-65.	2.0	43

#	Article	IF	CITATIONS
19	Deficits in frontoparietal activation and anterior insula functional connectivity during regulation of cognitiveâ€affective interference in bipolar disorder. Bipolar Disorders, 2019, 21, 244-258.	1.1	43
20	Spontaneous and directed application of verbal learning strategies in bipolar disorder and obsessive-compulsive disorder. Bipolar Disorders, 2005, 7, 166-175.	1.1	41
21	Effects of Intranasal Oxytocin on the Blood Oxygenation Level-Dependent Signal in Food Motivation and Cognitive Control Pathways in Overweight and Obese Men. Neuropsychopharmacology, 2018, 43, 638-645.	2.8	38
22	Presence of Irritability During Depressive Episodes in Bipolar Disorder. CNS Spectrums, 2004, 9, 227-231.	0.7	33
23	A comparison of structural connectivity in anxious depression versus non-anxious depression. Journal of Psychiatric Research, 2017, 89, 38-47.	1.5	30
24	Brain regulation of emotional conflict predicts antidepressant treatment response for depression. Nature Human Behaviour, 2019, 3, 1319-1331.	6.2	29
25	Reward related ventral striatal activity and differential response to sertraline versus placebo in depressed individuals. Molecular Psychiatry, 2020, 25, 1526-1536.	4.1	29
26	Substance use comorbidity in bipolar disorder: A qualitative review of treatment strategies and outcomes. American Journal on Addictions, 2018, 27, 188-201.	1.3	28
27	Test-retest reliability of cerebral blood flow in healthy individuals using arterial spin labeling: Findings from the EMBARC study. Magnetic Resonance Imaging, 2018, 45, 26-33.	1.0	28
28	Discovery and replication of cerebral bloodÂflow differences in major depressive disorder. Molecular Psychiatry, 2020, 25, 1500-1510.	4.1	28
29	Correlates of real world executive dysfunction in bipolar I disorder. Journal of Psychiatric Research, 2014, 53, 87-93.	1.5	27
30	Stress and reward processing in bipolar disorder: a functional magnetic resonance imaging study. Bipolar Disorders, 2016, 18, 602-611.	1.1	27
31	Complex polypharmacy in bipolar disorder: Side effect burden, adherence, and response predictors. Journal of Affective Disorders, 2019, 257, 17-22.	2.0	26
32	Case Report of Dual-Site Neurostimulation and Chronic Recording of Cortico-Striatal Circuitry in a Patient With Treatment Refractory Obsessive Compulsive Disorder. Frontiers in Human Neuroscience, 2020, 14, 569973.	1.0	26
33	A randomized, placebo-controlled proof-of-concept trial of adjunctive topiramate for alcohol use disorders in bipolar disorder. American Journal on Addictions, 2016, 25, 94-98.	1.3	24
34	Pilot study of a lifestyle intervention for bipolar disorder: Nutrition exercise wellness treatment (NEW Tx). Journal of Affective Disorders, 2019, 250, 278-283.	2.0	24
35	Pretreatment Reward Sensitivity and Frontostriatal Resting-State Functional Connectivity Are Associated With Response to Bupropion After Sertraline Nonresponse. Biological Psychiatry, 2020, 88, 657-667.	0.7	23
36	The Neural Basis of Approach-Avoidance Conflict: A Model Based Analysis. ENeuro, 2019, 6, ENEURO.0115-19.2019.	0.9	23

#	Article	IF	CITATIONS
37	Memory dysfunction in panic disorder: an investigation of the role of chronic benzodiazepine use. Depression and Anxiety, 2011, 28, 999-1007.	2.0	22
38	A tool to predict suicidal ideation and behavior in bipolar disorder: The Concise Health Risk Tracking Self-Report. Journal of Affective Disorders, 2016, 192, 212-218.	2.0	22
39	White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2017, 51, 355-365.	1.3	22
40	Neurocognitive predictors of treatment response to randomized treatment in adults with tic disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 74, 9-14.	2.5	22
41	Psychotherapy use in bipolar disorder: Association with functioning and illness severity. Australian and New Zealand Journal of Psychiatry, 2015, 49, 453-461.	1.3	21
42	Anxiety Symptoms Questionnaire (ASQ): development and validation. Annals of General Psychiatry, 2019, 32, e100144.	1.1	21
43	Studying pre-treatment and ketamine-induced changes in white matter microstructure in the context of ketamine's antidepressant effects. Translational Psychiatry, 2020, 10, 432.	2.4	20
44	Accounting for Dynamic Fluctuations across Time when Examining fMRI Test-Retest Reliability: Analysis of a Reward Paradigm in the EMBARC Study. PLoS ONE, 2015, 10, e0126326.	1.1	20
45	Clinical correlates of acute bipolar depressive episode with psychosis. Journal of Affective Disorders, 2017, 217, 29-33.	2.0	19
46	Cerebral Blood Perfusion Predicts Response to Sertraline versus Placebo for Major Depressive Disorder in the EMBARC Trial. EClinicalMedicine, 2019, 10, 32-41.	3.2	19
47	Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: Results from the Bipolar CHOICE trial. Journal of Affective Disorders, 2014, 161, 30-35.	2.0	18
48	Lurasidone for the treatment of bipolar depression: an evidence-based review. Neuropsychiatric Disease and Treatment, 2015, 11, 2143.	1.0	18
49	Patient perceptions of physical health and bipolar symptoms: The intersection of mental and physical health. Journal of Affective Disorders, 2016, 189, 203-206.	2.0	18
50	Trajectories of suicidal ideation over 6 months among 482 outpatients with bipolar disorder. Journal of Affective Disorders, 2017, 223, 146-152.	2.0	18
51	L-Methylfolate For Bipolar I depressive episodes: An open trial proof-of-concept registry. Journal of Affective Disorders, 2017, 207, 429-433.	2.0	18
52	Sleep disturbance may impact treatment outcome in bipolar disorder: A preliminary investigation in the context of a large comparative effectiveness trial. Journal of Affective Disorders, 2018, 225, 563-568.	2.0	18
53	Revising <i>Diagnostic and Statistical Manual of Mental Disorders</i> , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. Australian and New Zealand Journal of Psychiatry, 2018, 52, 1173-1182.	1.3	18
54	Estimating the symptom structure of bipolar disorder via network analysis: Energy dysregulation as a central symptom , 2022, 131, 86-97.		18

#	Article	IF	CITATIONS
55	Eating behavior and obesity in bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2015, 49, 566-572.	1.3	17
56	Neuroticism and Individual Differences in Neural Function in Unmedicated Major Depression: Findings From the EMBARC Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 138-148.	1.1	17
57	Baseline Disability and Poor Functioning in Bipolar Disorder Predict Worse Outcomes. Journal of Clinical Psychiatry, 2016, 77, 100-108.	1.1	17
58	Medical burden, body mass index and the outcome of psychosocial interventions for bipolar depression. Australian and New Zealand Journal of Psychiatry, 2016, 50, 667-677.	1.3	16
59	Predictive modeling for response to lithium and quetiapine in bipolar disorder. Bipolar Disorders, 2019, 21, 428-436.	1.1	15
60	MoodNetwork. Medical Care, 2018, 56, S48-S52.	1.1	13
61	Intrinsic functional neurocircuitry associated with treatment response to transdiagnostic CBT in bipolar disorder with anxiety. Journal of Affective Disorders, 2018, 238, 383-391.	2.0	13
62	Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. Journal of Affective Disorders, 2019, 259, 164-172.	2.0	13
63	The impact of binge eating behavior on lithium- and quetiapine-associated changes in body weight, body mass index, and waist circumference during 6 months of treatment: Findings from the bipolar CHOICE study. Journal of Affective Disorders, 2020, 266, 772-781.	2.0	13
64	Nonsteroidal anti-inflammatory drugs (NSAIDs) and paracetamol do not affect 6-month mood-stabilizing treatment outcome among 482 patients with bipolar disorder. Depression and Anxiety, 2017, 34, 281-290.	2.0	12
65	A Novel Home Sleep Monitoring Device and Brief Sleep Intervention for Bipolar Disorder: Feasibility, Tolerability, and Preliminary Effectiveness. Cognitive Therapy and Research, 2014, 38, 55-61.	1.2	11
66	Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. Journal of Affective Disorders, 2019, 246, 126-131.	2.0	11
67	Bipolar mixed features – Results from the comparative effectiveness for bipolar disorder (Bipolar) Tj ETQq1 I	0.784314 2.0	rgBT /Overloc
68	Memory performance predicts response to psychotherapy for depression in bipolar disorder: A pilot randomized controlled trial with exploratory functional magnetic resonance imaging. Journal of Affective Disorders, 2018, 229, 342-350.	2.0	10
69	Clinically relevant and simple immune system measure is related to symptom burden in bipolar disorder. Acta Neuropsychiatrica, 2018, 30, 297-305.	1.0	10
70	Cognitive Bias in Panic Disorder: A Process Dissociation Approach to Automaticity. Cognitive Therapy and Research, 2001, 25, 335-347.	1.2	9
71	Open-Label Study of Duloxetine for the Treatment of Obsessive-Compulsive Disorder. International Journal of Neuropsychopharmacology, 2015, 18, pyu062-pyu062.	1.0	9
72	A cluster analytic approach to identifying predictors and moderators of psychosocial treatment for bipolar depression: Results from STEP-BD. Journal of Affective Disorders, 2016, 203, 152-157.	2.0	9

#	Article	IF	CITATIONS
73	Treatment outcomes of acute bipolar depressive episode with psychosis. Depression and Anxiety, 2018, 35, 402-410.	2.0	9
74	The impact of substance use disorders on recovery from bipolar depression: Results from the Systematic Treatment Enhancement Program for Bipolar Disorder psychosocial treatment trial. Australian and New Zealand Journal of Psychiatry, 2018, 52, 847-855.	1.3	9
75	A Comparison of Voxel-Based Morphometry and Volumetry Methods in the Context of the Neural Basis of Aggression. Brain Imaging and Behavior, 2009, 3, 332-341.	1.1	8
76	Cognitive Remediation and Bias Modification Strategies in Mood and Anxiety Disorders. Current Behavioral Neuroscience Reports, 2016, 3, 340-349.	0.6	8
77	Tracking medication changes to assess outcomes in comparative effectiveness research: A bipolar CHOICE study. Journal of Affective Disorders, 2016, 205, 159-164.	2.0	7
78	Familial severe psychiatric history in bipolar disorder and correlation with disease severity and treatment response. Journal of Affective Disorders, 2020, 273, 131-137.	2.0	7
79	Cardiometabolic risk markers during mood-stabilizing treatment: Correlation with drug-specific effects, depressive symptoms and treatment response. Journal of Affective Disorders, 2022, 300, 41-49.	2.0	6
80	Predictors of first-episode unipolar major depression in individuals with and without sub-threshold depressive symptoms: A prospective, population-based study. Psychiatry Research, 2015, 230, 150-156.	1.7	5
81	A Preliminary Study of the Opioid System and Personality Traits Using Positron Emission Tomography. Molecular Neuropsychiatry, 2017, 3, 12-18.	3.0	5
82	Patterns of changes in bipolar depressive symptoms revealed by trajectory analysis among 482 patients with bipolar disorder. Bipolar Disorders, 2018, 21, 350-360.	1.1	5
83	Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. Depression and Anxiety, 2021, 38, 114-123.	2.0	5
84	Testing for clinical inertia in medication treatment of bipolar disorder. Journal of Affective Disorders, 2016, 205, 13-19.	2.0	4
85	Prevalence and predictors of physician recommendations for medication adjustment in bipolar disorder treatment. Journal of Affective Disorders, 2018, 238, 666-673.	2.0	4
86	Decreased activation and subsyndromal manic symptoms predict lower remission rates in bipolar depression. Australian and New Zealand Journal of Psychiatry, 2018, 52, 994-1002.	1.3	3
87	Case Report: Deep Brain Stimulation to the Ventral Internal Capsule/Ventral Striatum Induces Repeated Transient Episodes of Voltage-Dependent Tourette-Like Behaviors. Frontiers in Human Neuroscience, 2020, 14, 590379.	1.0	3
88	Correlation between white blood cell count and mood-stabilising treatment response in two bipolar disorder trials. Acta Neuropsychiatrica, 2019, 31, 230-234.	1.0	2
89	A case of non-affective psychosis followed by extended response to non-stimulation in deep brain stimulation for obsessive-compulsive disorder. Brain Stimulation, 2020, 13, 1317-1319.	0.7	2
90	Objective smartphone data as a potential diagnostic marker of bipolar disorder. Australian and New Zealand Journal of Psychiatry, 2019, 53, 171-172.	1.3	1

#	Article	IF	CITATIONS
91	A Worksiteâ€based Weight Loss Intervention for Obesity Prevention. FASEB Journal, 2012, 26, 257.1.	0.2	0
92	Dimensional Neural Markers of Affective Processing in Bipolar Disorder. Psychiatry Research, 2021, 307, 114304.	1.7	0