

# Eswar Krishnan

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1265730/eswar-krishnan-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69  
papers

5,053  
citations

40  
h-index

69  
g-index

69  
ext. papers

5,776  
ext. citations

5.8  
avg, IF

5.86  
L-index

#	Paper	IF	Citations
69	A head-to-head comparison of the efficacy and safety of ixekizumab and adalimumab in biological-naïve patients with active psoriatic arthritis: 24-week results of a randomised, open-label, blinded-assessor trial. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 123-131	2.4	116
68	Efficacy and Safety of Ixekizumab in the Treatment of Radiographic Axial Spondyloarthritis: Sixteen-Week Results From a Phase III Randomized, Double-Blind, Placebo-Controlled Trial in Patients With Prior Inadequate Response to or Intolerance of Tumor Necrosis Factor Inhibitors. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 599-611	9.5	96
67	Ixekizumab, an interleukin-17A antagonist in the treatment of ankylosing spondylitis or radiographic axial spondyloarthritis in patients previously untreated with biological disease-modifying anti-rheumatic drugs (COAST-V): 16 week results of a phase 3 randomised, double-blind, placebo-controlled trial. <i>Lancet</i> , <b>2019</b> , 393, 2141-2151	40	161
66	Responsiveness and minimally important difference for the patient-reported outcomes measurement information system (PROMIS) 20-item physical functioning short form in a prospective observational study of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, 104-7	2.4	98
65	Establishing a Common Metric for Physical Function: Linking the HAQ-DI and SF-36 PF Subscale to PROMIS(®) Physical Function. <i>Journal of General Internal Medicine</i> , <b>2015</b> , 30, 1517-23	4	44
64	Cigarette smoking is associated with a reduction in the risk of incident gout: results from the Framingham Heart Study original cohort. <i>Rheumatology</i> , <b>2015</b> , 54, 91-5	3.9	24
63	Validity and measurement precision of the PROMIS physical function item bank and a content validity-driven 20-item short form in rheumatoid arthritis compared with traditional measures. <i>Rheumatology</i> , <b>2015</b> , 54, 2221-9	3.9	17
62	Chronic kidney disease as a risk factor for incident gout among men and women: retrospective cohort study using data from the Framingham Heart Study. <i>BMJ Open</i> , <b>2015</b> , 5, e006843	3	23
61	Large-Scale and Comprehensive Immune Profiling and Functional Analysis of Normal Human Aging. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133627	3.7	61
60	Interaction of inflammation, hyperuricemia, and the prevalence of hypertension among adults free of metabolic syndrome: NHANES 2009-2010. <i>Journal of the American Heart Association</i> , <b>2014</b> , 3, e000157	6	38
59	Relative performance of commonly used physical function questionnaires in rheumatoid arthritis and a patient-reported outcomes measurement information system computerized adaptive test. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 2900-8	9.5	17
58	Tophaceous gout and high level of hyperuricaemia are both associated with increased risk of mortality in patients with gout. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 177-82	2.4	121
57	Health and exercise-related medical issues among 1,212 ultramarathon runners: baseline findings from the Ultrarunners Longitudinal TRacking (ULTRA) Study. <i>PLoS ONE</i> , <b>2014</b> , 9, e83867	3.7	69
56	Calibration of the PROMIS physical function item bank in Dutch patients with rheumatoid arthritis. <i>PLoS ONE</i> , <b>2014</b> , 9, e92367	3.7	27
55	Reply: To PMID 23982888. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 1686	9.5	1
54	Atherosclerotic cardiovascular disease in hospitalized patients with systemic sclerosis: higher mortality than patients with lupus and rheumatoid arthritis. <i>Arthritis Care and Research</i> , <b>2014</b> , 66, 323-7	4.7	26
53	Extending the floor and the ceiling for assessment of physical function. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 1378-87	9.5	17

52	Filipino gout: a review. <i>Arthritis Care and Research</i> , <b>2014</b> , 66, 337-43	4.7	10
51	Aging, not menopause, is associated with higher prevalence of hyperuricemia among older women. <i>Menopause</i> , <b>2014</b> , 21, 1211-6	2.5	16
50	The components of action planning and their associations with behavior and health outcomes. <i>Chronic Illness</i> , <b>2014</b> , 10, 50-9	1.4	54
49	Gout in African Americans. <i>American Journal of Medicine</i> , <b>2014</b> , 127, 858-64	2.4	8
48	Upper-extremity and mobility subdomains from the Patient-Reported Outcomes Measurement Information System (PROMIS) adult physical functioning item bank. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2013</b> , 94, 2291-6	2.8	89
47	Brief report: citrullination within the atherosclerotic plaque: a potential target for the anti-citrullinated protein antibody response in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 1719-24		98
46	Chronic kidney disease and the risk of incident gout among middle-aged men: a seven-year prospective observational study. <i>Arthritis and Rheumatism</i> , <b>2013</b> , 65, 3271-8		31
45	Serum urate and incidence of kidney disease among veterans with gout. <i>Journal of Rheumatology</i> , <b>2013</b> , 40, 1166-72	4.1	22
44	Hyperuricemia and the echocardiographic measures of myocardial dysfunction. <i>Congestive Heart Failure</i> , <b>2012</b> , 18, 138-43		24
43	Muscle strength, mass, and quality in older men and women with knee osteoarthritis. <i>Arthritis Care and Research</i> , <b>2012</b> , 64, 15-21	4.7	57
42	Disability in rheumatoid arthritis in the era of biological treatments. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 213-8	2.4	49
41	Lifestyle risk factors predict disability and death in healthy aging adults. <i>American Journal of Medicine</i> , <b>2012</b> , 125, 190-7	2.4	68
40	Nature versus nurture in gout: a twin study. <i>American Journal of Medicine</i> , <b>2012</b> , 125, 499-504	2.4	55
39	Decline in miR-181a expression with age impairs T cell receptor sensitivity by increasing DUSP6 activity. <i>Nature Medicine</i> , <b>2012</b> , 18, 1518-24	50.5	246
38	Hyperuricemia and untreated gout are poor prognostic markers among those with a recent acute myocardial infarction. <i>Arthritis Research and Therapy</i> , <b>2012</b> , 14, R10	5.7	29
37	Reduced glomerular function and prevalence of gout: NHANES 2009-10. <i>PLoS ONE</i> , <b>2012</b> , 7, e50046	3.7	76
36	Hyperuricemia in young adults and risk of insulin resistance, prediabetes, and diabetes: a 15-year follow-up study. <i>American Journal of Epidemiology</i> , <b>2012</b> , 176, 108-16	3.8	153
35	Gout and the risk for incident heart failure and systolic dysfunction. <i>BMJ Open</i> , <b>2012</b> , 2, e000282	3	57

34	Low-level lead exposure and the prevalence of gout: an observational study. <i>Annals of Internal Medicine</i> , <b>2012</b> , 157, 233-41	8	36
33	Hyperuricemia and the risk for subclinical coronary atherosclerosis--data from a prospective observational cohort study. <i>Arthritis Research and Therapy</i> , <b>2011</b> , 13, R66	5.7	80
32	Uric acid in heart disease: a new C-reactive protein?. <i>Current Opinion in Rheumatology</i> , <b>2011</b> , 23, 174-7	5.3	26
31	An analysis of connective tissue disease-associated interstitial lung disease at a US Tertiary Care Center: better survival in patients with systemic sclerosis. <i>Journal of Rheumatology</i> , <b>2011</b> , 38, 693-701	4.1	21
30	Relationship between physician specialty and allopurinol prescribing patterns: a study of patients with gout in managed care settings. <i>Current Medical Research and Opinion</i> , <b>2011</b> , 27, 737-44	2.5	15
29	The PROMIS of better outcome assessment: responsiveness, floor and ceiling effects, and Internet administration. <i>Journal of Rheumatology</i> , <b>2011</b> , 38, 1759-64	4.1	113
28	Systemic lupus erythematosus, rheumatoid arthritis, and postarthroplasty mortality: a cross-sectional analysis from the nationwide inpatient sample. <i>Journal of Rheumatology</i> , <b>2010</b> , 37, 1467-72	4.1	33
27	Inflammation, oxidative stress and lipids: the risk triad for atherosclerosis in gout. <i>Rheumatology</i> , <b>2010</b> , 49, 1229-38	3.9	85
26	Epidemiology of gout in women: Fifty-two-year followup of a prospective cohort. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 1069-76		148
25	Frequency, risk, and cost of gout-related episodes among the elderly: does serum uric acid level matter?. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 1032-40	4.1	71
24	Hyperuricemia and incident heart failure. <i>Circulation: Heart Failure</i> , <b>2009</b> , 2, 556-62	7.6	74
23	Progress in assessing physical function in arthritis: PROMIS short forms and computerized adaptive testing. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 2061-6	4.1	184
22	Items, Instruments, Crosswalks, and PROMIS. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 1093-5	4.1	16
21	Poor outcomes after acute myocardial infarction in systemic lupus erythematosus. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 570-5	4.1	33
20	What constitutes progress in assessing patient outcomes?. <i>Journal of Clinical Epidemiology</i> , <b>2009</b> , 62, 779-80	5.7	12
19	Long-term cardiovascular mortality among middle-aged men with gout. <i>Archives of Internal Medicine</i> , <b>2008</b> , 168, 1104-10		255
18	Gout and coronary artery disease: epidemiologic clues. <i>Current Rheumatology Reports</i> , <b>2008</b> , 10, 249-55	4.9	20
17	Gout in ambulatory care settings in the United States. <i>Journal of Rheumatology</i> , <b>2008</b> , 35, 498-501	4.1	59

16	Serum uric acid level and risk for peripheral arterial disease: analysis of data from the multiple risk factor intervention trial. <i>Angiology</i> , <b>2007</b> , 58, 450-7	2.1	60
15	Hyperuricemia and incidence of hypertension among men without metabolic syndrome. <i>Hypertension</i> , <b>2007</b> , 49, 298-303	8.5	210
14	Obstetric hospitalizations in the United States for women with systemic lupus erythematosus and rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 899-907		187
13	Gout and the risk of acute myocardial infarction. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2688-96		313
12	Hospitalization and mortality of patients with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , <b>2006</b> , 33, 1770-4	4.1	36
11	Serum uric acid and cardiovascular disease: recent developments, and where do they leave us?. <i>American Journal of Medicine</i> , <b>2005</b> , 118, 816-26	2.4	262
10	Stroke subtypes among young patients with systemic lupus erythematosus. <i>American Journal of Medicine</i> , <b>2005</b> , 118, 1415	2.4	68
9	Systemic sclerosis mortality in the United States: 1979-1998. <i>European Journal of Epidemiology</i> , <b>2005</b> , 20, 855-61	12.1	40
8	Normative values for the Health Assessment Questionnaire disability index: benchmarking disability in the general population. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 953-60		133
7	Declines in mortality from acute myocardial infarction in successive incidence and birth cohorts of patients with rheumatoid arthritis. <i>Circulation</i> , <b>2004</b> , 110, 1774-9	16.7	88
6	Patient questionnaires and formal education level as prospective predictors of mortality over 10 years in 97% of 1416 patients with rheumatoid arthritis from 15 United States private practices. <i>Journal of Rheumatology</i> , <b>2004</b> , 31, 229-34	4.1	49
5	Attrition bias in rheumatoid arthritis databanks: a case study of 6346 patients in 11 databanks and 65,649 administrations of the Health Assessment Questionnaire. <i>Journal of Rheumatology</i> , <b>2004</b> , 31, 1320-6	4.1	14
4	Smoking, gender and rheumatoid arthritis-epidemiological clues to etiology. Results from the behavioral risk factor surveillance system. <i>Joint Bone Spine</i> , <b>2003</b> , 70, 496-502	2.9	24
3	Functional disability in rheumatoid arthritis patients compared with a community population in Finland. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 59-63		101
2	Reduction in long-term functional disability in rheumatoid arthritis from 1977 to 1998:a longitudinal study of 3035 patients. <i>American Journal of Medicine</i> , <b>2003</b> , 115, 371-6	2.4	78
1	Independent predictors of response and disease-free survival in oral cancer treated with radical radiation therapy. <i>Cancer</i> , <b>1992</b> , 69, 2221-6	6.4	11