
Stephen J Hopkins

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1266028/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	SCIL-STROKE (Subcutaneous Interleukin-1 Receptor Antagonist in Ischemic Stroke). Stroke, 2018, 49, 1210-1216.	1.0	137
2	Reduction of inflammation after administration of interleukin-1 receptor antagonist following aneurysmal subarachnoid hemorrhage: results of the Subcutaneous Interleukin-1Ra in SAH (SCIL-SAH) study. Journal of Neurosurgery, 2018, 128, 515-523.	0.9	83
3	Absolute risk and predictors of the growth of acute spontaneous intracerebral haemorrhage: a systematic review and meta-analysis of individual patient data. Lancet Neurology, The, 2018, 17, 885-894.	4.9	229
4	Diagnosis of Stroke-Associated Pneumonia. Stroke, 2015, 46, 2335-2340.	1.0	275
5	How Is Pneumonia Diagnosed in Clinical Stroke Research?. Stroke, 2015, 46, 1202-1209.	1.0	124
6	C-Reactive Protein Predicts Hematoma Growth in Intracerebral Hemorrhage. Stroke, 2014, 45, 59-65.	1.0	70
7	The effect of intravenous interleukin-1 receptor antagonist on inflammatory mediators in cerebrospinal fluid after subarachnoid haemorrhage: a phase II randomised controlled trial. Journal of Neuroinflammation, 2014, 11, 1.	3.1	163
8	Pitfalls in microdialysis methodology: anin vitroanalysis of temperature, pressure and catheter use. Physiological Measurement, 2014, 35, N21-N28.	1.2	7
9	Neuroinflammation and Immune Regulation in Ischemic Stroke: Identification of New Pharmacological Targets. , 2014, , 199-244.		1
10	Overcoming matrix matching problems in multiplex cytokine assays. Journal of Immunological Methods, 2013, 396, 157-162.	0.6	4
11	Inflammation as a predictor for delayed cerebral ischemia after aneurysmal subarachnoid haemorrhage. Journal of NeuroInterventional Surgery, 2013, 5, 512-517.	2.0	107
12	C-reactive protein in intracerebral hemorrhage. Neurology, 2012, 79, 690-699.	1.5	69
13	Reconstituting National Institute for Biological Standards and Control (NIBSC) chemokines. Cytokine, 2012, 58, 162-164.	1.4	Ο
14	Interleukin-1 receptor antagonist reverses stroke-associated peripheral immune suppression. Cytokine, 2012, 58, 384-389.	1.4	57
15	Cerebrospinal fluid and plasma cytokines after subarachnoid haemorrhage: CSF interleukin-6 may be an early marker of infection. Journal of Neuroinflammation, 2012, 9, 255.	3.1	54
16	Brain inflammation is induced by co-morbidities and risk factors for stroke. Brain, Behavior, and Immunity, 2011, 25, 1113-1122.	2.0	173
17	The effect of disease activity on body composition and resting energy expenditure in patients with rheumatoid arthritis. Journal of Inflammation Research, 2011, 4, 61.	1.6	31
18	Does Inflammation Predispose to Recurrent Vascular Events after Recent Transient Ischaemic Attack and Minor Stroke? the North West of England Transient Ischaemic Attack and Minor Stroke (NORTHSTAR) Study. International Journal of Stroke, 2011, 6, 187-194.	2.9	22

STEPHEN J HOPKINS

#	Article	IF	CITATIONS
19	Intravenous Anakinra can Achieve Experimentally Effective Concentrations in the Central Nervous System within a Therapeutic Time Window: Results of a Dose-Ranging Study. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 439-447.	2.4	92
20	Post-Stroke Immunodepression and Infection: An Emerging Concept. Infectious Disorders - Drug Targets, 2010, 10, 91-97.	0.4	32
21	Inflammation in Acute Ischemic Stroke and its Relevance to Stroke Critical Care. Neurocritical Care, 2008, 9, 125-138.	1.2	87
22	Interleukin-1 Receptor Antagonist Penetrates Human Brain at Experimentally Therapeutic Concentrations. Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 387-394.	2.4	96
23	Pharmacokinetic modelling of interleukinâ€1 receptor antagonist in plasma and cerebrospinal fluid of patients following subarachnoid haemorrhage. British Journal of Clinical Pharmacology, 2008, 65, 317-325.	1.1	55
24	Acute ischaemic stroke and infection: recent and emerging concepts. Lancet Neurology, The, 2008, 7, 341-353.	4.9	370
25	Infection and Brain-Induced Immunodepression After Acute Ischemic Stroke. Stroke, 2008, 39, e7; author reply e8.	1.0	11
26	Inflammation in Human Brain Injury: Intracerebral Concentrations of IL-1 <i>α</i> , IL-1 <i>β</i> , and Their Endogenous Inhibitor IL-1ra. Journal of Neurotrauma, 2007, 24, 1545-1557.	1.7	193
27	Clinical outcome following acute ischaemic stroke relates to both activation and autoregulatory inhibition of cytokine production. BMC Neurology, 2007, 7, 5.	0.8	70
28	Central nervous system recognition of peripheral inflammation: a neural, hormonal collaboration. Acta Biomedica, 2007, 78 Suppl 1, 231-47.	0.2	31
29	Variability of the systemic acute phase response after ischemic stroke. Journal of the Neurological Sciences, 2006, 251, 77-81.	0.3	62
30	Variability of bacterial translocation in the absence of intestinal mucosal damage following injury and the influence of interleukin-6. Pathophysiology, 2006, 13, 39-49.	1.0	4
31	Comparison of â€~real-time' and immunometric RT-PCR: RNA interference of reverse transcriptase-PCR. Journal of Immunological Methods, 2006, 312, 40-44.	0.6	2
32	Interleukin-6 and acute ischaemic stroke. Acta Neurologica Scandinavica, 2005, 112, 273-274.	1.0	6
33	Correlation of Systemic Inflammatory Response With Infarct Volume in Acute Ischemic Stroke Patients. Stroke, 2005, 36, 228-229.	1.0	9
34	Evaluation of C-Reactive Protein Measurement for Assessing the Risk and Prognosis in Ischemic Stroke, 2005, 36, 1316-1329.	1.0	256
35	A randomised phase II study of interleukin-1 receptor antagonist in acute stroke patients. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 1366-1372.	0.9	395
36	Peak plasma interleukin-6 and other peripheral markers of inflammation in the first week of ischaemic stroke correlate with brain infarct volume, stroke severity and long-term outcome. BMC Neurology, 2004, 4, 2.	0.8	389

STEPHEN J HOPKINS

#	Article	IF	CITATIONS
37	Academic medicine: time for reinvention: Medical education, training, and research are under threat because academic medicine is undervalued. BMJ: British Medical Journal, 2004, 328, 45-b-46.	2.4	4
38	Simple, quantitative measurement of cytokine gene expression using an immunometric reverse transcriptase-polymerase chain reaction. Journal of Immunological Methods, 2003, 282, 135-145.	0.6	4
39	An early and sustained peripheral inflammatory response in acute ischaemic stroke: relationships with infection and atherosclerosis. Journal of Neuroimmunology, 2003, 139, 93-101.	1.1	264
40	The pathophysiological role of cytokines. Legal Medicine, 2003, 5, S45-S57.	0.6	118
41	Interleukin-6 Is an Afferent Signal to the Hypothalamo-Pituitary-Adrenal Axis during Local Inflammation in Mice. Endocrinology, 2003, 144, 1894-1906.	1.4	81
42	Different Photoperiods Affect Proliferation of Lymphocytes but Not Expression of Cellular, Humoral, or Innate Immunity in Hamsters. Journal of Biological Rhythms, 2002, 17, 392-405.	1.4	15
43	Euglycemic hyperinsulinemia augments the cytokine and endocrine responses to endotoxin in humans. American Journal of Physiology - Endocrinology and Metabolism, 2002, 282, E1276-E1285.	1.8	98
44	Different Photoperiods Affect Proliferation of Lymphocytes but Not Expression of Cellular, Humoral, or Innate Immunity in Hamsters. Journal of Biological Rhythms, 2002, 17, 392-405.	1.4	1
45	Role of endogenous interleukinâ€1 receptor antagonist in regulating fever induced by localised inflammation in the rat. Journal of Physiology, 2001, 531, 171-180.	1.3	53
46	Circulating tumour necrosis factor-α and interferon-γ are detectable during acute and convalescent parvovirus B19 infection and are associated with prolonged and chronic fatigue. Journal of General Virology, 2001, 82, 3011-3019.	1.3	104
47	Deficiency of IL-2 or IL-6 reduces lymphocyte proliferation, but only IL-6 deficiency decreases the contact hypersensitivity response. European Journal of Immunology, 2000, 30, 197-203.	1.6	38
48	Involvement of CRH in fever induced by a distinct pre-formed pyrogenic factor (PFPF). Inflammation Research, 2000, 49, 473-479.	1.6	27
49	Deficiency of IL-2 or IL-6 reduces lymphocyte proliferation, but only IL-6 deficiency decreases the contact hypersensitivity response. European Journal of Immunology, 2000, 30, 197-203.	1.6	1
50	Reduction of meningeal macrophages does not decrease migration of granulocytes into the CSF and brain parenchyma in experimental pneumococcal meningitis. Journal of Neuroimmunology, 1999, 99, 205-210.	1.1	17
51	Long-Term Intracerebroventricular Infusion of Corticotropin-Releasing Hormone Alters Neuroendocrine, Neurochemical, Autonomic, Behavioral, and Cytokine Responses to a Systemic Inflammatory Challenge. Journal of Neuroscience, 1997, 17, 4448-4460.	1.7	153
52	Sites of action of IL-1 in the development of fever and cytokine responses to tissue inflammation in the rat. British Journal of Pharmacology, 1997, 120, 1274-1279.	2.7	81
53	Fever and production of cytokines in response to repeated injections of muramyl dipeptide in guinea-pigs. Pflugers Archiv European Journal of Physiology, 1997, 434, 525-533.	1.3	28
54	The role of TNFâ€Î± in fever: opposing actions of human and murine TNFâ€Î± and interactions with ILâ€Î² in the ra Britich Journal of Pharmacology, 1996, 118, 1919, 1924	at. 2.7	63

British Journal of Pharmacology, 1996, 118, 1919-1924.

4

STEPHEN J HOPKINS

#	Article	IF	CITATIONS
55	Antigen-induced unresponsiveness in contact sensitivity: association of depressed T lymphocyte proliferative responses with decreased interleukin 6 secretion. Immunology Letters, 1996, 50, 29-34.	1.1	3
56	Cytokines and the nervous system I: expression and recognition. Trends in Neurosciences, 1995, 18, 83-88.	4.2	639
57	Cytokines and the nervous system II: actions and mechanisms of action. Trends in Neurosciences, 1995, 18, 130-136.	4.2	840
58	Migration of Interleukin-6 Producing Langerhans Cells to Draining Lymph Nodes following Skin Sensitization. Advances in Experimental Medicine and Biology, 1995, 378, 531-533.	0.8	6
59	Dietary n-3 Fatty Acids Inhibit Fever Induced by Inflammation in the Rat. Mediators of Inflammation, 1994, 3, 353-357.	1.4	5
60	A pre-formed Pyrogenic Factor Released by Lipopolysaccharide Stimulated Macrophages. Mediators of Inflammation, 1994, 3, 365-373.	1.4	16
61	Mechanisms of activation of the pituitary-adrenal axis by tissue injury in the rat. Psychoneuroendocrinology, 1994, 19, 165-178.	1.3	45
62	Interleukin 6 (IL-6) Production by Lymph Node Cells: An Alternative Endpoint for the Murine Local Lymph Node Assay. , 1993, 3, 268-278.		21
63	Managerial inadequacies. Nature, 1992, 356, 374-374.	13.7	1
64	Better answers needed. Nature, 1991, 353, 692-692.	13.7	0
64 65	Better answers needed. Nature, 1991, 353, 692-692. Further functions of IL-6. Trends in Immunology, 1991, 12, 170.	13.7 7.5	0
65	Further functions of IL-6. Trends in Immunology, 1991, 12, 170. Serological markers of the elicitation reaction in allergic contact dermatitis. Contact Dermatitis,	7.5	7
65 66	Further functions of IL-6. Trends in Immunology, 1991, 12, 170. Serological markers of the elicitation reaction in allergic contact dermatitis. Contact Dermatitis, 1990, 23, 235-235. Contact Hypersensitivity Induces Plasma Interleukin 6. International Archives of Allergy and	7.5 0.8	7 0
65 66 67	Further functions of IL-6. Trends in Immunology, 1991, 12, 170. Serological markers of the elicitation reaction in allergic contact dermatitis. Contact Dermatitis, 1990, 23, 235-235. Contact Hypersensitivity Induces Plasma Interleukin 6. International Archives of Allergy and Immunology, 1990, 92, 97-99. Bioassay of interleukin-1 in serum and plasma following removal of inhibitory activity with	7.5 0.8 0.9	7 0 22
65 66 67 68	Further functions of IL-6. Trends in Immunology, 1991, 12, 170. Serological markers of the elicitation reaction in allergic contact dermatitis. Contact Dermatitis, 1990, 23, 235-235. Contact Hypersensitivity Induces Plasma Interleukin 6. International Archives of Allergy and Immunology, 1990, 92, 97-99. Bioassay of interleukin-1 in serum and plasma following removal of inhibitory activity with polyethylene glycol. Journal of Immunological Methods, 1990, 133, 127-131. Simple, sensitive and specific bioassay of interleukin-1. Journal of Immunological Methods, 1989, 120,	7.5 0.8 0.9 0.6	7 0 22 22
65 66 67 68 69	Further functions of IL-6. Trends in Immunology, 1991, 12, 170. Serological markers of the elicitation reaction in allergic contact dermatitis. Contact Dermatitis, 1990, 23, 235-235. Contact Hypersensitivity Induces Plasma Interleukin 6. International Archives of Allergy and Immunology, 1990, 92, 97-99. Bioassay of interleukin-1 in serum and plasma following removal of inhibitory activity with polyethylene glycol. Journal of Immunological Methods, 1990, 133, 127-131. Simple, sensitive and specific bioassay of interleukin-1. Journal of Immunological Methods, 1989, 120, 271-276.	7.5 0.8 0.9 0.6 0.6	7 0 22 22 164