

David A Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1267049/publications.pdf>

Version: 2024-02-01

67
papers

4,792
citations

70961

41
h-index

128067

60
g-index

98
all docs

98
docs citations

98
times ranked

5394
citing authors

#	ARTICLE	IF	CITATIONS
1	Compressive strains at physiological frequencies influence the metabolism of chondrocytes seeded in agarose. <i>Journal of Orthopaedic Research</i> , 1997, 15, 181-188.	1.2	323
2	Quantification of Sulfated Glycosaminoglycans in Chondrocyte/Alginate Cultures, by Use of 1,9-Dimethylmethylene Blue. <i>Analytical Biochemistry</i> , 1996, 243, 189-191.	1.1	276
3	The metabolism of human mesenchymal stem cells during proliferation and differentiation. <i>Journal of Cellular Physiology</i> , 2011, 226, 2562-2570.	2.0	255
4	Crosslinking Density Influences Chondrocyte Metabolism in Dynamically Loaded Photocrosslinked Poly(ethylene glycol) Hydrogels. <i>Annals of Biomedical Engineering</i> , 2004, 32, 407-417.	1.3	212
5	Crosslinking density influences the morphology of chondrocytes photoencapsulated in PEG hydrogels during the application of compressive strain. <i>Journal of Orthopaedic Research</i> , 2004, 22, 1143-1149.	1.2	169
6	Biophysical Regulation of Chromatin Architecture Instills a Mechanical Memory in Mesenchymal Stem Cells. <i>Scientific Reports</i> , 2015, 5, 16895.	1.6	148
7	Differentiation alters stem cell nuclear architecture, mechanics, and mechano-sensitivity. <i>ELife</i> , 2016, 5, .	2.8	138
8	Mechanical Regulation of Nuclear Structure and Function. <i>Annual Review of Biomedical Engineering</i> , 2012, 14, 431-455.	5.7	136
9	Chondrocyte deformation within compressed agarose constructs at the cellular and sub-cellular levels. <i>Journal of Biomechanics</i> , 2000, 33, 81-95.	0.9	118
10	Mechanical compression influences intracellular Ca ²⁺ signaling in chondrocytes seeded in agarose constructs. <i>Journal of Applied Physiology</i> , 2001, 90, 1385-1391.	1.2	114
11	Continuous and Uninterrupted Oxygen Tension Influences the Colony Formation and Oxidative Metabolism of Human Mesenchymal Stem Cells. <i>Tissue Engineering - Part C: Methods</i> , 2013, 19, 68-79.	1.1	109
12	Temporal regulation of chondrocyte metabolism in agarose constructs subjected to dynamic compression. <i>Archives of Biochemistry and Biophysics</i> , 2003, 417, 105-111.	1.4	108
13	Response of chondrocyte subpopulations cultured within unloaded and loaded agarose. <i>Journal of Orthopaedic Research</i> , 1998, 16, 726-733.	1.2	105
14	The Influence of Noncollagenous Matrix Components on the Micromechanical Environment of Tendon Fascicles. <i>Annals of Biomedical Engineering</i> , 2005, 33, 1090-1099.	1.3	105
15	Osmotic Challenge Drives Rapid and Reversible Chromatin Condensation in Chondrocytes. <i>Biophysical Journal</i> , 2013, 104, 759-769.	0.2	105
16	Stem cell mechanobiology. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 1-9.	1.2	103
17	Live cell imaging using confocal microscopy induces intracellular calcium transients and cell death. <i>American Journal of Physiology - Cell Physiology</i> , 2003, 284, C1083-C1089.	2.1	102
18	Expansion of chondrocytes for tissue engineering in alginate beads enhances chondrocytic phenotype compared to conventional monolayer techniques. <i>Acta Orthopaedica</i> , 2003, 74, 6-15.	1.4	99

#	ARTICLE	IF	CITATIONS
19	Cyclic tensile strain upregulates collagen synthesis in isolated tendon fascicles. <i>Biochemical and Biophysical Research Communications</i> , 2005, 336, 424-429.	1.0	98
20	Dynamic compressive strain influences chondrogenic gene expression in human mesenchymal stem cells. <i>Biorheology</i> , 2006, 43, 455-70.	1.2	97
21	Compressive Deformation and Damage of Muscle Cell Subpopulations in a Model System. <i>Annals of Biomedical Engineering</i> , 2001, 29, 153-163.	1.3	92
22	Dynamic Mechanical Compression Influences Nitric Oxide Production by Articular Chondrocytes Seeded in Agarose. <i>Biochemical and Biophysical Research Communications</i> , 1998, 251, 580-585.	1.0	88
23	Dynamic Compression Inhibits the Synthesis of Nitric Oxide and PGE2 by IL-1 β -Stimulated Chondrocytes Cultured in Agarose Constructs. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 1168-1174.	1.0	88
24	Type VI Collagen Regulates Dermal Matrix Assembly and Fibroblast Motility. <i>Journal of Investigative Dermatology</i> , 2016, 136, 74-83.	0.3	84
25	The influence of swelling and matrix degradation on the microstructural integrity of tendon. <i>Acta Biomaterialia</i> , 2006, 2, 505-513.	4.1	79
26	Cellular Utilization Determines Viability and Matrix Distribution Profiles in Chondrocyte-Seeded Alginate Constructs. <i>Tissue Engineering</i> , 2004, 10, 1467-1479.	4.9	74
27	The development and characterization of an in vitro system to study strain-induced cell deformation in isolated chondrocytes. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1995, 31, 828-835.	0.7	71
28	Confocal analysis of cytoskeletal organisation within isolated chondrocyte sub-populations cultured in agarose. <i>The Histochemical Journal</i> , 2000, 32, 165-174.	0.6	70
29	Rate of oxygen consumption by isolated articular chondrocytes is sensitive to medium glucose concentration. <i>Journal of Cellular Physiology</i> , 2006, 206, 402-410.	2.0	68
30	Influence of External Uniaxial Cyclic Strain on Oriented Fibroblast-Seeded Collagen Gels. <i>Tissue Engineering</i> , 2003, 9, 613-624.	4.9	66
31	Syndecan-4 tunes cell mechanics by activating the kindlin-integrin-RhoA pathway. <i>Nature Materials</i> , 2020, 19, 669-678.	13.3	66
32	Differential regulation of gene expression in isolated tendon fascicles exposed to cyclic tensile strain in vitro. <i>Journal of Applied Physiology</i> , 2009, 106, 506-512.	1.2	60
33	Tamoxifen mechanically reprograms the tumor microenvironment via $\text{HIF-1}\alpha$ and reduces cancer cell survival. <i>EMBO Reports</i> , 2019, 20, .	2.0	58
34	Mechanically Induced Chromatin Condensation Requires Cellular Contractility in Mesenchymal Stem Cells. <i>Biophysical Journal</i> , 2016, 111, 864-874.	0.2	56
35	Nutrient Utilization by Bovine Articular Chondrocytes: A Combined Experimental and Theoretical Approach. <i>Journal of Biomechanical Engineering</i> , 2005, 127, 758-766.	0.6	55
36	GPER is a mechanoregulator of pancreatic stellate cells and the tumor microenvironment. <i>EMBO Reports</i> , 2019, 20, .	2.0	55

#	ARTICLE	IF	CITATIONS
37	Mechanical Conditioning Influences the Metabolic Response of Cell-Seeded Constructs. <i>Cells Tissues Organs</i> , 2003, 175, 140-150.	1.3	52
38	Dynamic compression counteracts IL-1beta induced iNOS and COX-2 expression in chondrocyte / agarose constructs. <i>Arthritis Research and Therapy</i> , 2008, 10, R35.	1.6	51
39	Retinoic Acid Receptor α 2 Is Downregulated in Hepatocellular Carcinoma and Cirrhosis and Its Expression Inhibits Myosin α -Driven Activation and Durotaxis in Hepatic Stellate Cells. <i>Hepatology</i> , 2019, 69, 785-802.	3.6	50
40	Glucose Concentration and Medium Volume Influence Cell Viability and Glycosaminoglycan Synthesis in Chondrocyte-Seeded Alginate Constructs. <i>Tissue Engineering</i> , 2006, 12, 3487-3496.	4.9	49
41	Both superficial and deep zone articular chondrocyte subpopulations exhibit the crabtree effect but have different basal oxygen consumption rates. <i>Journal of Cellular Physiology</i> , 2010, 223, 630-639.	2.0	48
42	Tamoxifen mechanically deactivates hepatic stellate cells via the G protein-coupled estrogen receptor. <i>Oncogene</i> , 2019, 38, 2910-2922.	2.6	43
43	Dynamic regulation of nuclear architecture and mechanics α a rheostatic role for the nucleus in tailoring cellular mechanosensitivity. <i>Nucleus</i> , 2017, 8, 287-300.	0.6	42
44	Stem cell differentiation increases membrane-actin adhesion regulating cell blebability, migration and mechanics. <i>Scientific Reports</i> , 2014, 4, 7307.	1.6	40
45	Gap junction permeability between tenocytes within tendon fascicles is suppressed by tensile loading. <i>Biomechanics and Modeling in Mechanobiology</i> , 2012, 11, 439-447.	1.4	39
46	Single photon counting fluorescence lifetime detection of pericellular oxygen concentrations. <i>Journal of Biomedical Optics</i> , 2012, 17, 016007.	1.4	35
47	Time dependence of cyclic tensile strain on collagen production in tendon fascicles. <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 399-404.	1.0	34
48	Quantification of chromatin condensation level by image processing. <i>Medical Engineering and Physics</i> , 2014, 36, 412-417.	0.8	32
49	Mechanical Loading of Chondrocytes Embedded in 3D Constructs: In Vitro Methods for Assessment of Morphological and Metabolic Response to Compressive Strain. , 2004, 100, 307-324.		30
50	Low oxygen reduces the modulation to an oxidative phenotype in monolayer α expanded chondrocytes. <i>Journal of Cellular Physiology</i> , 2010, 222, 248-253.	2.0	30
51	Culture Expansion in Low-Glucose Conditions Preserves Chondrocyte Differentiation and Enhances Their Subsequent Capacity to Form Cartilage Tissue in Three-Dimensional Culture. <i>BioResearch Open Access</i> , 2014, 3, 9-18.	2.6	29
52	Functional analysis of tenocytes gene expression in tendon fascicles subjected to cyclic tensile strain. <i>Connective Tissue Research</i> , 2010, 51, 434-444.	1.1	27
53	Dynamic compression counteracts IL-1beta induced iNOS and COX-2 activity by human chondrocytes cultured in agarose constructs. <i>Biorheology</i> , 2006, 43, 413-29.	1.2	27
54	Cell-generated forces influence the viability, metabolism and mechanical properties of fibroblast-seeded collagen gel constructs. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2009, 3, 43-53.	1.3	17

#	ARTICLE	IF	CITATIONS
55	GPER Activation Inhibits Cancer Cell Mechanotransduction and Basement Membrane Invasion via RhoA. <i>Cancers</i> , 2020, 12, 289.	1.7	16
56	Quantification of mRNA Using Real-Time PCR and Western Blot Analysis of MAPK Events in Chondrocyte/Agarose Constructs. <i>Methods in Molecular Biology</i> , 2011, 695, 77-97.	0.4	11
57	Bioreactor Culture Techniques for Cartilage-Tissue Engineering. , 2004, 238, 159-170.		8
58	The development of a bioreactor to perfuse radially-confined hydrogel constructs: Design and characterization of mass transport properties. <i>Biorheology</i> , 2009, 46, 417-437.	1.2	8
59	G Protein-Coupled Estrogen Receptor Regulates Actin Cytoskeleton Dynamics to Impair Cell Polarization. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 592628.	1.8	8
60	Effects of ascorbate on myogenesis in micromass culture. <i>In Vitro Cellular & Developmental Biology</i> , 1990, 26, 259-264.	1.0	7
61	Structure & Properties of Soft Tissues Articular Cartilage. <i>Pergamon Materials Series</i> , 2000, , 75-103.	0.2	6
62	Extracellular oxygen concentration mapping with a confocal multiphoton laser scanning microscope and TCSPC card. <i>Proceedings of SPIE</i> , 2010, , .	0.8	2
63	Effect of Intermittent Cyclic Tensile Strain on Collagen Synthesis by Tenocytes in Isolated Fascicles. <i>Journal of Biomechanical Science and Engineering</i> , 2009, 4, 510-517.	0.1	0
64	1P338 1J1450 Mechano-regulation of gap junction communications between tenocytes within isolated fascicles(Bioengineering,Oral Presentations,The 48th Annual Meeting of the Biophysical Society of Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
65	Chondrocyte Deformation and Mechanotransduction in Cartilage Model Systems(International) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 2005.18, 2-3.	0.0	0
66	Glucose Concentration and Medium Volume Influences Cell Viability and Glycosaminoglycan Synthesis in Chondrocyte-Seeded Alginate Constructs. <i>Tissue Engineering</i> , 2006, .	4.9	0
67	A compartment model to evaluate the permeability of gap junctions between tenocytes in tendon fascicles. <i>FASEB Journal</i> , 2010, 24, 975.9.	0.2	0