

# Murugan Nadarajan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1267333/publications.pdf>

Version: 2024-02-01

123  
papers

5,904  
citations

71061

41  
h-index

82499

72  
g-index

125  
all docs

125  
docs citations

125  
times ranked

3372  
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of response surface methodology for predicting weld bead quality in submerged arc welding of pipes. <i>Journal of Materials Processing Technology</i> , 1999, 88, 266-275.	3.1	445
2	Production and characterization of AA6061/B4C stir cast composite. <i>Materials &amp; Design</i> , 2011, 32, 4004-4009.	5.1	314
3	Effect of tool rotational speed and pin profile on microstructure and tensile strength of dissimilar friction stir welded AA5083-H111 and AA6351-T6 aluminum alloys. <i>Materials &amp; Design</i> , 2012, 40, 7-16.	5.1	252
4	Production and wear characterisation of AA 6061 matrix titanium carbide particulate reinforced composite by enhanced stir casting method. <i>Composites Part B: Engineering</i> , 2012, 43, 302-308.	5.9	250
5	Metallurgical and mechanical characterization of stir cast AA6061-T6/AlNp composite. <i>Materials &amp; Design</i> , 2012, 40, 52-58.	5.1	160
6	Influence of tool pin profile on the metallurgical and mechanical properties of friction stir welded Al/10wt.% TiB <sub>2</sub> metal matrix composite. <i>Materials &amp; Design</i> , 2010, 31, 3585-3589.	5.1	153
7	Microstructure and sliding wear behavior of AA6360/(TiC+B4C) hybrid surface composite layer synthesized by friction stir processing on aluminum substrate. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 552, 336-344.	2.6	148
8	Selection of parameters of pulsed current gas metal arc welding. <i>Journal of Materials Processing Technology</i> , 2006, 172, 1-10.	3.1	146
9	Prediction and control of weld bead geometry and shape relationships in submerged arc welding of pipes. <i>Journal of Materials Processing Technology</i> , 2005, 168, 478-487.	3.1	138
10	Tensile behavior of dissimilar friction stir welded joints of aluminium alloys. <i>Materials &amp; Design</i> , 2010, 31, 4184-4193.	5.1	133
11	Characterization of boron carbide particulate reinforced in situ copper surface composites synthesized using friction stir processing. <i>Materials Characterization</i> , 2013, 84, 16-27.	1.9	133
12	Prediction of tensile strength of friction stir welded aluminium matrix TiCp particulate reinforced composite. <i>Materials &amp; Design</i> , 2011, 32, 462-467.	5.1	132
13	Influence of in situ formed ZrB <sub>2</sub> particles on microstructure and mechanical properties of AA6061 metal matrix composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 5733-5740.	2.6	126
14	Evaluation of residual stresses in dissimilar weld joints. <i>International Journal of Pressure Vessels and Piping</i> , 2005, 82, 700-705.	1.2	124
15	Effects of MIG process parameters on the geometry of the bead in the automatic surfacing of stainless steel. <i>Journal of Materials Processing Technology</i> , 1994, 41, 381-398.	3.1	120
16	Optimization of weld bead geometry for stainless steel claddings deposited by FCAW. <i>Journal of Materials Processing Technology</i> , 2007, 190, 291-299.	3.1	114
17	Optimization of pulsed GTA welding process parameters for the welding of AISI 304L stainless steel sheets. <i>International Journal of Advanced Manufacturing Technology</i> , 2009, 40, 478-489.	1.5	111
18	Effect of tool axis offset and geometry of tool pin profile on the characteristics of friction stir welded dissimilar joints of aluminum alloy AA5052 and HSLA steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 639, 219-233.	2.6	105

#	ARTICLE	IF	CITATIONS
19	Synthesis and characterization of titanium carbide particulate reinforced AA6082 aluminium alloy composites via friction stir processing. Archives of Civil and Mechanical Engineering, 2015, 15, 324-334.	1.9	101
20	Effect of flux cored arc welding process parameters on duplex stainless steel clad quality. Journal of Materials Processing Technology, 2006, 176, 230-239.	3.1	97
21	Prediction and comparison of the area of the heat-affected zone for the bead-on-plate and bead-on-joint in submerged arc welding of pipes. Journal of Materials Processing Technology, 1999, 95, 246-261.	3.1	94
22	Effect of friction stir welding on microstructure, mechanical and wear properties of AA6061/ZrB2 in situ cast composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 543, 257-266.	2.6	89
23	Characterization of friction stir welded boron carbide particulate reinforced AA6061 aluminum alloy stir cast composite. Materials & Design, 2014, 55, 176-182.	5.1	86
24	Dry sliding wear behavior of AA6061/ZrB2 in-situ composite. Transactions of Nonferrous Metals Society of China, 2012, 22, 810-818.	1.7	83
25	Effects of process parameters on the bead geometry of laser beam butt welded stainless steel sheets. International Journal of Advanced Manufacturing Technology, 2007, 32, 1125-1133.	1.5	78
26	Development of mathematical models for prediction of weld bead geometry in cladding by flux cored arc welding. International Journal of Advanced Manufacturing Technology, 2006, 30, 669-676.	1.5	72
27	Effect of submerged arc process variables on dilution and bead geometry in single wire surfacing. Journal of Materials Processing Technology, 1993, 37, 767-780.	3.1	71
28	Role of friction stir welding parameters on tensile strength of AA6061/B4C composite joints. Transactions of Nonferrous Metals Society of China, 2013, 23, 616-624.	1.7	71
29	Prediction of mechanical and wear properties of copper surface composites fabricated using friction stir processing. Materials & Design, 2014, 55, 224-234.	5.1	66
30	Dry sliding wear behavior of stir cast AA6061-T6/AlNp composite. Transactions of Nonferrous Metals Society of China, 2014, 24, 2785-2795.	1.7	66
31	Optimization of friction stir welding process parameters to maximize tensile strength of stir cast AA6061-T6/AlNp composite. Materials & Design, 2014, 57, 383-393.	5.1	64
32	Optimization of friction stir welding process to maximize tensile strength of AA6061/ZrB2 in-situ composite butt joints. Metals and Materials International, 2012, 18, 135-142.	1.8	55
33	Strong quantum confinement effect in nanocrystalline CdS. Journal of Materials Science, 2010, 45, 3254-3258.	1.7	54
34	Influence of tool traverse speed on the characteristics of dissimilar friction stir welded aluminium alloy, AA5052 and HSLA steel joints. Archives of Civil and Mechanical Engineering, 2015, 15, 822-830.	1.9	51
35	Mechanical and metallurgical properties of dissimilar friction stir welded AA5083-H111 and AA6351-T6 aluminum alloys. Transactions of Nonferrous Metals Society of China, 2014, 24, 58-65.	1.7	50
36	Optimization of weld bead geometry in plasma transferred arc hardfaced austenitic stainless steel plates using genetic algorithm. International Journal of Advanced Manufacturing Technology, 2009, 41, 24-30.	1.5	48

#	ARTICLE	IF	CITATIONS
37	Influence of the Cd/S Molar Ratio on the Optical and Structural Properties of Nanocrystalline CdS Thin Films. <i>Journal of Materials Science and Technology</i> , 2010, 26, 193-199.	5.6	47
38	Development of Al <sub>3</sub> Ti and Al <sub>3</sub> Zr intermetallic particulate reinforced aluminum alloy AA6061 in situ composites using friction stir processing. <i>Materials &amp; Design</i> , 2014, 63, 213-222.	5.1	47
39	Weldability of marine grade AA 5052 aluminum alloy by underwater friction stir welding. <i>International Journal of Advanced Manufacturing Technology</i> , 2018, 95, 4535-4546.	1.5	47
40	Prediction of tensile strength of friction stir welded stir cast AA6061-T6/AlNp composite. <i>Materials &amp; Design</i> , 2013, 51, 998-1007.	5.1	46
41	Structural and optical characterization of Ni-doped CdS quantum dots. <i>Journal of Materials Science</i> , 2011, 46, 3200-3206.	1.7	45
42	Microstructure and mechanical properties of friction stir welded AISI 316L austenitic stainless steel joints. <i>Journal of Materials Processing Technology</i> , 2018, 254, 79-90.	3.1	43
43	Studies on optical absorption and structural properties of Fe doped CdS quantum dots. <i>Solid State Sciences</i> , 2010, 12, 1554-1559.	1.5	41
44	Finite element simulation of residual stresses and their measurement by contour method. <i>Materials &amp; Design</i> , 2009, 30, 2067-2071.	5.1	40
45	Microstructure and Mechanical Characterization of Friction-Stir-Welded Dual-Phase Brass. <i>Journal of Materials Engineering and Performance</i> , 2018, 27, 1544-1554.	1.2	39
46	Sensitivity Analysis for Process Parameters in Cladding of Stainless Steel by Flux Cored Arc Welding. <i>Journal of Manufacturing Processes</i> , 2006, 8, 90-100.	2.8	35
47	Influence of tool rotational speed on microstructure and sliding wear behavior of Cu/B <sub>4</sub> C surface composite synthesized by friction stir processing. <i>Transactions of Nonferrous Metals Society of China</i> , 2015, 25, 95-102.	1.7	35
48	Ball flower like manganese, strontium substituted hydroxyapatite/cerium oxide dual coatings on the AZ91 Mg alloy with improved bioactive and corrosion resistance properties for implant applications. <i>RSC Advances</i> , 2015, 5, 27402-27411.	1.7	35
49	Development of empirical relationships for prediction of mechanical and wear properties of AA6082 aluminum matrix composites produced using friction stir processing. <i>Engineering Science and Technology, an International Journal</i> , 2016, 19, 1132-1144.	2.0	35
50	Microstructure and wear characterization of AA2124/4wt.%B <sub>4</sub> C nano-composite coating on Ti-6Al-4V alloy using friction surfacing. <i>Transactions of Nonferrous Metals Society of China</i> , 2019, 29, 1263-1274.	1.7	35
51	Prediction and Optimisation of Weld Bead Geometry of Plasma Transferred Arc Hardfaced Valve Seat Rings. <i>Surface Engineering</i> , 2003, 19, 143-149.	1.1	33
52	Microstructure and microhardness of AA1050/TiC surface composite fabricated using friction stir processing. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2012, 37, 579-586.	0.8	33
53	Influence of tool material on mechanical and microstructural properties of friction stir welded 316L austenitic stainless steel butt joints. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016, 58, 196-205.	1.7	33
54	A simulation based heuristic discrete particle swarm algorithm for generating integrated production distribution plan. <i>Applied Soft Computing Journal</i> , 2012, 12, 3034-3050.	4.1	32

#	ARTICLE	IF	CITATIONS
55	Optimization of process parameters to maximize ultimate tensile strength of friction stir welded dissimilar aluminum alloys using response surface methodology. <i>Journal of Central South University</i> , 2013, 20, 2929-2938.	1.2	32
56	Tensile strength prediction of dissimilar friction stir-welded AA6351/AA5083 using artificial neural network technique. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2016, 38, 1647-1657.	0.8	32
57	Role of friction stir processing parameters on microstructure and microhardness of boron carbide particulate reinforced copper surface composites. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2013, 38, 1433-1450.	0.8	30
58	Performance analysis of dissimilar friction stir welded aluminium alloy AA5052 and HSLA steel butt joints using response surface method. <i>International Journal of Advanced Manufacturing Technology</i> , 2016, 86, 2373-2392.	1.5	30
59	Modeling and simulation of wire feed rate for steady current and pulsed current gas metal arc welding using 317L flux cored wire. <i>International Journal of Advanced Manufacturing Technology</i> , 2007, 34, 1111-1119.	1.5	29
60	Production and Wear Characterization of AA6082 -TiC Surface Composites by Friction Stir Processing. <i>Procedia Engineering</i> , 2014, 97, 590-597.	1.2	29
61	Identifying the optimal FSW process parameters for maximizing the tensile strength of friction stir welded AISI 316L butt joints. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019, 137, 257-271.	2.5	29
62	Effect of tool tilt angle on weld joint properties of friction stir welded AISI 316L stainless steel sheets. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020, 150, 107083.	2.5	29
63	Microstructure and mechanical properties of Inconel-625 slab component fabricated by wire arc additive manufacturing. <i>Materials Science and Technology</i> , 2020, 36, 1785-1795.	0.8	27
64	An AHP based heuristic DPSO algorithm for generating multi criteria production distribution plan. <i>Journal of Manufacturing Systems</i> , 2013, 32, 632-647.	7.6	25
65	Prediction of Delta Ferrite Content and Effect of Welding Process Parameters in Claddings by FCAW. <i>Materials and Manufacturing Processes</i> , 2006, 21, 431-438.	2.7	23
66	Optimizations of Friction Stir Welding Process Parameters for the Welding of Al-B4C Composite Plates using Generalized Reduced Gradient Method. <i>Procedia Engineering</i> , 2012, 38, 49-55.	1.2	22
67	Prediction and Optimization of Wear Resistance of Friction Stir Welded Dissimilar Aluminum Alloy. <i>Procedia Engineering</i> , 2012, 38, 578-584.	1.2	21
68	Influence of friction stir processing parameters on surface modified 90Cu-10Ni composites. <i>Materials and Manufacturing Processes</i> , 2017, 32, 1416-1427.	2.7	21
69	Fabrication and Characterization of CU/B4C Surface Dispersion Strengthened Composite using Friction Stir Processing. <i>Archives of Metallurgy and Materials</i> , 2014, 59, 83-87.	0.6	20
70	Microstructure and Mechanical Characterization of Aluminum Seamless Tubes Produced by Friction Stir Back Extrusion. <i>Transactions of the Indian Institute of Metals</i> , 2016, 69, 1811-1818.	0.7	20
71	Developing an Empirical Relationship to Predict the Influence of Process Parameters on Tensile Strength of Friction Stir Welded AA6061/10 wt% ZrB2 In Situ Composite. <i>Transactions of the Indian Institute of Metals</i> , 2012, 65, 159-170.	0.7	19
72	Process parameter selection for optimising weld bead geometry in stainless steel cladding using Taguchi's approach. <i>Materials Science and Technology</i> , 2006, 22, 1193-1200.	0.8	18

#	ARTICLE	IF	CITATIONS
73	Microstructure and some properties of aluminium alloy AA6061 reinforced <i>in situ</i> formed zirconium diboride particulate stir cast composite. International Journal of Cast Metals Research, 2014, 27, 115-121.	0.5	18
74	Effect of Cr-doping on the structural and optical properties of CdS nanoparticles prepared by chemical precipitation method. Journal of Materials Science: Materials in Electronics, 2012, 23, 618-624.	1.1	16
75	Effect of friction stir welding on mechanical and microstructural properties of AISI 316L stainless steel butt joints. Welding in the World, Le Soudage Dans Le Monde, 2019, 63, 137-150.	1.3	16
76	TQM is a must for success, but not sufficient for survival: A conceptual framework as contemplated in ancient Tamil literature in India. Total Quality Management and Business Excellence, 2003, 14, 395-405.	2.4	15
77	Investigations on the Influence of Surfacing Process Parameters Over Bead Properties During Stainless Steel Cladding. Materials and Manufacturing Processes, 2012, 27, 69-77.	2.7	15
78	Effect of Traverse Speed on Microstructure and Microhardness of Cu/B4C Surface Composite Produced by Friction Stir Processing. Transactions of the Indian Institute of Metals, 2013, 66, 333-337.	0.7	15
79	Friction stir welding of hybrid AA 6061-ZrO <sub>2</sub> -C composites FSW process optimization using desirability approach. Materials Research Express, 2019, 6, 066553.	0.8	15
80	Effect of gas tungsten arc welding process variables on dilution and bead geometry of Stellite 6 hardfaced valve seat rings. Surface Engineering, 2006, 22, 375-383.	1.1	13
81	Ferrite number optimisation for stainless steel cladding by FCAW using Taguchi technique. International Journal of Materials and Product Technology, 2008, 33, 404.	0.1	12
82	Influence of FCA Welding Process Parameters on Distortion of 409M Stainless Steel for Rail Coach Building. Journal of Iron and Steel Research International, 2013, 20, 71-78.	1.4	12
83	A Study on the Influence of PTAW Process Parameters on Pitting Corrosion Resistance of Nickel based Overlays. Procedia Engineering, 2013, 64, 1147-1156.	1.2	12
84	Effect of Heat Input on Macro, Micro and Tensile Properties of Flux Cored Arc Welded Ferritic Stainless Steel Joints. Transactions of the Indian Institute of Metals, 2014, 67, 375-383.	0.7	12
85	Surface modification and characterization of zirconium carbide particulate reinforced C70600 CuNi composite fabricated via friction stir processing. Journal of Mechanical Science and Technology, 2017, 31, 3755-3760.	0.7	12
86	Automation of Friction Stir Welding Process to Join Aluminum Matrix Composites by Optimization. Procedia Engineering, 2012, 38, 105-110.	1.2	11
87	Development of Mathematical Model for Prediction and Optimization of Particle Size in Nanocrystalline CdS Thin Films Prepared by Sol-Gel Spin-Coating Method. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2010, 41, 1338-1345.	1.0	10
88	Development of simulation-based AHP-DPSO algorithm for generating multi-criteria production "distribution plan. International Journal of Advanced Manufacturing Technology, 2012, 60, 373-396.	1.5	10
89	Influence of Axial Force on Tensile Strength and Microstructural Characteristics of Friction Stir Buttwelded Aluminum Alloy/Steel Joints. Strength of Materials, 2019, 51, 300-316.	0.2	10
90	Application of artificial neural network in predicting the wear rate of copper surface composites produced using friction stir processing. Australian Journal of Mechanical Engineering, 2020, , 1-12.	1.5	9

#	ARTICLE	IF	CITATIONS
91	Friction Stir Processing Of Intermetallic-Particle Reinforced Aluminum Matrix Composite. <i>Advanced Materials Letters</i> , 2013, 4, 230-234.	0.3	9
92	Development of Mathematical Models for Prediction of Weld Bead Geometry in Cladding Mild Steel Valve Seat Rings by PTAW. <i>Procedia Engineering</i> , 2012, 38, 15-20.	1.2	8
93	Effect of Pulsed Gas Tungsten Arc Welding Process Parameters on Pitting Corrosion Resistance of Type 304L Stainless Steel Welds. <i>Corrosion</i> , 2007, 63, 433-441.	0.5	7
94	Effect of Tool Rotational Speed on Microstructure and Microhardness of AA6082/TiC Surface Composites using Friction Stir Processing. <i>Applied Mechanics and Materials</i> , 0, 592-594, 234-239.	0.2	7
95	Study on Dissimilar Butt Joining of Aluminum Alloy, AA5052 and High Strength Low Alloy Steel through a Modified FSW Process. <i>Materials Science Forum</i> , 0, 830-831, 278-281.	0.3	7
96	Modelling and analysis of pitting corrosion resistance of stainless steel overlays deposited by flux cored arc welding process. <i>Surface Engineering</i> , 2008, 24, 422-428.	1.1	6
97	A mathematical model to predict the grain size of nanocrystalline CdS thin films based on the deposition condition used in the sol-gel spin coating method. <i>Applied Physics A: Materials Science and Processing</i> , 2011, 104, 1129-1136.	1.1	6
98	An Assessment on Friction Stir Welding of High Melting Temperature Materials. <i>Applied Mechanics and Materials</i> , 0, 592-594, 43-47.	0.2	6
99	Sensitivity analysis of process parameters in PTA hardfacing of valve seats using response surface methodology. <i>Materials Science and Technology</i> , 2005, 21, 941-947.	0.8	5
100	Development of eco-friendly surface modification process for 316L austenitic stainless steel weld cladding. <i>Surface Engineering</i> , 2012, 28, 5-10.	1.1	5
101	Effects of flux cored arc welding parameters on pitting corrosion resistance of duplex stainless steel clad metals. <i>Corrosion Engineering Science and Technology</i> , 2007, 42, 29-35.	0.7	4
102	A genetic algorithm approach to generate an integrated multiplant aggregate production-distribution plan. <i>International Journal of Services and Operations Management</i> , 2010, 7, 76.	0.1	4
103	DEVELOPMENT OF MATHEMATICAL MODEL TO PREDICT THE ULTIMATE TENSILE STRENGTH OF FRICTION STIR WELDED DISSIMILAR ALUMINUM ALLOY. <i>Mechanika</i> , 2012, 18, .	0.3	4
104	An integrated multi-plant aggregate production-distribution plan generated using memetic algorithm. <i>International Journal of Value Chain Management</i> , 2010, 4, 213.	0.1	3
105	Nanocrystalline CdS thin films prepared by sol-gel spin coating. <i>International Journal of Materials Research</i> , 2011, 102, 584-586.	0.1	3
106	Optimization of Flux Cored Arc Welding Process Parameter Using Genetic and Memetic Algorithms. <i>Journal for Manufacturing Science and Production</i> , 2013, 13, 239-250.	0.1	3
107	Dry sliding wear behaviour of friction stir welded aluminum (6061)-B <sub>4</sub> C composite. <i>International Journal of Microstructure and Materials Properties</i> , 2013, 8, 239.	0.1	3
108	Design of Experiment and Optimization of Plasma Transferred Arc Hardfacing on Structural Steel with Titanium Carbide. <i>Research Journal of Applied Sciences, Engineering and Technology</i> , 2014, 7, 2362-2370.	0.1	3

#	ARTICLE	IF	CITATIONS
109	Microstructure Evolution and Tensile Behavior of Dissimilar Friction Stir-Welded Pure Copper and Dual-Phase Brass. <i>Metallography, Microstructure, and Analysis</i> , 2019, 8, 735-748.	0.5	3
110	Microstructure and sliding wear characterization of submicron and nanometric boron carbide particulate reinforced AA2124 aluminum matrix composites prepared by stir casting. <i>Materials Research Express</i> , 2019, 6, 0865i3.	0.8	3
111	Effect of Tool pin Profile and Axial Force on Tensile Behavior in Friction Stir Welding of Dissimilar Aluminum Alloys. <i>Advanced Materials Research</i> , 0, 415-417, 1140-1146.	0.3	2
112	Effect of Ceramic Particles on Microstructure and Mechanical Properties of Aluminium Surface Composite Fabricated Using Friction Stir Processing. <i>Materials Science Forum</i> , 2015, 830-831, 440-443.	0.3	2
113	Friction Stir Welding Of 321Stainless Steel Plates by Tungsten Lanthanum Tool and Its Joint Analyses. <i>Materials Today: Proceedings</i> , 2018, 5, 4235-4241.	0.9	2
114	Microstructural, Mechanical and Wear Properties of Friction Stir Welded AA6061/AlNp Composite Joints. <i>Journal of Materials Engineering and Performance</i> , 2022, 31, 651-666.	1.2	2
115	Optimization of Wear Rate of Friction Stir Welded AL-B4C Composite. , 2013, , 271-276.		2
116	Classical approach to contemporary TQM: An integrated conceptual TQM model as perceived in Tamil classical literature. <i>Total Quality Management and Business Excellence</i> , 2003, 14, 609-640.	2.4	1
117	Comparison of regression and artificial neural network models for prediction of delta ferrite content in stainless steel claddings. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2006, 10, 433-443.	0.7	1
118	Modelling and analysis of delta ferrite content in claddings deposited by flux cored arc welding using a neural network. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2009, 223, 779-787.	1.1	1
119	A discrete PSO approach for generating an integrated multi-plant aggregate production-distribution plan. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , 2013, 17, 195-207.	0.7	1
120	Effect of Cooling Rate on Mechanical and Microstructural Characterization of Friction Stir Welded 316 L Austenitic Stainless Steel Joints. <i>Materials Science Forum</i> , 2015, 830-831, 314-318.	0.3	1
121	Friction Stir Welding of AISI 316L Stainless Steel in a 3.5 NaCl Aqueous Solution: Metallurgical and Mechanical Characterization. <i>Materials Performance and Characterization</i> , 2019, 8, 20180116.	0.2	0
122	Effect of Aging Heat Treatment on the Microstructure of Gas Tungsten Arc-Welded Inconel Superalloy 718. <i>Lecture Notes in Mechanical Engineering</i> , 2020, , 141-151.	0.3	0
123	Fault Diagnosis and Root Cause Failure Analysis of Press Roller Mill for Heavy Industry. <i>Lecture Notes in Mechanical Engineering</i> , 2020, , 631-638.	0.3	0