Nicola Farina

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1268864/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Efficacy and improved tolerability of combination therapy with interleukin-1 blockade and MAPK pathway inhibitors for the treatment of Erdheim-Chester disease. Annals of the Rheumatic Diseases, 2022, 81, e11-e11.	0.9	15
2	The Role of the Multidisciplinary Health Care Team in the Management of Patients with Systemic Sclerosis. Journal of Multidisciplinary Healthcare, 2022, Volume 15, 815-824.	2.7	6
3	Patients' experience and tolerability with canakinumab and anakinra for the treatment of adult-onset Still's disease Clinical and Experimental Rheumatology, 2022, , .	0.8	0
4	Interleukin 6 inhibition in severe COVID-19: Another piece of the puzzle. European Journal of Internal Medicine, 2022, , .	2.2	0
5	Autoantibody positivity predicts severity of rheumatic immune-related adverse events to immune-checkpoint inhibitors. European Journal of Internal Medicine, 2022, 103, 95-99.	2.2	6
6	Drug retention rates of biological agents in adult onset Still's disease. Seminars in Arthritis and Rheumatism, 2021, 51, 1-6.	3.4	14
7	Canakinumab injection for the treatment of active Still's disease, including adult-onset Still's disease. Expert Opinion on Orphan Drugs, 2021, 9, 77-86.	0.8	1
8	Catastrophic antiphospholipid syndrome presenting with aortic barrage: case report and review of the literature. Lupus, 2021, 30, 1005-1009.	1.6	0
9	Interleukin-1 and interleukin-6 inhibition compared with standard management in patients with COVID-19 and hyperinflammation: a cohort study. Lancet Rheumatology, The, 2021, 3, e253-e261.	3.9	140
10	Beyond Neuropsychiatric Manifestations of Systemic Lupus Erythematosus: Focus on Post-traumatic Stress Disorder and Alexithymia. Current Rheumatology Reports, 2021, 23, 52.	4.7	6
11	Tocilizumab for the treatment of immune-related adverse events: a systematic literature review and a multicentre case series. European Journal of Internal Medicine, 2021, 93, 87-94.	2.2	41
12	Impact of the COVID-19 pandemic in patients with systemic lupus erythematosus throughout one year. Clinical Immunology, 2021, 231, 108845.	3.2	14
13	Current treatment options and safety considerations when treating adult-onset Still's disease. Expert Opinion on Drug Safety, 2020, 19, 1549-1558.	2.4	15
14	COVID-19: Pharmacology and kinetics of viral clearance. Pharmacological Research, 2020, 161, 105114.	7.1	17
15	Interleukin-1 blockade with high-dose anakinra in patients with COVID-19, acute respiratory distress syndrome, and hyperinflammation: a retrospective cohort study. Lancet Rheumatology, The, 2020, 2, e325-e331.	3.9	808
16	Low prevalence of arrhythmias in clinically stable COVIDâ€19 patients. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 891-893.	1.2	43
17	GM-CSF blockade with mavrilimumab in severe COVID-19 pneumonia and systemic hyperinflammation: a single-centre, prospective cohort study. Lancet Rheumatology, The, 2020, 2, e465-e473.	3.9	173
18	Obesity and its role in the management of rheumatoid and psoriatic arthritis. Clinical Rheumatology, 2020, 39, 1039-1047.	2.2	32

#	Article	IF	CITATIONS
19	Repurposing of Biologic and Targeted Synthetic Anti-Rheumatic Drugs in COVID-19 and Hyper-Inflammation: A Comprehensive Review of Available and Emerging Evidence at the Peak of the Pandemic. Frontiers in Pharmacology, 2020, 11, 598308.	3.5	29
20	Patients' experience and tolerability with canakinumab and anakinra for the treatment of adult-onset Still's disease Clinical and Experimental Rheumatology, 0, , .	0.8	1