

# Michał, Ronikier

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1270019/publications.pdf>

Version: 2024-02-01

45  
papers

1,377  
citations

471061

17  
h-index

344852

36  
g-index

47  
all docs

47  
docs citations

47  
times ranked

2111  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biogeography of the Carpathians: towards a better understanding of biodiversity patterns. <i>Plant Systematics and Evolution</i> , 2021, 307, 1.	0.3	3
2	Phylogeographical structure of a narrow endemic plant in an isolated high-mountain range. <i>Preslia</i> , 2021, 93, 125-148.	1.1	1
3	Climate Change and Alpine Screens: No Future for Glacial Relict <i>Papaver occidentale</i> (Papaveraceae) in Western Prealps. <i>Diversity</i> , 2020, 12, 346.	0.7	7
4	Genetic structure of the endemic <i>Papaver occidentale</i> indicates survival and immigration in the Western Prealps. <i>Alpine Botany</i> , 2020, 130, 129-140.	1.1	3
5	Conserving the endemic flora of the Carpathian Region: an international project to increase and share knowledge of the distribution, evolution and taxonomy of Carpathian endemics and to conserve endangered species. <i>Plant Systematics and Evolution</i> , 2020, 306, 1.	0.3	8
6	Genetic structure of <i>Doronicum austriacum</i> (Asteraceae) in the Carpathians and adjacent areas: toward a comparative phylogeographical analysis of tall-herb species. <i>Plant Systematics and Evolution</i> , 2020, 306, 1.	0.3	17
7	New protocol for successful isolation and amplification of DNA from exiguous fractions of specimens: a tool to overcome the basic obstacle in molecular analyses of myxomycetes. <i>PeerJ</i> , 2020, 8, e8406.	0.9	7
8	Relict populations and Central European glacial refugia: The case of <i>Rhododendron ferrugineum</i> (Ericaceae). <i>Journal of Biogeography</i> , 2019, 46, 392-404.	1.4	12
9	Contrasting evolutionary origins of two mountain endemics: <i>Saxifraga wahlenbergii</i> (Western) Tj ETQq1 1 0.784314 rgBT / Overlock 15	3.28	15
10	Pollen metabarcoding as a tool for tracking long-distance insect migrations. <i>Molecular Ecology Resources</i> , 2019, 19, 149-162.	2.2	52
11	First record of <i>Exobasidium rhododendri</i> (Fuckel) C. E. Cramer in Poland. <i>Acta Societatis Botanicorum Poloniae</i> , 2019, 88, .	0.8	2
12	Population characteristics, habitat, and conservation status of <i>Rhododendron ferrugineum</i> L. (Ericaceae), a glacial relict new to Poland. <i>Acta Societatis Botanicorum Poloniae</i> , 2019, 88, .	0.8	1
13	Do Antarctic populations represent local or widespread phylogenetic and ecological lineages? Complicated fate of bipolar moss concepts with <i>Drepanocladus longifolius</i> as a case study. <i>Organisms Diversity and Evolution</i> , 2018, 18, 263-278.	0.7	20
14	Postglacial history and current population genetic diversity of a central-European forest plant <i>Hacquetia epipactis</i> . <i>Preslia</i> , 2018, 90, 39-57.	1.1	9
15	Two additions to the moss flora of the South Shetland Islands in the maritime Antarctic. <i>Acta Societatis Botanicorum Poloniae</i> , 2018, 87, .	0.8	2
16	Multilocus DNA analysis supports <i>Didymodon gelidus</i> (Musci, Pottiaceae) as a distinct endemic of the austral polar region. <i>Acta Societatis Botanicorum Poloniae</i> , 2018, 87, .	0.8	10
17	Polar terrestrial ecosystems: ecology, diversity, and biogeography. <i>Acta Societatis Botanicorum Poloniae</i> , 2018, 87, .	0.8	1
18	Assessing the potential of RAD-sequencing to resolve phylogenetic relationships within species radiations: The fly genus <i>Chiastocheta</i> (Diptera: Anthomyiidae) as a case study. <i>Molecular Phylogenetics and Evolution</i> , 2017, 114, 189-198.	1.2	18

#	ARTICLE	IF	CITATIONS
19	No evidence of contemporary interploidy gene flow between the closely related European woodland violets <i>Viola reichenbachiana</i> and <i>V. riviniana</i> (sect. <i>Viola</i> , Violaceae). <i>Plant Biology</i> , 2017, 19, 542-551.	1.8	8
20	Biogeography of the Carpathians: evolutionary and spatial facets of biodiversity. <i>Biological Journal of the Linnean Society</i> , 2016, 119, 528-559.	0.7	111
21	Low Genetic Diversity of Declining <i>Viola uliginosa</i> (Violaceae) at its Southern Range Limits in Poland. <i>Acta Biologica Cracoviensia Series Botanica</i> , 2016, 58, 71-82.	0.5	4
22	Vascular plant endemism in the Western Carpathians: spatial patterns, environmental correlates and taxon traits. <i>Biological Journal of the Linnean Society</i> , 2016, 119, 630-648.	0.7	26
23	Hybridization Capture Using RAD Probes (hyRAD), a New Tool for Performing Genomic Analyses on Collection Specimens. <i>PLoS ONE</i> , 2016, 11, e0151651.	1.1	121
24	Genetic structure of <i>Galium cracoviense</i> (Rubiaceae): a naturally rare species with an extremely small distribution range. <i>Conservation Genetics</i> , 2015, 16, 929-938.	0.8	7
25	Micropropagation of <i>Viola uliginosa</i> (Violaceae) for endangered species conservation and for somaclonal variation-enhanced cyclotide biosynthesis. <i>Plant Cell, Tissue and Organ Culture</i> , 2015, 120, 179-190.	1.2	60
26	Independent evolutionary history between the Balkan ranges and more northerly mountains in <i>Campanula alpina</i> s.l. (Campanulaceae): Genetic divergence and morphological segregation of taxa. <i>Taxon</i> , 2014, 63, 116-131.	0.4	34
27	Phylogeography of a subalpine tall-herb <i>Ranunculus platanifolius</i> (Ranunculaceae) reveals two main genetic lineages in the European mountains. <i>Botanical Journal of the Linnean Society</i> , 2013, 171, 413-428.	0.8	29
28	Genetic diversity in widespread species is not congruent with species richness in alpine plant communities. <i>Ecology Letters</i> , 2012, 15, 1439-1448.	3.0	135
29	Molecular evidence for two rare <i>Potamogeton natans</i> hybrids with reassessment of <i>Potamogeton</i> hybrid diversity in Poland. <i>Aquatic Botany</i> , 2012, 103, 15-22.	0.8	16
30	The extreme disjunction between <i>Beringia</i> and <i>Europe</i> in <i>Ranunculus glacialis</i> s. l. ( <i>Ranunculaceae</i> ) does not coincide with the deepest genetic split – a story of the importance of temperate mountain ranges in arctic alpine phylogeography. <i>Molecular Ecology</i> , 2012, 21, 5561-5578.	2.0	53
31	<i>Rhizomarasmius epidryas</i> (Physalacriaceae): phylogenetic placement of an arctic-alpine fungus with obligate saprobic affinity to <i>Dryas</i> spp. <i>Mycologia</i> , 2011, 103, 1124-1132.	0.8	10
32	Biogeography of high mountain plants in the Carpathians: An emerging phylogeographical perspective. <i>Taxon</i> , 2011, 60, 373-389.	0.4	104
33	Low genetic diversity in the endangered population of <i>Viola uliginosa</i> in its locus classicus at RzÅ...ska near Cracow (Southern Poland) as revealed by AFLP markers. <i>Acta Societatis Botanicorum Poloniae</i> , 2011, 75, 245-251.	0.8	9
34	Are linear-leaved <i>Potamogeton</i> hybrids really so rare? Molecular evidence for multiple hybridizations between <i>P. acutifolius</i> and <i>P. compressus</i> in central Europe. <i>Nordic Journal of Botany</i> , 2010, 28, 257-261.	0.2	16
35	Discovery of a new, recurrently formed <i>Potamogeton</i> hybrid in Europe and Africa: Molecular evidence and morphological comparison of different clones. <i>Taxon</i> , 2010, 59, 559-566.	0.4	21
36	How "alpine" are nivicolous myxomycetes? A worldwide assessment of altitudinal distribution. <i>Mycologia</i> , 2009, 101, 1-16.	0.8	50

#	ARTICLE	IF	CITATIONS
37	Effects of species traits on the genetic diversity of high mountain plants: a multi-species study across the Alps and the Carpathians. <i>Global Ecology and Biogeography</i> , 2009, 18, 78-87.	2.7	62
38	Differentiation among disjunct populations of agamospermous species of <i>Hieracium</i> section <i>Cernua</i> (Asteraceae) in Central European subalpine habitats. <i>Botanical Journal of the Linnean Society</i> , 2008, 158, 93-105.	0.8	18
39	High genetic differentiation in the alpine plant <i>Campanula alpina</i> Jacq. (Campanulaceae): evidence for glacial survival in several Carpathian regions and long-term isolation between the Carpathians and the Alps. <i>Molecular Ecology</i> , 2008, 17, 1763-1775.	2.0	189
40	Phylogeography of <i>Pulsatilla vernalis</i> (L.) Mill. (Ranunculaceae): chloroplast DNA reveals two evolutionary lineages across central Europe and Scandinavia. <i>Journal of Biogeography</i> , 2008, 35, 1650-1664.	1.4	50
41	Features of ectomycorrhizae confirm molecular phylogenetics of <i>Suillus</i> (Boletales) rather than carpophore-based systematics: insights from studies on <i>Suillus variegatus</i> , <i>S. plorans</i> and related species. <i>Nova Hedwigia</i> , 2007, 84, 1-20.	0.2	7
42	Genetic structure of the critically endangered endemic <i>Cochlearia polonica</i> (Brassicaceae): efficiency of the last-chance transplantation. <i>Botanical Journal of the Linnean Society</i> , 2007, 155, 527-532.	0.8	15
43	Rediscovery of <i>Alnicola cholea</i> (Cortinariaceae): taxonomic revision and description of its mycorrhiza with <i>Polygonum viviparum</i> (Polygonaceae). <i>Mycologia</i> , 2006, 98, 468-478.	0.8	8
44	Nivicolous Myxomycetes from the Sierra de Gredos (central Spain). <i>Nova Hedwigia</i> , 2005, 81, 371-394.	0.2	12
45	The use of AFLP markers in conservation genetics—a case study on <i>Pulsatilla vernalis</i> in the Polish lowlands. <i>Cellular and Molecular Biology Letters</i> , 2002, 7, 677-84.	2.7	8