
Vincenzo Graziano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1272054/publications.pdf Version: 2024-02-01



VINCENZO CRAZIANO

#	Article	IF	CITATIONS
1	Role of Apoptosis in disease. Aging, 2012, 4, 330-349.	1.4	448
2	BAG3: a multifaceted protein that regulates major cell pathways. Cell Death and Disease, 2011, 2, e141-e141.	2.7	266
3	BAG3 Protein Is Overexpressed in Human Glioblastoma and Is a Potential Target for Therapy. American Journal of Pathology, 2011, 178, 2504-2512.	1.9	111
4	Combination of peripheral neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio is predictive of pathological complete response after neoadjuvant chemotherapy in breast cancer patients. Breast, 2019, 44, 33-38.	0.9	109
5	Nucleophosmin mutations alter its nucleolar localization by impairing G-quadruplex binding at ribosomal DNA. Nucleic Acids Research, 2013, 41, 3228-3239.	6.5	80
6	Inhibition of oxidative metabolism leads to p53 genetic inactivation and transformation in neural stem cells. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 1059-1064.	3.3	63
7	Role of p63 in cancer development. Biochimica Et Biophysica Acta: Reviews on Cancer, 2011, 1816, 57-66.	3.3	49
8	Circulating Cancer Stem Cell-Derived Extracellular Vesicles as a Novel Biomarker for Clinical Outcome Evaluation. Journal of Oncology, 2019, 2019, 1-13.	0.6	32
9	A multicenter REtrospective observational study of first-line treatment with PERtuzumab, trastuzumab and taxanes for advanced HER2 positive breast cancer patients. RePer Study. Cancer Biology and Therapy, 2019, 20, 192-200.	1.5	30
10	Role of BAG3 protein in leukemia cell survival and response to therapy. Biochimica Et Biophysica Acta: Reviews on Cancer, 2012, 1826, 365-369.	3.3	22
11	BAG3 is required for IKKα nuclear translocation and emergence of castration resistant prostate cancer. Cell Death and Disease, 2011, 2, e139-e139.	2.7	15
12	Prognostic Relevance of Neutrophil to Lymphocyte Ratio (NLR) in Luminal Breast Cancer: A Retrospective Analysis in the Neoadjuvant Setting. Cells, 2021, 10, 1685.	1.8	15
13	Long-term outcome of breast cancer patients with pathologic N3a lymph node stage. Breast, 2017, 32, 79-86.	0.9	12
14	AML cells carrying NPM1 mutation are resistant to nucleophosmin displacement from nucleoli caused by the G-quadruplex ligand TmPyP4. Cell Death and Disease, 2014, 5, e1427-e1427.	2.7	10
15	Is the skin a sanctuary for breast cancer cells during treatment with anti-HER2 antibodies?. Cancer Biology and Therapy, 2015, 16, 1704-1709.	1.5	7
16	Tgf-β1 transcriptionally promotes 90K expression: possible implications for cancer progression. Cell Death Discovery, 2021, 7, 86.	2.0	2
17	Reply to Kadri Altundag: Do cut-off values of lymph node ratio and presence of perineural invasion affect survival in breast cancer patients with pathologic N3a lymph node stage?. Breast, 2017, 35, 218-219.	0.9	0