

Dick Chan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1272875/dick-chan-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

2,342
citations

30
h-index

46
g-index

95
ext. papers

2,674
ext. citations

5.5
avg, IF

4.96
L-index

#	Paper	IF	Citations
90	A Tale of Two New Targets for Hypertriglyceridaemia: Which Choice of Therapy?. <i>BioDrugs</i> , 2022 , 36, 121	7.9	2
89	Effect of a PCSK9 inhibitor and a statin on cholesterol efflux capacity: A limitation of current cholesterol-lowering treatments?. <i>European Journal of Clinical Investigation</i> , 2022 , e13766	4.6	0
88	Microplastics, cardiometabolic risk, genetics and Alzheimer's disease.. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2022 , 29, 85-86	4	
87	Familial Hypercholesterolemia and Elevated Lipoprotein(a): Cascade Testing and Other Implications for Contextual Models of Care.. <i>Frontiers in Genetics</i> , 2022 , 13, 905941	4.5	1
86	Cascade testing for elevated lipoprotein(a) in relatives of probands with high lipoprotein(a).. <i>American Journal of Preventive Cardiology</i> , 2022 , 10, 100343	1.9	1
85	Cascade testing for elevated lipoprotein(a) in relatives of probands with familial hypercholesterolaemia and elevated lipoprotein(a). <i>Atherosclerosis</i> , 2021 ,	3.1	3
84	Transcriptomic therapy for dyslipidemias utilizing nucleic acids targeted at ANGPTL3. <i>Future Cardiology</i> , 2021 ,	1.3	2
83	Recent dynamic studies of the metabolism of atherogenic lipoproteins: elucidating the mode of action of new therapies. <i>Current Opinion in Lipidology</i> , 2021 , 32, 378-385	4.4	2
82	High Prevalence of Lipid-Related Residual Risk in ACS Patients. <i>Heart Lung and Circulation</i> , 2021 ,	1.8	
81	Novel behavioural approaches and implementation science for mitigating genetic risk of cardiovascular disease due to elevated lipoprotein(a). <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2021 , 28, 174-180	4	3
80	Gaps in the Care of Familial Hypercholesterolaemia in Australia: First Report From the National Registry. <i>Heart Lung and Circulation</i> , 2021 , 30, 372-379	1.8	6
79	Effectiveness of proprotein convertase subtilisin/kexin-9 monoclonal antibody treatment on plasma lipoprotein(a) concentrations in patients with elevated lipoprotein(a) attending a clinic. <i>Clinical Cardiology</i> , 2021 , 44, 805-813	3.3	3
78	Improving detection and management of familial hypercholesterolaemia in Australian general practice. <i>Heart</i> , 2021 ,	5.1	5
77	Lipoprotein(a) in Patients With Type 2 Diabetes and Premature Coronary Artery Disease in the Coronary Care Unit. <i>Heart Lung and Circulation</i> , 2021 , 30, 734-740	1.8	2
76	New Insights Into the Regulation of Lipoprotein Metabolism by PCSK9: Lessons From Stable Isotope Tracer Studies in Human Subjects. <i>Frontiers in Physiology</i> , 2021 , 12, 603910	4.6	8
75	Awareness of familial hypercholesterolaemia in Australian primary care: A qualitative descriptive study. <i>Australian Journal of General Practice</i> , 2021 , 50, 634-640	1.5	
74	Implications of new clinical practice guidance on familial hypercholesterolaemia for Australian general practitioners. <i>Australian Journal of General Practice</i> , 2021 , 50, 616-621	1.5	0

73	Unravelling lipoprotein metabolism with stable isotopes: tracing the flow. <i>Metabolism: Clinical and Experimental</i> , 2021 , 124, 154887	12.7	2
72	Metabolism of lipoprotein(a): new findings, implications and outstanding issues. <i>Current Opinion in Lipidology</i> , 2020 , 31, 163-165	4.4	3
71	Association of Serum Lipoprotein (a) With the Requirement for a Peripheral Artery Operation and the Incidence of Major Adverse Cardiovascular Events in People With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e015355	6	16
70	An age-matched computed tomography angiographic study of coronary atherosclerotic plaques in patients with familial hypercholesterolaemia. <i>Atherosclerosis</i> , 2020 , 298, 52-57	3.1	5
69	A genetic risk score predicts coronary artery disease in familial hypercholesterolaemia: enhancing the precision of risk assessment. <i>Clinical Genetics</i> , 2020 , 97, 257-263	4	3
68	Coronary artery disease and the risk-associated LPA variants, rs3798220 and rs10455872, in patients with suspected familial hypercholesterolaemia. <i>Clinica Chimica Acta</i> , 2020 , 510, 211-215	6.2	7
67	The Knowns and Unknowns of Contemporary Statin Therapy for Familial Hypercholesterolemia. <i>Current Atherosclerosis Reports</i> , 2020 , 22, 64	6	9
66	PCSK9 Inhibition with alirocumab increases the catabolism of lipoprotein(a) particles in statin-treated patients with elevated lipoprotein(a). <i>Metabolism: Clinical and Experimental</i> , 2020 , 107, 154221	12.7	23
65	Fractional turnover of apolipoprotein(a) and apolipoprotein B-100 within plasma lipoprotein(a) particles in statin-treated patients with elevated and normal Lp(a) concentration. <i>Metabolism: Clinical and Experimental</i> , 2019 , 96, 8-11	12.7	8
64	Lipoprotein(a) Particle Production as a Determinant of Plasma Lipoprotein(a) Concentration Across Varying Apolipoprotein(a) Isoform Sizes and Background Cholesterol-Lowering Therapy. <i>Journal of the American Heart Association</i> , 2019 , 8, e011781	6	23
63	Comparative aspects of the care of familial hypercholesterolemia in the "Ten Countries Study". <i>Journal of Clinical Lipidology</i> , 2019 , 13, 287-300	4.9	18
62	Effect of Lipoprotein(a) on the Diagnosis of Familial Hypercholesterolemia: Does It Make a Difference in the Clinic?. <i>Clinical Chemistry</i> , 2019 , 65, 1258-1266	5.5	22
61	Apolipoprotein(a) Kinetics in Statin-Treated Patients With Elevated Plasma Lipoprotein(a) Concentration. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 6247-6255	5.6	10
60	A Comparative Analysis of Phenotypic Predictors of Mutations in Familial Hypercholesterolemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1704-1714	5.6	30
59	Controlled study of the effect of proprotein convertase subtilisin-kexin type 9 inhibition with evolocumab on lipoprotein(a) particle kinetics. <i>European Heart Journal</i> , 2018 , 39, 2577-2585	9.5	90
58	Factorial Effects of Evolocumab and Atorvastatin on Lipoprotein Metabolism. <i>Circulation</i> , 2017 , 135, 338-351	16.7	63
57	Response by Watts et al to Letter Regarding Article, "Factorial Effects of Evolocumab and Atorvastatin on Lipoprotein Metabolism". <i>Circulation</i> , 2017 , 136, 120-121	16.7	
56	Familial combined hyperlipidemia and hyperlipoprotein(a) as phenotypic mimics of familial hypercholesterolemia: Frequencies, associations and predictions. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 1329-1337.e3	4.9	32

55	EB Fatty Acid Ethyl Esters Diminish Postprandial Lipemia in Familial Hypercholesterolemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3732-3739	5.6	17
54	Triglyceride-rich lipoprotein metabolism in women: roles of apoC-II and apoC-III. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 730-6	4.6	6
53	Recent explanatory trials of the mode of action of drug therapies on lipoprotein metabolism. <i>Current Opinion in Lipidology</i> , 2016 , 27, 550-556	4.4	5
52	ApoA-II HDL Catabolism and Its Relationships With the Kinetics of ApoA-I HDL and of VLDL1, in Abdominal Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1398-406	5.6	2
51	Plasma Proprotein Convertase Subtilisin Kexin Type 9 as a Predictor of Carotid Atherosclerosis in Asymptomatic Adults. <i>Heart Lung and Circulation</i> , 2016 , 25, 520-5	1.8	40
50	Angiographic progression of coronary atherosclerosis in patients with familial hypercholesterolaemia treated with non-statin therapy: Impact of a fat-modified diet and a resin. <i>Atherosclerosis</i> , 2016 , 252, 82-87	3.1	7
49	Inter-relationships between proprotein convertase subtilisin/kexin type 9, apolipoprotein C-III and plasma apolipoprotein B-48 transport in obese subjects: a stable isotope study in the postprandial state. <i>Clinical Science</i> , 2015 , 128, 379-85	6.5	36
48	Association of Plasma Ceramides and Sphingomyelin With VLDL apoB-100 Fractional Catabolic Rate Before and After Rosuvastatin Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2497-501	5.6	17
47	Menopausal Status and Abdominal Obesity Are Significant Determinants of Hepatic Lipid Metabolism in Women. <i>Journal of the American Heart Association</i> , 2015 , 4, e002258	6	34
46	Elevated lipoprotein(a), hypertension and renal insufficiency as predictors of coronary artery disease in patients with genetically confirmed heterozygous familial hypercholesterolemia. <i>International Journal of Cardiology</i> , 2015 , 201, 633-8	3.2	55
45	Effects of extended-release niacin on the postprandial metabolism of Lp(a) and ApoB-100-containing lipoproteins in statin-treated men with type 2 diabetes mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 2686-93	9.4	40
44	Pathogenesis and management of the diabetogenic effect of statins: a role for adiponectin and coenzyme Q10?. <i>Current Atherosclerosis Reports</i> , 2015 , 17, 472	6	25
43	Kinetic and Related Determinants of Plasma Triglyceride Concentration in Abdominal Obesity: Multicenter Tracer Kinetic Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 2218-24	9.4	50
42	The metabolic and pharmacologic bases for treating atherogenic dyslipidaemia. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 369-85	6.5	23
41	More data needed on curcuminoids in hypertriglyceridaemia. <i>Nature Reviews Cardiology</i> , 2014 , 11, 123	14.8	
40	Origin and therapy for hypertriglyceridaemia in type 2 diabetes. <i>World Journal of Diabetes</i> , 2014 , 5, 165-75	7	11
39	PANACEA or much a do about nothing: effect of a statin and ezetimibe on postprandial lipaemia and endothelial function in the metabolic syndrome. <i>Atherosclerosis</i> , 2013 , 227, 32-4	3.1	
38	Postprandial lipoprotein metabolism in familial hypercholesterolemia: thinking outside the box. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 3-11	12.7	17

37	Apolipoprotein B-48 as a determinant of endothelial function in obese subjects with type 2 diabetes mellitus: effect of fenofibrate treatment. <i>Atherosclerosis</i> , 2012 , 221, 484-9	3.1	18
36	Apolipoprotein A-II: evaluating its significance in dyslipidaemia, insulin resistance, and atherosclerosis. <i>Annals of Medicine</i> , 2012 , 44, 313-24	1.5	26
35	Apolipoprotein B-100 and apoA-II kinetics as determinants of cellular cholesterol efflux. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1658-66	5.6	19
34	Regulation of proprotein convertase subtilisin/kexin type 9: therapeutic perspectives. <i>Atherosclerosis</i> , 2011 , 217, 77-9	3.1	7
33	Apolipoprotein A-II and adiponectin as determinants of very low-density lipoprotein apolipoprotein B-100 metabolism in nonobese men. <i>Metabolism: Clinical and Experimental</i> , 2011 , 60, 1482-7	12.7	9
32	Dyslipidaemia in the metabolic syndrome and type 2 diabetes: pathogenesis, priorities, pharmacotherapies. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 13-30	4	50
31	Nonalcoholic fatty liver disease as the transducer of hepatic oversecretion of very-low-density lipoprotein-apolipoprotein B-100 in obesity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1043-50	9.4	45
30	Effect of ezetimibe on hepatic fat, inflammatory markers, and apolipoprotein B-100 kinetics in insulin-resistant obese subjects on a weight loss diet. <i>Diabetes Care</i> , 2010 , 33, 1134-9	14.6	130
29	Effects of atorvastatin and n-3 fatty acid supplementation on VLDL apolipoprotein C-III kinetics in men with abdominal obesity. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 900-6	7	23
28	Plasma proprotein convertase subtilisin/kexin type 9: a marker of LDL apolipoprotein B-100 catabolism?. <i>Clinical Chemistry</i> , 2009 , 55, 2049-52	5.5	58
27	Very low density lipoprotein metabolism and plasma adiponectin as predictors of high-density lipoprotein apolipoprotein A-I kinetics in obese and nonobese men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 989-97	5.6	49
26	Regulatory effects of fenofibrate and atorvastatin on lipoprotein A-I and lipoprotein A-I:A-II kinetics in the metabolic syndrome. <i>Diabetes Care</i> , 2009 , 32, 2111-3	14.6	15
25	Variation in Niemann-Pick C1-like 1 gene as a determinant of apolipoprotein B-100 kinetics and response to statin therapy in centrally obese men. <i>Clinical Endocrinology</i> , 2008 , 69, 45-51	3.4	14
24	Atorvastatin and fenofibrate have comparable effects on VLDL-apolipoprotein C-III kinetics in men with the metabolic syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1831-7	9.4	43
23	Plasma apolipoprotein C-III transport in centrally obese men: associations with very low-density lipoprotein apolipoprotein B and high-density lipoprotein apolipoprotein A-I metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 557-64	5.6	53
22	Differences in plasma PLTP activity assays: constant or random error?. <i>Clinical Endocrinology</i> , 2007 , 67, 317-317	3.4	1
21	Apolipoproteins C-III and A-V as predictors of very-low-density lipoprotein triglyceride and apolipoprotein B-100 kinetics. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 590-6	9.4	63
20	Factorial study of the effect of n-3 fatty acid supplementation and atorvastatin on the kinetics of HDL apolipoproteins A-I and A-II in men with abdominal obesity. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 37-43	7	82

19	Recent studies of lipoprotein kinetics in the metabolic syndrome and related disorders. <i>Current Opinion in Lipidology</i> , 2006 , 17, 28-36	4.4	44
18	Recent advances in the investigation of lipoprotein metabolism using tracer methodology. <i>Clinical Laboratory</i> , 2006 , 52, 353-61	2	3
17	Apolipoprotein B-100 kinetics and static plasma indices of triglyceride-rich lipoprotein metabolism in overweight men. <i>Clinical Biochemistry</i> , 2005 , 38, 806-12	3.5	7
16	Adiponectin and other adipocytokines as predictors of markers of triglyceride-rich lipoprotein metabolism. <i>Clinical Chemistry</i> , 2005 , 51, 578-85	5.5	86
15	Dyslipidemia in visceral obesity: mechanisms, implications, and therapy. <i>American Journal of Cardiovascular Drugs</i> , 2004 , 4, 227-46	4	77
14	Adipose tissue compartments and insulin resistance in overweight-obese Caucasian men. <i>Diabetes Research and Clinical Practice</i> , 2004 , 63, 77-85	7.4	17
13	Dyslipidemia in the metabolic syndrome 2004 , 2, 3-34		1
12	Lipoprotein transport in the metabolic syndrome: methodological aspects of stable isotope kinetic studies. <i>Clinical Science</i> , 2004 , 107, 221-32	6.5	38
11	Lipoprotein transport in the metabolic syndrome: pathophysiological and interventional studies employing stable isotopy and modelling methods. <i>Clinical Science</i> , 2004 , 107, 233-49	6.5	40
10	Lipoprotein kinetics in the metabolic syndrome: pathophysiological and therapeutic lessons from stable isotope studies. <i>Clinical Biochemist Reviews</i> , 2004 , 25, 31-48	7.3	7
9	Relationships between cholesterol homeostasis and triacylglycerol-rich lipoprotein remnant metabolism in the metabolic syndrome. <i>Clinical Science</i> , 2003 , 104, 383-8	6.5	25
8	Randomized controlled trial of the effect of n-3 fatty acid supplementation on the metabolism of apolipoprotein B-100 and chylomicron remnants in men with visceral obesity. <i>American Journal of Clinical Nutrition</i> , 2003 , 77, 300-7	7	144
7	Plasma markers of cholesterol homeostasis and apolipoprotein B-100 kinetics in the metabolic syndrome. <i>Obesity</i> , 2003 , 11, 591-6		24
6	Mechanism of action of a 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitor on apolipoprotein B-100 kinetics in visceral obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 2283-9	5.6	40
5	Apolipoprotein B-100 kinetics in visceral obesity: associations with plasma apolipoprotein C-III concentration. <i>Metabolism: Clinical and Experimental</i> , 2002 , 51, 1041-6	12.7	119
4	Markers of Triglyceride-rich Lipoprotein Remnant Metabolism in Visceral Obesity. <i>Clinical Chemistry</i> , 2002 , 48, 278-283	5.5	91
3	Markers of triglyceride-rich lipoprotein remnant metabolism in visceral obesity. <i>Clinical Chemistry</i> , 2002 , 48, 278-83	5.5	16
2	Effect of atorvastatin on chylomicron remnant metabolism in visceral obesity: a study employing a new stable isotope breath test. <i>Journal of Lipid Research</i> , 2002 , 43, 706-12	6.3	30

- 1 Effect of atorvastatin and fish oil on plasma high-sensitivity C-reactive protein concentrations in individuals with visceral obesity. *Clinical Chemistry*, **2002**, 48, 877-83 5.5 37