

Zain Khalpey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1273731/publications.pdf>

Version: 2024-02-01

12
papers

237
citations

1478505

6
h-index

1281871

11
g-index

12
all docs

12
docs citations

12
times ranked

483
citing authors

#	ARTICLE	IF	CITATIONS
1	Endothelial HIF-2 α contributes to severe pulmonary hypertension by inducing endothelial-to-mesenchymal transition. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018, 314, ajplung.00096.2.	2.9	121
2	Minimally Invasive Ventricular Assist Device Surgery. <i>Artificial Organs</i> , 2015, 39, 473-479.	1.9	41
3	Associations of Prolonged QTc in Sickle Cell Disease. <i>PLoS ONE</i> , 2016, 11, e0164526.	2.5	20
4	A novel minimally invasive off-pump biventricular assist device insertion technique. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 151, e5-e7.	0.8	18
5	First in man: Amniotic stem cell injection promotes scar remodeling and healing processes in late-stage fibrosis. <i>International Journal of Cardiology</i> , 2014, 174, 442-443.	1.7	14
6	Robotic Left Ventricular Assist Device Implantation Using Left Thoracotomy Approach in Patients with Previous Sternotomies. <i>ASAIO Journal</i> , 2015, 61, e44-e46.	1.6	8
7	Minimally invasive insertion of off-pump central extracorporeal membrane oxygenation. <i>Journal of Cardiac Surgery</i> , 2017, 32, 738-740.	0.7	6
8	Robotic-Assisted Implantation of Ventricular Assist Device After Sternectomy and Pectoralis Muscle Flap. <i>ASAIO Journal</i> , 2014, 60, 742-743.	1.6	4
9	First North American 50 cc Total Artificial Heart Experience: Conversion from a 70 cc Total Artificial Heart. <i>ASAIO Journal</i> , 2016, 62, e43-e45.	1.6	2
10	Cardioprotective effect of N-methylnicotinamide salt of pyruvate in experimental model of cardiac hypoxia. <i>Pharmacological Reports</i> , 2018, 70, 378-384.	3.3	2
11	Tissue Expander as a Routine Component of 50cc Total Artificial Heart Implantation for Bridge to Transplant. <i>Circulation: Heart Failure</i> , 2017, 10, e003765.	3.9	1
12	Case Report: Disparate flow in HeartMate II patient with extensive left ventricle repair. <i>Perfusion (United Kingdom)</i> , 2016, 31, 349-352.	1.0	0