

Anne E M Speckens

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/127392/publications.pdf>

Version: 2024-02-01

175
papers

10,481
citations

57681

46
h-index

42259

96
g-index

189
all docs

189
docs citations

189
times ranked

11812
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomised controlled trial (MindChamp) of a mindfulness-based intervention for children with ADHD and their parents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 165-177.	3.1	24
2	Factors associated with relapse and recurrence of major depressive disorder in patients starting mindfulness-based cognitive therapy. <i>Depression and Anxiety</i> , 2022, 39, 113-122.	2.0	7
3	Experiences of Clinical Clerkship Students With Mindfulness-Based Stress Reduction: A Qualitative Study on Long-Term Effects. <i>Frontiers in Psychology</i> , 2022, 13, 785090.	1.1	4
4	What is the prevalence of fear of cancer recurrence in cancer survivors and patients? A systematic review and individual participant data meta-analysis. <i>Psycho-Oncology</i> , 2022, 31, 879-892.	1.0	85
5	Temporal Changes in Mindfulness Skills and Positive and Negative Affect and Their Interrelationships During Mindfulness-Based Cognitive Therapy for Cancer Patients. <i>Mindfulness</i> , 2022, 13, 1745-1756.	1.6	3
6	Mindfulness for Children With ADHD and Mindful Parenting (MindChamp): A Qualitative Study on Feasibility and Effects. <i>Journal of Attention Disorders</i> , 2021, 25, 1931-1942.	1.5	10
7	Prospective Associations Between Home Practice and Depressive Symptoms in Mindfulness-Based Cognitive Therapy for Recurrent Depression: A 15 Months Follow-Up Study. <i>Cognitive Therapy and Research</i> , 2021, 45, 250-261.	1.2	5
8	The Process of Change of Mindfulness-Based Cognitive Therapy for People with Bipolar Disorder: a Qualitative Study. <i>Mindfulness</i> , 2021, 12, 863-872.	1.6	1
9	Stress and Mindfulness in Parkinson's Disease: Clinical Effects and Potential Underlying Mechanisms. <i>Movement Disorders</i> , 2021, 36, 64-70.	2.2	33
10	Mechanisms of Change in Mindfulness-Based Cognitive Therapy in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2021, 25, 1331-1342.	1.5	13
11	Stress and mindfulness in Parkinson's disease – a survey in 5000 patients. <i>Npj Parkinson's Disease</i> , 2021, 7, 7.	2.5	35
12	Exploring Fear of Cancer Recurrence in a Sample of Heterogeneous Distressed Cancer Patients with and Without a Psychiatric Disorder. <i>Journal of Clinical Psychology in Medical Settings</i> , 2021, 28, 419-426.	0.8	4
13	Mindfulness-Based Compassionate Living (MBCL): a Qualitative Study into the Added Value of Compassion in Recurrent Depression. <i>Mindfulness</i> , 2021, 12, 2196-2206.	1.6	3
14	A multi-method assessment of attentional processes in chronic, treatment-resistant depression. <i>Journal of Psychiatric Research</i> , 2021, 140, 68-76.	1.5	1
15	Putting mindfulness-based cognitive therapy to the test in routine clinical practice: A transdiagnostic panacea or a disorder specific intervention?. <i>Journal of Psychiatric Research</i> , 2021, 142, 144-152.	1.5	9
16	Interplay between self-compassion and affect during Mindfulness-Based Compassionate Living for recurrent depression: An Autoregressive Latent Trajectory analysis. <i>Behaviour Research and Therapy</i> , 2021, 146, 103946.	1.6	2
17	Perspectives of bereaved partners of lung cancer patients on the role of mindfulness in dying and grieving: A qualitative study. <i>Palliative Medicine</i> , 2021, 35, 200-208.	1.3	3
18	Adverse or therapeutic? A mixed-methods study investigating adverse effects of Mindfulness-Based Cognitive Therapy in bipolar disorder. <i>PLoS ONE</i> , 2021, 16, e0259167.	1.1	5

#	ARTICLE	IF	CITATIONS
19	The Feasibility, Effectiveness, and Process of Change of Mindfulness-Based Cognitive Therapy for Adults With ADHD: A Mixed-Method Pilot Study. <i>Journal of Attention Disorders</i> , 2020, 24, 928-942.	1.5	14
20	Cost-utility of individual internet-based and face-to-face Mindfulness-Based Cognitive Therapy compared with treatment as usual in reducing psychological distress in cancer patients. <i>Psycho-Oncology</i> , 2020, 29, 294-303.	1.0	24
21	Mindfulness and Affect During Mindfulness-Based Cognitive Therapy for Recurrent Depression: an Autoregressive Latent Trajectory Analysis. <i>Mindfulness</i> , 2020, 11, 2360-2370.	1.6	5
22	The effectiveness of mindfulness-based cognitive therapy for major depressive disorder: evidence from routine outcome monitoring data. <i>BJPsych Open</i> , 2020, 6, e144.	0.3	8
23	Recovery from recurrent depression: Randomized controlled trial of the efficacy of mindfulness-based compassionate living compared with treatment-as-usual on depressive symptoms and its consolidation at longer term follow-up. <i>Journal of Affective Disorders</i> , 2020, 273, 265-273.	2.0	14
24	Effectiveness and feasibility of a mindful leadership course for medical specialists: a pilot study. <i>BMC Medical Education</i> , 2020, 20, 34.	1.0	15
25	The feasibility of mindfulness-based cognitive therapy for people with bipolar disorder: a qualitative study. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 33.	0.8	5
26	Predictors and Effects of Usage of an Online Mindfulness Intervention for Distressed Cancer Patients: Usability Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e17526.	2.1	25
27	Mindfulness-Based Interventions. , 2020, , 1396-1399.		1
28	Discontinuing antidepressant medication after mindfulness-based cognitive therapy: a mixed-methods study exploring predictors and outcomes of different discontinuation trajectories, and its facilitators and barriers. <i>BMJ Open</i> , 2020, 10, e039053.	0.8	1
29	Discontinuing antidepressant medication after mindfulness-based cognitive therapy: a mixed-methods study exploring predictors and outcomes of different discontinuation trajectories, and its facilitators and barriers. <i>BMJ Open</i> , 2020, 10, e039053.	0.8	8
30	Discontinuation of antidepressant medication in primary care supported by monitoring plus mindfulness-based cognitive therapy versus monitoring alone: design and protocol of a cluster randomized controlled trial. <i>BMC Family Practice</i> , 2019, 20, 105.	2.9	9
31	Mindfulness-based interventions for psychological and physical health outcomes in cancer patients and survivors: A systematic review and meta-analysis of randomized controlled trials. <i>Psycho-Oncology</i> , 2019, 28, 2257-2269.	1.0	178
32	Patients' attitudes to discontinuing not-indicated long-term antidepressant use: barriers and facilitators. <i>Therapeutic Advances in Psychopharmacology</i> , 2019, 9, 204512531987234.	1.2	27
33	Added value of Mindfulness-Based Cognitive Therapy for Depression: A Tree-based Qualitative Interaction Analysis. <i>Behaviour Research and Therapy</i> , 2019, 122, 103467.	1.6	6
34	Long-term efficacy and cost-effectiveness of blended cognitive behavior therapy for high fear of recurrence in breast, prostate and colorectal Cancer survivors: follow-up of the SWORD randomized controlled trial. <i>BMC Cancer</i> , 2019, 19, 462.	1.1	32
35	Mindfulness-Based Cognitive Therapy Versus Treatment as Usual in Adults with ADHD: a Trial-Based Economic Evaluation. <i>Mindfulness</i> , 2019, 10, 1803-1814.	1.6	2
36	Validation of the Dutch Comprehensive Inventory of Mindfulness Experiences (CHIME) and Development of a Short Form (CHIME-SF). <i>Mindfulness</i> , 2019, 10, 1893-1904.	1.6	7

#	ARTICLE	IF	CITATIONS
37	Preventive cognitive therapy could be a viable and effective addition to antidepressant medication in preventing relapse or recurrence in major depressive disorder. <i>Evidence-Based Mental Health</i> , 2019, 22, e7-e7.	2.2	0
38	Effects of Mindfulness-Based Cognitive Therapy on a Behavioural Measure of Rumination in Patients with Chronic, Treatment-Resistant Depression. <i>Cognitive Therapy and Research</i> , 2019, 43, 666-678.	1.2	14
39	Genetic and environmental aetiologies of associations between dispositional mindfulness and ADHD traits: a population-based twin study. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1241-1251.	2.8	7
40	How medical specialists experience the effects of a mindful leadership course on their leadership capabilities: a qualitative interview study in the Netherlands. <i>BMJ Open</i> , 2019, 9, e031643.	0.8	5
41	Enhancing shared decision making about discontinuation of antidepressant medication: a concept-mapping study in primary and secondary mental health care. <i>British Journal of General Practice</i> , 2019, 69, e777-e785.	0.7	13
42	Therapeutic alliance "not therapist competence or group cohesion" contributes to reduction of psychological distress in group-based mindfulness-based cognitive therapy for cancer patients. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 309-318.	1.4	18
43	The Efficacy of Adapted MBCT on Core Symptoms and Executive Functioning in Adults With ADHD: A Preliminary Randomized Controlled Trial. <i>Journal of Attention Disorders</i> , 2019, 23, 351-362.	1.5	52
44	Mindfulness-based cognitive therapy vs. treatment as usual in adults with ADHD: a multicentre, single-blind, randomised controlled trial. <i>Psychological Medicine</i> , 2019, 49, 55-65.	2.7	43
45	Development of the Therapeutic Alliance and its Association With Internet-Based Mindfulness-Based Cognitive Therapy for Distressed Cancer Patients: Secondary Analysis of a Multicenter Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2019, 21, e14065.	2.1	20
46	Greater mindful eating practice is associated with better reversal learning. <i>Scientific Reports</i> , 2018, 8, 5702.	1.6	8
47	Silent into Nature: Factors Enabling Improvement in a Mindful Walking Retreat in Nature of People with Psychological Symptoms. <i>Ecopsychology</i> , 2018, 10, 77-86.	0.8	9
48	Mindfulness-Based Stress Reduction for Residents: A Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2018, 33, 429-436.	1.3	74
49	Does Mindfulness Training Enhance the Professional Development of Residents? A Qualitative Study. <i>Academic Medicine</i> , 2018, 93, 1335-1340.	0.8	35
50	The Co-creation and Feasibility of a Compassion Training as a Follow-up to Mindfulness-Based Cognitive Therapy in Patients with Recurrent Depression. <i>Mindfulness</i> , 2018, 9, 412-422.	1.6	12
51	Cognitive reactivity as outcome and working mechanism of mindfulness-based cognitive therapy for recurrently depressed patients in remission. <i>Cognition and Emotion</i> , 2018, 32, 371-378.	1.2	15
52	Face-to-Face and Internet-Based Mindfulness-Based Cognitive Therapy Compared With Treatment as Usual in Reducing Psychological Distress in Patients With Cancer: A Multicenter Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 2413-2421.	0.8	151
53	One way or another: The opportunities and pitfalls of self-referral and consecutive sampling as recruitment strategies for psycho-oncology intervention trials. <i>Psycho-Oncology</i> , 2018, 27, 2056-2059.	1.0	29
54	Consolidation and prediction of long-term treatment effect of group and online mindfulness-based cognitive therapy for distressed cancer patients. <i>Acta Oncologica</i> , 2018, 57, 1293-1302.	0.8	35

#	ARTICLE	IF	CITATIONS
55	A Workplace Mindfulness Intervention May Be Associated With Improved Psychological Well-Being and Productivity. A Preliminary Field Study in a Company Setting. <i>Frontiers in Psychology</i> , 2018, 9, 195.	1.1	86
56	Mindfulness-based cognitive therapy for patients with chronic, treatment-resistant depression: A pragmatic randomized controlled trial. <i>Depression and Anxiety</i> , 2018, 35, 914-924.	2.0	67
57	Automatic approach-avoidance tendencies as a candidate intermediate phenotype for depression: Associations with childhood trauma and the 5-HTTLPR transporter polymorphism. <i>PLoS ONE</i> , 2018, 13, e0193787.	1.1	11
58	Exploring associations between psychiatric disorder, psychological distress, and health care utilization in cancer patients. <i>Psycho-Oncology</i> , 2018, 27, 871-878.	1.0	20
59	Withdrawal of unnecessary antidepressant medication: a randomised controlled trial in primary care. <i>BJGP Open</i> , 2018, 1, bjgpopen17X101265.	0.9	32
60	Mindfulness-Based Interventions. , 2018, , 1-4.		0
61	The Prognostic Effect of Physical Health Complaints With New Cardiac Events and Mortality in Patients With a Myocardial Infarction. <i>Psychosomatics</i> , 2017, 58, 121-131.	2.5	2
62	Improvement of mindfulness skills during Mindfulness-Based Cognitive Therapy predicts long-term reductions of neuroticism in persons with recurrent depression in remission. <i>Journal of Affective Disorders</i> , 2017, 213, 112-117.	2.0	40
63	Mindfulness facets and Big Five personality facets in persons with recurrent depression in remission. <i>Personality and Individual Differences</i> , 2017, 110, 109-114.	1.6	12
64	Mindfulness-based stress reduction for breast cancer patients: a mixed method study on what patients experience as a suitable stage to participate. <i>Supportive Care in Cancer</i> , 2017, 25, 3067-3074.	1.0	22
65	Mindfulness-based stress reduction added to care as usual for lung cancer patients and/or their partners: A multicentre randomized controlled trial. <i>Psycho-Oncology</i> , 2017, 26, 2118-2126.	1.0	94
66	Are Mindfulness and Self-Compassion Related to Psychological Distress and Communication in Couples Facing Lung Cancer? A Dyadic Approach. <i>Mindfulness</i> , 2017, 8, 325-336.	1.6	55
67	Teacher Competence in Mindfulness-Based Cognitive Therapy for Depression and Its Relation to Treatment Outcome. <i>Mindfulness</i> , 2017, 8, 960-972.	1.6	28
68	P3.05-008 Mindfulness-Based Stress Reduction Added to Care as Usual for Lung Cancer Patients and Their Partners: A Randomized Controlled Trial. <i>Journal of Thoracic Oncology</i> , 2017, 12, S1416-S1417.	0.5	2
69	Reliability and validity of the Dutch version of the Consultation and Relational Empathy Measure in primary care. <i>Family Practice</i> , 2017, 34, 119-124.	0.8	19
70	The relationship between work and home characteristics and work engagement in medical residents. <i>Perspectives on Medical Education</i> , 2017, 6, 227-236.	1.8	9
71	Effects of Mindfulness-Based Stress Reduction on the Mental Health of Clinical Clerkship Students: A Cluster-Randomized Controlled Trial. <i>Academic Medicine</i> , 2017, 92, 1012-1021.	0.8	56
72	The Effectiveness of Mindfulness-Based Stress Reduction on Psychological Distress and Cognitive Functioning in Patients with Multiple Sclerosis: a Pilot Study. <i>Mindfulness</i> , 2017, 8, 1251-1258.	1.6	49

#	ARTICLE	IF	CITATIONS
73	Implicit and explicit self-esteem in remitted depressed patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 54, 301-306.	0.6	17
74	The contribution of work characteristics, home characteristics and gender to burnout in medical residents. <i>Advances in Health Sciences Education</i> , 2017, 22, 803-818.	1.7	41
75	Cognitive rehabilitation and mindfulness in multiple sclerosis (REMIND-MS): a study protocol for a randomised controlled trial. <i>BMC Neurology</i> , 2017, 17, 201.	0.8	18
76	A cross-sectional examination of psychological distress, positive mental health and their predictors in medical students in their clinical clerkships. <i>BMC Medical Education</i> , 2017, 17, 219.	1.0	18
77	Efficacy of Blended Cognitive Behavior Therapy for High Fear of Recurrence in Breast, Prostate, and Colorectal Cancer Survivors: The SWORD Study, a Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 2173-2183.	0.8	142
78	Mindfulness-Based Cognitive Therapy for Cancer Patients Delivered via Internet: Qualitative Study of Patient and Therapist Barriers and Facilitators. <i>Journal of Medical Internet Research</i> , 2017, 19, e407.	2.1	21
79	Too Much or Too Little Antidepressant Medication: Difficult to Change. Two Rcts. <i>Mental Health in Family Medicine</i> , 2017, 13, .	0.2	1
80	The suitability of the Hospital Anxiety and Depression Scale, Distress Thermometer and other instruments to screen for psychiatric disorders in both lung cancer patients and their partners. <i>Journal of Affective Disorders</i> , 2016, 203, 176-183.	2.0	41
81	Discontinuation of antidepressant medication after mindfulness-based cognitive therapy for recurrent depression: Randomised controlled non-inferiority trial. <i>British Journal of Psychiatry</i> , 2016, 208, 366-373.	1.7	51
82	Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. <i>JAMA Psychiatry</i> , 2016, 73, 565.	6.0	558
83	Comments on "Psychological intervention targeting distress for cancer patients: a meta-analytic study investigating uptake and adherence" by Brebach and colleagues (2016). <i>Psycho-Oncology</i> , 2016, 25, 997-997.	1.0	1
84	Mindfulness and mood stimulate each other in an upward spiral: a mindful walking intervention using experience sampling. <i>Mindfulness</i> , 2016, 7, 1114-1122.	1.6	44
85	A parallel-group, randomized controlled trial into the effectiveness of Mindfulness-Based Compassionate Living (MBCL) compared to treatment-as-usual in recurrent depression: Trial design and protocol. <i>Contemporary Clinical Trials</i> , 2016, 50, 77-83.	0.8	10
86	Prognostic association of cardiac anxiety with new cardiac events and mortality following myocardial infarction. <i>British Journal of Psychiatry</i> , 2016, 209, 400-406.	1.7	46
87	A qualitative study on mindfulness-based stress reduction for breast cancer patients: how women experience participating with fellow patients. <i>Supportive Care in Cancer</i> , 2016, 24, 1813-1820.	1.0	32
88	Patients with a preference for medication do equally well in mindfulness-based cognitive therapy for recurrent depression as those preferring mindfulness. <i>Journal of Affective Disorders</i> , 2016, 195, 32-39.	2.0	9
89	Mindfulness-based stress reduction for GPs: results of a controlled mixed methods pilot study in Dutch primary care. <i>British Journal of General Practice</i> , 2016, 66, e99-e105.	0.7	57
90	LONG-TERM OUTCOME OF MINDFULNESS-BASED COGNITIVE THERAPY IN RECURRENTLY DEPRESSED PATIENTS WITH AND WITHOUT A DEPRESSIVE EPISODE AT BASELINE. <i>Depression and Anxiety</i> , 2015, 32, 563-569.	2.0	19

#	ARTICLE	IF	CITATIONS
91	A randomized controlled trial of Mindfulness-Based Cognitive Therapy (MBCT) versus treatment-as-usual (TAU) for chronic, treatment-resistant depression: study protocol. <i>BMC Psychiatry</i> , 2015, 15, 275.	1.1	13
92	Depressed patients in remission show an interaction between variance in the mineralocorticoid receptor NR3C2 gene and childhood trauma on negative memory bias. <i>Psychiatric Genetics</i> , 2015, 25, 99-105.	0.6	22
93	Study protocol of a multicenter randomized controlled trial comparing the effectiveness of group and individual internet-based Mindfulness-Based Cognitive Therapy with treatment as usual in reducing psychological distress in cancer patients: the BeMind study. <i>BMC Psychology</i> , 2015, 3, 27.	0.9	24
94	Mindfulness-based cognitive therapy as an alternative to maintenance antidepressant medication to prevent relapse and recurrence in depression. <i>Evidence-Based Mental Health</i> , 2015, 18, 126-126.	2.2	0
95	Mindfulness based cognitive therapy versus treatment as usual in adults with attention deficit hyperactivity disorder (ADHD). <i>BMC Psychiatry</i> , 2015, 15, 216.	1.1	20
96	Multi-dimensional modulations of $\hat{\alpha}$ and $\hat{\beta}$ cortical dynamics following mindfulness-based cognitive therapy in Major Depressive Disorder. <i>Cognitive Neurodynamics</i> , 2015, 9, 13-29.	2.3	28
97	Mindfulness-Based Stress Reduction for lung cancer patients and their partners: Results of a mixed methods pilot study. <i>Palliative Medicine</i> , 2015, 29, 652-660.	1.3	68
98	Mindfulness training for medical students in their clinical clerkships: two cross-sectional studies exploring interest and participation. <i>BMC Medical Education</i> , 2015, 15, 24.	1.0	17
99	Study protocol of the SWORD-study: a randomised controlled trial comparing combined online and face-to-face cognitive behaviour therapy versus treatment as usual in managing fear of cancer recurrence. <i>BMC Psychology</i> , 2015, 3, 12.	0.9	35
100	A qualitative analysis of experiences of patients with metastatic breast cancer participating in a mindfulness-based intervention. <i>Palliative Medicine</i> , 2015, 29, 182-183.	1.3	6
101	Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. <i>Journal of Affective Disorders</i> , 2015, 187, 54-61.	2.0	36
102	Coherence Between Attentional and Memory Biases in Sad and Formerly Depressed Individuals. <i>Cognitive Therapy and Research</i> , 2014, 38, 334.	1.2	5
103	No Evidence for the Association between a Polymorphism in the PCLO Depression Candidate Gene with Memory Bias in Remitted Depressed Patients and Healthy Individuals. <i>PLoS ONE</i> , 2014, 9, e112153.	1.1	1
104	Attention Effects of Mindfulness-Based Cognitive Therapy in Formerly Depressed Patients. <i>Journal of Experimental Psychopathology</i> , 2014, 5, 414-424.	0.4	15
105	Cost-utility analysis of a treatment advice to discontinue inappropriate long-term antidepressant use in primary care. <i>Family Practice</i> , 2014, 31, 578-584.	0.8	18
106	Inverse Correlation Between Cardiac Injury and Cardiac Anxiety. <i>Journal of Cardiovascular Nursing</i> , 2014, 29, 448-453.	0.6	9
107	Predicting response to cognitive behavioral therapy in contamination-based obsessive-compulsive disorder from functional magnetic resonance imaging. <i>Psychological Medicine</i> , 2014, 44, 2125-2137.	2.7	59
108	The Role of the Teacher in Mindfulness-Based Approaches: A Qualitative Study. <i>Mindfulness</i> , 2014, 5, 170-178.	1.6	41

#	ARTICLE	IF	CITATIONS
109	Can Memory Bias be Modified? The Effects of an Explicit Cued-Recall Training in Two Independent Samples. <i>Cognitive Therapy and Research</i> , 2014, 38, 217-225.	1.2	15
110	Study protocol of a randomized controlled trial comparing Mindfulness-Based Stress Reduction with treatment as usual in reducing psychological distress in patients with lung cancer and their partners: the MILON study. <i>BMC Cancer</i> , 2014, 14, 3.	1.1	27
111	Association between genes, stressful childhood events and processing bias in depression vulnerable individuals. <i>Genes, Brain and Behavior</i> , 2014, 13, 508-516.	1.1	20
112	The impact of comorbid depression on recovery from personality disorders and improvements in psychosocial functioning: Results from a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2014, 63, 55-62.	1.6	13
113	Psychiatric diagnosis by telephone: is it an opportunity?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1677-1689.	1.6	23
114	Modulation of induced frontocentral theta (Fm- $\bar{\theta}$) event-related (de-)synchronisation dynamics following mindfulness-based cognitive therapy in Major Depressive Disorder. <i>Cognitive Neurodynamics</i> , 2014, 8, 373-388.	2.3	21
115	Effects of mindfulness-based cognitive therapy on neurophysiological correlates of performance monitoring in adult attention-deficit/hyperactivity disorder. <i>Clinical Neurophysiology</i> , 2014, 125, 1407-1416.	0.7	126
116	Shorter gaze duration for happy faces in current but not remitted depression: Evidence from eye movements. <i>Psychiatry Research</i> , 2014, 218, 79-86.	1.7	34
117	Mindfulness-based cognitive therapy (MBCT) for patients with medically unexplained symptoms: Process of change. <i>Journal of Psychosomatic Research</i> , 2014, 77, 27-33.	1.2	26
118	What is the contribution of different cognitive biases and stressful childhood events to the presence and number of previous depressive episodes?. <i>Psychiatry Research</i> , 2014, 217, 134-142.	1.7	18
119	Approach and Avoidance of Emotional Faces in Happy and Sad Mood. <i>Cognitive Therapy and Research</i> , 2013, 37, 1-6.	1.2	36
120	Mindfulness-based cognitive therapy for patients with medically unexplained symptoms: A cost-effectiveness study. <i>Journal of Psychosomatic Research</i> , 2013, 74, 197-205.	1.2	41
121	Prescribing ANtiDepressants Appropriately (PANDA): a cluster randomized controlled trial in primary care. <i>BMC Family Practice</i> , 2013, 14, 6.	2.9	9
122	A BRIEF COGNITIVE-BEHAVIORAL INTERVENTION FOR TREATING DEPRESSION AND PANIC DISORDER IN PATIENTS WITH NONCARDIAC CHEST PAIN: A 24-WEEK RANDOMIZED CONTROLLED TRIAL. <i>Depression and Anxiety</i> , 2013, 30, 670-678.	2.0	31
123	Mindfulness-Based Cognitive Therapy for Patients with Medically Unexplained Symptoms: A Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2013, 82, 299-310.	4.0	56
124	The efficacy of mindfulness-based cognitive therapy in recurrent depressed patients with and without a current depressive episode: a randomized controlled trial. <i>Psychological Medicine</i> , 2012, 42, 989-1001.	2.7	211
125	The Cardiac Anxiety Questionnaire: Cross-Validation among Cardiac Inpatients. <i>International Journal of Psychiatry in Medicine</i> , 2012, 43, 349-364.	0.8	26
126	Changes in Attentional Processing of Emotional Information Following Mindfulness-Based Cognitive Therapy in People with a History of Depression: Towards an Open Attention for all Emotional Experiences. <i>Cognitive Therapy and Research</i> , 2012, 36, 612-620.	1.2	52

#	ARTICLE	IF	CITATIONS
127	One-year follow up of cardiac anxiety after a myocardial infarction: A latent class analysis. <i>Journal of Psychosomatic Research</i> , 2012, 73, 362-368.	1.2	17
128	Fronto-limbic microstructure and structural connectivity in remission from major depression. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 40-48.	0.9	41
129	Preventing relapse in recurrent depression using mindfulness-based cognitive therapy, antidepressant medication or the combination: trial design and protocol of the MOMENT study. <i>BMC Psychiatry</i> , 2012, 12, 125.	1.1	45
130	An Investigation of the Role of Attention in Mindfulness-Based Cognitive Therapy for Recurrently Depressed Patients. <i>Journal of Experimental Psychopathology</i> , 2012, 3, 103-120.	0.4	22
131	Verbal and facial emotional Stroop tasks reveal specific attentional interferences in sad mood. <i>Brain and Behavior</i> , 2012, 2, 74-83.	1.0	26
132	Response time variability and response inhibition predict affective problems in adolescent girls, not in boys: the TRAILS study. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 277-287.	2.8	19
133	The reassuring value of diagnostic tests: A systematic review. <i>Patient Education and Counseling</i> , 2012, 86, 3-8.	1.0	73
134	How mood challenges emotional memory formation: An fMRI investigation. <i>NeuroImage</i> , 2011, 56, 1783-1790.	2.1	44
135	Eyewitness or Earwitness: The Role of Mental Imagery in Intrusion Development. <i>International Journal of Cognitive Therapy</i> , 2011, 4, 154-164.	1.3	18
136	Rose or black-coloured glasses?. <i>Journal of Affective Disorders</i> , 2011, 131, 214-223.	2.0	29
137	Prevalence and correlates of lifetime deliberate self-harm and suicidal ideation in naturalistic outpatients: The Leiden Routine Outcome Monitoring study. <i>Journal of Affective Disorders</i> , 2011, 133, 257-264.	2.0	33
138	On the Relationship Between the Practice of Mindfulness Meditation and Personality – an Exploratory Analysis of the Mediating Role of Mindfulness Skills. <i>Mindfulness</i> , 2011, 2, 194-200.	1.6	92
139	Facilitated Attentional Disengagement from Negative Information in Relation to Self-Reported Depressive Symptoms of Dutch Female Undergraduate Students. <i>Psychological Reports</i> , 2011, 108, 252-262.	0.9	1
140	Predictors of suicidality in depressive spectrum disorders in the general population: results of the Netherlands Mental Health Survey and Incidence Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 513-521.	1.6	78
141	The influence of mood on the processing of syntactic anomalies: Evidence from P600. <i>Neuropsychologia</i> , 2010, 48, 3521-3531.	0.7	68
142	Cognitive-behavioural therapy for depression in people with a somatic disease: meta-analysis of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2010, 197, 11-19.	1.7	120
143	Greater efficiency in attentional processing related to mindfulness meditation. <i>Quarterly Journal of Experimental Psychology</i> , 2010, 63, 1168-1180.	0.6	205
144	Detecting Somatoform Disorders in Primary Care With the PHQ-15. <i>Annals of Family Medicine</i> , 2009, 7, 232-238.	0.9	165

#	ARTICLE	IF	CITATIONS
145	To discard or not to discard: the neural basis of hoarding symptoms in obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2009, 14, 318-331.	4.1	137
146	The Maudsley Obsessive-Compulsive Stimuli Set: Validation of a standardized paradigm for symptom-specific provocation in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2009, 168, 238-241.	1.7	42
147	Medically unexplained symptoms, somatisation disorder and hypochondriasis: Course and prognosis. A systematic review. <i>Journal of Psychosomatic Research</i> , 2009, 66, 363-377.	1.2	214
148	Medically Unexplained Physical Symptoms in Elderly People: A Pilot Study of Psychiatric Geriatric Characteristics. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 1085-1088.	0.6	22
149	Individual differences in disgust sensitivity modulate neural responses to aversive/disgusting stimuli. <i>European Journal of Neuroscience</i> , 2008, 27, 3050-3058.	1.2	85
150	Imagery special issue: Intrusive images and memories of earlier adverse events in patients with obsessive compulsive disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2007, 38, 411-422.	0.6	104
151	Intrusive memories and rumination in patients with post-traumatic stress disorder: A phenomenological comparison. <i>Memory</i> , 2007, 15, 249-257.	0.9	115
152	Neural Responses to Facial Expressions of Disgust but not Fear are Modulated by Washing Symptoms in OCD. <i>Biological Psychiatry</i> , 2007, 61, 1072-1080.	0.7	82
153	Sex Differences in Neural Responses to Disgusting Visual Stimuli: Implications for Disgust-Related Psychiatric Disorders. <i>Biological Psychiatry</i> , 2007, 62, 464-471.	0.7	53
154	Changes in intrusive memories associated with imaginal reliving in posttraumatic stress disorder. <i>Journal of Anxiety Disorders</i> , 2006, 20, 328-341.	1.5	83
155	Decision making and set shifting impairments are associated with distinct symptom dimensions in obsessive-compulsive disorder.. <i>Neuropsychology</i> , 2006, 20, 409-419.	1.0	242
156	Social Problem Solving in Adolescents with Suicidal Behavior: A Systematic Review. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 365-387.	0.9	124
157	Distinct Neural Correlates of Washing, Checking, and Hoarding SymptomDimensions in Obsessive-compulsive Disorder. <i>Archives of General Psychiatry</i> , 2004, 61, 564.	13.8	811
158	Characteristics and content of intrusive memories in PTSD and their changes with treatment. <i>Journal of Traumatic Stress</i> , 2004, 17, 231-240.	1.0	316
159	Medically unexplained physical symptoms. <i>Journal of Psychosomatic Research</i> , 2004, 57, 517-520.	1.2	34
160	Neural correlates of anxiety associated with obsessive-compulsive symptom dimensions in normal volunteers. <i>Biological Psychiatry</i> , 2003, 53, 482-493.	0.7	136
161	Ongedifferentieerde somatoforme stoornis. , 2001, , 17-40.		5
162	The Reassurance Questionnaire (RQ): psychometric properties of a self-report questionnaire to assess reassurability. <i>Psychological Medicine</i> , 2000, 30, 841-847.	2.7	40

#	ARTICLE	IF	CITATIONS
163	Cognitive Behavioural Therapy for Unexplained Physical Symptoms: Process and Prognostic Factors. Behavioural and Cognitive Psychotherapy, 1997, 25, 291-294.	0.9	9
164	A validation study of the Hospital Anxiety and Depression Scale (HADS) in different groups of Dutch subjects. Psychological Medicine, 1997, 27, 363-370.	2.7	1,723
165	A validation study of the Whitely Index, the Illness Attitude Scales, and the Somatosensory Amplification Scale in general medical and general practice patients. Journal of Psychosomatic Research, 1996, 40, 95-104.	1.2	266
166	The diagnostic and prognostic significance of the Whitely Index, the Illness Attitude Scales and the Somatosensory Amplification Scale. Psychological Medicine, 1996, 26, 1085-1090.	2.7	82
167	Unexplained physical symptoms: outcome, utilization of medical care and associated factors. Psychological Medicine, 1996, 26, 745-752.	2.7	87
168	De behandeling van onverklaarde lichamelijke klachten. Dth, 1996, 16, 170-174.	0.2	2
169	Cognitive Behavioural Therapy for Medically Unexplained Physical Symptoms: A Pilot Study. Behavioural and Cognitive Psychotherapy, 1996, 24, 1-16.	0.9	13
170	Psychosexual functioning of partners of men with presumed non-organic erectile dysfunction: Cause or consequence of the disorder?. Archives of Sexual Behavior, 1995, 24, 157-172.	1.2	61
171	The acceptability of psychological treatment in patients with medically unexplained physical symptoms. Journal of Psychosomatic Research, 1995, 39, 855-863.	1.2	45
172	Cognitive behavioural therapy for medically unexplained physical symptoms: a randomised controlled trial. BMJ: British Medical Journal, 1995, 311, 1328-1332.	2.4	283
173	Alcohol abuse among general hospital inpatients according to the Munich Alcoholism Test (MALT). General Hospital Psychiatry, 1994, 16, 125-130.	1.2	8
174	Discrimination between psychogenic and organic erectile dysfunction. Journal of Psychosomatic Research, 1993, 37, 135-145.	1.2	35
175	Alcohol abuse among elderly patients in a general hospital as identified by the Munich Alcoholism Test. Acta Psychiatrica Scandinavica, 1991, 83, 460-462.	2.2	15