

Gregory W Whitledge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/127524/publications.pdf>

Version: 2024-02-01

64
papers

1,197
citations

304368

22
h-index

454577

30
g-index

64
all docs

64
docs citations

64
times ranked

933
citing authors

#	ARTICLE	IF	CITATIONS
1	Using Otolith Chemistry to Determine Early Life Environments and Movement of the Emerging Bigheaded Carp Population in Pools 16â€“19 of the Upper Mississippi River. <i>North American Journal of Fisheries Management</i> , 2023, 43, 126-140.	0.5	3
2	Recruitment contributions and natal fidelity in tributary rivers of the Grand Lake, Oklahoma, Paddlefish stock. <i>Fisheries Management and Ecology</i> , 2022, 29, 213-223.	1.0	4
3	Listening with the invasive fish ear: applications and innovations of otolith chemistry analysis in invasive fish biology. <i>Environmental Biology of Fishes</i> , 2022, 105, 327-343.	0.4	2
4	Dietary Exposure to Bifenthrin and Fipronil Impacts Swimming Performance in Juvenile Chinook Salmon (<i>Oncorhynchus tshawytscha</i>). <i>Environmental Science & Technology</i> , 2022, 56, 5071-5080.	4.6	7
5	Pesticide residues in juvenile Chinook salmon and prey items of the Sacramento River watershed, California â€“ A comparison of riverine and floodplain habitats. <i>Environmental Pollution</i> , 2022, 303, 119102.	3.7	8
6	Bioavailability of legacy and current-use pesticides in juvenile Chinook salmon habitat of the Sacramento River watershed: Importance of sediment characteristics and extraction techniques. <i>Chemosphere</i> , 2022, 298, 134174.	4.2	4
7	Identifying sources and year classes contributing to invasive grass carp in the Laurentian Great Lakes. <i>Journal of Great Lakes Research</i> , 2021, 47, 14-28.	0.8	18
8	Effects of dietary cypermethrin exposure on swimming performance and expression of lipid homeostatic genes in livers of juvenile Chinook salmon, <i>Oncorhynchus tshawytscha</i> . <i>Ecotoxicology</i> , 2021, 30, 257-267.	1.1	11
9	Improving hydroacoustic sampling in large rivers: Evaluating factors influencing target detectability. <i>River Research and Applications</i> , 2021, 37, 656-664.	0.7	1
10	Environmental factors associated with silver carp presence and relative abundance near an invasion front to inform removal efforts. <i>Hydrobiologia</i> , 2021, 848, 3571.	1.0	2
11	Early generation hybrids may drive range expansion of two invasive fishes. <i>Freshwater Biology</i> , 2020, 65, 716-730.	1.2	16
12	Drivers and uncertainties of forecasted range shifts for warm-water fishes under climate and land cover change. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2019, 76, 415-425.	0.7	4
13	Natal environments of ageâ€“0 paddlefish in the middle Mississippi River inferred from dentary microchemistry. <i>River Research and Applications</i> , 2019, 35, 1554-1562.	0.7	4
14	Sources of Bighead Carp and Silver Carp Found in Chicago Urban Fishing Program Ponds. <i>Transactions of the American Fisheries Society</i> , 2019, 148, 417-425.	0.6	5
15	Identification of Bighead Carp and Silver Carp early-life environments and inferring Lock and Dam 19 passage in the Upper Mississippi River: insights from otolith chemistry. <i>Biological Invasions</i> , 2019, 21, 1007-1020.	1.2	30
16	Multistate models of bigheaded carps in the Illinois River reveal spatial dynamics of invasive species. <i>Biological Invasions</i> , 2018, 20, 3255-3270.	1.2	29
17	Recruitment sources and spatial patterns of population demographics of spotted bass in a large riverâ€“tributary network. <i>Fisheries Management and Ecology</i> , 2018, 25, 339-349.	1.0	8
18	Stable oxygen isotope analysis confirms natural recruitment of Lake Michigan-origin lake trout (<i>Salvelinus namaycush</i>) to the adult life stage. <i>Fisheries Research</i> , 2017, 190, 15-23.	0.9	13

#	ARTICLE	IF	CITATIONS
19	Lake sturgeon <i>A. c. fulvescens</i> and shovelnose sturgeon <i>S. c. platyrhynchus</i> environmental life history revealed using pectoral fin ray microchemistry: implications for interjurisdictional conservation through fishery closure zones. <i>Journal of Fish Biology</i> , 2017, 90, 626-639.	0.7	16
20	Movement of small-bodied fishes from Lake Michigan into Chicago Area Waterways: Insights from otolith chemistry. <i>Journal of Applied Ichthyology</i> , 2017, 33, 1166-1172.	0.3	6
21	Evaluating upstream passage and timing of approach by adult bigheaded carps at a gated dam on the Illinois River. <i>River Research and Applications</i> , 2017, 33, 1268-1278.	0.7	33
22	Relationships between water and paddlefish <i>Polyodon spathula</i> dentary elemental and stable isotope signatures: potential application for reconstructing environmental history. <i>Journal of Fish Biology</i> , 2017, 90, 595-610.	0.7	5
23	Fatty Acid Profiles Distinguish Channel Catfish from Three Reaches of the Lower Kaskaskia River and its Floodplain Lakes. <i>River Research and Applications</i> , 2016, 32, 362-372.	0.7	6
24	Establishing ecologically relevant management boundaries: linking movement ecology with the conservation of <i>Scaphirhynchus</i> sturgeon. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 877-884.	0.7	20
25	Recruitment Sources of Channel and Blue Catfishes Inhabiting the Middle Mississippi River. <i>River Research and Applications</i> , 2016, 32, 1808-1818.	0.7	21
26	Population level responses of life history traits to flow regime in three common stream fish species. <i>Ecohydrology</i> , 2016, 9, 1388-1399.	1.1	7
27	Fatty acid profiles are biomarkers of fish habitat use in a river-floodplain ecosystem. <i>Hydrobiologia</i> , 2016, 773, 63-75.	1.0	22
28	Recruitment sources of invasive Bighead carp (<i>Hypophthalmichthys nobilis</i>) and Silver carp (<i>H. molitrix</i>) inhabiting the Illinois River. <i>Biological Invasions</i> , 2015, 17, 2999-3014.	1.2	32
29	Assessment of the Effects of High Summer Water Temperatures on Shovelnose Sturgeon and Potential Implications of Climate Change. <i>River Research and Applications</i> , 2015, 31, 1195-1201.	0.7	15
30	Development and evaluation of species distribution models for fourteen native central U.S. fish species. <i>Hydrobiologia</i> , 2015, 747, 159-176.	1.0	27
31	Identification of stocked muskellunge and potential for distinguishing hatchery origin and wild fish using pelvic fin ray microchemistry. <i>Fisheries Management and Ecology</i> , 2014, 21, 312-321.	1.0	24
32	Habitat associations of fish assemblages in the Cache River, Illinois. <i>Environmental Biology of Fishes</i> , 2014, 97, 27-42.	0.4	4
33	Using pectoral fin rays as a non-lethal aging structure for smallmouth bass: precision with otolith age estimates and the importance of reader experience. <i>Journal of Freshwater Ecology</i> , 2013, 28, 199-210.	0.5	9
34	Synchronization of fishes' temporal feeding patterns with weather in mid-Missouri. <i>Journal of Freshwater Ecology</i> , 2012, 27, 419-428.	0.5	4
35	Evaluation of Otolith Microchemistry for Identifying Natal Origin of Anadromous River Herring in Connecticut. <i>Marine and Coastal Fisheries</i> , 2012, 4, 358-372.	0.6	32
36	Evaluation of $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ as natural markers of invertebrate source environment and dispersal in the middle Mississippi River floodplain ecosystem. <i>River Research and Applications</i> , 2012, 28, 135-142.	0.7	20

#	ARTICLE	IF	CITATIONS
37	Long-Term PIT and Bar Anchor Tag Retention Rates in Adult Muskellunge. North American Journal of Fisheries Management, 2011, 31, 515-519.	0.5	27
38	Contrasting population characteristics of yellow bass (<i>Morone mississippiensis</i>) in two southern Illinois reservoirs. Journal of Applied Ichthyology, 2011, 27, 46-52.	0.3	0
39	Evaluation of a stable-isotope labelling technique for mass marking fin rays of age-0 lake sturgeon. Fisheries Management and Ecology, 2011, 18, 168-175.	1.0	29
40	Otolith trace element and stable isotopic compositions differentiate fishes from the Middle Mississippi River, its tributaries, and floodplain lakes. Hydrobiologia, 2011, 661, 289-302.	1.0	48
41	Assessment of otolith chemistry for identifying source environment of fishes in the lower Illinois River, Illinois. Hydrobiologia, 2010, 638, 109-119.	1.0	46
42	Laboratory Evaluation of Two Bioenergetics Models for Brown Trout. Transactions of the American Fisheries Society, 2010, 139, 929-936.	0.6	9
43	Fin Ray Chemistry as a Potential Natural Tag for Smallmouth Bass in Northern Illinois Rivers. Journal of Freshwater Ecology, 2010, 25, 627-635.	0.5	25
44	Otolith chemistry of prey fish consumed by a fish predator: does digestion hinder Russian doll techniques?. Journal of Fish Biology, 2009, 75, 2606-2614.	0.7	4
45	Reproductive biology of middle Mississippi River shovelnose sturgeon: insights from seasonal and age variation in plasma sex steroid and calcium concentrations. Journal of Applied Ichthyology, 2009, 25, 75-82.	0.3	15
46	Otolith microchemistry and isotopic composition as potential indicators of fish movement between the Illinois River drainage and Lake Michigan. Journal of Great Lakes Research, 2009, 35, 101-106.	0.8	22
47	Habitat Characteristics of Black Crappie Nest Sites in an Illinois Impoundment. North American Journal of Fisheries Management, 2009, 29, 189-195.	0.5	10
48	Otolith $\delta^{15}N$ Distinguishes Fish from Forested and Agricultural Streams in Southern Illinois. Journal of Freshwater Ecology, 2008, 23, 333-336.	0.5	21
49	Sources of Nonnative Centrarchids in the Upper Colorado River Revealed by Stable Isotope and Microchemical Analyses of Otoliths. Transactions of the American Fisheries Society, 2007, 136, 1263-1275.	0.6	43
50	Stable hydrogen isotopic composition of fishes reflects that of their environment. Canadian Journal of Fisheries and Aquatic Sciences, 2006, 63, 1746-1751.	0.7	42
51	Improvement of Bioenergetics Model Predictions for Fish Undergoing Compensatory Growth. Transactions of the American Fisheries Society, 2006, 135, 49-54.	0.6	14
52	RIPARIAN SHADING AND GROUNDWATER ENHANCE GROWTH POTENTIAL FOR SMALLMOUTH BASS IN OZARK STREAMS. , 2006, 16, 1461-1473.		53
53	Widespread consumption-dependent systematic error in fish bioenergetics models and its implications. Canadian Journal of Fisheries and Aquatic Sciences, 2004, 61, 2158-2167.	0.7	54
54	Simultaneous identification and correction of systematic error in bioenergetics models: demonstration with a white crappie (<i>Pomoxis annularis</i>) model. Canadian Journal of Fisheries and Aquatic Sciences, 2004, 61, 2168-2182.	0.7	29

#	ARTICLE	IF	CITATIONS
55	Laboratory evaluation of two bioenergetics models applied to yellow perch: identification of a major source of systematic error. <i>Journal of Fish Biology</i> , 2003, 62, 436-454.	0.7	41
56	Development and Laboratory Evaluation of a Bioenergetics Model for Subadult and Adult Smallmouth Bass. <i>Transactions of the American Fisheries Society</i> , 2003, 132, 316-325.	0.6	44
57	MAXIMUM DAILY CONSUMPTION AND RESPIRATION RATES AT FOUR TEMPERATURES FOR FIVE SPECIES OF CRAYFISH FROM MISSOURI, U.S.A. (DECAPODA, ORCONECTES SPP.). <i>Crustaceana</i> , 2002, 75, 1119-1132.	0.1	25
58	Effects of Temperature on Specific Daily Metabolic Demand and Growth Scope of Sub-Adult and Adult Smallmouth Bass. <i>Journal of Freshwater Ecology</i> , 2002, 17, 353-361.	0.5	27
59	Determining sampling date interval for precise in situ estimates of cumulative food consumption by fishes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2000, 57, 1131-1138.	0.7	14
60	Testing Bioenergetics Models under Feeding Regimes That Elicit Compensatory Growth. <i>Transactions of the American Fisheries Society</i> , 1998, 127, 740-746.	0.6	35
61	Laboratory Evaluation of a Bioenergetics Model for Largemouth Bass at Two Temperatures and Feeding Levels. <i>Transactions of the American Fisheries Society</i> , 1997, 126, 1030-1035.	0.6	38
62	Evaluation of Recently Implemented Harvest Regulations in a Data-Limited Catfish Fishery with Bayesian Estimation. <i>North American Journal of Fisheries Management</i> , 0, , .	0.5	3
63	Age- Silver Carp Otolith Microchemistry and Microstructure Reveal Multiple Early-Life Environments and Protracted Spawning in the Upper Mississippi River. <i>North American Journal of Fisheries Management</i> , 0, , .	0.5	6
64	Assessment of Native Fish Passage through Brandon Road Lock and Dam, Des Plaines River, Illinois, Using Fin Ray Microchemistry. <i>Transactions of the American Fisheries Society</i> , 0, , .	0.6	1