

Hermann Voglmayr

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1276982/hermann-voglmayr-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

5,010
citations

36
h-index

67
g-index

137
ext. papers

5,836
ext. citations

5
avg, IF

5.81
L-index

#	Paper	IF	Citations
132	Nuclear DNA content and genome size of trout and human. <i>Cytometry</i> , 2003 , 51, 127-8; author reply 129		667
131	DNA barcoding of oomycetes with cytochrome c oxidase subunit I and internal transcribed spacer. <i>Molecular Ecology Resources</i> , 2011 , 11, 1002-11	8.4	374
130	Fungal biodiversity in aquatic habitats. <i>Biodiversity and Conservation</i> , 2007 , 16, 49-67	3.4	338
129	Phylogenetic relationships of the downy mildews (Peronosporales) and related groups based on nuclear large subunit ribosomal DNA sequences. <i>Mycologia</i> , 2002 , 94, 834-49	2.4	203
128	Molecular taxonomy of phytopathogenic fungi: a case study in Peronospora. <i>PLoS ONE</i> , 2009 , 4, e6319	3.7	127
127	Phylogenetic relationships of Peronospora and related genera based on nuclear ribosomal ITS sequences. <i>Mycological Research</i> , 2003 , 107, 1132-42		115
126	How do obligate parasites evolve? A multi-gene phylogenetic analysis of downy mildews. <i>Fungal Genetics and Biology</i> , 2007 , 44, 105-22	3.9	114
125	Phylogenetic Relationships of the Downy Mildews (Peronosporales) and Related Groups Based on Nuclear Large Subunit Ribosomal DNA Sequences. <i>Mycologia</i> , 2002 , 94, 834	2.4	114
124	Towards a universal barcode of oomycetes--a comparison of the cox1 and cox2 loci. <i>Molecular Ecology Resources</i> , 2015 , 15, 1275-88	8.4	97
123	Biodiversity of Trichoderma (Hypocreaceae) in Southern Europe and Macaronesia. <i>Studies in Mycology</i> , 2015 , 80, 1-87	22.2	97
122	Exploring the genomic diversity of black yeasts and relatives (,). <i>Studies in Mycology</i> , 2017 , 86, 1-28	22.2	93
121	Phylogenetic relationships of Plasmopara, Bremia and other genera of downy mildew pathogens with pyriform haustoria based on Bayesian analysis of partial LSU rDNA sequence data. <i>Mycological Research</i> , 2004 , 108, 1011-24		88
120	Recommendations of generic names in Diaporthales competing for protection or use. <i>IMA Fungus</i> , 2015 , 6, 145-54	6.8	86
119	The Genera of Fungi - fixing the application of the type species of generic names - G 2: Allantophomopsis, Latorua, Macrodiplodiopsis, Macrohilum, Milospium, Protostegia, Pyricularia, Robillarda, Rotula, Septoriella, Torula, and Wojnowicia. <i>IMA Fungus</i> , 2015 , 6, 163-98	6.8	81
118	The diversity of ant-associated black yeasts: insights into a newly discovered world of symbiotic interactions. <i>Fungal Biology</i> , 2011 , 115, 1077-91	2.8	77
117	Phylogeny of Hyaloperonospora based on nuclear ribosomal internal transcribed spacer sequences. <i>Mycological Progress</i> , 2004 , 3, 83-94	1.9	77
116	Taxonomic aspects of Peronosporaceae inferred from Bayesian molecular phylogenetics. <i>Canadian Journal of Botany</i> , 2003 , 81, 672-683		70

115	Species delimitation in downy mildews: the case of <i>Hyaloperonospora</i> in the light of nuclear ribosomal ITS and LSU sequences. <i>Mycological Research</i> , 2009 , 113, 308-25		68
114	Genome size determination in peronosporales (Oomycota) by Feulgen image analysis. <i>Fungal Genetics and Biology</i> , 1998 , 25, 181-95	3.9	66
113	Resolution of morphology-based taxonomic delusions: and. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2016 , 37, 82-105	9	65
112	Prosthecium species with <i>Stegonsporium</i> anamorphs on <i>Acer</i> . <i>Mycological Research</i> , 2008 , 112, 885-905		64
111	Phylogenetic relationships of <i>Albugo</i> species (white blister rusts) based on LSU rDNA sequence and oospore data. <i>Mycological Research</i> , 2006 , 110, 75-85		64
110	Recommendations for competing sexual-asexually typified generic names in Sordariomycetes (except Diaporthales, Hypocreales, and Magnaporthales). <i>IMA Fungus</i> , 2016 , 7, 131-53	6.8	57
109	Phylogenetic relationships of five genera of Xylariales and <i>Rosasphaeria</i> gen. nov. (Hypocreales). <i>Fungal Diversity</i> , 2012 , 52, 75-98	17.6	52
108	Phylogeny of <i>Peronospora</i> , parasitic on Fabaceae, based on ITS sequences. <i>Mycological Research</i> , 2008 , 112, 502-12		52
107	Multigene phylogeny and taxonomy of the genus <i>Melanconiella</i> (Diaporthales). <i>Fungal Diversity</i> , 2012 , 57, 1-44	17.6	51
106	Molecular data reveal high host specificity in the phylogenetically isolated genus <i>Massaria</i> (Ascomycota, Massariaceae). <i>Fungal Diversity</i> , 2011 , 46, 133-170	17.6	51
105	Nuclear DNA Amounts in Mosses (Musci). <i>Annals of Botany</i> , 2000 , 85, 531-546	4.1	51
104	Hidden diversity in and a new circumscription of the. <i>Studies in Mycology</i> , 2016 , 85, 35-64	22.2	50
103	Revision and reclassification of three <i>Plasmopara</i> species based on morphological and molecular phylogenetic data. <i>Mycological Research</i> , 2008 , 112, 487-501		44
102	Coupling Spore Traps and Quantitative PCR Assays for Detection of the Downy Mildew Pathogens of Spinach (<i>Peronospora effusa</i>) and Beet (<i>P. schachtii</i>). <i>Phytopathology</i> , 2014 , 104, 1349-59	3.8	42
101	Plant-ants use symbiotic fungi as a food source: new insight into the nutritional ecology of ant-plant interactions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012 , 279, 3940-7	4.4	42
100	Multi-locus tree and species tree approaches toward resolving a complex clade of downy mildews (<i>Straminipila</i> , Oomycota), including pathogens of beet and spinach. <i>Molecular Phylogenetics and Evolution</i> , 2015 , 86, 24-34	4.1	41
99	Blue pigment in <i>Hypocrea caerulescens</i> sp. nov. and two additional new species in sect. <i>Trichoderma</i> . <i>Mycologia</i> , 2012 , 104, 925-41	2.4	40
98	Progress and challenges in systematics of downy mildews and white blister rusts: new insights from genes and morphology. <i>European Journal of Plant Pathology</i> , 2008 , 122, 3-18	2.1	40

97	gen. nov. on , and the new family (). <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2017 , 38, 136-155	38
96	Phylogenetic and taxonomic revision of Lopadostoma. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2014 , 32, 52-82	9 35
95	Disentangling Peronospora on Papaver: phylogenetics, taxonomy, nomenclature and host range of downy mildew of opium poppy (<i>Papaver somniferum</i>) and related species. <i>PLoS ONE</i> , 2014 , 9, e96838	3.7 31
94	Persistent hamathelial threads in the Nectriaceae, Hypocreales: <i>Thyronectria</i> revisited and re-instated. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2014 , 33, 182-211	9 30
93	Disentangling the <i>Trichoderma viridescens</i> complex. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2013 , 31, 112-46	9 30
92	Characterization of a <i>Plasmopara</i> isolate from <i>Helianthus ßaetiflorus</i> based on cross infection, morphological, fatty acids and molecular phylogenetic data. <i>Mycological Progress</i> , 2003 , 2, 163-170	1.9 30
91	Stilbosporaceae resurrected: generic reclassification and speciation. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2014 , 33, 61-82	9 28
90	Mycelial carton galleries of <i>Azteca brevis</i> (Formicidae) as a multi-species network. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009 , 276, 3265-73	4.4 28
89	Reassessment of , phylogenetic position of , and sp. nov. <i>Mycological Progress</i> , 2016 , 15, 921-937	1.9 27
88	Considerations and consequences of allowing DNA sequence data as types of fungal taxa. <i>IMA Fungus</i> , 2018 , 9, 167-175	6.8 27
87	High diversity and low specificity of chaetothyrialean fungi in carton galleries in a neotropical ant-plant association. <i>PLoS ONE</i> , 2014 , 9, e112756	3.7 27
86	Permanent genetic resources added to molecular ecology resources database 1 December 2012-31 January 2013. <i>Molecular Ecology Resources</i> , 2013 , 13, 546-9	8.4 27
85	and in <i>Barrmaeliaceae</i> (fam. nov., Xylariales) and critical notes on -like genera based on multigene phylogenies. <i>Mycological Progress</i> , 2018 , 17, 155-177	1.9 27
84	Front line defenders of the ecological niche! Screening the structural diversity of peptaibiotics from saprotrophic and fungicolous species. <i>Fungal Diversity</i> , 2014 , 69, 117-146	17.6 26
83	Revision of <i>Plasmopara</i> (Chromista, Peronosporales) parasitic on Geraniaceae. <i>Mycological Research</i> , 2006 , 110, 633-45	26
82	Taxonomy and Phylogeny of the Downy Mildews (Peronosporaceae)47-75	25
81	, and revisited - New species and generic reclassification. <i>Studies in Mycology</i> , 2017 , 87, 43-76	22.2 24
80	A phylogenetic perspective on the association between ants (Hymenoptera: Formicidae) and black yeasts (Ascomycota: Chaetothyriales). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017 , 284,	4.4 23

79	and the. <i>Fungal Diversity</i> , 2015 , 73, 159-202	17.6	23
78	A preliminary account of the. <i>Studies in Mycology</i> , 2018 , 90, 71-118	22.2	22
77	and the Teichosporaceae. <i>Mycological Progress</i> , 2016 , 15, 31	1.9	22
76	Phylogenetic investigations in the downy mildew genus <i>Bremia</i> reveal several distinct lineages and a species with a presumably exceptional wide host range. <i>European Journal of Plant Pathology</i> , 2010 , 128, 81-89	2.1	22
75	New combinations in (,). <i>Mycotaxon</i> , 2013 , 126, 143-156	0.5	21
74	<i>Polyancora globosa</i> gen. sp. nov., an aeroaquatic fungus from Malaysian peat swamp forests. <i>Mycological Research</i> , 2006 , 110, 1242-52		21
73	Taxonomy and oogonial ultrastructure of a new aero-aquatic peronosporomycete, <i>Medusoides</i> gen. nov. (Pythiogetonaceae fam. nov.). <i>Mycological Research</i> , 1999 , 103, 591-606		20
72	Screening the biosphere: the fungicolous fungus <i>Trichoderma phellinicola</i> , a prolific source of hypophellins, new 17-, 18-, 19-, and 20-residue peptaibiotics. <i>Chemistry and Biodiversity</i> , 2013 , 10, 787-812 ²⁵		19
71	<i>Plasmoverna</i> gen. nov., and the taxonomy and nomenclature of <i>Plasmopara</i> (Chromista, Peronosporales). <i>Taxon</i> , 2005 , 54, 813-821	0.8	19
70	and , two new apothecial dothideomycete genera and the new order. <i>Fungal Diversity</i> , 2016 , 80, 271-284 ^{17.6}		18
69	Ant-cultivated Chaetothyriales in hollow stems of myrmecophytic <i>Cecropia</i> sp. trees Diversity and patterns. <i>Fungal Ecology</i> , 2016 , 23, 131-140	4.1	17
68	<i>Nectria eustromatica</i> sp. nov., an exceptional species with a hypocreaceous stroma. <i>Mycologia</i> , 2011 , 103, 209-18	2.4	17
67	Multigene phylogeny, taxonomy and reclassification of on Cardamine. <i>Mycological Progress</i> , 2014 , 13, 131-144	1.9	16
66	Reclassification of two peronospora species parasitic on draba in hyaloperonospora based on morphological and molecular phylogenetic data. <i>Mycopathologia</i> , 2011 , 171, 151-9	2.9	16
65	<i>Candelabrum desmidiaceum</i> and <i>Candelabrum clathrosphaeroides</i> spp. nov., additions and key to <i>Candelabrum</i> . <i>Mycological Research</i> , 1998 , 102, 410-414		16
64	Two new classes of : and. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2019 , 42, 36-49	9	15
63	Hypopulvins, novel peptaibiotics from the polyporicolous fungus <i>Hypocrea pulvinata</i> , are produced during infection of its natural hosts. <i>Fungal Biology</i> , 2012 , 116, 1219-1231	2.8	15
62	<i>Helicoon myosuroides</i> sp. nov. and <i>Helicoon dendroides</i> sp. nov., two new aero-aquatic hyphomycetes. <i>Mycological Research</i> , 1997 , 101, 337-340		15

61	The rise and fall of Sarawakus (Hypocreaceae, Ascomycota). <i>Mycologia</i> , 2014 , 106, 133-44	2.4	14
60	Morphology and phylogeny of <i>Hyaloperonospora erophilae</i> and <i>H. praecox</i> sp. nov., two downy mildew species co-occurring on <i>Draba verna</i> sensu lato. <i>Mycological Progress</i> , 2011 , 10, 283-292	1.9	14
59	Molecular systematics of <i>Woswasia atropurpurea</i> gen. et sp. nov. (Sordariomycetidae), a fungicolous ascomycete with globose ascospores and holoblastic conidiogenesis. <i>Mycologia</i> , 2013 , 105, 476-85	2.4	13
58	An Introduction to the White Blister Rusts (Albuginales) 77-92		13
57	Transmission of fungal partners to incipient <i>Cecropia</i> -tree ant colonies. <i>PLoS ONE</i> , 2018 , 13, e0192207	3.7	13
56	Three former taxa of and considerations on in the Melanommataceae 2017 , 69, 81-95		13
55	<i>Arthrocladium</i> , an unexpected human opportunist in Trichomeriaceae (Chaetothyriales). <i>Fungal Biology</i> , 2016 , 120, 207-18	2.8	13
54	<i>Hypocrea britdaniae</i> and <i>H. foliicola</i> : two remarkable new European species. <i>Mycologia</i> , 2012 , 104, 1213-24		12
53	<i>Pseudoclathrosphaerina evamariae</i> gen. et sp. nov. and <i>Sympodioclathra globosa</i> gen. et sp. nov., two aeroaquatic fungi similar to <i>Clathrosphaerina</i> . <i>Mycologia</i> , 1997 , 89, 942-951	2.4	12
52	<i>Dicranophora fulva</i> , a rare mucoraceous fungus growing on boletes. <i>Mycological Research</i> , 1996 , 100, 583-590		12
51	Fungal Systematics and Evolution: FUSE 5 2019 , 71, 141-245		12
50	Two new aero-aquatic species of the hyphomycete genus <i>Helicodendron</i> from Austria. <i>Plant Systematics and Evolution</i> , 1997 , 205, 185-193	1.3	11
49	Genomic analysis of ant domatia-associated melanized fungi (Chaetothyriales, Ascomycota). <i>Mycological Progress</i> , 2019 , 18, 541-552	1.9	10
48	The genus () on. <i>Mycological Progress</i> , 2019 , 18, 425-437	1.9	10
47	Taxonomic position of the genus <i>Bicornispora</i> and the appearance of a new species <i>Bicornispora seditiosa</i> . <i>Mycologia</i> , 2015 , 107, 793-807	2.4	10
46	<i>Pseudoperonospora cubensis</i> causing downy mildew disease on <i>Impatiens irvingii</i> in Cameroon: a new host for the pathogen. <i>Plant Pathology</i> , 2009 , 58, 394-394	2.8	10
45	<i>Helicodendron praetermissum</i> sp.nov. and <i>Spirosphaera carici-graminis</i> sp.nov., aero-aquatic fungi on monocotyledonous debris. <i>Canadian Journal of Botany</i> , 1997 , 75, 1772-1777		10
44	<i>Dendroclathra caeruleofusca</i> gen.nov. et sp.nov., an aeroaquatic hyphomycete from Cuba. <i>Canadian Journal of Botany</i> , 2001 , 79, 995-1000		10

43	Fungal Systematics and Evolution: FUSE 3 2017 , 69, 229-264		10
42	Lichens or endophytes? The enigmatic genus in the fam. nov. (), and gen. nov. (). <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2019 , 42, 228-260	9	9
41	<i>Helicodendron fuscum</i> and its allies. <i>Mycological Research</i> , 1997 , 101, 1122-1126		9
40	<i>Hypocrea seppoi</i> , a new stipitate species from Finland. <i>Karstenia</i> , 2008 , 48, 1-11	1.3	9
39	New species and records of <i>Coryneum</i> from China. <i>Mycologia</i> , 2018 , 110, 1172-1188	2.4	9
38	Two new species of <i>Thyronectria</i> from Mediterranean Europe. <i>Mycologia</i> , 2015 , 107, 1314-22	2.4	8
37	New species, notes and key to the aeroaquatic genera <i>Beverwykella</i> and <i>Ramicephala</i> gen. nov. <i>Mycological Research</i> , 2003 , 107, 236-44		8
36	Epitypification, morphology, and phylogeny of <i>Tothia fuscella</i> . <i>Mycotaxon</i> , 2012 , 118, 203-211	0.5	7
35	DNA Flow Cytometry in Non-Vascular Plants 2007 , 267-286		7
34	European species of (Diaporthales). <i>MycoKeys</i> , 2019 , 59, 1-26	2.4	7
33	Discovery of a new species of the complex from Iran and antagonistic activities of spp. against the Ash Dieback pathogen, , in dual culture. <i>MycoKeys</i> , 2020 , 66, 105-133	2.4	7
32	Resolution of the Complex (Hypoxylaceae, Xylariales) and Discovery and Biological Characterization of Two of Its Prominent Secondary Metabolites. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	7
31	sp. nov., an unusual species of Bionectriaceae. <i>Mycological Progress</i> , 2019 , 18, 91-105	1.9	6
30	<i>Spiroplana centripeta</i> gen. & sp. nov., a leaf parasite of <i>Philadelphus</i> and <i>Deutzia</i> with a remarkable aeroaquatic conidium morphology. <i>Mycotaxon</i> , 2011 , 116, 203-216	0.5	6
29	<i>Peronospora</i> causing downy mildew disease of sweet basil newly reported in Cameroon. <i>Plant Pathology</i> , 2009 , 58, 805-805	2.8	6
28	<i>Pseudoclathrosphaerina evamariae</i> gen. et sp. nov. and <i>Sympodioclathra Globosa</i> gen. et sp. nov., Two Aeroaquatic Fungi Similar to <i>Clathrosphaerina</i> . <i>Mycologia</i> , 1997 , 89, 942	2.4	6
27	<i>Dendroclathra caeruleofusca</i> gen.nov. et sp.nov., an aeroaquatic hyphomycete from Cuba. <i>Canadian Journal of Botany</i> , 2001 , 79, 995-1000		6
26	Two unusual new species of Pleosporales: and 2018 , 70, 129-140		6

25	Molecular phylogeny and a new Iranian species of (Sydowiellaceae, Diaporthales) 2018 , 70, 67-80		6
24	sp. nov., the causal agent of pistachio cankers and decline in Italy. <i>MycKeys</i> , 2018 , 29-51	2.4	6
23	, a new leaf-inhabiting scolecosporous genus in Xylariaceae. <i>Mycological Progress</i> , 2020 , 19, 205-222	1.9	5
22	<i>Stromatonectria</i> gen. nov. and notes on <i>Myrmaeciella</i> . <i>Mycologia</i> , 2011 , 103, 431-40	2.4	5
21	Additions to Taiwan Fungal Flora 1: Neomassariaceae fam. nov.. <i>Cryptogamie, Mycologie</i> , 2018 , 39, 359-372		5
20	Identification and taxonomic position of two mucoralean endoparasites of <i>Hysterangium</i> (Basidiomycota) based on molecular and morphological data. <i>Mycological Progress</i> , 2016 , 15, 1	1.9	4
19	First Report of Systemic Downy Mildew of Opium Poppy Caused by <i>Peronospora somniferi</i> in Australia. <i>Plant Disease</i> , 2017 , 101, 392-392	1.5	4
18	Morphology and Phylogeny of (,) from Leaves in China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	4
17	Phylogenetic relationships and reclassification of <i>Spirosphaera lignicola</i> , an enigmatic aeroaquatic fungus. <i>Mycotaxon</i> , 2011 , 116, 191-202	0.5	3
16	Two new species of (,) associated with tree cankers in the Netherlands.. <i>MycKeys</i> , 2021 , 85, 31-56	2.4	3
15	The genus (Diaporthales). <i>MycKeys</i> , 2020 , 63, 69-117	2.4	3
14	<i>Peronospora odessana</i> sp. nov., a downy mildew pathogen of a Tertiary relict species, <i>Gymnospermium odessanum</i> . <i>Mycological Progress</i> , 2015 , 14, 1	1.9	2
13	<i>Didymella corylicola</i> sp. nov., a new fungus associated with hazelnut fruit development in Italy. <i>Mycological Progress</i> , 2020 , 19, 317-328	1.9	2
12	, a new dothideomycete with hysteriform ascomata 2017 , 69, 29-35		2
11	Fenestelloid clades of the. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2020 , 44, 1-40	9	2
10	gen. et sp. nov., a new pathogen causing crown rot of fennel in Italy. <i>MycKeys</i> , 2020 , 66, 1-22	2.4	2
9	First report of <i>Erysiphe corylacearum</i> on <i>Corylus avellana</i> and <i>C. colurna</i> in Austria. <i>New Disease Reports</i> , 2020 , 42, 14-14	1.3	2
8	and (Cenangiaceae) are closest relatives: phylogenetic relationships, morphology and a new species. <i>Mycological Progress</i> , 2020 , 19, 1329-1352	1.9	1

7	Morphology and phylogeny reveal two novel species from China. <i>MycKeys</i> , 2019 , 56, 67-80	2.4	1
6	Three new species of <i>Stigmatodiscus</i> from Mallorca (Spain). <i>Mycological Progress</i> , 2018 , 17, 1189-1201	1.9	0
5	New species, combinations and records of <i>Thyronectria</i> , with a key to species. <i>Mycological Progress</i> , 2022 , 21, 257-278	1.9	0
4	<i>Neopestalotiopsis siciliana</i> sp. nov. and <i>N. rosae</i> Causing Stem Lesion and Dieback on Avocado Plants in Italy. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022 , 8, 562	5.6	0
3	Progress and challenges in systematics of downy mildews and white blister rusts: new insights from genes and morphology 2008 , 3-18		
2	First report of <i>Coleosporium montanum</i> on <i>Symphytotrichum</i> in Austria and Europe. <i>New Disease Reports</i> , 2020 , 42, 24-24	1.3	
1	(2593) Proposal to conserve the name <i>Lopadostoma</i> against <i>Phaeosperma</i> (Ascomycota: Lopadostomataceae). <i>Taxon</i> , 2018 , 67, 441-441	0.8	