## Jani Raitanen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1280333/publications.pdf

Version: 2024-02-01

		101384	149479
161	4,374 citations	36	56
papers	citations	h-index	g-index
167	167	167	5990
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Incidence of gliomas by anatomic location. Neuro-Oncology, 2007, 9, 319-325.	0.6	250
2	Primary Prevention of Gestational Diabetes Mellitus and Large-for-Gestational-Age Newborns by Lifestyle Counseling: A Cluster-Randomized Controlled Trial. PLoS Medicine, 2011, 8, e1001036.	3.9	189
3	Mobile phone use and risk of acoustic neuroma: results of the Interphone case–control study in five North European countries. British Journal of Cancer, 2005, 93, 842-848.	2.9	181
4	Effectiveness and cost-effectiveness of neuromuscular exercise and back care counseling in female healthcare workers with recurrent non-specific low back pain: a blinded four-arm randomized controlled trial. BMC Public Health, 2018, 18, 1376.	1.2	173
5	Infertility, mental disorders and wellâ€being – a nationwide survey. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 677-682.	1.3	159
6	Mobile phone use and risk of glioma in 5 North European countries. International Journal of Cancer, 2007, 120, 1769-1775.	2.3	148
7	Epilepsy-related clinical characteristics and mortality. Neurology, 2014, 83, 1968-1977.	1.5	131
8	Prevalence of menopause symptoms and their association with lifestyle among Finnish middle-aged women. Maturitas, 2010, 67, 368-374.	1.0	130
9	Female predominance in meningiomas can not be explained by differences in progesterone, estrogen, or androgen receptor expression. Journal of Neuro-Oncology, 2006, 80, 1-7.	1.4	116
10	Health and life style among infertile men and women. Sexual and Reproductive Healthcare, 2010, 1, 91-98.	0.5	78
11	Effect of aerobic training on hot flushes and quality of life—a randomized controlled trial. Annals of Medicine, 2012, 44, 616-626.	1.5	76
12	Birth Rate among Patients with Epilepsy: A Nationwide Population-based Cohort Study in Finland. American Journal of Epidemiology, 2004, 159, 1057-1063.	1.6	67
13	Panel discussion does not improve reliability of peer review for medical research grant proposals. Journal of Clinical Epidemiology, 2012, 65, 47-52.	2.4	66
14	Physical activity and change in quality of life during menopause -an 8-year follow-up study. Health and Quality of Life Outcomes, 2012, 10, 8.	1.0	64
15	Meningioma and mobile phone usea collaborative case-control study in five North European countries. International Journal of Epidemiology, 2008, 37, 1304-1313.	0.9	59
16	Iron intake, haemoglobin and risk of gestational diabetes: a prospective cohort study. BMJ Open, 2012, 2, e001730.	0.8	53
17	Sleep quality and aerobic training among menopausal womenâ€"A randomized controlled trial. Maturitas, 2012, 72, 339-345.	1.0	53
18	Local Complications After Cosmetic Breast Implant Surgery in Finland. Annals of Plastic Surgery, 2004, 53, 413-419.	0.5	50

#	Article	IF	CITATIONS
19	Physical activity and menopause-related quality of life – A population-based cross-sectional study. Maturitas, 2015, 80, 69-74.	1.0	49
20	The production of IL-6 in acute epileptic seizure: A video-EEG study. Journal of Neuroimmunology, 2018, 316, 50-55.	1,1	49
21	Effect of hysterectomy on incidence trends of endometrial and cervical cancer in Finland 1953–2010. British Journal of Cancer, 2004, 90, 1756-1759.	2.9	48
22	Health care costs associated with gestational diabetes mellitus among high-risk women – results from a randomised trial. BMC Pregnancy and Childbirth, 2012, 12, 71.	0.9	48
23	Self-rated health in individuals with and without disease is associated with multiple biomarkers representing multiple biological domains. Scientific Reports, 2021, 11, 6139.	1.6	48
24	Exogenous sex hormone use and risk of meningioma: a population-based case–control study in Finland. Cancer Causes and Control, 2010, 21, 2149-2156.	0.8	47
25	Burdensome Transitions at the End of Life Among Long-Term Care Residents With Dementia. Journal of the American Medical Directors Association, 2014, 15, 643-648.	1.2	47
26	Effectiveness of a 12-month Exercise Intervention on Physical Activity and Quality of Life of Breast Cancer Survivors; Five-year Results of the BREX-study. In Vivo, 2019, 33, 881-888.	0.6	43
27	Physical Activity and Health-Related Quality of Life During Pregnancy: A Secondary Analysis of a Cluster-Randomised Trial. Maternal and Child Health Journal, 2014, 18, 2098-2105.	0.7	42
28	Physical Activity During Pregnancy: Predictors of Change, Perceived Support and Barriers Among Women at Increased Risk of Gestational Diabetes. Maternal and Child Health Journal, 2014, 18, 2158-2166.	0.7	42
29	Anticardiolipin and antinuclear antibodies in epilepsy—a population-based cross-sectional study. Epilepsy Research, 2004, 58, 13-18.	0.8	41
30	Mortality by clinical characteristics in a tertiary care cohort of adult patients with chronic epilepsy. Epilepsia, 2012, 53, e212-4.	2.6	39
31	Location of Gliomas in Relation to Mobile Telephone Use: A Case-Case and Case-Specular Analysis. American Journal of Epidemiology, 2011, 174, 2-11.	1.6	38
32	Do Socioeconomic Health Differences Persist in Nonagenarians?. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2013, 68, 837-847.	2.4	38
33	Celiac disease-related antibodies in an epilepsy cohort and matched reference population. Epilepsy and Behavior, 2005, 6, 388-392.	0.9	37
34	Ten-Year Change in the Association Between Obesity and Parity: Results From the National FINRISK Population Study. Gender Medicine, 2011, 8, 399-406.	1.4	37
35	Effect of aerobic training on menopausal symptoms—a randomized controlled trial. Menopause, 2012, 19, 691-696.	0.8	37
36	Background radiation and childhood leukemia: A nationwide registerâ€based caseâ€control study. International Journal of Cancer, 2016, 139, 1975-1982.	2.3	37

#	Article	IF	Citations
37	<p>Charlson Comorbidity Index Based On Hospital Episode Statistics Performs Adequately In Predicting Mortality, But Its Discriminative Ability Diminishes Over Time</p> . Clinical Epidemiology, 2019, Volume 11, 923-932.	1.5	37
38	The impact of dementia on care transitions during the last two years of life. Age and Ageing, 2012, 41, 52-57.	0.7	36
39	Long-term mortality risk by cause of death in newly diagnosed patients with epilepsy in Finland: a nationwide register-based study. European Journal of Epidemiology, 2013, 28, 981-990.	2.5	36
40	Prostate Cancer and Socioeconomic Status in the Finnish Randomized Study of Screening for Prostate Cancer. American Journal of Epidemiology, 2016, 184, 720-731.	1.6	36
41	Age and closeness of death as determinants of health and social care utilization: a case-control study. European Journal of Public Health, 2009, 19, 313-318.	0.1	34
42	Chronic conditions and multimorbidity in population aged 90 years and over: associations with mortality and long-term care admission. Age and Ageing, 2019, 48, 564-570.	0.7	31
43	Radiation exposure from computerized tomography and risk of childhood leukemia: Finnish register-based case-control study of childhood leukemia (FRECCLE). Haematologica, 2018, 103, 1873-1880.	1.7	30
44	Secular trend in the menopausal age in Finland 1997–2007 and correlation with socioeconomic, reproductive and lifestyle factors. Maturitas, 2010, 66, 417-422.	1.0	28
45	Pragmatic controlled trial to prevent childhood obesity in maternity and child health care clinics: pregnancy and infant weight outcomes (The VACOPP Study). BMC Pediatrics, 2013, 13, 80.	0.7	28
46	Association of Body Mass Index and Waist Circumference With Physical Functioning: The Vitality 90+ Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 885-891.	1.7	28
47	Cost-effectiveness of vitamin D supplementation and exercise in preventing injurious falls among older home-dwelling women: findings from an RCT. Osteoporosis International, 2016, 27, 193-201.	1.3	28
48	Is intensive counseling in maternity care feasible and effective in promoting physical activity among women at risk for gestational diabetes? Secondary analysis of a cluster randomized NELLI study in Finland. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 104.	2.0	27
49	Effects of dietary counselling on food habits and dietary intake of Finnish pregnant women at increased risk for gestational diabetes – a secondary analysis of a clusterâ€randomized controlled trial. Maternal and Child Nutrition, 2014, 10, 184-197.	1.4	27
50	Lifestyle counselling targeting infant's mother during the child's first year and offspring weight development until 4â€years of age: a follow-up study of a cluster RCT. BMJ Open, 2012, 2, e000624.	0.8	25
51	Serum IgA, IgG, and IgM concentrations in patients with epilepsy and matched controls: a cohort-based cross-sectional study. Epilepsy and Behavior, 2005, 6, 191-195.	0.9	24
52	Health and social service use among old people in the last 2Âyears of life. European Journal of Ageing, 2007, 4, 145-154.	1,2	24
53	Transitions in health and social service system at the end of life. European Journal of Ageing, 2010, 7, 91-100.	1.2	24
54	Prevalence and regional differences of gestational diabetes mellitus and oral glucose tolerance tests in Finland. European Journal of Public Health, 2012, 22, 278-280.	0.1	24

#	Article	IF	Citations
55	Estimate of Opportunistic Prostate Specific Antigen Testing in the Finnish Randomized Study of Screening for Prostate Cancer. Journal of Urology, 2017, 198, 50-57.	0.2	24
56	Effectiveness and Cost-Effectiveness of a Cluster-Randomized Prenatal Lifestyle Counseling Trial: A Seven-Year Follow-Up. PLoS ONE, 2016, 11, e0167759.	1.1	23
57	Women treated for epilepsy during pregnancy: outcomes from a nationwide populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 812-820.	1.3	22
58	Changes in older people's care profiles during the last 2 years of life, 1996–1998 and 2011–2013: a retrospective nationwide study in Finland. BMJ Open, 2017, 7, e015130.	0.8	22
59	Long-term care is increasingly concentrated in the last years of life: a change from 2000 to 2011. European Journal of Public Health, 2017, 27, 665-669.	0.1	22
60	Epilepsy, excess deaths and years of life lost from external causes. European Journal of Epidemiology, 2016, 31, 445-453.	2.5	21
61	Postpartum Weight Retention is Associated with Elevated Ratio of Oxidized LDL Lipids to HDLâ€Cholesterol. Lipids, 2013, 48, 1227-1235.	0.7	20
62	Family history in the <scp>F</scp> innish <scp>P</scp> rostate <scp>C</scp> ancer <scp>S</scp> creening <scp>T</scp> rial. International Journal of Cancer, 2015, 136, 2172-2177.	2.3	20
63	Metabolic syndrome in Finnish women 7â€years after a gestational diabetes prevention trial. BMJ Open, 2017, 7, e014565.	0.8	20
64	Patient-specific computer-based decision support in primary healthcare—a randomized trial. Implementation Science, 2014, 9, 15.	2.5	19
65	Quality of life, psychological distress and violence among women in close relationships: a population-based study in Finland. BMC Women's Health, 2020, 20, 85.	0.8	19
66	Retention rates of new antiepileptic drugs in localization-related epilepsy: a single-center study. Acta Neurologica Scandinavica, 2009, 119, 55-60.	1.0	18
67	Prevalence of Metabolic Syndrome One Year after Delivery in Finnish Women at Increased Risk for Gestational Diabetes Mellitus during Pregnancy. Journal of Pregnancy, 2013, 2013, 1-7.	1.1	18
68	Data management and data analysis techniques in pharmacoepidemiological studies using a preâ€planned multiâ€database approach: a systematic literature review. Pharmacoepidemiology and Drug Safety, 2015, 24, 897-905.	0.9	18
69	Chronically reduced IL-10 plasma levels are associated with hippocampal sclerosis in temporal lobe epilepsy patients. BMC Neurology, 2020, 20, 241.	0.8	18
70	Lifestyle counseling during pregnancy and offspring weight development until four years of age: follow-up study of a controlled trial. Journal of Negative Results in BioMedicine, 2012, 11, 11.	1.4	17
71	The concentration of cell-free DNA in focal epilepsy. Epilepsy Research, 2013, 105, 292-298.	0.8	17
72	Cost-Effectiveness of Lifestyle Counselling as Primary Prevention of Gestational Diabetes Mellitus: Findings from a Cluster-Randomised Trial. PLoS ONE, 2013, 8, e56392.	1.1	17

#	Article	IF	CITATIONS
73	Identification of a prognostic signature for old-age mortality by integrating genome-wide transcriptomic data with the conventional predictors: the Vitality 90+ Study. BMC Medical Genomics, 2014, 7, 54.	0.7	17
74	Is socioeconomic status a predictor of mortality in nonagenarians? The vitality 90+ study. Age and Ageing, 2015, 44, 123-129.	0.7	17
75	Comparative effectiveness of eight antiepileptic drugs in adults with focal refractory epilepsy: the influence of age, gender, and the sequence in which drugs were introduced onto the market. Journal of Neurology, 2017, 264, 1345-1353.	1.8	17
76	Do Successful Agers Live Longer? The Vitality 90+ Study. Journal of Aging and Health, 2015, 27, 35-53.	0.9	16
77	The effect of newer antiepileptic drugs in combination therapy. Epilepsy Research, 2017, 132, 15-20.	0.8	16
78	Device-Based Measures of Sedentary Time and Physical Activity Are Associated With Physical Fitness and Body Fat Content. Frontiers in Sports and Active Living, 2020, 2, 587789.	0.9	16
79	6-mo aerobic exercise intervention enhances the lipid peroxide transport function of HDL. Free Radical Research, 2016, 50, 1279-1285.	1.5	15
80	Clinical management of elderly patients with epilepsy; the use of lacosamide in a single center setting. Epilepsy and Behavior, 2017, 75, 86-89.	0.9	15
81	Preventing excessive gestational weight gain—a secondary analysis of a cluster-randomised controlled trial. European Journal of Clinical Nutrition, 2012, 66, 1344-1350.	1.3	14
82	Effect of physical exercise on work ability and daily strain in symptomatic menopausal women: A randomized controlled trial. Work, 2014, 47, 281-286.	0.6	14
83	Effects of incomplete residential histories on studies of environmental exposure with application to childhood leukaemia and background radiation. Environmental Research, 2018, 166, 466-472.	3.7	14
84	Longitudinal change in physical functioning and dropout due to death among the oldest old: a comparison of three methods of analysis. European Journal of Ageing, 2020, 17, 207-216.	1.2	14
85	Seizure-freedom with combination therapy in localization-related epilepsy. Seizure: the Journal of the British Epilepsy Association, 2008, 17, 276-280.	0.9	13
86	Systolic Hypertension in Pregnancy and Cardiovascular Mortality: A 44-Year Follow-up Study. Hypertension in Pregnancy, 2008, 27, 87-94.	0.5	13
87	Dementia as a determinant of social and health service use in the last two years of life 1996-2003. BMC Geriatrics, 2011, 11, 14.	1.1	13
88	Short- and Long-term Effects of a Physical Exercise Intervention on Work Ability and Work Strain in Symptomatic Menopausal Women. Safety and Health at Work, 2014, 5, 186-190.	0.3	13
89	Ethnic Differences in Gestational Weight Gain: A Population-Based Cohort Study in Norway. Maternal and Child Health Journal, 2016, 20, 1485-1496.	0.7	13
90	The effect of a movement-to-music video program on the objectively measured sedentary time and physical activity of preschool-aged children and their mothers: A randomized controlled trial. PLoS ONE, 2017, 12, e0183317.	1.1	13

#	Article	IF	CITATIONS
91	Trends of Physical Functioning, Morbidity, and Disability-Free Life Expectancy Among the Oldest Old: Six Repeated Cross-Sectional Surveys Between 2001 and 2018 in the Vitality 90+ Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1227-1233.	1.7	13
92	Populationâ€based randomized trial of screening for clinically significant prostate cancer ProScreen: a pilot study. BJU International, 2022, 130, 193-199.	1.3	13
93	Antimitochondrial antibodies in patients with epilepsy. Epilepsy and Behavior, 2005, 7, 95-97.	0.9	12
94	The concentration of cell-free DNA in video-EEG patients is dependent on the epilepsy syndrome and duration of epilepsy. Neurological Research, 2016, 38, 45-50.	0.6	12
95	Body Mass Index and Waist Circumference as Predictors of Disability in Nonagenarians: The Vitality 90+ Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 1569-1574.	1.7	12
96	Changes in place of death among people with dementia in Finland between 1998 and 2013: A register study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 86-93.	1.2	12
97	Predicting residential radon concentrations in Finland: Model development, validation, and application to childhood leukemia. Scandinavian Journal of Work, Environment and Health, 2020, 46, 278-292.	1.7	12
98	Long-term effect of physical activity on health-related quality of life among menopausal women: a 4-year follow-up study to a randomised controlled trial. BMJ Open, 2015, 5, e008232.	0.8	11
99	Prognostic factors of prostate cancer mortality in a Finnish randomized screening trial. International Journal of Urology, 2018, 25, 270-276.	0.5	11
100	Incidence trends of adult malignant brain tumors in Finland, 1990–2016. Acta Oncológica, 2019, 58, 990-996.	0.8	11
101	Test Sensitivity in the European Prostate Cancer Screening Trial: Results from Finland, Sweden, and the Netherlands. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2000-2005.	1.1	10
102	Trends in the use and costs of round-the-clock long-term care in the last two years of life among old people between 2002 and 2013 in Finland. BMC Health Services Research, 2017, 17, 668.	0.9	10
103	A pragmatic controlled trial to prevent childhood obesity within a risk group at maternity and child health-care clinics: results up to six years of age (the VACOPP study). BMC Pediatrics, 2018, 18, 89.	0.7	10
104	Predictors of long-term care among nonagenarians: the Vitality 90 + Study with linked data of the care registers. Aging Clinical and Experimental Research, 2018, 30, 913-919.	1.4	10
105	Place of death among older people in Finland and Norway. Scandinavian Journal of Public Health, 2020, 48, 817-824.	1.2	10
106	Differences in sedentary time and physical activity among mothers and children using a movement-to-music video program in the home environment: a pilot study. SpringerPlus, 2016, 5, 93.	1.2	9
107	Educational Differences in Decline in Maximum Gait Speed in Older Adults Over an 11-Year Follow-up. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 703-709.	1.7	9
108	Methylomic predictors demonstrate the role of NF-κB in old-age mortality and are unrelated to the aging-associated epigenetic drift. Oncotarget, 2016, 7, 19228-19241.	0.8	9

#	Article	IF	Citations
109	Economic burden of low physical activity and high sedentary behaviour in Finland. Journal of Epidemiology and Community Health, 2022, 76, 677-684.	2.0	9
110	Longitudinal changes in mobility among nonagenarians: the Vitality 90+ Study. BMC Geriatrics, 2015, 15, 124.	1.1	8
111	Digital rectal examination in prostate cancer screening at PSA level 3.0-3.9 ng/ml: long-term results from a randomized trial. Scandinavian Journal of Urology, 2021, 55, 348-353.	0.6	8
112	Effect of dietary intervention on serum lignan levels in pregnant women - a controlled trial. Reproductive Health, 2010, 7, 26.	1.2	7
113	Overlaps and accumulation in the use of rehabilitation services. International Journal of Rehabilitation Research, 2011, 34, 255-260.	0.7	7
114	Rationale and methods for a randomized controlled trial of a movement-to-music video program for decreasing sedentary time among mother-child pairs. BMC Public Health, 2015, 15, 1016.	1.2	7
115	Pituitary tumor risk in relation to mobile phone use: A case-control study. Acta Oncol $ ilde{A}^3$ gica, 2015, 54, 1159-1165.	0.8	7
116	Hot flushes among aging women: A 4-year follow-up study to a randomised controlled exercise trial. Maturitas, 2016, 88, 84-89.	1.0	7
117	The Number of Screening Cycles Needed to Reduce Prostate Cancer Mortality in the Finnish Section of the European Randomized Study of Prostate Cancer (ERSPC). Clinical Cancer Research, 2019, 25, 839-843.	3.2	7
118	Successful Aging as a Predictor of Long-Term Care Among Oldest Old: The Vitality 90+ Study. Journal of Applied Gerontology, 2019, 38, 553-571.	1.0	7
119	Differences in Training Adaptations of Endurance Performance during Combined Strength and Endurance Training in a 6-Month Crisis Management Operation. International Journal of Environmental Research and Public Health, 2020, 17, 1688.	1.2	7
120	Cost of gestational diabetes-related antenatal visits in health care based on the Finnish Medical Birth Register. Primary Care Diabetes, 2011, 5, 139-141.	0.9	6
121	Use and distribution of rehabilitation services. International Journal of Rehabilitation Research, 2011, 34, 160-166.	0.7	6
122	Municipal variation in health and social service use in the last 2 years of life among old people. Scandinavian Journal of Public Health, 2011, 39, 361-370.	1.2	6
123	Number of Screening Rounds and Postscreening Prostate Cancer Incidence: Results from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer Study. European Urology, 2016, 70, 499-505.	0.9	6
124	Residential mobility and the risk of childhood leukemia. Cancer Causes and Control, 2016, 27, 433-443.	0.8	6
125	Does use of long-term care differ between occupational classes among the oldest old? Vitality 90Â+ Study. European Journal of Ageing, 2018, 15, 143-153.	1.2	6
126	The Joint Impact of Age at Death and Dementia on Long-Term Care Use in the Last Years of Life: Changes From 1996 to 2013 in Finland. Gerontology and Geriatric Medicine, 2019, 5, 233372141987062.	0.8	6

#	Article	IF	CITATIONS
127	Patients' education level and treatment modality for prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer. European Journal of Cancer, 2020, 130, 204-210.	1.3	6
128	Response to first antiseizure medication in patients diagnosed with epilepsy. Acta Neurologica Scandinavica, 2021, 144, 67-75.	1.0	6
129	Comorbidities in dementia during the last years of life: a register study of patterns and time differences in Finland. Aging Clinical and Experimental Research, 2021, 33, 3285-3292.	1.4	6
130	Outcomes of Screening for Prostate Cancer Among Men Who Use Statins. JAMA Oncology, 2022, 8, 61.	3.4	6
131	Effects of municipality factors on care transitions. Scandinavian Journal of Public Health, 2013, 41, 604-615.	1.2	5
132	Long-term care use among old people in their last 2Âyears of life: variations across Finland. Health and Social Care in the Community, 2016, 24, 439-449.	0.7	5
133	Cost-Effectiveness of Physical Activity among Women with Menopause Symptoms: Findings from a Randomised Controlled Trial. PLoS ONE, 2015, 10, e0135099.	1.1	5
134	Incidence of myelodysplastic syndromes in Finland 1997–2016. Leukemia Research, 2022, 116, 106839.	0.4	5
135	Autoimmunity-related immunological serum markers and survival in a tertiary care cohort of adult patients with epilepsy. Epilepsy Research, 2014, 108, 1675-1679.	0.8	4
136	Cardiometabolic and Inflammatory Biomarkers as Mediators Between Educational Attainment and Functioning at the Age of 90 Years. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 412-419.	1.7	4
137	Discontinuation of carbamazepine due to concerns of longâ€term consequences of enzyme induction. Epilepsia Open, 2018, 3, 340-347.	1.3	4
138	Trends in the use of care among people aged 65–85 with cognitive impairment in the Netherlands. Ageing and Society, 2020, 40, 43-72.	1.2	4
139	Females Sustain more Ankle Injuries than Males in Youth Football. International Journal of Sports Medicine, 2020, 41, 1017-1023.	0.8	4
140	Number of screening rounds attended and incidence of highâ€risk prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer (FinRSPC). Cancer, 2021, 127, 188-192.	2.0	4
141	Prognostic Index for Predicting Prostate Cancer Survival in a Randomized Screening Trial: Development and Validation. Cancers, 2021, 13, 435.	1.7	3
142	Higher number of steps and breaks during sedentary behaviour are associated with better lipid profiles. BMC Public Health, 2021, 21, 629.	1.2	3
143	A 1-year follow-up study on immunological changes following deep brain stimulation in patients with epilepsy. Scientific Reports, 2021, 11, 13765.	1.6	3
144	Incidence trends of childhood central nervous system tumors in Finland 1990–2017. BMC Cancer, 2022, 22, .	1.1	3

#	Article	IF	CITATIONS
145	Care service use in 2 years preceding suicide among older adults: comparison with those who died a natural death and those who lived longer. European Journal of Ageing, 2017, 14, 143-153.	1.2	2
146	Physical Activity and Body Composition in Children and Their Mothers According to Mother's Gestational Diabetes Risk: A Seven-Year Follow-Up Study. Medicina (Lithuania), 2019, 55, 635.	0.8	2
147	Purchases of medicines among community-dwelling older people: comparing people in the last 2Âyears of life and those who lived at least 2Âyears longer. European Journal of Ageing, 2020, 17, 361-369.	1.2	2
148	Relationship between mothers' enjoyment and sedentary behavior and physical activity of mother–child dyads using a movement-to-music video program: a secondary analysis of a randomized controlled trial. BMC Public Health, 2020, 20, 1659.	1.2	2
149	Type 2 Diabetes as a Predictor of Muscle Strength Decline over 11 years among Men and Women Aged 55 Years and Older. Gerontology, 2022, 68, 635-643.	1.4	2
150	Treatment outcomes in women with idiopathic generalized epilepsy. Acta Neurologica Scandinavica, 2022, 145, 423-433.	1.0	2
151	LONGER LIVES MEAN HIGHER NEED FOR LONG-TERM CARE AT THE END-OF-LIFE. Innovation in Aging, 2017, 1, 65-65.	0.0	1
152	The effects of mothers' musical background on sedentary behavior, physical activity, and exercise adherence in their 5-6-years-old children using movement-to-music video program. PLoS ONE, 2018, 13, e0195837.	1.1	1
153	The Testâ€"Retest Repeatability of a Rhythm Coordination Test Procedure in 4- to 6-Year-Old Children: A Pilot Study. Music & Science, 2020, 3, 205920432096228.	0.6	1
154	The effect of music mat exercises on the device-measured sedentary time and physical activity among 4-6-year-old Finnish children and their parents: a pilot study. Music and Medicine, 2021, 13, 57-67.	0.2	1
155	Socioeconomic mortality inequalities among the 90+-year-olds. European Journal of Public Health, 2014, 24, .	0.1	0
156	CHANGE OVER TIME IN THE USE OF CARE IN THE LAST 5 YEARS AMONG PEOPLE WITH DEMENTIA. Innovation in Aging, $2017, 1, 542-543$ .	0.0	0
157	Loss of productivity due to diabetes in Finland between 2002 - 2011. European Journal of Public Health, 2017, 27, .	0.1	0
158	MAILED SURVEYS WITH NONAGENARIANS - CHALLENGES AND LESSONS FROM THE VITALITY 90+ STUDY. Innovation in Aging, 2019, 3, S868-S868.	0.0	0
159	Effects of Dietary and Physical Activity Intervention during Pregnancy on Circulating Leptin and Adiponectin Levels. Food and Nutrition Sciences (Print), 2012, 03, 556-567.	0.2	0
160	Spatio-Temporal Clustering of Childhood Leukemia Relative to Population Mixing in Finland: A Nationwide Register-Based Study. Blood, 2019, 134, 5070-5070.	0.6	0
161	Physical exercise adherence in Finnish children using a music mat: a pilot study. Music and Medicine, 2020, 12, 100.	0.2	0