Joël Coste

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1280613/publications.pdf

Version: 2024-02-01

67	2,438	28	47
papers	citations	h-index	g-index
69	69	69	3465
all docs	docs citations	times ranked	citing authors

#	Article	lF	CITATIONS
1	Long-Term Mortality after Recombinant Growth Hormone Treatment for Isolated Growth Hormone Deficiency or Childhood Short Stature: Preliminary Report of the French SAGhE Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 416-425.	1.8	258
2	Missing data methods for dealing with missing items in quality of life questionnaires. A comparison by simulation of personal mean score, full information maximum likelihood, multiple imputation, and hot deck techniques applied to the SF-36 in the French 2003 decennial health survey. Quality of Life Research, 2011, 20, 287-300.	1.5	196
3	Diabetes, Associated Clinical Spectrum, Long-term Prognosis, and Genotype/Phenotype Correlations in 201 Adult Patients With Hepatocyte Nuclear Factor 1B (<i>HNF1B</i>) Molecular Defects. Diabetes Care, 2017, 40, 1436-1443.	4.3	117
4	Cancer Risks in Patients Treated With Growth Hormone in Childhood: The SAGhE European Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1661-1672.	1.8	113
5	OAKHQOL: A new instrument to measure quality of life in knee and hip osteoarthritis. Journal of Clinical Epidemiology, 2005, 58, 47-55.	2.4	109
6	Cardiovascular effect of discontinuing statins for primary prevention at the age of 75 years: a nationwide population-based cohort study in France. European Heart Journal, 2019, 40, 3516-3525.	1.0	97
7	Growth hormone treatment for childhood short stature and risk of stroke in early adulthood. Neurology, 2014, 83, 780-786.	1.5	87
8	Effectiveness and Safety of Reference Infliximab and Biosimilar in Crohn Disease: A French Equivalence Study. Annals of Internal Medicine, 2019, 170, 99.	2.0	76
9	Early postoperative prophylactic noninvasive ventilation after major lung resection in COPD patients: a randomized controlled trial. Intensive Care Medicine, 2014, 40, 220-227.	3.9	70
10	Use of high dose cyproterone acetate and risk of intracranial meningioma in women: cohort study. BMJ, The, 2021, 372, n37.	3.0	68
11	Risks of 23 specific malformations associated with prenatal exposure to 10 antiepileptic drugs. Neurology, 2019, 93, e167-e180.	1.5	64
12	Classification of and Risk Factors for Estrogen Deprivation Pain Syndromes Related to Aromatase Inhibitor Treatments in Women With Breast Cancer: A Prospective Multicenter Cohort Study. Journal of Pain, 2014, 15, 293-303.	0.7	58
13	Smoking and Health-Related Quality of Life in the General Population. Independent Relationships and Large Differences According to Patterns and Quantity of Smoking and to Gender. PLoS ONE, 2014, 9, e91562.	1.1	57
14	Value of Molecular Classification for Prognostic Assessment of Adrenocortical Carcinoma. JAMA Oncology, 2019, 5, 1440.	3.4	57
15	Quality of life in women with fibromyalgia syndrome: validation of the QIF, the French version of the fibromyalgia impact questionnaire. Journal of Rheumatology, 2003, 30, 1054-9.	1.0	57
16	Non response, incomplete and inconsistent responses to self-administered health-related quality of life measures in the general population: patterns, determinants and impact on the validity of estimates. A population-based study in France using the MOS SF-36. Health and Quality of Life Outcomes, 2013, 11, 44.	1.0	51
17	Description of the SAGhE Cohort: A Large European Study of Mortality and Cancer Incidence Risks after Childhood Treatment with Recombinant Growth Hormone. Hormone Research in Paediatrics, 2015, 84, 172-183.	0.8	51
18	The KHOALA cohort of knee and hip osteoarthritis in France. Joint Bone Spine, 2012, 79, 597-603.	0.8	48

#	Article	IF	CITATIONS
19	DNA methylation is an independent prognostic marker of survival in adrenocortical cancer. Journal of Clinical Endocrinology and Metabolism, 2016, 102, jc.2016-3205.	1.8	44
20	Risk of early neurodevelopmental outcomes associated with prenatal exposure to the antiepileptic drugs most commonly used during pregnancy: a French nationwide population-based cohort study. BMJ Open, 2020, 10, e034829.	0.8	39
21	Gender-Related Differential Effects of Obesity on Health-Related Quality of Life via Obesity-Related Comorbidities. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 246-256.	0.9	38
22	Risk of early neurodevelopmental disorders associated with in utero exposure to valproate and other antiepileptic drugs: a nationwide cohort study in France. Scientific Reports, 2020, 10, 17362.	1.6	37
23	Quality of life and impact of pain in women treated with aromatase inhibitors for breast cancer. A multicenter cohort study. PLoS ONE, 2017, 12, e0187165.	1.1	36
24	Reproducibility of radiographic hip measurements in adults. Joint Bone Spine, 2013, 80, 52-56.	0.8	35
25	Height and Health-Related Quality of Life: A Nationwide Population Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 3231-3239.	1.8	34
26	Moderators, mediators, and bidirectional relationships in the International Classification of Functioning, Disability and Health (ICF) framework: An empirical investigation using a longitudinal design and Structural Equation Modeling (SEM). Social Science and Medicine, 2015, 135, 133-142.	1.8	34
27	Computer-aided diagnosis (CAD) of subsolid nodules: Evaluation of a commercial CAD system. European Journal of Radiology, 2016, 85, 1728-1734.	1.2	32
28	Risk of Meningioma in European Patients Treated With Growth Hormone in Childhood: Results From the SAGhE Cohort. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 658-664.	1.8	31
29	Brain natriuretic peptide usefulness in very elderly dyspnoeic patients: the BED study. European Journal of Heart Failure, 2017, 19, 540-548.	2.9	28
30	Non-bleeding Adverse Events with the Use of Direct Oral Anticoagulants: A Sequence Symmetry Analysis. Drug Safety, 2018, 41, 881-897.	1.4	28
31	Relationship Between Hip Dysplasia, Pain, and Osteoarthritis in a Cohort of Patients with Hip Symptoms. Journal of Rheumatology, 2013, 40, 1583-1589.	1.0	27
32	Contacts with Health Services During the Year Prior to Suicide Death and Prevalent Conditions A Nationwide Study. Journal of Affective Disorders, 2020, 274, 174-182.	2.0	26
33	Seasonal influenza vaccine and Guillain-Barré syndrome. Neurology, 2020, 94, e2168-e2179.	1.5	25
34	Burden of fractures in France: incidence and severity by age, gender, and site in 2016. International Orthopaedics, 2020, 44, 947-955.	0.9	23
35	Contrasted trends in health-related quality of life across gender, age categories and work status in France, 1995–2016: repeated population-based cross-sectional surveys using the SF-36. Journal of Epidemiology and Community Health, 2019, 73, 65-72.	2.0	19
36	Risk of Diabetes Treated in Early Adulthood After Growth Hormone Treatment of Short Stature in Childhood. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1291-1298.	1.8	18

#	Article	IF	Citations
37	Risk of intracranial meningioma with three potent progestogens: A populationâ€based case–control study. European Journal of Neurology, 2022, 29, 2801-2809.	1.7	17
38	Increased risk of bone tumors after growth hormone treatment in childhood: A population-based cohort study in France. Cancer Medicine, 2018, 7, 3465-3473.	1.3	16
39	Thromboembolic risk after lumbar spine surgery: a cohort study on 325Â000 French patients. Journal of Thrombosis and Haemostasis, 2018, 16, 1537-1545.	1.9	15
40	Hemodynamic efficiency of hemodialysis treatment with high cut-off membrane during the early period of post-resuscitation shock: The HYPERDIA trial. Resuscitation, 2019, 140, 170-177.	1.3	15
41	Identifying type and determinants of missing items in quality of life questionnaires: Application to the SF-36 French version of the 2003 Decennial Health Survey. Health and Quality of Life Outcomes, 2010, 8, 16.	1.0	14
42	Trajectory analysis combining pain and physical function in individuals with knee and hip osteoarthritis: results from the French KHOALA cohort. Rheumatology, 2020, 59, 3488-3498.	0.9	14
43	Association between hip morphology and prevalence, clinical severity and progression of hip osteoarthritis over 3 years: The knee and hip osteoarthritis long-term assessment cohort results. Joint Bone Spine, 2016, 83, 432-438.	0.8	13
44	The Mini-OAKHQOL for knee and hip osteoarthritis quality of life wasÂobtained following recent shortening guidelines. Journal of Clinical Epidemiology, 2016, 69, 70-78.	2.4	13
45	The French PROMIS-29. Psychometric validation and population reference values. Revue D'Epidemiologie Et De Sante Publique, 2018, 66, 317-324.	0.3	12
46	Estimating and characterizing the burden of multimorbidity in the community: A comprehensive multistep analysis of two large nationwide representative surveys in France. PLoS Medicine, 2021, 18, e1003584.	3.9	12
47	Placebo-related effects: a meta-narrative review of conceptualization, mechanisms and their relevance in rheumatology. Rheumatology, 2016, 56, kew274.	0.9	11
48	Statins for primary prevention and rhabdomyolysis: A nationwide cohort study in France. European Journal of Preventive Cardiology, 2019, 26, 512-521.	0.8	11
49	Osteopathic medicine for fibromyalgia: a sham-controlled randomized clinical trial. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110090.	1.2	9
50	The Norwegian PROMIS-29: psychometric validation in the general population for Norway. Journal of Patient-Reported Outcomes, 2021, 5, 86.	0.9	9
51	Statins for primary prevention of cardiovascular disease and the risk of acute kidney injury. Pharmacoepidemiology and Drug Safety, 2019, 28, 1583-1590.	0.9	7
52	La fibromyalgie en FranceÂ: vécu quotidien, fardeau professionnel et prise en charge. Enquête nationale auprÃ's de 4516Âpatients. Revue Du Rhumatisme (Edition Francaise), 2019, 86, 90-95.	0.0	7
53	The epidemiology of multimorbidity in France: Variations by gender, age and socioeconomic factors, and implications for surveillance and prevention. PLoS ONE, 2022, 17, e0265842.	1.1	6
54	Diverging approaches of pharmacovigilance and pharmacoepidemiology to assessing drug safety: epistemological and ethical implications. Pharmacoepidemiology and Drug Safety, 2017, 26, 600-602.	0.9	5

#	Article	IF	CITATIONS
55	Rasch analysis for assessing unidimensionality and identifying measurement biases of malignancy scores in oncology. The example of the Weiss histopathological system for the diagnosis of adrenocortical cancer. Cancer Epidemiology, 2014, 38, 200-208.	0.8	4
56	Femoro-tibial knee osteoarthritis: One or two X-rays? Results from a population-based study. Joint Bone Spine, 2016, 83, 37-42.	0.8	4
57	Comment on: "Levothyrox® New and Old Formulations: Are they Switchable for Millions of Patients?― Clinical Pharmacokinetics, 2019, 58, 965-966.	1.6	4
58	Impact of smoking on femorotibial and hip osteoarthritis progression: 3-year follow-up data from the KHOALA cohort. Joint Bone Spine, 2021, 88, 105077.	0.8	4
59	Hepatic and vascular enhancement at dual-phase helical CT: comparison of lobitridol 300 and lohexol 300 in a prospective randomized study. European Radiology, 2001, 11, 2220-2227.	2.3	3
60	Les troubles mentaux dans les écrits médicaux anciensÂ: méthodes de caractérisation et application aux consultations françaises du xvieÂsiècle au xviiieÂsiècle. Annales Medico-Psychologiques, 2014, 172, 625-633.	0.2	3
61	Response to Comment on Dubois-Laforgue et al. Diabetes, Associated Clinical Spectrum, Long-term Prognosis, and Genotype/Phenotype Correlations in 201 Adult Patients With Hepatocyte Nuclear Factor 1B (HNF1B) Molecular Defects. Diabetes Care 2017;40:1436–1443. Diabetes Care, 2018, 41, e8-e9.	4.3	3
62	Le Système National des Données de SantéÂ: description et application dans le champ de l'orthopédie Revue De Chirurgie Orthopedique Et Traumatologique, 2019, 105, 961-966.	·o.o	3
63	Association of Baseline Cardiovascular Diseases with 5-Year Knee and Hip Osteoarthritis Progression in Non-Obese Patients: Data from the KHOALA Cohort. Journal of Clinical Medicine, 2021, 10, 3353.	1.0	3
64	Insulin allergy: a diagnostic and therapeutic strategy based on a retrospective cohort and a case–control study. Diabetologia, 2022, , .	2.9	3
65	Association entre morphologie de la hanche et prévalence, sévérité clinique et progression de la coxarthrose pendant 3ÂansÃ: résultats de la cohorte Knee and Hip OsteoArthritis Long-term Assessment (KHOALA). Revue Du Rhumatisme (Edition Francaise), 2017, 84, 440-447.	0.0	0
66	OP0178â€CARDIOVASCULAR COMORBIDITIES HAVE A DELETERIOUS IMPACT ON KNEE OSTEOARTHRITIS PROGNOSIS AT 5 YEARS: DATA FROM THE PROSPECTIVE KHOALA COHORT. , 2019, , .		0
67	Response to Alvarez et al Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110537.	1.2	0