

João Coste

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1280613/publications.pdf>

Version: 2024-02-01

67
papers

2,438
citations

186209

28
h-index

214721

47
g-index

69
all docs

69
docs citations

69
times ranked

3465
citing authors

#	ARTICLE	IF	CITATIONS
1	The epidemiology of multimorbidity in France: Variations by gender, age and socioeconomic factors, and implications for surveillance and prevention. PLoS ONE, 2022, 17, e0265842.	1.1	6
2	Insulin allergy: a diagnostic and therapeutic strategy based on a retrospective cohort and a caseâ€“control study. Diabetologia, 2022, , .	2.9	3
3	Risk of intracranial meningioma with three potent progestogens: A populationâ€“based caseâ€“control study. European Journal of Neurology, 2022, 29, 2801-2809.	1.7	17
4	Impact of smoking on femorotibial and hip osteoarthritis progression: 3-year follow-up data from the KHOALA cohort. Joint Bone Spine, 2021, 88, 105077.	0.8	4
5	Osteopathic medicine for fibromyalgia: a sham-controlled randomized clinical trial. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110090.	1.2	9
6	Use of high dose cyproterone acetate and risk of intracranial meningioma in women: cohort study. BMJ, The, 2021, 372, n37.	3.0	68
7	Estimating and characterizing the burden of multimorbidity in the community: A comprehensive multistep analysis of two large nationwide representative surveys in France. PLoS Medicine, 2021, 18, e1003584.	3.9	12
8	Association of Baseline Cardiovascular Diseases with 5-Year Knee and Hip Osteoarthritis Progression in Non-Obese Patients: Data from the KHOALA Cohort. Journal of Clinical Medicine, 2021, 10, 3353.	1.0	3
9	The Norwegian PROMIS-29: psychometric validation in the general population for Norway. Journal of Patient-Reported Outcomes, 2021, 5, 86.	0.9	9
10	Response to Alvarez et al.. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110537.	1.2	0
11	Risk of early neurodevelopmental disorders associated with in utero exposure to valproate and other antiepileptic drugs: a nationwide cohort study in France. Scientific Reports, 2020, 10, 17362.	1.6	37
12	Trajectory analysis combining pain and physical function in individuals with knee and hip osteoarthritis: results from the French KHOALA cohort. Rheumatology, 2020, 59, 3488-3498.	0.9	14
13	Risk of early neurodevelopmental outcomes associated with prenatal exposure to the antiepileptic drugs most commonly used during pregnancy: a French nationwide population-based cohort study. BMJ Open, 2020, 10, e034829.	0.8	39
14	Contacts with Health Services During the Year Prior to Suicide Death and Prevalent Conditions A Nationwide Study. Journal of Affective Disorders, 2020, 274, 174-182.	2.0	26
15	Burden of fractures in France: incidence and severity by age, gender, and site in 2016. International Orthopaedics, 2020, 44, 947-955.	0.9	23
16	Seasonal influenza vaccine and Guillain-BarrÃ© syndrome. Neurology, 2020, 94, e2168-e2179.	1.5	25
17	Statins for primary prevention and rhabdomyolysis: A nationwide cohort study in France. European Journal of Preventive Cardiology, 2019, 26, 512-521.	0.8	11
18	Value of Molecular Classification for Prognostic Assessment of Adrenocortical Carcinoma. JAMA Oncology, 2019, 5, 1440.	3.4	57

#	ARTICLE	IF	CITATIONS
19	Cardiovascular effect of discontinuing statins for primary prevention at the age of 75 years: a nationwide population-based cohort study in France. <i>European Heart Journal</i> , 2019, 40, 3516-3525.	1.0	97
20	Risks of 23 specific malformations associated with prenatal exposure to 10 antiepileptic drugs. <i>Neurology</i> , 2019, 93, e167-e180.	1.5	64
21	Statins for primary prevention of cardiovascular disease and the risk of acute kidney injury. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1583-1590.	0.9	7
22	Risk of Meningioma in European Patients Treated With Growth Hormone in Childhood: Results From the SAGhE Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 658-664.	1.8	31
23	Comment on: "Levothyrox® New and Old Formulations: Are they Switchable for Millions of Patients?" <i>Clinical Pharmacokinetics</i> , 2019, 58, 965-966.	1.6	4
24	Hemodynamic efficiency of hemodialysis treatment with high cut-off membrane during the early period of post-resuscitation shock: The HYPERDIA trial. <i>Resuscitation</i> , 2019, 140, 170-177.	1.3	15
25	OP0178...CARDIOVASCULAR COMORBIDITIES HAVE A DELETERIOUS IMPACT ON KNEE OSTEOARTHRITIS PROGNOSIS AT 5 YEARS: DATA FROM THE PROSPECTIVE KHOALA COHORT. , 2019, , .		0
26	Le Système National des Données de Santé: description et application dans le champ de l'orthopédie. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2019, 105, 961-966.	0.0	3
27	Contrasted trends in health-related quality of life across gender, age categories and work status in France, 1995-2016: repeated population-based cross-sectional surveys using the SF-36. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 65-72.	2.0	19
28	Effectiveness and Safety of Reference Infliximab and Biosimilar in Crohn Disease: A French Equivalence Study. <i>Annals of Internal Medicine</i> , 2019, 170, 99.	2.0	76
29	La fibromyalgie en France: vécu quotidien, fardeau professionnel et prise en charge. Enquête nationale auprès de 4516 patients. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2019, 86, 90-95.	0.0	7
30	Response to Comment on Dubois-Laforgue et al. Diabetes, Associated Clinical Spectrum, Long-term Prognosis, and Genotype/Phenotype Correlations in 201 Adult Patients With Hepatocyte Nuclear Factor 1B (HNF1B) Molecular Defects. <i>Diabetes Care</i> 2017;40:1436-1443. <i>Diabetes Care</i> , 2018, 41, e8-e9.	4.3	3
31	Non-bleeding Adverse Events with the Use of Direct Oral Anticoagulants: A Sequence Symmetry Analysis. <i>Drug Safety</i> , 2018, 41, 881-897.	1.4	28
32	The French PROMIS-29. Psychometric validation and population reference values. <i>Revue D'Epidemiologie Et De Sante Publique</i> , 2018, 66, 317-324.	0.3	12
33	Thromboembolic risk after lumbar spine surgery: a cohort study on 325 000 French patients. <i>Journal of Thrombosis and Haemostasis</i> , 2018, 16, 1537-1545.	1.9	15
34	Increased risk of bone tumors after growth hormone treatment in childhood: A population-based cohort study in France. <i>Cancer Medicine</i> , 2018, 7, 3465-3473.	1.3	16
35	Diverging approaches of pharmacovigilance and pharmacoepidemiology to assessing drug safety: epistemological and ethical implications. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 600-602.	0.9	5
36	Association entre morphologie de la hanche et prévalence, sévérité clinique et progression de la coxarthrose pendant 3 ans: résultats de la cohorte Knee and Hip Osteoarthritis Long-term Assessment (KHOALA). <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2017, 84, 440-447.	0.0	0

#	ARTICLE	IF	CITATIONS
37	Diabetes, Associated Clinical Spectrum, Long-term Prognosis, and Genotype/Phenotype Correlations in 201 Adult Patients With Hepatocyte Nuclear Factor 1B (<i>HNF1B</i>) Molecular Defects. <i>Diabetes Care</i> , 2017, 40, 1436-1443.	4.3	117
38	Cancer Risks in Patients Treated With Growth Hormone in Childhood: The SAGhE European Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1661-1672.	1.8	113
39	Risk of Diabetes Treated in Early Adulthood After Growth Hormone Treatment of Short Stature in Childhood. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1291-1298.	1.8	18
40	Brain natriuretic peptide usefulness in very elderly dyspnoeic patients: the BED study. <i>European Journal of Heart Failure</i> , 2017, 19, 540-548.	2.9	28
41	Quality of life and impact of pain in women treated with aromatase inhibitors for breast cancer. A multicenter cohort study. <i>PLoS ONE</i> , 2017, 12, e0187165.	1.1	36
42	DNA methylation is an independent prognostic marker of survival in adrenocortical cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 102, jc.2016-3205.	1.8	44
43	Gender-Related Differential Effects of Obesity on Health-Related Quality of Life via Obesity-Related Comorbidities. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 246-256.	0.9	38
44	Computer-aided diagnosis (CAD) of subsolid nodules: Evaluation of a commercial CAD system. <i>European Journal of Radiology</i> , 2016, 85, 1728-1734.	1.2	32
45	Placebo-related effects: a meta-narrative review of conceptualization, mechanisms and their relevance in rheumatology. <i>Rheumatology</i> , 2016, 56, kew274.	0.9	11
46	Association between hip morphology and prevalence, clinical severity and progression of hip osteoarthritis over 3 years: The knee and hip osteoarthritis long-term assessment cohort results. <i>Joint Bone Spine</i> , 2016, 83, 432-438.	0.8	13
47	Femoro-tibial knee osteoarthritis: One or two X-rays? Results from a population-based study. <i>Joint Bone Spine</i> , 2016, 83, 37-42.	0.8	4
48	The Mini-OAKHQOL for knee and hip osteoarthritis quality of life was obtained following recent shortening guidelines. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 70-78.	2.4	13
49	Description of the SAGhE Cohort: A Large European Study of Mortality and Cancer Incidence Risks after Childhood Treatment with Recombinant Growth Hormone. <i>Hormone Research in Paediatrics</i> , 2015, 84, 172-183.	0.8	51
50	Moderators, mediators, and bidirectional relationships in the International Classification of Functioning, Disability and Health (ICF) framework: An empirical investigation using a longitudinal design and Structural Equation Modeling (SEM). <i>Social Science and Medicine</i> , 2015, 135, 133-142.	1.8	34
51	Smoking and Health-Related Quality of Life in the General Population. Independent Relationships and Large Differences According to Patterns and Quantity of Smoking and to Gender. <i>PLoS ONE</i> , 2014, 9, e91562.	1.1	57
52	Growth hormone treatment for childhood short stature and risk of stroke in early adulthood. <i>Neurology</i> , 2014, 83, 780-786.	1.5	87
53	Early postoperative prophylactic noninvasive ventilation after major lung resection in COPD patients: a randomized controlled trial. <i>Intensive Care Medicine</i> , 2014, 40, 220-227.	3.9	70
54	Les troubles mentaux dans les Ã©crits mÃ©dicaux anciens: mÃ©thodes de caractÃ©risation et application aux consultations franÃ§aises du xvieÃ©cle au xviiiÃ©cle. <i>Annales Medico-Psychologiques</i> , 2014, 172, 625-633.	0.2	3

#	ARTICLE	IF	CITATIONS
55	Classification of and Risk Factors for Estrogen Deprivation Pain Syndromes Related to Aromatase Inhibitor Treatments in Women With Breast Cancer: A Prospective Multicenter Cohort Study. <i>Journal of Pain</i> , 2014, 15, 293-303.	0.7	58
56	Rasch analysis for assessing unidimensionality and identifying measurement biases of malignancy scores in oncology. The example of the Weiss histopathological system for the diagnosis of adrenocortical cancer. <i>Cancer Epidemiology</i> , 2014, 38, 200-208.	0.8	4
57	Non response, incomplete and inconsistent responses to self-administered health-related quality of life measures in the general population: patterns, determinants and impact on the validity of estimates. A population-based study in France using the MOS SF-36. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 44.	1.0	51
58	Reproducibility of radiographic hip measurements in adults. <i>Joint Bone Spine</i> , 2013, 80, 52-56.	0.8	35
59	Relationship Between Hip Dysplasia, Pain, and Osteoarthritis in a Cohort of Patients with Hip Symptoms. <i>Journal of Rheumatology</i> , 2013, 40, 1583-1589.	1.0	27
60	Height and Health-Related Quality of Life: A Nationwide Population Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3231-3239.	1.8	34
61	The KHOALA cohort of knee and hip osteoarthritis in France. <i>Joint Bone Spine</i> , 2012, 79, 597-603.	0.8	48
62	Long-Term Mortality after Recombinant Growth Hormone Treatment for Isolated Growth Hormone Deficiency or Childhood Short Stature: Preliminary Report of the French SAGhE Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 416-425.	1.8	258
63	Missing data methods for dealing with missing items in quality of life questionnaires. A comparison by simulation of personal mean score, full information maximum likelihood, multiple imputation, and hot deck techniques applied to the SF-36 in the French 2003 decennial health survey. <i>Quality of Life Research</i> , 2011, 20, 287-300.	1.5	196
64	Identifying type and determinants of missing items in quality of life questionnaires: Application to the SF-36 French version of the 2003 Decennial Health Survey. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 16.	1.0	14
65	OAKHQOL: A new instrument to measure quality of life in knee and hip osteoarthritis. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 47-55.	2.4	109
66	Quality of life in women with fibromyalgia syndrome: validation of the QIF, the French version of the fibromyalgia impact questionnaire. <i>Journal of Rheumatology</i> , 2003, 30, 1054-9.	1.0	57
67	Hepatic and vascular enhancement at dual-phase helical CT: comparison of lobitridol 300 and Iohexol 300 in a prospective randomized study. <i>European Radiology</i> , 2001, 11, 2220-2227.	2.3	3